



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

LT Power Cables - Aluminium conductor

PRICE LIST Dated: 2nd September 2020

HAVELLS BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm & balance stranded conductor, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Aluminium wire for single core up to 70 sqmm & balance Aluminium strip, Galvanised wire for cables upto 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip) extruded PVC Type ST2 Outer sheathed, 650/1100V grade as per IS 7098(Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | UN ARMoured | | | | | ARMoured | | | | |
|---------------------|-------------|----------|----------|------------|----------|------------------|----------------|----------------|------------|----------------|
| | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 |
| | A2XY | A2XY | A2XY | A2XY | A2XY | A2XWαY A2XFαY | A2XWY A2XFY | A2XWY A2XFY | A2XFY | A2XWY A2XFY |
| 4 | | 46 | 54 | | 64 | | 78 | 86 | | 99 |
| 6 | | 56 | 67 | | 78 | | 91 | 100 | | 113 |
| 10 | | 77 | 91 | | 108 | | 108 | 126 | | 141 |
| 16 | 41 | 80 | 107 | | 130 | 73 | 124 | 134 | | 161 |
| 25 | 62 | 112 | 154 | 186 | 199 | 94 | 139 | 181 | 203 | 220 |
| 35 | 71 | 147 | 197 | 229 | 255 | 106 | 165 | 215 | 249 | 277 |
| 50 | 94 | 180 | 245 | 300 | 330 | 129 | 205 | 272 | 323 | 357 |
| 70 | 124 | 247 | 348 | 401 | 460 | 165 | 275 | 377 | 427 | 484 |
| 95 | 168 | 308 | 438 | 498 | 558 | 185 | 353 | 468 | 530 | 590 |
| 120 | 200 | 372 | 535 | 638 | 659 | 222 | 419 | 560 | 663 | 723 |
| 150 | 243 | 447 | 660 | 767 | 835 | 265 | 506 | 690 | 785 | 890 |
| 185 | 299 | 558 | 809 | 932 | 1037 | 323 | 630 | 843 | 965 | 1106 |
| 240 | 340 | 739 | 1016 | 1150 | 1351 | 396 | 820 | 1060 | 1215 | 1410 |
| 300 | 420 | 905 | 1234 | 1427 | 1642 | 485 | 1000 | 1295 | 1485 | 1700 |
| 400 | 525 | 1147 | 1585 | 1810 | 2095 | 605 | 1250 | 1656 | 1885 | 2180 |
| 500 | 754 | 1394 | 2159 | 2506 | 2806 | 830 | 1650 | 2244 | 2625 | 2950 |
| 630 | 898 | 1775 | 2890 | 3386 | 3841 | 970 | 2080 | 2970 | 3560 | 4000 |
| 800 | 1260 | | | | | 1330 | | | | |
| 1000 | 1481 | | | | | 1540 | | | | |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | Cable Size (Sq.mm) | FRLS Loading Factor | | | LSZH Loading | |
|-------------------------------------|--------------------|-------------------------|--------------|---------|--------------|--------------|
| | | Inner Sheath | Outer Sheath | | Inner Sheath | Outer Sheath |
| a) Round Wire Armouring | | | Armd. | Unarmd. | | |
| - 2 x 16 & above | 25.00% | | | | | |
| - 3 x 16 & 3.5CX25 & above | 25.00% | Power (Al.) | | | | |
| - 4 x 10 & above | 25.00% | Upto 16 | 10.0% | 7.5% | 7.5% | 15% |
| - For Single core 95 & above | 25.00% | 25 - 50 | 7.5% | 7.5% | 7.5% | 12.5% |
| b) Stranding 10 sq.mm and below | 10.00% | 70 & above | 5.0% | 5.0% | 5.0% | 15% |
| c) Extruded PVC Innersheath Up 50 | 5.00% | Power Single Core (Al.) | | | | |
| Extruded PVC Innersheath 70 & Above | 2.50% | Upto 16 | -N.A- | 10.0% | 10.0% | -N.A- |
| d) HR PVC Insulation | 10.00% | 25 - 50 | -N.A- | 10.0% | 10.0% | -N.A- |
| e) HR PVC Inner Sheath | 5.00% | 70 & above | -N.A- | 7.5% | 7.5% | -N.A- |
| f) HR PVC Outer Sheath | 5.00% | | | | | |
| g) Oxygen Index (FR) | 2.50% | | | | | |
| h) PVC Insulated Cables | 8.00% | | | | | |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.

**HAVELLS**

HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

LT Power and Control Cables - Copper conductor**PRICE LIST Dated: 2nd September 2020**

HAVELLS BRAND Power/Control Copper Cables, Solid Copper conductor upto 6 sqmm & balance Stranded Copper, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 10x1.5 sqmm, 8x2.5 sqmm, 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip), extruded PVC Type ST2 Outer Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | UN ARMoured | | | | | ARMoured | | | | |
|---------------------|-------------|----------|----------|------------|----------|--|--------------|--------------|------------|--------------|
| | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 |
| | 2XY | 2XY | 2XY | 2XY | 2XY | 2XW _a Y 2XF _a Y | 2XWY 2XFY | 2XWY 2XFY | 2XFY | 2XWY 2XFY |
| 4 | | 131 | 183 | | 237 | | 155 | 204 | | 260 |
| 6 | | 183 | 259 | | 334 | | 210 | 282 | | 366 |
| 10 | | 312 | 437 | | 474 | | 326 | 450 | | 570 |
| 16 | 247 | 425 | 647 | | 816 | 290 | 452 | 640 | | 830 |
| 25 | 388 | 652 | 957 | 1112 | 1217 | 437 | 687 | 994 | 1180 | 1287 |
| 35 | 525 | 1008 | 1344 | 1543 | 1794 | 586 | 1040 | 1392 | 1598 | 1850 |
| 50 | 733 | 1377 | 1845 | 2191 | 2429 | 805 | 1405 | 1900 | 2288 | 2539 |
| 70 | 1028 | 1846 | 2652 | 3176 | 3558 | 1119 | 1958 | 2700 | 3225 | 3600 |
| 95 | 1392 | 2493 | 3637 | 4263 | 4810 | 1443 | 2615 | 3722 | 4350 | 4918 |
| 120 | 1758 | 3140 | 4330 | 5457 | 5928 | 1809 | 3212 | 4558 | 5562 | 6070 |
| 150 | 2203 | 3926 | 5539 | 6802 | 7460 | 2257 | 4018 | 5707 | 7068 | 7610 |
| 185 | 2719 | 4827 | 6956 | 8133 | 9506 | 2780 | 5005 | 7158 | 8370 | 9600 |
| 240 | 3544 | 6250 | 9136 | 10607 | 12279 | 3583 | 6521 | 9316 | 10730 | 12400 |
| 300 | 4465 | 7798 | 11244 | 12959 | 15180 | 4534 | 8271 | 11650 | 13395 | 15645 |
| 400 | 5847 | 10367 | 14218 | 16246 | 19200 | 6058 | 11207 | 15000 | 17000 | 20000 |
| 500 | 7387 | | | | | 7437 | | | | |
| 630 | 9298 | | | | | 9348 | | | | |
| 800 | 11549 | | | | | 11602 | | | | |
| 1000 | 14437 | | | | | 14583 | | | | |

CONTROL CABLES

(Rate in Rs. Per Metre)

| Number of Cores | UN ARMoured | | ARMoured - | | No. of Cores | UN ARMoured | | ARMoured - | |
|-----------------|-------------|-----|------------|-----|--------------|-------------|------|------------|------|
| | 2XY | | 2XWY/2XFY | | | 2XY | | 2XWY/2XFY | |
| | 1.5 | 2.5 | 1.5 | 2.5 | | 1.5 | 2.5 | 1.5 | 2.5 |
| 2 | 62 | 92 | 86 | 118 | 14 | 325 | 503 | 345 | 524 |
| 3 | 81 | 122 | 106 | 146 | 16 | 367 | 583 | 390 | 600 |
| 4 | 102 | 160 | 128 | 182 | 19 | 433 | 686 | 456 | 705 |
| 5 | 130 | 199 | 158 | 222 | 24 | 542 | 864 | 565 | 880 |
| 6 | 153 | 225 | 185 | 262 | 27 | 601 | 957 | 625 | 980 |
| 7 | 174 | 268 | 205 | 295 | 30 | 684 | 1041 | 700 | 1100 |
| 8 | 211 | 337 | 238 | 366 | 37 | 825 | 1283 | 855 | 1344 |
| 10 | 252 | 360 | 276 | 393 | 44 | 977 | 1539 | 1040 | 1661 |
| 12 | 290 | 440 | 310 | 457 | 61 | 1374 | 2100 | 1415 | 2263 |

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

| | | | |
|------------------------------|--------|--|----------------|
| A) Tinning | 3.00% | E) OXYGEN INDEX (FR) | 2.50% |
| B) Stranding (Upto 6 SQ.MM) | 4.00% | F) HR PVC INSULATION | 7.00 |
| C) Extruded Innersheath | 2.50% | G) HR PVC I.SH/O.SH. | 5.00% (Each) |
| D) Round Wire Armouring | | H) FRLS Loading-Power Cable (upto 6 sq.mm) | 7.50% |
| 1C x 95 sq. mm & above | 7.50% | I) FRLS Loading-Power Cable(10sq.mm & above) | 4.00% |
| 1.5 sq.mm - 12 core & above | 15.00% | J) PVC Insulated Cables | 5% |
| 2.5 sq.mm - 9 core & above | 15.00% | | |
| 10 sq.mm - 4 core & above | 15.00% | | |
| 16 sq.mm - 2 core & above | 15.00% | | |
| 16 sq.mm - 3 core & above | 15.00% | | |

| FRLS Loading Factor- Control Cable | | | | LSZH Loading | |
|------------------------------------|--------------|--------------|--------|--------------|--------------|
| Cores | Inner Sheath | Outer Sheath | | Inner Sheath | Outer Sheath |
| | | Armoured | Unarmd | | |
| 2 - 4 | 5.0% | 6.0% | 6.0% | 15.0% | 15.0% |
| 5 - 10 | 5.0% | 4.0% | 4.0% | 15.0% | 15.0% |
| 12 & Above | 5.0% | 4.0% | 4.0% | 12.5% | 12.5% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

HT Single Core Power Cables - Aluminium conductor

PRICE LIST Dated: 2nd September 2020

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL ROUND WIRE ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | A2XWαY | | | | | | |
|---------------------|-----------|------------|--------------------------|------------|-----------|-----------|------------|
| | 3.3 KV UE | 6.6 KV (E) | 6.6 KV (UE) 11 KV (E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| 240 | 597 | 597 | 657 | 765 | 784 | 917 | 1125 |
| 300 | 698 | 698 | 769 | 862 | 883 | 1075 | 1239 |
| 400 | 847 | 847 | 918 | 1021 | 1043 | 1228 | 1417 |
| 500 | 1075 | 1075 | 1112 | 1275 | 1275 | 1509 | 1637 |
| 630 | 1293 | 1293 | 1327 | 1513 | 1513 | 1768 | 1915 |
| 800 | 1588 | 1588 | 1610 | 1769 | 1769 | 2024 | 2301 |
| 1000 | 1907 | 1907 | 2097 | 2301 | 2301 | 2461 | 2644 |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|--------------------------|------|
| 1) FRLS PVC Inner Sheath | 7.5% |
| 2) FRLS PVC Outer Sheath | 5% |
| 3) Oxygen Index | 3% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

HT Single Core Power Cables - Aluminium conductor

PRICE LIST Dated: 2nd September 2020

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL FLAT STRIP ARMOURED** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | A2XFaY | | | | | | |
|---------------------|-----------|------------|--------------------------|------------|-----------|-----------|------------|
| | 3.3 KV UE | 6.6 KV (E) | 6.6 KV (UE) 11 KV(E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| 240 | 569 | 569 | 625 | 727 | 746 | 871 | 1068 |
| 300 | 662 | 662 | 729 | 820 | 837 | 1021 | 1177 |
| 400 | 805 | 805 | 873 | 970 | 993 | 1167 | 1347 |
| 500 | 1021 | 1021 | 1058 | 1213 | 1213 | 1433 | 1554 |
| 630 | 1228 | 1228 | 1260 | 1440 | 1440 | 1679 | 1820 |
| 800 | 1510 | 1510 | 1529 | 1680 | 1680 | 1923 | 2188 |
| 1000 | 1812 | 1812 | 1990 | 2188 | 2188 | 2345 | 2511 |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|--------------------------|------|
| 1) FRLS PVC Inner Sheath | 7.5% |
| 2) FRLS PVC Outer Sheath | 5% |
| 3) Oxygen Index | 3% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

HT Three Core Power Cables - ALuminium conductor

PRICE LIST Dated: 2nd September 2020

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, CORES LAID UP, INNERSHEATH OF PVC, **GALVANISED STEEL FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART-2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | A2XFY | | | | | | |
|---------------------|-------------|------------|--------------------------|------------|-----------|-----------|------------|
| | 3.3 KV (UE) | 6.6 KV(E) | 6.6 KV (UE) 11 KV (E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| 35 | | | 575 | | | | |
| 50 | | | 649 | | | | |
| 70 | 725 | 725 | 770 | | | | |
| 95 | 863 | 863 | 890 | 1174 | 1230 | 1645 | |
| 120 | 1010 | 1010 | 1050 | 1365 | 1410 | 1822 | |
| 150 | 1135 | 1135 | 1175 | 1509 | 1550 | 1985 | 2400 |
| 185 | 1310 | 1310 | 1335 | 1686 | 1740 | 2190 | 2660 |
| 240 | 1585 | 1585 | 1640 | 1984 | 2040 | 2500 | 3020 |
| 300 | 1890 | 1890 | 1900 | 2281 | 2340 | 2737 | 3360 |
| 400 | 2365 | 2365 | 2400 | 2682 | 2750 | 3260 | 3870 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|---|-------|
| 1) Extruded PVC Inner Sheath | 3% |
| 2) Pressure Extruded PVC Innersheath | 13% |
| 3) Round Wire Armouring - Up to 11 KV (E) | 25% |
| 11 KV (UE) & Above | 27.5% |
| 4) FRLS PVC Inner Sheath | 5.0% |
| 5) FRLS PVC Outer Sheath | 5% |
| 6) FR Sheath with Oxygen Index | 3% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.