Back

Cover



www.usha.com

USHR COCE | Toll Free: 1800 1033 111

 $usha_care @ushainternational.com ~ \ref{fig:substant} www.facebook.com/ushainternational$

USHA INTERNATIONAL LTD.

Plot No. 15, Institutional Area, Sector 32, Gurugram-122 001, Haryana, T: +91 124 4583 100, F: +91 124 4583 200, E: corporate@ushainternational.com

Registered Office: Surya Kiran Building, 19 Kasturba Gandhi Marg, New Delhi, India, T: +91 11 2331 8114, F: +91 11 2331 8118

CIN No. 17421001 1935PI C007123

Fans | Sewing Machines | Home Appliances | Engines & Pumpsets | Electrical Motors & Pumps Water Coolers & Dispensers | Cook Tops, Hobs & Hoods | Auto Components

ISO 9001 : 2015 Certified Company Cover Inside

USHA



Fans are meant to make you feel comfortable by circulating air. But that only happens when the air reaches every corner. USHA, a leading name in fans, brings you a whole range of fans that don't just circulate air, but circulate it efficiently. Because we believe that air isn't just for breathing; it's for making you feel relaxed, it's for making you hawa happy.







*SURVEY CONDUCTED BY NIELSEN 2016/2017

About Us

USHA International Limited is one of the leading manufacturers and marketers of consumer durable products in India. Decades of experience and countless innovations have made USHA a familiar name worldwide, across varied applications and segments. Building its heritage since 1935, with the knowledge and vibrancy of today, USHA is growing in a new and modern context.

Products marketed under the USHA brand name include a diversified portfolio of consumer products including electric fans, small kitchen appliances, cooktops, hoods and hobs, water coolers, water dispensers, sewing machines, engines and pump sets, electrical motors and pumps and auto components. USHA has a robust infrastructural backbone consisting of 4 manufacturing facilities at 3 locations: Hyderabad. Kolkata and Faridabad for fans, fuel injection equipment and water coolers. To add to that, there are 16 location offices, 52 company showrooms, 25 warehouses, 395 service centers backed by an in-house customer call center, and fully implemented and functional SAP and IT systems. Headquartered at Gurgaon, India. USHA also has overseas offices in China and Sri Lanka.


USHA, today, is a leading fan exporter to over 30 countries like South Africa, Ghana, Sudan, Nigeria, South East Asia, the Middle East etc.

Using advanced technology in its products and having a clear focus to pursue excellence in all spheres of business activity, Usha International has been able to achieve admirable customer satisfaction and delight, thereby building trust in the Company, its brands and its products over the years.

*Survey conducted by Nielsen 2015, 2016, 2017.

Index

| SECTION | PAGE NO. |
|-----------------------------|----------|
| Admire Series | 3-11 |
| Hi – Trend Series | 13-29 |
| E-Series | 31-35 |
| Kids Series | 36-43 |
| Supertech Series | 44-53 |
| Universal Series | 54-69 |
| Table Fans | 70-77 |
| Pedestal Fans | 78-87 |
| Wall Fans | 88-95 |
| Exhaust Fans | 96-105 |
| Special Application Fans | 106-115 |
| Ceiling Fan Selection Guide | 116-117 |
| Technical Specifications | 118-121 |
| Company Showrooms | 122-123 |
| Location Sales Offices | 124-125 |





Looking for the perfect centrepiece that has a distinct style, creates a fresh, new environment and transforms the four walls into a room anyone would love to walk into? The Admire range has it all.

Fontana® Maple



Antique Brass



- Wide tip blades for high air delivery and air spread
- Separate chain chords for light and speed controls
- Stylish high gloss electroplated motor with removable underlight
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- 3 speed pull cord control for speed regulation
- Available in 1250 mm sweep
- 1-year warranty

Fontana® One



Gold Ivory



- Wide tip blades for high air delivery and air spread
- Separate chain chords for light and speed controls
- Stylish high gloss electroplated motor with removable underlight
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- 3 speed pull cord control for speed regulation
- Available in 1270 mm sweep
- 1-year warranty

Fontana® One



Antique Brass



- Wide tip blades for high air delivery and air spread
- Separate chain chords for light and speed controls
- Stylish high gloss electroplated motor with removable underlight
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- 3 speed pull cord control for speed regulation
- Available in 1270 mm sweep
- 1-year warranty

Fontana® Orchid



Gold Ivory

- Wide tip blades for high air delivery and air spread
- Separate chain chords for light and speed controls
- Stylish high gloss electroplated motor with removable underlight
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- 3 speed pull cord control for speed regulation
- Available in 1280 mm sweep
- 1-year warranty



Fontana® Lotus

Gold Ivory



- Stylish high gloss electroplated motor with removable underlight
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- 3 speed pull cord control for speed regulation


• Separate chain chords for light and speed controls

- Available in 1230 mm sweep
- 1-year warranty

Fontana® Lotus



Black Chrome






- Separate chain chords for light and speed controls
- Stylish high gloss electroplated motor with removable underlight
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- 3 speed pull cord control for speed regulation
- Available in 1230 mm sweep
- 1-year warranty



Fontana® Lotus







- Separate chain chords for light and speed controls
- Stylish high gloss electroplated motor with removable underlight
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- 3 speed pull cord control for speed regulation
- Available in 1230 mm sweep
- 1-year warranty























Hi-Trend Series

Accentuate your interiors with the Hi-Trend range of fans that marry appealing aesthetics to efficient circulation of air. Put it on and see your room tranform into a place that's elegantly styled to compliment your mood.



Acacia®









Lemon Chiffon

Elsa™



- Unique trigonal shape to complement home decor
- Ergonomically designed blades for high air delivery
- Superior high permeability grade electric steel lamination for improved life
- V2 grade ball bearing for whisper-quiet operation and durability
- Speed 320 RPM and air delivery 240CMM
- Available in 1200 MM Sweep size
- 2 year warranty

- Ergonomically designed wide tip blades for high air delivery and air spread
- Five star rated with power consumption of 55 Watts
- Superior high permmeability grade electric steel lamination for improved life
- V2 grade ball bearing for whisper-quiet operation and durability
- Special metallic paint with distinct sparkle effect
- Speed 330 RPM and air delivery 224 CMM





A RANGE OF FANS THAT KEEPS DUST AT BAY.



OUR RANGE OF DUST RESISTANT FANS



















Lavender Chrome





Lavender Chrome





Mist Metallic Green

Pearl White Chrome

Pearl Ivory

Frosty Grey

- Aerodynamically designed blades with high lift angle for wider air speed
- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern décor
- V2 grade ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well at low voltage
- High speed 385 RPM and air delivery 240 CMM
- Available in 600 mm, 900 mm and 1200 mm sweep size
- Also available in 600 mm in Pearl Ivory colour
- 2-year warranty







Striker Galaxy™









Bright Gold







Ultra Marine Blue

Pearl White Chrome



Silver Sage

- \bullet Aerodynamically designed blades with high lift angle for wider air speed
- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern décor
- V2 grade ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well at low voltage
- High speed 385 RPM and air delivery 240 CMM
- Available in 600 mm, 900 mm and 1200 mm sweep size
- Also available in 600 mm in Pearl White Chrome colour
- 2-year warranty













Bright Gold



Sterling Silver













Platinum White

Silver Sage

• Wide tip blades for high air delivery and speed

• Performs well even at low voltage

• High RPM and unique blade angle provides high air delivery and thrust

• V2 grade ball bearing for whisper-quiet operation and durability

• Superior high permeability grade electric steel lamination for improved life

• Lacquer metallic paint for better aesthetics

• High speed 380 RPM and high air delivery 235 CMM

• Available in 1200 mm sweep size

• 2-year warranty

Vetra Plus™





Lavender Matte





Pearl Ivory Brown Matte

Raphael®











Shocking Pink

Royal Silk

Passion Red

Azure Blue

- Specially designed motor with wider tip blades to provide optimum air delivery
- Attractive large sized motor with a decorative ring and two tone flanges
- Superior grade electric steel lamination for long life and low power consumptions
- Saves upto 25% electricity thanks to its Five-Star BEE rating
- V2 grade ball bearing for whisper-quiet operation and durability
- Speed 330 RPM and air delivery 224 CMM
- Available in 1200 mm sweep size
- 2-year warranty



- High lift angle of blades for wide air spread
- Broad parallel blades for high air delivery
- Elegant design with high gloss lacquer with metallic paint for superior finish
- Performs well even at low voltage
- Superior high permeability grade electric steel lamination for improved life
- High speed 380 RPM and air delivery 225 CMM
- Available in 900 mm and 1200 mm sweep size
- 2-year warranty

Striker Millennium®

















Ruby Flicker

Pearl Ivory

Mist Mettalic Green

- Lacquer metallic paint for better aesthetics (Also available in glossy powder coated paint for durability and longer life)
- High air delivery due to unique blade angle
- V2 grade ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for long life
- Air delivery 230 CMM and high speed 380 RPM
- Available in 900 mm*, 1200 mm, 1400 mm* sweep sizes
- 2-year warranty

26



- Wide tip blades for high air delivery and air speed
- Performs well even at low voltage
- Superior electroplated finish with high gloss electrophoretic lacquer coating
- High permeability grade electric steel lamination for improved life
- Available in three attractive finishes
- Speed 345 RPM and air delivery 215 CMM
- Available in 1200 mm sweep size
- 2-year warranty



USHA













THE AUTOMOTIVE INSPIRED METALLIC COLOUR FANS FROM USHA.

Introducing the automotive inspired E-Series, a stunning new collection of metallic colour fans. Coated with a three-layered metallic finish which gives it a spectacular glossy look and distinctly designed blades that provide superior air displacement, the E-Series is the perfect combination of high-end technology and fine aesthetics.

HIGH TORQUE MOTOR



The high torque 16 pole motor delivers air at a higher consistency even at low voltages, maintaining the comfort level of your room.



HIGH AIR DELIVERY

Experience more air with the fan's aerodynamically designed blades which deliver air at a rate of 240 CMM.

AUTOMOTIVE FINISH



A three-layered automotive finish gives the fan a stunningly radiant finish, protecting it from dust and corrosion.



E-Series-Ex5®

THE AUTOMOTIVE INSPIRED
METALLIC COLOUR FANS FROM USHA.









Pearl Silver



Chestnut Brown

- High torque 16 pole motor delivering consistent air even at low voltages
- Super quiet blades generating 60% lesser air, cutting noise compared to conventional high speed fans
- No hum rotor with optimised skew angle for reduced electrical humming noise
- Three layered auto class metallic finish for a stunning glossy look
- Aerodynamic blade design for higher air delivery of 240 CMM and speed of 320 RPM
- Available in 1200 mm sweep size
- 2-year warranty



E-Series-Ex3®

THE AUTOMOTIVE INSPIRED
METALLIC COLOUR FANS FROM USHA.



- Elegant design with sleek canopies
- Twin tone body & trims
- Wide blades with larger surface area of superior air displacement
- Three layered metallic finish for a stunning glossy look
- High air delivery 235 CMM and speed 330 RPM
- Available in 1200 mm sweep size
- 2-year warranty



E-Series-Ex1®

THE AUTOMOTIVE INSPIRED METALLIC COLOUR FANS FROM USHA.

Satin Gold Metal Grey Pearl Silver

- Elegant design with sleek canopies
- Twin tone body and trims

Pearl Sand

- Wide blades with larger surface area for superior air displacement
- Three layered metallic finish for a stunning glossy look
- High air delivery 235 CMM and speed 330 RPM
- Available in 900 mm, 1200 mm and 1300 mm sweep sizes
- 2-year warranty



Ice Blue

E-Series Range













Kids Series

You want the best for your children, and so do we. While you meticulously design every detail of their room, you can now let their imagination go places and get them a fan with their favourite cartoon, like Chota Bheem, Doraemon, Barbie and Hot Wheels.











Barbie Everyday™



Barbie Glam™



AIR DELIVERY

Hot Wheels Roger-Dodger™



F-Racer™



- High lift angle of blade for wide air spread
- Performs well even at low voltage
- Wide tip blades for high air delivery
- Exclusively designed fans for kids with a stationary bottom cover to reflect static images
- Advanced vacuum heat transfer technology for scratch resistance and vibrant colour reproduction
- Superior high permeability grade electric steel lamination
- Speed 330 RPM and air delivery 230 CMM
- Available in 1200 mm sweep size
- Only fan brand with licensing rights from Mattel Inc ®



Performs well even at low voltage

• Superior high permeability grade electric steel lamination

• Only fan brand with licensing rights from Mattel Inc ®

• Speed 330 RPM and air delivery 230 CMM

• Available in 1200 mm sweep size

• 2-year warranty

cover to reflect static images

Chhota Bheem Jungle Fun™

HIGH

- Wide tip blades for high air delivery
- Performs well even at low voltage
- High lift angle of blade for wider air spread
- Exclusively designed fans for kids, with a stationary bottom cover to reflect static images
- Advanced heat transfer technology for scratch resistant finish
- Superior high permeability grade electric steel lamination for improved life
- Speed 340 RPM and air delivery 235 CMM
- Available in 1200 mm sweep size
- 2-year warranty



Chhota Bheem Beach Fun™



- Wide tip blades for high air delivery
- Performs well even at low voltage
- High lift angle of blade for wider air spread
- Exclusively designed fans for kids, with a stationary bottom cover to reflect static images
- Advanced heat transfer technology for scratch resistant finish
- Superior high permeability grade electric steel lamination for improved life
- Speed 340 RPM and air delivery 235 CMM
- Available in 1200 mm sweep size2-year warranty



Chhota Bheem Chutki™





- Wide tip blades for high air delivery
- Performs well even at low voltage
- High lift angle of blade for wider air spread
- Exclusively designed fans for kids, with a stationary bottom cover to reflect static images
- Advanced heat transfer technology for scratch resistant finish
- Superior high permeability grade electric steel lamination for improved life
- Speed 340 RPM and air delivery 235 CMM
- Available in 1200 mm sweep size
- 2-year warranty



Doraemon Copter™




Doraemon Basketball™



- Wide tip blades for high air delivery
- Performs well even at low voltage
- High lift angle of blade for wider air spread
- Exclusively designed fans for kids, with a stationary bottom cover to reflect static images
- Advanced heat transfer technology for scratch resistant finish
- Superior high permeability grade electric steel lamination for improved life
- Speed 340 RPM and air delivery 235 CMM
- Available in 1200 mm sweep size
- 2-year warranty



© 1970-2016 Fujiko Pro Licensed by Animation Int'l $_{43}$





Supertech Series

Happiness is all about the calm and comfort you feel in any space. That's why our Supertech Range ultilises advanced technologies to engineer attractive, large sweep fans with whisper-quiet operation. So revel in quiet happiness in a room you'll never want to leave. USHA range of 5-star rated fans is designed to keep you cool and calm, while also keeping a check on power consumption. Winner of the Energy Conservation Award, the USHA 5-star range is also about simple and classy design. It suits any decor and is a sensible choice when you want to stay comfortable with uniform cooling while saving energy. So enjoy cool air with low electricity bills and be Hawa Happy.









Energia 32™



Rich White







- High air delivery of 220m³/min and constant speed even at low voltage
- High speed fan with 375 RPM
- Cool motor with energy efficiency reduces air conditioning bill
- Remote for convenience
- High torque motor
- Super-efficient fan saves Rs. 830/- per annum
- Consumes only 7 Watts at lowest fan speed
- No humming noise, longer power backup on inverter
- Automatic return to preset speed after restoration of power
- 2 year warranty

Novello®









- 5 Star BEE rated decorative fan with low power cosumption of 52 Watts
- Hi-lift angle of blade for wider air spread
- Saves electricity
- Superior high permeability grade electric steel lamination for improved life
- Lacquer metallic paint for better aesthetics
- High speed fan with 370 RPM
- Available in 1200mm sweep size
- 2 year warranty

Technix Plus®





Ivory Gold











- 5 Star BEE rated fan with low power cosumption of 43 Watts
- Hi-lift Angle of Blade for wider air spred
- Saves electricity
- Superior high permeability grade electric steel lamination for improved life
- Lacquer metallic paint for better aesthetics
- 330 RPM and air delivery of 215 CMM
- Available in 1200mm sweep size
- 2 year warranty

Striker Plus®









- Specially designed motor with wider blades for optimum air delivery and speed
- V2 grade ball bearings for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for improved life
- Superior fan performance from energy saving motor
- High speed 370 RPM and air delivery 220 CMM
- 5 star rated fan with 52 Watt power consumption
- 2-year warranty

Energia ISI™











- Low power consumption
- ISI Marked
- IS 374:1979 marked
- Energy saving fan with power consumption of about 50 Watt
- Superior high permeability grade electric steel lamination for Improved life
- Glossy powder coated paint for superior finish and longer life
- High speed 310 RPM and air delivery 200 CMM
- Available in 1200 mm and 1400 mm sweep size
- 2-year warranty



50

Rich White

Atom ISI®









- High lift angle of blade for wider air spread
- Performs well even at low voltage
- 5-star rating available in 1200 mm sweep size
- IS 374:1979 marked
- Energy saving fan with low power consumption of about 50 Watt
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life
- Speed 330 RPM and air delivery 210 CMM
- Available in 1200 mm and 1400 mm sweep size
- 2-year warranty



Supertech Range















Universal Series

If assurance of quality is what makes you happy, the Universal Series is where your search stops.

Trustworthy utilities that operate at optimal speeds, attractive looks and efficient functioning, this range delivers sleek, maintenance-free fans at optimum cost.





- Wide tip blades for high air delivery and air spread
- Electroplated decoration for elegant looks
- Superior high permeability grade electric steel lamination for improved life,
- Performs well even at low voltage
- V2 grade ball bearing for whisper-quiet operation and durability
- 340 RPM and air delivery of 225 CMM
- Available in 600 mm, 900mm,1200mm &1400 mm sweep size
- 2 year warranty











- V2 grade ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- High speed 350 RPM
- Air delivery of 220 CMM
- Available in 1200mm sweep size
- 2 year warranty





- V2 grade ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- High Speed 380 RPM
- Air delivery of 225 CMM
- 2 year warranty

- V2 grade ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- High Speed 350 RPM
- Air delivery of 220 CMM
- Available in 1200mm sweep size
- 2 year warranty





- V2 grade ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- High Speed 350 RPM
- Air delivery of 207 CMM
- Available in 1200mm sweep size
- 2 year warranty

- Wide tip aerodynamic blades for high air delivery & spread
- Superior grade lamination for longer life
- Available in 5 colours
- High speed 385 RPM and air delivery 240 CMM
- Available in 1200 mm sweep size
- 2-year warranty



Striker® Neo



Striker® One



- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- High speed 380 RPM and air delivery 225 CMM
- Available in 1200 mm sweep size
- 2-year warranty

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- High speed 380 RPM and air delivery 225 CMM
- Available in 1200 mm sweep size
- 2-year warranty

Striker®



- Superior high permeability grade electric steel lamination for improved life
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage
- High RPM and unique blade angle provides high air delivery & spread
- High speed 380 RPM and air delivery 230 CMM
- Available in 600 mm, 900 mm, 1050 mm, 1200 mm and 1400 mm sweep sizes
- 2-year warranty



Air King®



- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Electroplated decorative for elegant looks
- Glossy powder coated paint for superior finish and longer life
- Available in 3 colours
- High speed 350 RPM and air delivery 207 CMM
- Available in 1200 mm sweep size
- 2-year warranty

Nova® Dlx



- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Available in 4 colours
- High speed 380 RPM and air delivery 225 CMM
- Available in 1200 mm and 1400 mm sweep sizes
- 2-year warranty

Sonata®



67



- High lift angle of blade for wider air spread
- Performs well even at low voltage
- Robust aluminium pressure die cast body
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life
- Available in 4 colours
- High speed 380 RPM and air delivery 230 CMM
- Available in 1200 mm and 1400 mm sweep sizes
- 2-year warranty

USHA

Swift®





- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Available in 600 mm/900 mm/1050 mm/1200 mm and 1400 mm sweep







Table Fans

The compact size and incredible power of the Table Fan Range eases mobility without any effect on their effectiveness, reaching those places in the room that other fans might miss. And a wide variety of colours it comes in complement your interiors perfectly.



Mist Air® Icy

NEW







100% copper motor for longer life
Aerodynamic PP blades for high air delivery
Rust-free PP body and blades
Elegant dual colour design with attractive and decorative style
Jerk-free & uniform oscillation; 3 speed settings
Unique pivot arrangement for easy tilt mechanism
Resettable fuse to auto-protect motor during thermal overloading
Available in 400 mm sweep size

Mist Air Duos™







73

- Aerodynamic PP blades for better air delivery with low noise
- 100% copper motor for longer life
- Dual colour design with attractive and decorative style
- Jerk-free and uniform oscillation
- \bullet Soft head tilting mechanism with dual options knob and ratchet type
- Overheat protection fuse to auto protect motor during thermal overloading
- Available in 400 mm sweep size

Maxx Air™







- High air delivery
- 100% copper motor for longer life
- Motor overheat auto protection
- Powerful motor, specially designed for Indian conditions
- Unique pivot arrangement for tilting and oscillation
- Aerodynamically designed PP blades
- Powder coated guard with 120 Ribs and PPCP ring
- Jerk-free and uniform oscillation
- Available in 400 mm sweep size

Striker® Hi-Speed





- High speed fan
- 100% copper motor for longer life
- Auto thermal overload protection
- Powerful motor for high air delivery, specially designed for Indian conditions
- Jerk-free and uniform oscillation
- Aerodynamically designed PP blades
- Compact style and powder coated guards
- Unique base design and decorative style
- Available in 400 mm sweep size



Table Fan Range

Wind



- High air delivery
- 100% copper motor for longer life
- Powerful motor delivers performance across wide voltage range
- Sturdy metal body ensures high quality and durability
- Aerodynamically designed PP blades
- Compact styling with powder coated guards
- Jerk-free and uniform oscillation
- Pivot arrangement for tilting and oscillation
- Available in 400 mm sweep size





Swift®











- Aerodynamically designed PP blades for high air delivery
- 100% copper motor for longer life
- Sturdy metal body ensures unmatched quality and durability
- 2 year warranty
- Jerk free and Uniform oscillation
- 3 speed Switch control
- RPM 1325
- Wattage 63W





Pedestal Fans

Be it your verandah, garden or inside your home, with USHA's range of pedestal fans, you'll be comfortable in any weather anywhere. While they circulate large amount of air and make even a hot or humid outdoor environment calm and relaxed, they also help maximise the effectiveness of air-conditioners without affecting the quality of air.



Mist Air® Icy With Remote

NEW



- 100% copper motor for longer life
- Aerodynamic designed AS blades for high air delivery
- Number of Blades: 5
- Remote controlled operation for added convenience, ease of regulating speed
- Intelligent comfort wind modes Normal, Natural and Sleep wind modes
- Rust-free PP body and Aerodynamic designed AS blades
- Elegant design with attractive and decorative style
- Jerk-free & uniform oscillation; 3 speed settings
- Programmable timer up to 7 hours
- Unique pivot arrangement for easy tilt mechanism
- Resettable fuse to auto-protect motor during thermal overload
- ${\mbox{\ }}{\mbox{\ }}$ Memory back up feature to remember last user setting in case of power failure
- Available in 400 mm sweep size

Mist Air® Icy



- 100% copper motor for longer life
- Aerodynamic PP blades for high air delivery
- Rust-free PP body and blades
- Elegant dual colour design with attractive and decorative style
- Jerk-free & uniform oscillation; 3 speed settings
- Unique pivot arrangement for easy tilt mechanism
- Resettable fuse to auto-protect motor during thermal overload
- Available in 400 mm sweep size

Maxx Air Comfy™



- Aerodynamically designed PP blades with better air delivery
- Intelligent Comfort Wind modes Normal, Natural and Sleep wind modes
- Soft head tilting mechanism
- Synchronous motor for smooth and uniform oscillation
- 3 Fan speeds (High/Medium/Low) with 7.5 hours programmed timer
- Remote Control for convenience in operation
- Memorizes the last user setting in case of power failure
- Fuse to auto protect motor during thermal overload
- Available in 400mm sweep size



- Aerodynamic PP blades for better air delivery with low noise 100% copper motor for longer life
- Dual colour design with attractive and decorative style
- Jerk-free and uniform oscillation
- Soft hand tilting mechanism with dual options knob and ratchet type mechanisms
- Overheat protection fuse to auto-protect motor during thermal overload
- Available in 400 mm sweep size

Maxx Air™



- Motor overheat auto protection
- 100% copper motor for longer life
- Unique oil reservoir lubrication for better reliability and longer life
- Powerful motor for high air delivery, specially designed for Indian conditions
- Aerodynamically designed PP blades
- Jerk-free & uniform oscillation
- Available in white & blue colours
- Available in 400 mm sweep size

Helix® Pro Hi-Speed



- High speed performance 2300 RPM
- 100% copper motor for longer life
- High air delivery
- Aerodynamically designed ABS blades
- Synchronous motor for driving smooth oscillation
- Auto-resettable fuse to safeguard motor during thermal overload
- Available in 400 mm sweep size

Striker® Hi-Speed



- High speed fan
- 100% copper motor for longer life
- Auto thermal overload protection
- Powerful motor for high air delivery, specially designed for Indian conditions
- Jerk-free and uniform oscillation
- Aerodynamically designed PP blades
- Compact style and powder-coated guards
- Unique base design and decorative style
- Available in 400 mm sweep size

Helix® Hi-Speed



• High speed fan

- 100% copper motor for longer life
- Powerful motor for higher air delivery
- Motor overheat auto protection
- Jerk-free and smooth oscillation
- Available in 400 mm sweep

Striker® Hi-Speed



Farrata®




- A powerful fan
- 100% copper motor for longer life
- Unmatched air delivery
- Rugged motor and heavy base with metal blades
- Available in 500 mm sweep size

Farrata® EX



- A powerful fan with air thrust and high air quality
- 100% copper motor for longer life
- Rugged motor for a host of applications
- Heavy metal body and metal blades for stability and durability
- Available in 500 mm sweep size

- High speed fan
- 100% copper motor for longer life
- Auto thermal overload protection
- Powerful motor for high air delivery, specially designed for Indian conditions
- Jerk-free and uniform oscillation
- Aerodynamically designed PP blades
- Compact style and powder-coated guards
- Unique base design and decorative style
- Available in 400 mm sweep size





Wall Fans

Small, powerful, handy and feature packed. The light weight and portable of Wall Fans facilitate easy mobility and effectiveness to cool those spaces of the house that cannot be reached by centralised air, especially the tight corners. You can also choose from a variety of colour options that suit your décor.





Mist Air® Icy with Remote

NEW



- 100% copper motor for longer life
- Aerodynamic designed PP blades for high air delivery
- Number of blades: 3
- $\boldsymbol{\cdot}$ Remote controlled operation for added convenience, ease of regulating speed
- Intelligent comfort wind modes Normal, Natural and Sleep wind modes
- Rust-free PP body and blades
- Elegant design with attractive and decorative style
- Jerk-free & uniform oscillation; 3 speed settings
- Programmable timer up to 7.5 hours
- Unique pivot arrangement for easy tilt mechanism
- Resettable fuse to auto-protect motor during thermal overload
- Memory back up feature to remember last user setting in case of power failure
- Available in 400 mm sweep size

Maxx Air Comfy™



91

- Aerodynamically designed PP blades (400MM sweep) with better air delivery
- Intelligent comfort wind modes Normal, Natural and Sleep wind modes
- Soft head tilting mechanism
- Synchronous motor for smooth and uniform oscillation
- 3 Fan speeds (High/Medium/Low) with 4 hours programmed timer
- Remote Control for convenient operation
- Fuse to auto protect motor during thermal overload
- Memorizes the last user setting in case of power failure
- Available in 400mm sweep size

Mist Air® Icy

NEW



- 100% copper motor for longer life
- Aerodynamic PP blades for high air delivery
- Rust-free PP body and blades
- Elegant dual colour design with attractive and decorative style
- Jerk-free & uniform oscillation
- 3 speed settings; String-based control panel for easy operation
- Unique pivot arrangement for easy tilt mechanism
- Resettable fuse to auto-protect motor during thermal overload
- Available in 400 mm sweep size

Maxx Air™



- High air delivery
- 100% copper motor for longer life
- Motor overheat auto protection
- Unique oil reservoir lubrication for better reliability and longer life
- Aerodynamically designed, semi-transparent blades
- Unique pivot arrangement for jerk-free and uniform oscillation
- Novel base design and decorative style
- Available in 400 mm sweep size
- Available in Blue and White colours

Mist Air Duos™



- Aerodynamic PP blades
- 100% copper motor for longer life
- Synchronous motor for driving smooth and uniform oscillation
- Double-ring metal grille for sturdy operation
- Soft head tilting mechanism
- Knob and ratchet type mechanism
- Fuse to auto-protect motor during thermal overload
- String-based control panel for easy operation
- Available in 300 mm sweep size

Maxx Air Dew™



- Aerodynamic PP blades for better air delivery and low noise
- 100% copper motor for longer life
- Dual colour design with attractive and decorative style
- Jerk-free and uniform oscillation
- \bullet Ratchet type mechanism for head tilting adjustment
- ${\boldsymbol{\cdot}}$ Fuse to auto protect the motor during thermal overload
- Three-speed selection: String based control panel for easy operation
- Available in 400 mm sweep size

Helix® Plus Hi-Speed

NEW



• High speed performance - 2300 RPM

• Aerodynamically designed ABS blades

• Synchronous motor for driving smooth oscillation

• Auto resettable fuse to safeguard motor during

• 100% copper motor for longer life

• Available in 400 mm sweep size

Higher air delivery

thermal overload

- High speed performance 2500 RPM
- Higher air delivery
- Aerodynamically designed ABS blades
- Synchronous motor for driving smooth oscillation
- Auto-resettable fuse to safeguard motor during thermal overload
- Available in 300 mm sweep size

Helix® High Speed



- Motor over-heat auto protection
- 100% copper motor for longer life
- Unique oil reservoir lubrication for better reliability and longer life
- High speed motor for superior air delivery
- Aerodynamically designed blades
- Pull Cord switch for speed regulation
- Available in 300 mm and 400 mm sweeps

Helix® Pro Hi-Speed




HIGH AIR
DELIVERY

Striker® Hi-Speed



- High speed fan
- 100% copper motor for longer life
- Powerful motor for higher air delivery, specially designed for Indian conditions
- Aerodynamically designed PP blades
- Compact styling with powder coated guards
- Jerk-free and uniform oscillation
- Unique base design and decorative style
- Pull cord switch for speed regulation and oscillation control
- Available in 400 mm sweep size





Exhaust Fans

Happiness is also about keeping unwanted moments away. USHA's range of exhaust fans don't just control the quality of air in an enclosed space by getting rid of smoke, moisture, fumes and odour, the automatic front/back shutter and rust-proof body also ensures that you won't have to worry about changing these for a long time.



Crisp Air Premia® AS



- Auto electric front shutter
- 100% copper motor for longer life
- Low noise and light weight
- Motor designed for long lasting operation
- Sleek and stylish design
- Rustproof body and blades
- Suitable for window and wall mounted indoor installation
- Available in white colour
- Available in 150 mm sweep size

Crisp Air Premia® RV



- Back shutter on/off operation through stylish interlocked pull cord
- 100% copper motor for longer life
- Low noise and light weight
- Motor designed for long lasting operation
- Rustproof body and blades
- Sleek and stylish design
- Suitable for bathroom and kitchen
- Ideal for mounting on glass window
- Available in white colour
- Available in 150 mm and 200 mm sweep sizes

Crisp Air Premia® BV



- Automatic front shutter
- 100% copper motor for longer life
- Low noise and light weight
- Motor designed for long lasting operation
- Rustproof body and blades
- Suitable for bathroom and kitchen
- Ideal for mounting on glass window
- Available in white colour

98

• Available in 100 mm and 150 mm sweep sizes

Crisp Air Premia® CV



- Automatic back shutter
- 100% copper motor for longer life
- Low noise and light weight
- Suitable for false ceiling installation
- Motor designed for long lasting operation
- Sleek and stylish design
- Rustproof body and blades
- Available in white colour
- Available in 260 x 260 frame size

USHA°

Crisp Air Premia® AF



- Low noise and weight
- Axial throw fan with hidden blades and streamlined design
- Easy screwless installation system; can be mounted on wall, ceiling or glass
- Thermal overload protection ensures durability
- Removable screwless front for easy cleaning
- Available in two attractive finishes New Ivory and Stainless Steel
- Available in 100 mm and 150 mm sweep sizes

Crisp Air™ LX



- Available in 3 sweep sizes: 150 mm, 200 mm and 250 mm
- 100% copper motor for longer life
- Rust-proof body and blade
- Light weight PP material
- Special blade design with high suction capacity
- Quiet operation



Crisp Air™

- An economically priced model with metal blades and a safety guard
- 100% copper motor for longer life
- Extra powerful motor
- Dynamically balanced blade to keep the rotation vibration free
- A single piece of ribbed frame with rubber mountings to ensure silent operation
- Fan treated with anti-corrosive, in an attractive metallic finish
- With metal blade and plastic guard
- Available in Metallic Grey colour
- Available in 230 mm and 300 mm sweep sizes

Turbo Jet® Deluxe



- Sleek & stylish design
- Rustproof body and blades
- Whisper-quiet operation and light weight
- Colours available in 150 mm, 200 mm: Pearl White, Ivory and Black 250 mm: Pearl White and Ivory
- Available in 150 mm, 200 mm and 250 mm sweep sizes

Turbo® DBB



- A single piece, rigid frame with rubber mounting to ensure low noise operation and high air delivery
- Totally enclosed, corrosion resistant, light weight, aluminium pressure die cast, extra powerful capacitor type motor
- Sturdy metal safety bird guard
- Dynamically balanced blade for vibration free rotation
- Anti-corrosive treatment and attractive metallic finish
- Available in Metallic Grey colour
- Available in 230 mm and 300 mm sweep sizes

Turbo® Heavy Duty



- Heavy duty motor ISI marked IS:2312 marked
- 100% copper motor for longer life
- Dynamically balanced blade for vibration-free rotation, aluminium die-cast body ensures long life
- Powerful fan that provides consistent quality and trouble-free operation
- Anti-corrosive treatment and attractive metallic finish
- Available in Metallic Grey colour
- Available in both single phase and 3-phase motor
- Available in:
- 300 mm sweep 900 RPM and 1400 RPM 380 mm sweep 900 RPM and 1400 RPM 450 mm sweep 900 RPM and 1400 RPM
- 600 mm sweep 900 RPM and 700 RPM

















Dimensional Specifications Exhaust Fans


Crisp Air Premia® AS






| SWEEP | A (mm) B (mm) | | C (mm) | D (mm) | |
|-------------|---------------|-----|--------|--------|--|
| 150 mm (6") | 209 | 148 | 56 | 56 | |

Crisp Air Premia® RV





| SWEEP | A (mm) | B (mm) | C (mm) | D (mm) | E (mm) |
|-------------|--------|--------|--------|--------|--------|
| 150 mm (6") | 180 | 207 | 37 | 47 | 160 |
| 200 mm (8") | 238 | 272 | 45 | 55 | 210 |

Crisp Air Premia® BV





| I | A (IIIIII) | B (mm) | C (mm) | D (mm) |
|-------------|------------|--------|--------|--------|
| 100 mm (4") | 150 | 98 | 62 | 42 |
| 150 mm (6") | 200 | 148 | 71 | 53 |


Crisp Air Premia® CV





| SWEEP | A (mm) | B (mm) | C (mm) | D (mm) | E (mm) | F (mm) | G(mm) |
|-------------|--------|--------|--------|--------|--------|--------|-------|
| 120 mm (5") | 255 | 8 | 43 | 98 | 205 | 258 | 155 |

Crisp Air Premia® AF



| SWEEP | A (mm) | B (mm) | C (mm) | D (mm) |
|-------------|--------|--------|--------|--------|
| 100 mm (4") | 157 | 157 | 82 | 109 |
| 150 mm (6") | 195 | 195 | 82 | 147 |

Crisp Air™





| SWEEP | A (mm) | B (mm) | C (mm) | D (mm) | E (mm) |
|--------|--------|--------|--------|--------|--------|
| 150 mm | 150 | 240 | 175 | 78 | 50 |
| 200 mm | 200 | 300 | 243 | 90 | 39 |
| 250 mm | 250 | 345 | 290 | 90 | 41 |


Crisp Air™ Lx





| SWEEP | А | В | С | D |
|--------|---------|----|----|---------|
| 150 mm | 245x245 | 30 | 78 | 193x193 |
| 200 mm | 295x295 | 30 | 88 | 243x243 |
| 250 mm | 345x345 | 30 | 92 | 290x290 |


Turbo Jet® Deluxe





| SWEEP | A (mm) | B (mm) | C (mm) | D (mm) | E (mm) |
|--------------|--------|--------|--------|--------|--------|
| 230 mm (9") | 295 | 230 | 250 | 130 | 89 |
| 300 mm (12") | 385 | 315 | 325 | 140 | 89 |


Turbo® DBB





| SWEEP | A (mm) | B (mm) | C (mm) | D (mm) | E (mm) |
|--------------|--------|--------|--------|--------|--------|
| 230 mm (9") | 295 | 230 | 250 | 130 | 89 |
| 300 mm (12") | 385 | 315 | 325 | 140 | 89 |


Turbo® Hi-Speed





| SWEEP | A (mm) | B (mm) | C (mm) | D (mm) | E (mm) |
|--------------|--------|--------|--------|--------|--------|
| 230 mm (9") | 295 | 230 | 250 | 130 | 89 |
| 300 mm (12") | 385 | 315 | 325 | 140 | 89 |

Turbo® Heavy Duty





| SWEEP | A (mm) | B (mm) | C (mm) | D (mm) | E (mm) |
|--------------|--------|--------|--------|--------|--------|
| 300 mm (12") | 387 | 316 | 325 | 264 | 124.5 |
| 380 mm (15") | 468 | 376.5 | 402 | 269 | 124.5 |
| 450 mm (18") | 550 | 443 | 480 | 335 | 152 |
| 600 mm (12") | 716 | 592.5 | 635 | 365 | 110 |





Special Application Fans

Don't we all look forward to special occaisions? Well this time, you can charm your guests with this one of a kind Special Application Range. These fans will surprise you with their unique and exclusive features like superior air circulation, sleek design and efficient air delivery.





Cerebro[®]



- Elegant and thin design
- 100% copper motor for longer life
- Multi-functional control panel with LED display
- 3 intelligent comfort modes: Natural, Normal and Sleep wind modes
- 3-speed regulator with 8-hour programmable timer
- Smart-wind Mode tracks ambient temperature of your room and automatically adjusts speed levels
- Dismountable dust-proof filter for easy cleaning
- Special design for easy grip and remote resting space
- Greater oscillation covers wider area
- Easy to operate remote control

Efikas™



- Ultra-thin design with tubular centrifugal blower
- 100% copper motor for longer life
- Multi-functional control panel with LED display
- 3 intelligent comfort modes: Natural, Normal and Sleep wind mode
- 3-speed regulator with 8-hour programmable timer
- Portable handle for effortless moving
- Ionizer keeps indoor air clean and fresh
- Easy to operate remote control

Rense™



- Ultra-thin design with tubular centrifugal blower
- 100% copper motor for longer life
- Multi-functional control panel with led display
- 3 intelligent comfort modes: Natural, Normal and Sleep wind mode
- 3-speed regulator with 8-hour programmable timer
- Special design for easy grip and remote resting space
- Easy to operate remote control

Mist Air® Prime

NEW



- 100% copper motor for longer life
- Compact, sleek and attractive design with high air delivery
- Tubular centrifugal blower helps the fan sport a space-saving design; Ultra-thin body makes it fit anywhere
- 3 speed settings and 2 hour manual timer for multi-comfort options
- Jerk-free and uniform wide oscillation feature for effective air circulation
- Easy grip and portability with ergonomically designed slot at the back of the fan
- Fuse to auto-protect motor during thermal overloading
- Available in 400 mm sweep size

Misty®












Mist Air® Icy Rotocab®



- Hand-held fan with water spray functionality which is perfect for outdoor activities, sporting events and travelling
- Wide mouth opening for ice
- Light weight
- PVC blades warrant against injury
- Water capacity of 320 ml
- Vibration-free
- Battery operated (2 AA batteries 1.5 V each)
- Available in Blue, Mauve, Yellow and Green colours

- Complete 360 degree oscillation for wider air coverage
- Ideal for mounting on ceilings
- Aerodynamically designed blades with better air delivery
- Convenience of easy assembly
- Motor overhead protection
- 2 year warranty

Dominaire® Wall



- Aerodynamically designed aluminium alloy single piece blade for high air delivery
- Heavy duty motor performs well even at low voltages
- Heavy and robust cast iron base for greater stability
- Precision-built oscillating mechanism with indexing option and 90 degree oscillation
- Powder coated paint in metallic finish, protects the fan from corrosion
- Performance conforms to IS:2997-1964 standards
- Available in 450 mm, 600 mm & 750 mm sweep sizes

DIMENSIONAL SPECIFICATIONS (mm)

| | SIZE | Α | В | С | [|) | E | | | G | Н |
|---|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 0 | (SWEEP) | | | | MAX | MIN | MAX | MIN | | | |
| | 450 mm | 510 | 450 | 130 | 600 | 470 | 220 | 90 | 665 | 125 | 210 |
| | 600 mm | 672 | 600 | 165 | 635 | 470 | 220 | 90 | 665 | 125 | 210 |
| | 750 mm | 805 | 750 | 175 | 840 | 660 | 380 | 220 | 770 | 125 | 210 |

Performance confirms to IS:2997-1964 Standards

Dominaire® Pedestal

DIMENSIONAL SPECIFICATIONS (mm)

| SIZE (SWEEP) | Α | В | С | D | E | | G | Н |
|--------------|-----|-----|-----|-----|-----|------|-----|------|
| 450 mm | 510 | 450 | 130 | 375 | 520 | 690 | 400 | 1465 |
| 600 mm | 675 | 600 | 165 | 410 | 510 | 1080 | 515 | 1880 |
| 750 mm | 805 | 750 | 175 | 420 | 510 | 1080 | 515 | 1950 |

TECHNICAL SPECIFICATIONS

| Туре | Phase | Volts (V) | Frequency (Hz) | Power Consumption (W) | Speed RPM | Air Del M3/min (CMM) |
|----------|----------------------------------|---|--|---|--|---|
| Wall | Sing l e | 230V | 50Hz | 100W | 1400 | 150 |
| Pedestal | Sing l e | 230V | 50Hz | 100W | 1400 | 150 |
| Wall | Sing l e | 230V | 50Hz | 180W | 1400 | 270 |
| Pedestal | Sing l e | 230V | 50Hz | 180W | 1400 | 270 |
| Wall | Sing l e | 230V | 50Hz | 250W | 1400 | 400 |
| Pedestal | Sing l e | 230V | 50Hz | 250W | 1400 | 400 |
| | Wall Pedestal Wall Pedestal Wall | Wall Single Pedestal Single Wall Single Pedestal Single Wall Single | Wall Single 230V Pedestal Single 230V Wall Single 230V Pedestal Single 230V Wall Single 230V | Wall Single 230V 50Hz Pedestal Single 230V 50Hz Wall Single 230V 50Hz Pedestal Single 230V 50Hz Pedestal Single 230V 50Hz Wall Single 230V 50Hz | Wall Single 230V 50Hz 100W Pedestal Single 230V 50Hz 100W Wall Single 230V 50Hz 180W Pedestal Single 230V 50Hz 180W Wall Single 230V 50Hz 250W | Wall Single 230V 50Hz 100W 1400 Pedestal Single 230V 50Hz 100W 1400 Wall Single 230V 50Hz 180W 1400 Pedestal Single 230V 50Hz 180W 1400 Wall Single 230V 50Hz 250W 1400 |

Performance confirms to IS:2997-1964 Standards

- Aerodynamically designed aluminium alloy single piece blade for high air delivery
- Heavy duty motor performs well even at low voltage
- Heavy and robust cast iron base for greater stability
- Precision-built oscillating mechanism with indexing option and 90 degree oscillation
- Powder coated paint in metallic finish, protects the fan from corrosion
- Performance conforms to IS:2997-1964 standards
- Available in 450 mm, 600 mm & 750 mm sweep sizes



Turbo® Multipurpose

NEW



- Compact and attractive multi-utility fan
- Can be installed on the wall and put on a table/desk/workstation
- 2 fan speed
- Easy portability with ergonomically designed slot at the back of the fan
- Available in 150 mm sweep size

Dynamo®





- · A multi-purpose fan that can be used on the table, wall and even on the ceiling
- Multi-tilt angle
- Available in 230 mm sweep size



A PERFECT MIX OF STYLE AND COMFORT

Presenting USHA, one of the largest fan manufacturing companies in India, offering fans with a unique combination of fabulous form & flawless function. Fans are an important accessory that not only have great utility value but enhance the beauty of rooms. Fans today, are very much a part of home décor accessories. A well-designed fan adds a touch of glamour to your rooms.

USHA'S EXPERT OPINION ABOUT USHA HUNTER FANS

A FAN FOR EVERY SEASON

Reversible motors for useful operation in both summer and winter. Their clockwise as well as anti-clockwise movement provides soothing cooling in summer and much-needed heating in winter.

MATCHES YOUR DÉCOR

Innovative, reversible plywood blades promise you the flexibility to match these fans to your changing decors or even moods!

QUIET & CALM BREEZE

Specially engineered motors with multiple capacitors & patented sound dampeners ensure noise-free performance, giving you a relaxing and peaceful environment at home.

DURABLE AND SUSTAINABLE

A rich scratch-resistant finish, the result of plating process, involving grinding and polishing cycles, serves the dual purpose of good looks and durability.

LONG LASTING INVESTMENT

The powerful motors are fitted with polypropylene capacitors which are safer and do not cause overheating and fires. Thus, making these fans quality investments that will perform for years.

USHA Hunter fans are the preferred choice at luxury hotels and other premium properties across the country. Grandeur is one of the key attractions for people seeking luxury and USHA Hunter fans have a majestic appeal.

TERMS & CONDITIONS

- All purchases are subject to company's general terms and conditions of business.
- All products and installation images are indicative only. The colour shade of the product shown may vary from the actual colour.
- Disputes, if any are subject to Delhi jurisdiction.
- Due to continuous efforts in developing and improving products, we reserve the right to make changes in design and data and withdraw the product without any prior notice.
- Every effort has been made to ensure accuracy in compilation of technical/commercial detail within this publication. However, the customer is advised to check exact product details with the Company before buying the product.

Selection Guide - Ceiling Fans

Recommended sweep for different room sizes:

| • | |
|----------------------------|-----------|
| Room Size | Fan Sweep |
| 4m x 5m to 4.5m x 4.5m | 1400 MM |
| 3.3m x 4m to 3.7m x 3.7m | 1200 MM |
| 2.7m x 3.3m to 3m x 3m | 1050 MM |
| 2.4m x 2.7m to 2.4m x 2.4m | 900 MM |
| | - |



Important: - To optimize air-delivery, your fan should be approximately 3 metres from the ground and 0.3 metres from the roof For larger rooms with more than fan, the centre distance between each fan will depend on sweep of fan.

| Sweep of fan | 36" | 42" | 48" | 56" |
|----------------------|------|-----|------|-----|
| Centre of Difference | 1.8m | 2m | 2.5m | 3m |

USHA's Expert Opinion about USHA Exhaust Fans

In order to calculate the ventilaion requirements of a room, one has to first assess how many Air changes are ideally needed in it. The following chart illustrates the industry standards as per the locaitons:

Air Delivery (m³/hour) = Volume (m³) x Air changes per hour.


The recommended Air changes are as under:


| Area | AIR CHANGES PER HOUR | | |
|--------------------------|----------------------|--|--|
| Assembly Halls | 8-12 | | |
| Banks | 4-8 | | |
| Boiler Houses | 40-60 | | |
| Canteens/Restaurants | 12-20 | | |
| Cinemas/Theatres | 20-30 | | |
| Factories/Workshops | 12-20 | | |
| Foundries | 40-60 | | |
| Hospitals (General Ward) | 8-12 | | |
| Kitchens (Domestic) | 20-30 | | |
| Laboratories | 8-12 | | |
| Offices | 8-12 | | |
| Photographic Darkroom | 20-30 | | |

Installation details

- Diameter of the opening on the wall should be 25mm more than the sweep diameter.
- The area around the opening should be completely closed It is recommended to install the motor horizontally.

Good Layout







TECHNICAL SPECIFICATIONS

| Serial No. | Sweep | Model | Air Delivery | Power Input | Speed |
|--------------|-------|---|--------------|-------------|-----------|
| | (mm) | | (CMM) | (Watts) | (RPM) |
| Ceiling Fans | () | | (Gillin) | (Watts) | (rti ivi) |
| | 1200 | Dower Cover, ACE ICD Energia ICI | 200 | 50 | 310 |
| 2 | 1400 | Power Saver, ACE ISD, Energia ISI | 245 | 60 | 280 |
| 3 | 900 | O Ace ISD, Energia ISI Swift | | 60 | 380 |
| 4 | 1050 | Swift | 118 165 | 70 | 370 |
| 5 | 1200 | Swift, Xavia, Stella, Sprit, Aerostyle, Diplomate, | 207 | 74 | 350 |
|] | 1200 | Aerostyle Dlx, Diplomat Dlx, Stella Dlx, Air King, Swift Dlx | 201 | 14 | 330 |
| 6 | 1200 | Wind Ex | 220 | 74 | 350 |
| 7 | 900 | Ace Ex, Spin, Apollo Ex | 127 | 60 | 390 |
| 8 | 1050 | Ace Ex, Spin, Apollo Ex | 166 | 65 | 375 |
| 9 | 1200 | Ace Ex, Spin, Apollo Ex | 220 | 75 | 350 |
| 10 | 1200 | Apollo LX | 215 | 75 | 340 |
| 11 | 900 | New Zen, Apollo | 127 | 55 | 380 |
| 12 | 1050 | New Zen, Apollo | 166 | 65 | 375 |
| 13 | 1200 | New Zen, Apollo, Jet, Zipp | 220 | 75 | 350 |
| 14 | 1200 | Aster, Neo | 220 | 70 | 350 |
| 15 | 1200 | Supra | 200 | 70 | 350 |
| 16 | 1200 | Sonata, New Prima, Sonata Deco, Magic Air, Accura | 225 | 78 | 330 |
| 17 | 1200 | Sonata Max | 235 | 78 | 330 |
| 18 | 1400 | ACE, Nova Dlx, | 240 | 84 | 310 |
| 19 | 1400 | Swift | 225 | 85 | 320 |
| 20 | 900 | Ergo | 133 | 50 | 400 |
| 21 | 1050 | Ergo | 188 | 60 | 385 |
| 22 | 1400 | Sonata, New Prima | 240 | 84 | 310 |
| 23 | 900 | Allure | 128 | 50 | 390 |
| 24 | 1050 | Allure | 180 | 60 | 370 |
| 25 | 1200 | Allure | 225 | 70 | 340 |
| 26 | 1400 | New Zen, Apollo | 235 | 85 | 290 |
| 27 | 1400 | Spin, Ace Ex, Apollo Ex | 235 | 80 | 290 |
| 28 | 1200 | Allure 4 Blade | 230 | 70 | 330 |
| 29 | 1400 | Allure | 240 | 80 | 290 |
| 30 | 1200 | Technix | 220 | 43 | 330 |
| 31 | 900 | Vetra, Exxo | 133 | 55 | 390 |
| 32 | 1050 | Vetra, Exxo | 188 | 60 | 370 |
| 33 | 1200 | Ergo 5 Star | 224 | 55 | 330 |
| 34 | 1200 | Vetra 5 Star, Exxo 5 Star, Vetra Plus 5 Star | 224 | 55 | 330 |
| 35 | 1400 | Vetra, Exxo | 250 | 70 | 300 |
| 36 | 1200 | Doraemon-Copter, Doraemon-Basketball, Chhota Bheem-Chutki, Chhota Bheem-Laddoo | 235 | 70 | 340 |
| 37 | 1200 | Atom ISI | 210 | 50 | 330 |
| 38 | 1230 | Fontana Lotus | 205 | 70 | 300 |
| 39 | 1250 | Fontana Maple | 205 | 70 | 300 |
| 40 | 1270 | Fontana One | 205 | 70 | 310 |
| 41 | 1280 | Fontana Orchid | 205 | 70 | 310 |
| 42 | 1200 | Arion | 215 | 75 | 345 |
| 43 | 1400 | Striker | 250 | 76 | 325 |
| 44 | 900 | Ace, Wind, New Trump, Nova Dlx, Pulsar Dlx | 130 | 76 | 400 |
| 45 | 1050 | Ace, Wind, New Trump, Nova Dlx, Pulsar Dlx | 170 | 80 | 410 |
| 46 | 1200 | Ace, Wind, New Trump, Nova Dlx, Pulsar Dlx | 225 | 78 | 380 |
| 47 | 1200 | Sonata Hi Speed | 230 | 80 | 380 |
| 48 | 900 | Sonata | 127 | 75 | 360 |
| 49 | 1050 | Sonata | 180 | 75 | 370 |
| 50 | 900 | Striker | 130 | 63 | 400 |
| 51 | 1050 | Striker | 180 | 70 | 390 |
| 52 | 1200 | Striker | 230 | 75 | 380 |
| 53 | 1200 | Raphael | 225 | 75 | 380 |
| 54 | 1200 | EX1 | 235 | 75 | 330 |
| υ Τ | 1200 | L/\(\) | | _ 10 | _ 000 |

| 55 | 1200 | EX3 | 235 | 75 | 330 |
|----|------|-------------------------|-----|----|-----|
| 56 | 1200 | EX5 | 245 | 75 | 310 |
| 57 | 1200 | Vetra Plus | 230 | 75 | 340 |
| 58 | 1200 | Vetra Plus 5 Star | 224 | 55 | 330 |
| 59 | 1200 | Striker Millennium | 230 | 78 | 380 |
| 60 | 900 | Striker Millennium | 130 | 60 | 430 |
| 61 | 1400 | Striker Millennium | 250 | 76 | 315 |
| 62 | 1200 | Super Striker | 240 | 80 | 385 |
| 63 | 1200 | Bellissa | 235 | 78 | 380 |
| 64 | 1200 | Barbie EveryDay | 230 | 75 | 330 |
| 65 | 1200 | Barbie Glam | 230 | 75 | 330 |
| 66 | 1200 | Hotwheels F Racer | 230 | 75 | 330 |
| 67 | 1200 | Hotwheels Roger Dodger | 230 | 75 | 330 |
| 68 | 1200 | Striker Plus | 220 | 52 | 370 |
| 69 | 1200 | Striker Galaxy | 240 | 80 | 385 |
| 70 | 1200 | Striker Platinum | 240 | 80 | 385 |
| 71 | 1200 | Chhota Bheem Jungle Fun | 235 | 75 | 340 |
| 72 | 1200 | Chhota Bheem Beach Fun | 235 | 75 | 340 |
| 73 | 1200 | Striker Neo | 225 | 78 | 380 |
| 74 | 1200 | Striker One | 225 | 78 | 380 |
| 75 | 1200 | Infinity | 215 | 75 | 350 |
| 76 | 1200 | Elsa 5 Star | 224 | 55 | 330 |
| 77 | 1200 | Acacia | 240 | 72 | 320 |
| 78 | 1200 | Novello | 220 | 52 | 370 |
| 79 | 1200 | Energia 32 | 220 | 32 | 375 |
| 80 | 1200 | Allure Plus | 225 | 70 | 340 |
| 81 | 1200 | Aster Plus | 220 | 75 | 350 |
| 82 | 1200 | Technix Plus | 215 | 43 | 330 |
| 83 | 1200 | Xavia | 207 | 74 | 350 |
| 84 | 600 | Striker Platinum | 108 | 75 | 830 |
| 85 | 600 | Striker Galaxy | 108 | 75 | 830 |

| Serial No. | Sweep (mm) | Model | Air Delivery (CMM) | Power Input (Watts) | Speed (RPM) |
|------------|---------------|------------------------------------|-----------------------|------------------------|----------------|
| Table Fans | | | | | |
| 1 | 400 | Striker Hi-speed Table Fan | 100 | 135 | 1900-2100 |
| 2 | 400 | Swift Table Fan with Plastic Blade | 70 | 52 | 1300 |
| 3 | 400 | Wind Table Fan | 70 | 52 | 1300 |
| 4 | 400 | Mist Air Duos Table Fan | 60 | 55 | 1280 |
| 5 | 400 | Maxx Air Table Fan | 67 | 55 | 1280 |
| 6 | 400 | Mist Air Icy Table Fan | 67 | 55 | 1280 |



TECHNICAL SPECIFICATIONS

| Serial No. | Sweep (mm) | Model | Air Delivery (CMM) | Power Input (Watts) | Speed (RPM) |
|---------------|---------------|---|-----------------------|------------------------|----------------|
| Wall Fans | | | | | |
| 1 | 450 | Dominaire Air Circulator Wall Fan | 150 | 100 | 1440 |
| 2 | 600 | | 270 | 180 | 1440 |
| 3 | 750 | | 400 | 250 | 1440 |
| 4 | 400 | Striker Hi-speed Wall Fan | 100 | 135 | 1900-210 |
| 7 | 400 | Helix Pro High speed Wall Fan | 98 | 120 | 2300 |
| 6 | 400 | Helix High Speed Wall Fan | 100 | 125 | 2000 |
| 7 | 300 | Helix High Speed Wall Fan | 75 | 100 | 2000 |
| 8 | 400 | Maxx Air Wall Fan | 67 | 55 | 1280 |
| 9 | 400 | Mist Air Duos | 60 | 55 | 1280 |
| 10 | 300 | Maxx Air Dew | 34 | 35 | 1280 |
| 11 | 400 | Maxx Air Comfy with Remote Wall Fan | 67 | 60 | 1280 |
| 12 | | | 67 | 55 | 1280 |
| 13 | 400 | Mist Air Icy With Remote Wall Fan | 67 | 60 | 1280 |
| 14 | 300 | 300MM Helix Plus High Speed Wall Fan | 75 | 105 | 2500 |
| Serial No. | Sweep (mm) | Model | Air Delivery (CMM) | Power Input (Watts) | Speed (RPM) |
| Pedestal Fans | | | | | |
| 1 | 400 | Striker Hi-Speed Pedestal Fan | 100 | 135 | 1900-210 |
| 2 | 500 | Farratta Pedestal Fan | 90 | 160 | 1350 |
| 3 | 500 | Farratta Ex Pedestal Fan | 90 | 160 | 1350 |
| 6 | 450 | Dominaire Air Ciculator Pedestal Fan | 150 | 100 | 1440 |
| 7 | 600 | | 270 | 180 | 1440 |
| 8 | 750 | | 400 | 250 | 1440 |
| 9 | 400 | Maxx Air Pedestal Fan | 67 | 55 | 1280 |
| 10 | 400 | Helix Pro High Speed Pedestal Fan | 98 | 120 | 2300 |
| 11 | 400 | Mist Air Duos | 60 | 55 | 1280 |
| 12 | 400 | Maxx Air Comfy with Remote Pedestal Fan | 67 | 60 | 1280 |
| 13 | 400 | Mist Air Icy Pedestal Fan | 67 | 55 | 1280 |
| 14 | 400 | Mist Air Icy With Remote Pedestal Fan | 65 | 50 | 1180 |
| Serial No. | Sweep | Model | Air Delivery | Power Input | Speed |
| | (mm) | | (CMM) | (Watts) | (RPM) |
| Exhaust Fans | | | | | |
| 1 | 100 | Crisp Air Premia AF | 3 | 17 | 2250 |
| 2 | 150 | | 6 | 20 | 1800 |
| 3 | 230 | Turbo High Speed Fan | 15 | 72 | 2100 |
| 4 | 300 | | 19 | 58 | 1320 |
| 5 | 230 | Turbo Jet Exhaust Fan | 11 | 48 | 1325 |
| 6 | 300 | | 17 | 63 | 1325 |
| 7 | 230 | Turbo Jet Dlx Exhaust Fan 700 CMH | 11 | 48 | 1325 |
| 8 | 300 | | 17 | 63 | 1325 |
| 9 | 230 | DBB Exhaust Fan | 12 | 45 | 1400 |
| 10 | 300 | | 26 | 72 | 1320 |
| 11 | 300 | 900 RPM HD Exhaust Fan | 19 | 55 | 900 |
| 12 | 300 | 1400 RPM HD Exhaust Fan | 28 | 90 | 1400 |
| 13 | 380 | 900 RPM HD Exhaust Fan | 33 | 100 | 900 |

| 14 | 380 | 1400 RPM HD Exhaust Fan | 53 | 160 | 1400 |
|----|-----|-----------------------------------|---------|-----|------|
| 15 | 450 | 900 RPM HD Exhaust Fan | 65 | 145 | 900 |
| 16 | 450 | 1400 RPM HD Exhaust Fan | 102 | 410 | 1400 |
| 17 | 600 | 700 RPM HD Exhaust Fan | 118 | 255 | 700 |
| 18 | 600 | 900 RPM HD Exhaust Fan | 156 | 555 | 900 |
| 19 | 150 | 150mm Crisp Air Exhaust Fan | NA | 30 | 1386 |
| 20 | 200 | 200mm Crisp Air Exhaust Fan | NA | 40 | 1250 |
| 21 | 250 | 250mm Crisp Air Exhaust Fan | NA | 45 | 1280 |
| 22 | 135 | Crisp Air Premia Exhaust Fan | 220 CMH | 24 | 1800 |
| 23 | 87 | Crisp Air Premia- BV Exhaust Fan | 70 CMH | 12 | 2250 |
| 24 | 140 | Crisp Air Premia -BV Exhaust Fan | 210 CMH | 21 | 1350 |
| 25 | 150 | Crisp Air Premia - RV Exhaust Fan | 210 CMH | 15 | 1950 |
| 26 | 200 | Crisp Air Premia - RV Exhaust Fan | 240 CMH | 23 | 1850 |
| 27 | 120 | Crisp Air Premia - CV Exhaust Fan | 100 CMH | 19 | 1050 |
| 28 | 150 | Crisp Air Lx Exhaust fan | 260 CMH | 30 | 1350 |
| 29 | 200 | Crisp Air Lx Exhaust fan | 485 CMH | 40 | 1300 |
| 30 | 250 | Crisp Air Lx Exhaust fan | 814 CMH | 45 | 1250 |

| Special A | pplication Fans | 6 | | | |
|-----------|-----------------|------------------------------|---------|------|------|
| 1 | | Efikas Tower Fan | 600 CMH | 35 | 1350 |
| 2 | | Rense Tower Fan | 500 CMH | 65 | 1050 |
| 3 | | Cerebro Tower Fan | 250 CMH | 65 | 1050 |
| 4 | 230 | Dynamo High Speed Fan | 18 | 58 | 2600 |
| 5 | 175 | Turboaire Fans | 18-20 | 18.5 | 2050 |
| 6 | 68 | Misty | | 2.3 | 7000 |
| 7 | 400 | Mist Air Icy Roto Cab Fan | 65 | 50 | 1260 |
| 8 | 400 | Mist Air Prime Tower Fan | 20 CMH | 35 | 1300 |
| 9 | 150 | 150MM Turbo Multipurpose Fan | | 25 | 2200 |
| | | | | | |

- * Performance parameters are checked under standard test conditions at 230 V AC, 50 Hz.
- \star In the interest of continuous improvement, all specifications are subject to change without notice.
- * Colour shades of the fans in the inside pages are only indicative and colour shades may dier from the actual product.



COMPANY SHOWROOMS

| Zone | Location | Shop | Address | Pin Code | Landline | | |
|-------|---------------------------------------|------------------|---|---|---|--|--|
| East | Bihar & | Darbhanga | USHA Company Store, Tower Chowk, | | | | |
| | Jharkhand | | Near Mazaar, Darbhanga | 846004 | 06272-224879 | | |
| | | Patna | USHA Company Store, Amber Tower, | | | | |
| | | | Exhibition Road, Patna | 800001 | 0612-3263129 | | |
| | | Ranchi | USHA Company Store, Shri Ram Neotia Arcade, | | | | |
| | | | H.B.Road, Lalpur Chowk, Ranchi | 834001 | 9304895159 | | |
| | North East - | | | | | | |
| | Assam | - 1.51 5.95.11 | Thana Chariali, Opposite AP Bus Stand, Dibrugarh | 786001 | 0373-2322621 | | |
| | 7.000 | Guwahati | USHA Company Store, G.S. Road, | | 0010 2022021 | | |
| | | Jawanan | Christian Basti, Guwahati | 781005 | 0361-2343132 | | |
| | Orissa | Bhubaneshwar | USHA Company Store, 5, Western Market Building, | 10,000 | 3331 23 13132 | | |
| | 011000 | Bridbariconwar | Unit- II, Near Kalamandir, Bhubaneshwar. | 751009 | 0674 2531874 | | |
| | | Cuttack | USHA Company Store, 94/95, LGF, | 101003 | 00112001011 | | |
| | | Odttack | Netaji Subhas Chandra Bose Arcade, Jail road, Cuttack | 753001 | 0671-2524449 | | |
| | West Bengal | Durgapur | USHA Company Store, Benachity, Durgapur | 713213 | 0343-2583215 | | |
| | West bengal | Kolkatta - | USHA Company Store, 51/1, B.L.Colony, | 713213 | 0343 2303213 | | |
| | | Barasat | Nabapally, Barasat, Kolkatta | 700126 | 033-2524 0679 | | |
| | | Kolkatta - | USHA Company Store, 15/6, J.L. Nehru Road, | 700120 | 033-2324 0075 | | |
| | | | Chowringhee, Grand Hotel Arcade, Kolkata | 700013 | 000 00401740 | | |
| | | Chowringhee | | 700013 | 033-22491742 | | |
| | | Kolkatta - | USHA Company Store, 122/1B, A.P.C. Road, | 700006 | 000 0000000 | | |
| A | D 11:110D | Manicktala | Manicktala, Kolkatta | 700006 | 033-23600988 | | |
| North | Delhi NCR | Asaf Ali Road | USHA Company Store, 1/13-14, Asaf Ali Road, | | | | |
| | | | Opposite Kamla Market, New Delhi | 110001 | 011-23235861 | | |
| | | Bhogal | USHA Company Store, 43, Bhogal Road, | | | | |
| | | | Jangpura, Bhogal, New Delhi | 110014 | 011-24373040 | | |
| | | Kalkaji | USHA Company Store, 49, Krishna Market, | 110019 | 011-26430872 | | |
| | | | Kalkaji , New Delhi | | | | |
| | | Kamla Nagar | USHA Company Store, 8-9, Municipal Market, | 110007 | 011-23844206 | | |
| | | | Kamla Nagar, New Delhi | | | | |
| | | Kirti Nagar | USHA Company Store, A-23, Tagore Market, | 110015 | 011-25932178 | | |
| | | | Opp Metro Pillar no 332, Kirti Nagar, New Delhi | | | | |
| | | Nai Sadak | USHA Company Store, 5571, Nai Sarak, New Delhi | 110006 | 011-23981783 | | |
| | Haryana | Gurgaon | USHA Company Store, SF-40, Galleria Complex, | | | | |
| | | | DLF City Ph-IV, Gurgaon | 122001 | 0124-2396325 | | |
| | Punjab | Jalandhar | USHA Company Store, Ground Floor, Lally Niwas, | | | | |
| | · · · · · · · · · · · · · · · · · · · | | G.T.Road, Jalandhar | 144001 | 0181-5041737 | | |
| | Rajasthan | Jaipur | USHA Company Store, Shriram Khad Bhawan, | 302001 | 0141-2379210 | | |
| | , rajaotrari | Carpar | Near Amrapur Temple, M.I. Road, Jaipur. | 002001 | 3111 2313213 | | |
| | Uttar Pradesh | Allahabad | USHA Company Store, 19, M.G. Marg, Civil Lines, Allahabad | 211001 | 0532-2560015 | | |
| | East | M.G.Road | oor in Company Store, 15, int.S. Mary, Sivil Effect, Mariabaa | 211001 | 20002 2000010 | | |
| | Last | Kanpur | USHA Company Store, 25/2,The Mall Road, Kanpur | 208001 | 0512-2302260 | | |
| | | Mall Road | OSTA Company Store, 29/2, the Mail Hoad, Nampur | 200001 | 0312 2302200 | | |
| | | Lucknow | USHA Company Store, Adjacent Mayfair Building, | 226001 | 0522-2202482 | | |
| | | Luckilow | Hazratgani, Lucknow | 220001 | 0322-2202462 | | |
| | Litter Dradoob | A aura | USHA Company Store, G-32/9, Sanjay Place | 202002 | 0500 0057001 | | |
| | Uttar Pradesh | Agra | | 282002 | 0562-2857081 | | |
| | West | D '11 | Commercial Complex, Opp. L.I.C Building, Agra | | | | |
| | | Bareilly | USHA Company Store, 56, Civil Lines, | | 0501 05700 15 | | |
| | | | Prasad Talkies Building, Bareilly. | 243001 | 0581-2573945 | | |
| South | Andhra Pradesh | ' | USHA Company Store, # 17-126, Kamalanagar, | | | | |
| | | DilsukhNagar | Behind Kalaniketan, Chaitanyapuri, Dilsukhnagar, Hyderabad | 500060 | 040-24046068 | | |
| | | Hyderabad - Koti | USHA Company Store, 5-1-872/1, | 500001 | 040-24745694 | | |
| | | | Sulthan Bazaar, Koti, Hyderabad | | | | |
| | | Hyderabad - | USHA Company Store, 5-5-34/1, Kukatpally, Hyderabad. | 500072 | 040-23720237 | | |
| | | Kukatpally | | | | | |
| | | Vijayawada | USHA Company Store, Shop # 3&4, #27-14-52, | 520002 | 0866-2570636 | | |
| | | | Mahalakshmi Towers, Near Buckingham Post Office, | | | | |
| | | | Rajagopalachary Street, Governorpet, Vijayawada | t contract to the contract to | i contract of the contract of | | |

| | | Vishakhapatnam | USHA Company Store, D-N0 26-15-142, AVN College Down, Main Road, Vizag | 530001 | 0891-2502377 |
|------|-------------|-----------------|---|---------|----------------|
| | Karnataka | Bangalore - | USHA Company Store, No-1597, 40th Cross, 4T Block, | | |
| | | JayaNagar | 22nd Main, Jayanagar Bangalore | 560041 | 080-26633367 |
| | | Bangalore - | USHA Company Store, 54/102, Sakthi Comfort Towers, | | |
| | | K.H.Road | K.H. Road, Bangalore | 560027 | 080-22237912 |
| | | Bangalore - | USHA Company Store, NO-404, 1st Stage, 6th Phase, | 560044 | 080-23401039 |
| | | RajajiNagar | Rajajinagar Industrial Town, Bangalore | | 200 20 10 1000 |
| | | Hubli | USHA Company Store, No-7, Corporation Building, | + | |
| | | | Lamington Road, Hubli. | 580020 | 0836-2355670 |
| | | Mysore | USHA Company Store, 134, D.Devaraj Urs Road, Mysore | 570001 | 0821-2424279 |
| | | Mangalore | "USHA Company Store, Adonais Towers, Highland, | 10,000. | |
| | | in an galore | Falnir Road, Mangalore. | 575002 | 0824-2433919 |
| | Kerala | Alleppey | USHA Company Store, Sree Kumar Buildings, | 10.0002 | 00212100313 |
| | Reraia | , meppey | East Iron Bridge, C.C.S.B Road, Alappuzha, Kerala | 688011 | 0477-2237366 |
| | | Calicut | USHA Company Store, Sherin Building, | | 0111 2201000 |
| | | Canoat | East Nadakkavu, Calicut, Kerala | 673006 | 0495 2367397 |
| | | Ernakulam - | USHA Company Store, DD Trade Centre, | 01000 | 0 130 2001031 |
| | | JoseJunction | Jose Junction, M.G.Road, Ernakulam, Kerala. | 682016 | 0484-2367332 |
| | | Ernakulam - | USHA Company Store, Telestar Building, | 002010 | 0404 2001002 |
| | | Telestar | M.G.Road, Ravipuram, Ernakulam. | 682016 | 0484 2358570 |
| | | Trivandrum | USHA Company store, QRS Squire Building, | 1002010 | 0404 2000010 |
| | | Tilvariaraiti | Near Aurveda College, M.G Road, Trivandrum | 695001 | 0471-2471375 |
| | Tamil Nadu | Chennai - Adyar | USHA Company Store, No-12, 3rd | 033001 | 0471 2471373 |
| | ramminadu | Criciniai Auyai | Cross Street, Adyar, Chennai-20 | 600020 | 044-24421206 |
| | | Chennai - | USHA Company Store, 1, Thiruvika Road, Chennai - 06 | 600006 | 044-28522604 |
| | | Mount Road | OSTIA Company Store, 1,11111 dvika Noad,Chemiai - 00 | 000000 | 044-28591277 |
| | | Coimbatore - | USHA Company Store, 118, Oppanakara Street, Coimbatore | 641001 | 0422-2394729 |
| | | Oppankara | OSTA Company Store, 110, Oppanakara Street, Combatore | 041001 | 0422-2394129 |
| | | Coimbatore - | USHA Company Store, 33, State Bank Road, Coimbatore | 641118 | 0422-2300374 |
| | | St.Bank Road | CorrA company store, 30, state bank fload, combatore | 041110 | 0422 2000014 |
| | | Madurai | USHA Company Store, No-31, Town Hall Road, | - | |
| | | iviadurai | Near SACS, Madurai | 625001 | 0452-2340971 |
| | | Salem | USHA Company Store, No-51, Cherry Road, Salem | 636001 | 0427-2450564 |
| West | Gujarat | Ahmedabad | USHA Company Store, 6 & 7 Vraj complex, | 1030001 | 0427 2430304 |
| | Gujarat | Annedabad | Opp. Dhananjay Tower, 100ft Anand Nagar Road, | | |
| | | | Near Shyamal Cross Road, Satellite, Ahmedabad | 380015 | 9909905003 |
| | | Rajkot | USHA Company Store, Ravin Chambers, | 1300013 | 9909903003 |
| | | najkut | Opp. Satya Vijay Ice Cream, Gondal Road, Rajkot | 360002 | 0281-2481026 |
| | MP & | Bhopal | USHA Company Store, 7, Near Gurudwara, | 300002 | 0201-2401020 |
| | Chhatisgarh | Бпораг | Hamidia Road, Bhopal | 462001 | 0755-4236030 |
| | Cilialisgam | Bhopal - | USHA Company Store, S-33B, Second Floor, | 462001 | 0755-4236030 |
| | | | | 460011 | 0755 6644016 |
| | | DB City Mall | DB City Mall, Opp. M.P.Nagar, Arera Hills, Bhopal | 462011 | 0755-6644216 |
| | | Indore | USHA Company Store, 41, Jail Road, Indore | 452007 | 0731-4070559 |
| | | Jabalpur | USHA Company Store, 7, Shyam Arcade, | 400000 | 0761 4010410 |
| | | Daire | Commercial Complex, Malviya Chowk, Jabalpur | 482002 | 0761-4012419 |
| | | Raipur | USHA Company Store, 26 & 27, Ghasidas Plaza, | 400001 | 0771 4000000 |
| | | | G.E.Road, Amapara, Raipur | 492001 | 0771-4096239 |



LOCATION SALES OFFICES

AHMEDABAD

Commerce House 5, B/1003 10th floor, Beside Vodaphone office, Corporate Road, Prahalad nagar, Ahmedabad – 380051 Tel: (079)- 26583999, 9909905005

Fax: 26581269.

BANGALORE

401, 4th Floor, Pride Hulkul, No.116, Lalbagh Road, BANGALORE – 560027. Tel (080) -2222 3234, 2222 3235

CHENNA

4/59-A, Mount Poonamalee Road, Manappakkam, Chennai – 600 089. Tel: (044)-22521749,22520132,22520482, 22521440 Fax: 22520708.

CUTTACK

Telengapentha, Off:- NH - 5, Via - Phulnakhara, Cuttack - 754001 Tel: (0671)-0671-2586023, 0671-2586911, 0671-2586015, 0671-2586115 Fax- 2586026

ERNAKULAM

IX/418/A1, Logistic Park,Thengode P.O., Edachira, Kakkanad, Ernakulam-682 030 Tel. (0484)-2421724/ 725/ 726/ 727 Fax: 2421723.

GHAZIABAD

A 201 – 206, 2nd Floor, Pacific Business Park, Sahibabad Industrial Area Site -IV, Ghaziabad – 201 010 Tel: 0120-4550200

GURGAON

Plot No.3, Institutional Area, Sector-32, Gurgaon – 122 001. Tel: (0124)-4767100.

GUWAHATI

Chakradhar Villa, 3rd Floor, Chandmari U Turn Opposite All India Radio Office, P.O. : Silpukhuri, Guwahati – 781003 Assam

HYDERABAD

P.O.Balanagar Township, Balanagar, Hyderabad – 500 037 Tel: (040)-23078900

INDORE

602 & 603A, 6th Floor, NRK Business Park, Scheme-54, Vijayanagar Square, Indore – 452 010 (MP), India. Tel Ph: 0731-4700140/0731-4700147

JAIPUR

2nd Floor , Dainik Nav Jyoti Buidling, Amrapali Circle , Vaishali Nagar, Jaipur Tel: (0141)-2641264, 2641628, 4011616 Fax 4031616.

JALANDHAR

Lally Niwas, G.T. Road, Jalandhar City – 144 001. Tel: (0181)-4351700. Fax: 2234983

KOLKATA

5th Floor, 9, Elgin Road, "North Wing", Kolkata – 700 020 Tel: 033-40120800 Fax: 033-2290 5310

LUCKNOV

5th Floor, Cyber Heights, TC-G 2/2 & 5/5, Vibhuti Khand, Gomti Nagar, Lucknow (UP) - 226010 Tel: (0522)-2612507, 2612508, 2612509 Fax: 2627536.

MUMBAI

5th Floor, South Side, Oberoi Commerz Building, International Business Park, Off Western Express Highway, Goregaon (E), Mumbai – 400 063.
Tel: (022)-4156 0000
Fax: 4156 0001.

PATN

6th Floor, Alankar Business Centre, East Boring Canal Road Patna – 800 001. Tel: 0612-2520081/86, 0612-3260695.