

A man and a woman are sitting on the floor in a living room, working on a wooden table. The man is on the left, holding a piece of wood, and the woman is on the right, using a hand plane. A tall, modern floor lamp with a white shade is positioned to the right, casting a warm glow. In the background, there is a bookshelf filled with books and a framed abstract painting. The overall atmosphere is cozy and creative.

PHILIPS

Lighting

India Trade
Catalogue
2020

Contents

04-11 | LED Lamps

12-19 | LED MSBs

20-26 | LED Luminaires

27-32 | Home

33-37 | CFL & GLS


38-42 | TL

43-45 | Modular
Switches


46-48 | MCB, RCB
& Isolators

49-52 | Lighting
Accessories

53-54 | LED Drivers



LED Lamp



Ace Saver

2.7W & 4W

Specifications & Features

- 2.7W: 250lm, 4W: 370lm
- Available in CDL & WW; B22 & E27
- Replaces 5W and 8W CFL

MRP: ₹ 130/-, ₹ 135/-

HSN Code: 85395000

Ace Saver

7W & 9W, 10.5W

Specifications & Features

- 7W: 630lm, 9W: 825lm, 10.5W: 1050lm
- 10K life hours
- Available in CDL; B22 & E27

MRP: ₹ 140/-, ₹ 155/-, ₹ 220/-

HSN Code: 85395000



Stellar Bright High Wattage

12W, 14W, 17W, 20W, 23W

Specifications & Features

- 12W: 1200lm; 14W: 1400lm; 17W: 1700lm; 20W: 2000lm, 23W: 2300lm
- 15000 life hours
- Available in CDL, WW; B22 and E27

MRP: ₹ 280/-, ₹ 305/-, ₹ 365/-, ₹ 415/-, ₹ 450/-

HSN Code: 85395000





Frosted Candle

2.7W

Specifications & Features

- 2.7W: 250lm
- 10,000 life hours
- Available in CDL, WW, E14 Frosted

MRP: ₹ 160/-

HSN Code: 85395000



T Bulb

8W: 800lm, 10W: 1000lm, 14W: 1400lm, 18W: 1800lm, 30W: 3000lm

Specifications & Features

- Innovative design for better light spread
- Swivel body for better focus & changing light direction as per requirement upto 35 degree (up or down)
- 15,000 life hours
- Available in CDL B22 & E27 & (WW B22, E27 in 10 watt)

MRP: 8W: ₹ 250/-, 10W: ₹ 280/-, 14W: ₹ 380/-, 18W: ₹ 410/-, 30W: ₹ 799/-

HSN Code: 85395000

Inverter Lamp

Wattage: 9W

Specifications & Features

- Power back-up: Up to 4 hours
- Lumen output becomes 50% when on battery mode
- Battery : Li-ion battery
- Base cap : B22
- 1 year warranty

MRP: ₹ 549/-

HSN Code: 85395000



Deco Mini

0.5W

Specifications & Features

- 0.5W
- 10,000 life hours
- Available in red, yellow, white, green, pink, orange, blue

MRP: ₹ 70/-

HSN Code: 85395000



Stellar Bright Super High Wattage

30W, 40W, 50W

Specifications & Features

- 30W: 3000lm, 40W: 4000lm, 50W: 5000lm
- 15000 life hours
- Available in CDL; B22
- Available in CDL B22 & E27 & WW B22 in 40W
- Replaces 45W, 65W & 80W CFLi

MRP: ₹ 750/-, ₹ 1,050/-, ₹ 1,350/-

HSN Code: 85395000



DecoRing Bulb

8W (Rangoli), 10W, 14W
Model Number: 12NC 929001910913

Specifications & Features

- Available in 8W Rangoli (Green, Yellow & Blue), 10W White and Silver base, & 14 watt
- Rangoli range can be used for festive decoration & application in Pooja room, balcony
- Powerful Lamp, Metallic finish body
- Designed to give maximum glow
- Lumen output: 10W: 950, 14W: 1400
- Plug & Play / Available in CDL B22

MRP: 8W: ₹ 375/-, 10W: ₹ 350/-, 14W: ₹ 449/-

HSN Code: 85395000

PHILIPS

The new shape of brightness Philips T-Bulb Curvey

Your favourite **T-bulb** now in a new shape with even wider brighter lightspread.

innovation ✦ you



Available in
12 watts,
1200 lumens



25% better
lightspread**



FITS INTO
EXISTING
HOLDER



**compared to a regular LED bulb.



Clear Candle

4W

Specifications & Features

- 4W: 400 lm
- Available in WW, B22, E14 and E27

MRP: ₹ 230/-

HSN Code: 85395000



T-Bulb Curvey

Wattage: 12W: 1100 lm

Specifications & Features

- 12 watt, 1100 lm/ Available in 6500K B22
- New attractive convex form factor
- Ease of application:
 - Can be used in existing bulb holder
 - Swivel body action for better adjustment
- Wider light spread: 26% wider light spread
- Low glare with better quality diffuser
- Surge protection of 2.5KV

MRP: ₹ 319/-

HSN Code: 85395000



8

EyePro Bulbs

Wattages: 9W, 12W

Specifications & Features

- Patented Interlaced Optics on its diffuser which reduces glare & uniformly distributes light, hence ensuring best in class eye comfort
- Pattern is visible on centre of diffuser which reduces glare by upto 35%
- Best in class eye comfort with 35% lower glare
- No visible flicker
- Poly carbonate fire retardant material
- Available in 6500 B22
- Surge protection of 3 KV
- Metallic attractive packaging

MRP: 9W: ₹ 195/-, 12W: ₹ 295/-

HSN Code: 85395000



9

PHILIPS

Glows like a batten. Fits like a bulb.

Presenting Philips T-Beamer

The easy to replace LED batten, with better light spread and brightness.

innovation ✦ you



NEW
INNOVATIVE
DESIGN

Plug n play
Hassle Free
PnP

Swivel
up and down
upto 35 degrees



100 lumen
per watt

EyeComfort
Technology
No Blue Light Hazard



Wall Secure Non Integrated Batten

Wattages: 20W: 2100lm

Specifications & Features

- Decorative batten with a replaceable led tube light
- Metallic finish end caps and a durable metal batten
- Applications: Living room, bed room, general lighting

MRP: ₹ 415/-

HSN Code: 85395000

Stellar Bright TLED

20W
Stellar Bright TLED 6500K with Batten

Specifications & Features

- Available in 20 watt
- 2100 lumen
- 15,000 hours life
- Ideal replacement of conventional batten & tube

MRP: ₹ 499/-

HSN Code: 85395000



T-Beamer

Wattages: 20W

Specifications & Features

- T-Beamer 20W: 2000lm B22, plug n play
- Designed to deliver wide spread light similar to a regular LED batten
- Wider body (diffuser) than regular LED Batten for better eye comfort
- Swivel body for movement to change light direction as per requirement
- Application: Living room, bed room, shop front, passage, general lighting

MRP: ₹ 449/-

HSN Code: 85395000



Stellar Bright TLED

20W
Stellar Bright TLED 6500K tube

Specifications & Features

- 20W: 2100lm
- Long life of 15K+ hours
- Ideal for replacement of conventional tube

MRP: ₹ 350/-

HSN Code: 85395000



LED MSBs



PHILIPS

Philips Mirolda Pro **Bold and Beautiful**

Elegantly designed to impress and powered for optimum brightness.



innovation  you

36W
3600 lm**





Miroлта Pro 36W

Wattages: 36W 3600lm (Available in CDL)

Specifications & Features

- Beautiful and powerful: Stunning design to match your living room décor
- Housed in aluminum extrusion for better heat dissipation and longer life
- Wider serrated diffuser for enhanced and uniform light spread
- Eye Comfort Technology (no blue light hazard)

MRP: ₹ 2,199/-

HSN Code: 94051090

Miroлта Pro Tunable

(with remote control)

Wattages: 32W: 3200lm

Specifications & Features

- Operated by provided remote control to match lighting to your style:
 - 5-step dimming process (high to low)
 - 5-step color modes (3000k to 6500k)
- Beautiful and powerful: Cristic design to match your living room décor
- Housed in aluminum extrusion for better heat dissipation and longer life
- Wider serrated diffuser for enhanced & uniform light spread

MRP: ₹ 3,199/-

HSN Code: 94051090



Astra Line

20W: 2000lm, 9W: 900lm, 5W: 450lm
(Available in CDL, WW, NW)

Specifications & Features

- Bright LED light source with uniform light output
- Surge protection of 2 KV with wide voltage protection 160-360V
- Case size: 20 pcs

MRP: 4ft: ₹ 600/-, 2ft: ₹ 400/-, 1ft: ₹ 350/-

HSN Code: 94051090

PHILIPS

Pearl Glow

For those who appreciate the finest

Philips Pearl Glow

A bright robust light that defines your style.



innovation + you



Pearl Glow

25W: 3000lm

Specifications & Features

- Cristic design with robust aluminium construction
- Super bright output
- Even and comfortable light perfect for your well being
- Long life of 30,000 hours
- Glare reduction and no visible flickering to prevent strain
- Available colors – 6500K (CDL)

MRP: ₹ 1,599/-

HSN Code: 94051090



Astra Line Plus

24W: 2500lm (Available in CDL, WW, NW)

Specifications & Features

- Bright LED light source with uniform light output
- Surge protection of 2KV with wide voltage protection 160V-360V
- Case Size: 20 pcs

MRP: 4ft: ₹ 700/-

HSN Code: 94051090



Slimline Advance 25W

25W: 2500lm

Specifications & Features

- Positioned as "The Study Room Specialist"
- Exclusively designed for study rooms and personal workspaces at home
- Delivers 25% more brightness than standard 4ft 20W LED Batters
- Robust aluminium construction for better heat dissipation and longer life
- Case Size: 20 pcs

MRP: ₹ 1,099/-

HSN Code: 94051090



Astra Line Scene Switch Plus

Tunable light with option of choosing between Cool Day Light, Warm White and Natural White. (Available in 20W 2000 lumens)

Specifications & Features

- 3 different modes in 1 batten. Switch between WW/CDL/ NW by just toggling the switch
- Bright LED light source with uniform output
- Case Size: 20 pcs

MRP: ₹ 900/-

HSN Code: 94051090



Slimline Advance 30W

30W: 3000lm

Specifications & Features

- Positioned as "The Living Room Specialist"
- Exclusively designed for living rooms and larger bedrooms/study rooms
- Delivers 50% more brightness than standard 4ft 20W LED Batters
- Robust aluminium construction for better heat dissipation and longer life
- Case size: 20 pcs

MRP: ₹ 1,299/-

HSN Code: 94051090



Slimline Compact

20W: 2000lm (length 554 mm)

Specifications & Features

- Exclusively designed for kitchens and compact rooms/spaces
- Delivers brightness of a standard 4ft batten in a 2ft form factor
- Robust aluminium construction for better heat dissipation and longer life
- Available colors – 6500k (CDL)
- Case Size: 20 pcs

MRP: ₹ 599/-

HSN Code: 94051090



Slimline NEXT

20W: 1900lm

Specifications & Features

- Modern design, low glare and no flicker
- High performance diffuser for uniform lighting
- Resistant to yellowing and chipping
- Long life of 15,000 hours
- High voltage protection
- Easy installation clips for user friendly installation
- Pack Size: 20 nos.

MRP: ₹ 450/-

HSN Code: 94051090





Ujjwal 18W

18W: 1800lm

Specifications & Features

- Designed for compact rooms (bedrooms & lobby)
- Surge protection of 2 KV with wide voltage protection (160-360V)
- Case size: 20 pcs
- Available colors – 6500k (CDL)

MRP: ₹ 450/-

HSN Code: 94051090

Tarang Sleek & Tarang Electronic

36W: 2650lm & 36W: 2450lm

Specifications & Features

- Elegant slim design
- Robust metal body
- Wide voltage operation (140-270V) and highest surge protection of 2KV in the category
- Case size: 30 pcs & 16 pcs

MRP: ₹ 380/-, ₹ 400/-

HSN Code: 94051090



Astra Sleek

20W: 2000lm (Available in CDL, WW, NW)

Specifications & Features

- Integrated glass TLED with unique design and bright LED light source with uniform light output (Registered design and applied for patent)
- Surge protection of 2 KV with wide voltage protection 160-360V
- Case size: 15

MRP: ₹ 550/-

HSN Code: 94051090



PHILIPS

The compact space specialist


Philips Slimline Compact

A 2 feet batten with the brightness of a 4 feet batten.

innovation  you



LED Luminaires



CeilingSecure Downlight

A Twist & Fit downlight that won't damage your false ceiling!



ZERO
Damage to
False Ceiling¹



- No external driver; **simple installation** by connecting to mains
- Excellent **heat management** through vents
- Decorative silver ring enhances beauty of the downlighter
- Panel light can be **easily removed and replaced** in case of failure, or if CCT change required. **No damage to false ceiling**
- Consistent brightness: **80 lumens per watt** and no dark spots



HOUSING: installed in false ceiling



PANEL LIGHT: standard E27 cap, twist & fit into housing

Specifications & Features

- No external driver - Easy installation & replacement
- No damage to false ceiling
- Decorative silver ring
- 80 Lumens / watt
- Wide voltage protection (160-360V)
- Surge protection up to 2KV

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs.)
4W	80	12	WW, NW, CW	Round (Junction Box Fitting)	585/-
9W	115	12	WW, NW, CW	Round	815/-
14W	145	12	WW, NW, CW	Round	1030/-
18W	145	12	WW, NW, CW	Round	1200/-
22W	193	12	WW, NW, CW	Round	1650/-

HSN Code: 94051090

FITS PERFECTLY
in 2" junction box



3W StarFit Junction Box 2" Downlight

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W	43	30	WW, NW, CW	R (Junction box fitting)	300/-
3W	43	30	Red, Green, Blue, Pink	R (Junction box fitting)	310/-

Specifications & Features

- Fits perfectly in a 2 inch small junction box
- Matt diffuser
- Wide voltage protection (160-360V)
- Surge protection up to 2KV

HSN Code: 94051090

Prime Plus Bright Downlights, Solid Performance

Wattage	Cut Out (mm)	Pack Size (pcs)	Colour	Shape	MRP (Rs)
5W	75	24	WW, NW, CW	R (Junction Box Fitting), Sq	495/-
10W	110	24	WW, NW, CW	R, Sq	685/-
15W	140	24	WW, NW, CW	R, Sq	860/-
22W	188	12	WW, NW, CW	R, Sq	1415/-


5W Round: Fits Perfectly in 3" Junction Box

Specifications & Features

- Now brighter at 75 lumens/watt
- Eye Comfort Technology: Designed for low glare, reduced flicker and no blue light hazard*
- Wide voltage protection (160-360V)
- Surge protection up to 2.5KV

HSN Code: 94051090

* Not applicable on 22W



Star Surface Low Profile Surface Mount Ceiling Lights

Wattage	Dimension (mm)	Pack Size (pcs)	Lumen	Shape	Colour	MRP (Rs)
7W	146*146*25	12	600	R, Sq	WW, NW, CW	800/-
12W	178*178*25	12	900	R, Sq	WW, NW, CW	1,100/-
18W	234*234*25	12	1450	R, Sq	WW, NW, CW	1,600/-
22W	300*300*25	12	1700	R, Sq	WW, NW, CW	2,395/-

Specifications & Features

- Slim, sleek profile: 25mm thickness
- Low glare to prevent eye strain
- Surge protection of 2KV/BIS certified
- Wide voltage protection (160V-360V)
- 22W: Large format, size: 1ft x 1ft

HSN Code: 94051090

Astra Max Metal Panel

Wattage	Cut Out	Pack Size (pcs)	Color	Shape	MRP (Rs)
5W	80mm (JB)/110 mm (Non JB)	12	WW, NW, CW	R (JB: Junction box fitting), Sq	700/-
10W	136 mm	12	WW, NW, CW	R, Sq	900/-
15W	159 mm	12	WW, NW, CW	R, Sq	1100/-
18W	178 mm	12	WW, NW, CW	R, Sq	1500/-

Specifications & Features

- Premium aluminum material for endurance
- Life class: 25,000 burning hours
- Surge protection of 2KV/BIS certified
- Wide voltage protection (160V-360V)
- Junction box fitting available: 5W

HSN Code: 94051090

22W: LARGE FORMAT
1 x 1 size



5W Prime Plus Red, Green, Blue, Pink


Wattage	Cut Out (mm)	Pack Size (pcs)	Colour	Shape	MRP (Rs)
5W	75	24	Red, Green, Blue, Pink	R (Junction box fitting)	495/-

Now in Red, Blue, Green & Pink Fits Perfectly in 3" Junction Box

Specifications & Features

- Brighter at 75 lumens/watt
- Eye Comfort Technology: Designed for low glare, reduced flicker and no blue light hazard
- Wide voltage protection (160-360V)
- Surge protection up to 2.5KV

HSN Code: 94051090



Now in Red, Blue, Green & Pink Fits Perfectly in 3" Junction Box



Edge Glow SLIM Rimless Surface Mount Ceiling Light

Wattage	Dimension (mm)	Pack Size (pcs)	Colour	Shape	MRP (Rs)
6W	102x102x27	12	WW, NW, CW	Round	850/-
9W	134x134x27	12	WW, NW, CW	Round	1175/-

Specifications & Features

- Attractive design - Rimless design with glowing edge
- SLIM - Only 27mm in height
- Wide light spread: 270° light spread
- Ease of replacement: Just twist & fit the light on the bracket
- Wide voltage protection (160-360V)
- Surge protection up to 2KV

HSN Code: 94051090



Astra Spot 2W 2W Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
2W	35	30	WW, CW	R	200/-

Specifications & Features

- Strong focused beam (36° beam)
- White synthetic housing
- Long life LEDs for durable performance

HSN Code: 94051090



Astra Spot COB 3W Tilt Adjustable Focused Spot Light (Tilt Option)

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W Tilt	64	24	WW, NW, CW	R	500/-

Specifications & Features

- Strong focused beam (36° beam)
- Tilt angle of 25°
- Metal heat sink for durable performance

HSN Code: 94051090

Astra Spot 2W Color R, G, B 2W Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
2W	35	30	Red, Green, Blue	R	235/-

Specifications & Features

- Strong focused beam (36° beam)
- White synthetic housing
- Long life LEDs for durable performance

HSN Code: 94051090



Astra Spot COB Series Focused Spot Lights

Wattage	Cut Out (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
7W	77	12	WW, NW, CW	R	1,050/-
12W	92	12	WW, NW, CW	R	1,400/-
20W	110	12	WW, NW	R	2,550/-

Specifications & Features

- Strong focused beam (36° beam)
- Adjustable/ tiltable head (25°)
- Metal heat sink for durable performance
- Long life LEDs for durable performance

HSN Code: 94051090



Astra Spot COB 3W Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W	52	30	WW, CW	R	465/-

Specifications & Features

- Strong focused beam (36° beam)
- White metal housing
- Metal heat sink for durable performance

HSN Code: 94051090





Home

Linea Plus (31308)


LED Strip with driver

Wattage	Lumens/ meter	Length (per pc)	Pack Size (pcs)	Color	No. of LED per meter	MRP
28W	480lm/mtr	5m with driver	20	WW, NW, CW	60	2,000/-

Specifications & Features

- LED cove lighting
- 28W with driver for 5M (driver included)
- 2400 lm for 5M

HSN Code: 94051090



NEW
Now with
60 LEDs
per Meter

Cove Glow

LED Strip without driver

Wattage MRP	Lumens/ meter	Length (per pc)	Pack Size (pcs)	Color	No. of LED per meter	MRP
24W	360lm/mtr	5m without	20	WW, NW,	60	715/-

Specifications & Features

- Uniform light spread for perfect ambience
- Superior adhesive for easy installation
- 1800 lm for 5 mtr.

HSN Code: 94051090



Ultron

17W

Model Number: 48027 Slim LED Wall

Specifications & Features

- 17W: 1350lm
- Sleek and modern design
- Super bright light
- Premium material and finish
- CCT: 6500K/3000K

MRP: ₹ 1,350 /-

HSN Code: 94051020



Coral LED Wall Light

10W LED

Model Number: 48029

Specifications & Features

- 10W: 500lm
- Sleek & modern design
- Bright light
- Premium material & finish
- Long life LED light source
- Case size: 6 pcs
- CCT : 6000K/3000K

MRP: ₹ 1200/-

HSN Code: 94051020



Ledvantez Desk light

3.2W (0.2LED X 16W) with panel diffuser

Specifications & Features

- Synthetic material
- Finish, color: matte, gold and silver
- H: 425 mm X L: 180 mm X W: 488 mm
- Bright diffused beam – LED light with specialized optics
- Easy to adjust – flexible gooseneck
- Convenient – switch on shade

MRP: ₹ 1,600/-

HSN Code: 94052010





Vector – Table Lamp

5W
Model Number: 31439

Specifications & Features



- Wide round diffuser, even spread of light gooseneck, Adjustable orientation
- 450 lumen, 5W, IP20
- Available in Carbon black color, classy matte finish

MRP: ₹ 1,100/-

HSN Code: 94052010

Light when you need it most



-  Lithium Ion battery for long life
-  Overcharge & Deep discharge protection

EXTENDED BATTERY LIFE

Air Desklight

4.5W
Model Number: 61013

Specifications & Features

- No visible flickering, no UV/IR and low glare to prevent eye strain
- CRI>80
- Flexible gooseneck
- Optimal heat management to prevent damage to LED light source

MRP: ₹ 1,200/-

HSN Code: 94052010



Ujjwal Plus Rechargeable Emergency Light

Model Number: 91126
32 LED: 250 Lumens, Color: Dark Blue

Specifications & Features

- Long life lithium ion battery
- 360° Bright light: 250lm
- Backup time: 4 hrs
- Charging time: 10 hrs

MRP: ₹ 1,350/-

HSN Code: 85131090



Ojas Rechargeable Led Lantern

Model Number: 33381

Specifications & Features

- Lithium Ion battery
- Overcharge and deep discharge protection
- Charging time: 8 hours

MRP: ₹ 1,450/-

HSN Code: 85131090



Ojas Mini Rechargeable Led Lantern

Specifications & Features

- Overcharge & deep discharge protection
- Highly efficient 18 nos. LEDs for bright unflickering light
- Battery type: Lithium Ion Battery 3.7V, 1300 mAh
- Charging details: Backup time 4 hrs., Charging time: 3 hrs.

MRP: ₹ 1,295/-

HSN Code: 85131090

Ujjwal Mini Rechargeable Emergency Light

Model Number: 91126/16
LED: 100 Lumens, Color: Dark Blue

Specifications & Features

- Long life lithium ion battery
- Bright light with 100lm
- Usage time: 4 hrs
- Charging time: 4 hrs

MRP: ₹ 850/-

HSN Code: 85131090



Slimray Rechargeable Emergency Light

2W, 4W
Model Number: 48010/31/86, 48009/31/86

Specifications & Features

- 12W: 60 lumen/ 4W: 300 lumen
- Lithium ion battery
- Overcharge and deep discharge protection
- Charging time: 12 hours/ 7 hours

MRP: 2W: ₹ 1,250/-, 4W: ₹ 1,750/-

HSN Code: 85131090



CFL & GLS





Essential CFLi

8W: 415lm, 14W: 720lm, 18W: 1010lm,
23W: 1300lm

Specifications & Features

- Available in BC22
- Available in CDL/ WW

MRP: ₹ 155/-, ₹ 170/-, ₹ 215/-, ₹ 250/-

HSN Code: 85393110



Candle

25W, 40W

Specifications & Features

- 25W Candle clear
- 25W Pearl Candle
- 40W Candle CLR - E14
- 40W Pearl Candle - E14
- Case size: 50 pcs

MRP: 25W clear: ₹ 20/-, 25W/40W Pearl & CLR: ₹ 22/-

HSN Code: 85392910

Softone

40W, 60W, 100W

Specifications & Features

- Softer, frosted glow
- Case size: 100 pcs

MRP: 40W/60W: ₹ 20/-, 100W: ₹ 22/-

HSN Code: 85392910



Standard Incandescent

25W, 40W, 60W, 100W, 200W

Specifications & Features

- 25W/40W/60W/100W/200W
- Case size: 25W/40W/60W/100W: 150pcs
200W: 50 pcs

MRP: 25W/40W/60W: ₹ 15/-, 100W: ₹ 16/-, 200W: ₹ 31/-

HSN Code: 85392910



Lustre Lamp

27W: 1760lm, 32W: 2150lm, 45W: 2735lm,
65W: 4000lm, 80W: 5100lm

Specifications & Features

- Lamp type: spiral
- Available in: ES
- Available in: CDL
- Case size: 100 pcs

MRP: Clear: ₹ 22/-, Soft White: ₹ 25/-

HSN Code: 85392910



Decoration Coloured Lamp

15W (Red, green, yellow, blue, orange and soft white)

Specifications & Features

- Coloured decoration lamp
- Application: Festive lighting, Pooja room, night lamp
- Available in red, green, yellow, blue, orange and soft white

MRP: ₹ 20/-

HSN Code: 85392910



Double-ended Halogen

500W & 1000W

Specifications & Features

- Case size: 10 pcs

MRP: ₹ 86/-, ₹ 96/-

HSN Code: 85392190



CFL-NI PL-S Lamps

9W & 11W
Model Number: PL-S

Specifications & Features

- Available in 2 pin and 4 pin
- 2 color temperatures 2700 and 6500

MRP: 9W: ₹ 100/-, 11W: ₹ 105/-

HSN Code: 85393110



CFL-NI PL-C Lamps

10W, 13W, 18W, 26W
Model Number: PL-C

Specifications & Features

- Choice in 3 color temperatures 2700K, 4000K and 6500K
- Available in 4 wattages 10W, 13W, 18W, 26W
- Available in 2 pin and 4 pin

MRP: 10W, 13W: ₹ 125/-, 18W: ₹ 135/-, 26W: ₹ 175/-

HSN Code: 85393110



CFL-NI PL-L Lamps

18W & 36W
Model Number: PL-L

Specifications & Features

- Choice in 3 color temperatures 2700k, 4000k and 6500k
- Available in 2 wattages 18W & 36W
- Available in 4 pin Only

MRP: Clear: 18W, 36W: ₹ 145 /-

HSN Code: 85393110



TL



T5 Essential

14W & 28W

Specifications & Features

- Lumen: 1220lm/2600lm
- Life: 15,000 hrs.
- 830/840/865 colours available
- Case size: 40 pcs

MRP: 2ft: ₹ 120/-, 4ft: ₹ 125/-

HSN Code: 85393190

T5 HO Essential

54W

Specifications & Features

- Lumen: 5000lm
- Life: 20,000 hrs.
- Available in colour 840/ 865
- Case size: 40 pcs

MRP: ₹ 210/-

HSN Code: 85393190



T8 Trulite


18W & 36W

Specifications & Features

- Lumen: 1350lm/3250lm
- Life: 15,000 hrs.
- 827/840/865 colours available
- Case size: 25 pcs

MRP: ₹ 2ft: 110/-, 4ft: ₹ 120/-

HSN Code: 85393190





T8 Lifemax Plus

36W

Specifications & Features

- Lumen: 2650lm
- Life: 21,000 hrs
- Case size: 30 pcs

MRP: ₹ 55/-

HSN Code: 85393190


T8 Superbright 36W

Specifications & Features

- Lumen: 3200 lm
- Life: 20,000 hrs.
- Available in colour 865
- Case size: 25 pcs

MRP: 36W: ₹ 70/-

HSN Code: 85393190



T8 Champion Maxbright with twin glow technology

36W

Specifications & Features

- Life: 15,000 hrs
- Case size: 30 pcs

MRP: ₹ 65/-

HSN Code: 85393190





T8 Lifemax

18W & 36W

Specifications & Features

- Lumen: 1015lm/2450lm
- Life: 15,000 hrs.
- Case size: 18W: 25 pcs
36W: 36 pcs

MRP: ₹ 2ft: 52/-, 4ft: ₹ 55/-

HSN Code: 85393190



T12 Champion 3-in-1

20W & 40W

Specifications & Features

- Lumen: 940lm/2450lm
- Life: 15,000 hrs.
- Case size: 30 pcs

MRP: 20W: ₹ 53/-, 40W: ₹ 55/-

HSN Code: 85393190

MODULAR Switches





Durro Range

Model Number: 12NC: 913713987901
12NC: 913713991301

Specifications & Features

- Brass terminals and contacts for longer life
- Dual shutter and triple protection technology
- Better locking mechanism
- Shrouded terminals with captive screws
- Softer sound with premium feel

MRP: Switch 1M 1Way 10AX - Durro: ₹ 38/-
Grid & Cover-3M - Durro: ₹ 84/-

HSN Code: 85365020



Metallica

Model Number: 12NC: 913713969801;
12NC: 913713972501

Specifications & Features

- Premium metallic color to enhance decor
- Dual shutter and triple protection technology
- Innovative front removal and insertion technology

MRP: Switch 1M-1W 10AX - Metallica: ₹ 110/-
Grid & Cover 3M Smart - Metallica: ₹ 195/-

HSN Code: 85365020

Mirror Glaze

Model Number: 12NC: 913713947101
12NC: 913713946501

Specifications & Features

- Multiple color/sparkle option for superior look
- Light weight/ultra-durability
- Easy to clean
- Great strength due to honeycomb ribs construction

MRP: 3M Mirror Glaze Black: ₹ 660/-

HSN Code: 85381090



Smart Range

Model Number: 12NC: 913713646301
12NC: 913713914649

Specifications & Features

- Premium glossy finish - easy to clean
- UV stabilized
- Triple protection technology
- Great strength due to honeycomb ribs construction

MRP: Switch 1M-1W 10AX Smart - White: ₹ 105/-
Grid & Cover 3M Smart - White: ₹ 115/-

HSN Code: 85365020



Smart+


Model Number: 12NC: 913713638801
12NC: 913713642401

Specifications & Features

- Mix blend of glossy & matt finish makes it premium
- Light weight/ultra-durability
- Great strength due to honeycomb ribs construction

MRP: Switch 1M-1W 10AX Smart+ Matt Black: ₹ 107/-
Grid & Cover-3M Smart+ Matt Black: ₹ 750/-

HSN Code: 85365020



Ultra

Model Number: 12NC: 913713660401
12NC: 913713663001

Specifications & Features

- Special insert size
- More switch point in same space
- Low insert height for more space for wiring
- Glossy finish for easy cleaning

MRP: Switch 1M 1 way 10AX Ultra: ₹ 95/-
Grid & Cover 6M Ultra: ₹ 175/-

HSN Code: 85365020

MCB, RCCB & Isolators



MCB

Model Number : 12NC: 913713920249
12NC: 913713929249

Specifications & Features

- RoHS compliance (TDS)
- ISI certified (BIS Licence)
- IP 20 protected (TDS)
- Energy efficient

MRP: MCB 1 POLE Curve B 16A: ₹ 200/-
MCB 2 POLE Curve C 16A: ₹ 610/-

HSN Code: 85362030

MCB

Model Number: 12NC: 913713920049
12NC: 913713930549

Specifications & Features

- Conforms to IEC 60898 & IS : 8828 standards
- Energy limiting class 3
- Trip free mechanism
- Designed with increased air circulation enhancing efficiency and life
- Combination head captive screws
- High terminal capacity
- Available in B and C curve

MRP: MCB 1 Pole Curve B 06A: ₹ 200/-
MCB 3 Pole Curve C 06A: ₹ 950/-

HSN Code: 85362030



RCCB

Model Number: 12NC: 913713936549
12NC: 913713938049

Specifications & Features

- Confirms to IEC 61000 & IS: 12460-1 standards
- High shock resistance
- Combination head captive screws
- IP 20 protection with finger proof terminals
- High terminal capacity to accommodate a 35 sq. mm cable
- Wide residual current range from 30mA to 300mA

MRP: Clear: RCCB two pole 25A/30mA: ₹ 2,520/-
RCCB four pole 25A/30mA: ₹ 3,260/-

HSN Code: 85362040





Isolator

Model Number: 12NC: 913713934549
12NC: 913713935149

Specifications & Features

- Conforms to IEC 60947-3 standards
- Resistance to shock- 40mm free fall
- Combination head captive screws
- IP 20 protection with finger proof terminals
- High terminal capacity to accommodate a 35 sq. mm cable
- Energy efficient

MRP: Isolator 1 Pole 40 A: ₹ 260/-
Isolator 2 Pole 63 A: ₹ 490/-

HSN Code: 85365010

Trip Starter

Model Number:
12NC: Trip starter-6A-Smart Range-913713663701
12NC: Trip starter-10A-Smart Range-913713663801

Specifications & Features

- Short circuit breaking capacity- 3 KA with IP 20 protection
- Compatible with all ranges of Philips modular switches
- Glossy finish; easy to clean
- Available in 6A, 10A, 16A, 20A, 25A, 32A power rating

MRP: Trip Starter 6A & Trip Starter 32A: ₹ 199/-

HSN Code: 85362030



Distribution Box

Model Number: 12NC: 913713944601
12NC: 913713944801

Specifications & Features

- Premium quality powder coating applied to avoid rusting
- Level marking for easy flush mounting
- Masking sheet provision to avoid cement spillage
- Optional wire entry on side walls

MRP: SPN Single Door 4 Way: ₹ 830/-
SPN Double Door 4 Way: ₹ 1300/-

HSN Code: 85371000



LIGHTING Accessories



ecolink

4 WAY SPIKE AND SURGE GUARD



Ecolink 4-Way Spike & Surge Guard

Model Number: 913713692901 (White), 913713693001 (Black)

Specifications & Features

- Protects appliances against voltage fluctuations
- Wider cords for extra safety
- Universal Socket Compatible with multiple country plug
- Master Switch with LED indicator
- With ISI marked plug and chord

MRP: 4way spike & surge guard 1.5mtr - White: ₹ 499/-
4way spike & surge guard - Black: ₹ 399/-

HSN Code: 85369010

Smart Harmony Electronic Ding Dong Doorbell

Model Number: 913713825601, 913713833101

Specifications & Features

- Musical Sound
- Premium finish
- Power efficient

MRP: Smart Harmony Electronic Ding Dong Blue: ₹ 240/-
Smart Harmony Electronic Ding Dong Red: ₹ 240/-

HSN Code: 85318000



Ecolink Multipin

Model Number: 913713699801

Specifications & Features

- Universal socket for multi country plug
- High heat resistant body
- Superior shape with premium brass connectors
- FR Grade polycarbonate material
- Convenient gripping
- Premium gloss finish

MRP: ₹ 140/-

HSN Code: 85369090



Ecolink Extension Reel

Specifications & Features

- 4 Mtr cable for extended reach
- Universal socket for different country plugs
- 0.5 mm, 2 cross section cord, withstand wear and tear
- Enhanced aesthetic with combination of matt and gloss
- 360 degree smooth rotation
- Master switch with LED indicator
- Suitable for home application, office computers, TV, DVD players

12NC	913713692901
Description	Extension reel
Packaging	1 pc. fancy box 10 pc in shipper box
MRP	₹ 299/-

Smart Buzz Doorbell

Model Number: 913713818701, 913713818801

Specifications & Features

- Crisp and loud pleasurable sound
- Premium glossy finish
- Power efficient
- Easy to install

MRP: Smart Buzz Ding Dong Doorbell Blue: ₹ 210/-
Smart Buzz Ding Dong Doorbell Grey: ₹ 210/-

HSN Code: 85318000



Philips Deco Lamp Holder

Model Number: 913713699901, 913713900101

Specifications & Features

- Available in blue, pink and white colors
- Superior shape with straight and angular configuration
- 6Pc Blister pack for better retail reach
- Heat vents on the collar to allow dissipation of heat

MRP: Deco Lamp Holder - White: ₹ 48/-
Deco Lamp Holder - Coloured: ₹ 50/-

HSN Code: 85366110






ecolink
4 WAY SPIKE AND SURGE GUARD

Philips Plug Tops Economy Range

Specifications & Features

- Convenient gripping
- High heat resistant body
- Nickel plated pins
- Easy wire routing with additional space
- Sturdy body with elegant design

12NC	913713678501	913713678601
Description	3 Pin Plug 6A economy range	3 Pin Plug 16A economy range
Packaging	Single pc mono carton	Single pc mono carton
Shipper box	50 pc	50 pc
MRP	60/-	90/-



Solution Boxes


Model Number: 913702333601, 913702339101

Specifications & Features

- Dual Shutter Technology & One Pin Non Entry
- Overload protection with high degree of insulation
- Captive screw in Socket
- Suitable for air conditioner, microwave oven, mixer grinder

MRP: Solution Box with Motor Starter 20A: ₹ 1,050/-
Solution Boxes with Trip Starter 25A: ₹ 720/-

HSN Code: 85369010



LED Drivers

Sumo LED Drivers

Wattage available: 2W-4W, 5W-7W, 8W-10W, 11-15W, 16W-21W

12NC	Description	MRP (Rs)
929001469106	Sumo LED 2-4W	100/-
929001469206	Sumo LED 5-7W	150/-
929001478106	Sumo LED 8-10W	200/-
929001478006	LED Driver Astra Prime 15W 0.25A 240V	250/-
929001469406	Sumo LED 11-15W	250/-
929001469506	Sumo LED 16-21W	300/-

Specifications & Features

- Isolated design with 2KV surge protection
- Optimized for Indian conditions
- Instant flicker-free start / Long lasting
- Over voltage protection with wide operating range surviving 320V@48hrs and 350V@2hrs



Constant Voltage LED Drivers

Wattage available: 24W / 60W
Current Available: 2A / 5A

12NC	Description	MRP (Rs)
929001417360	LED Transformer 24W 2A 12VDC	350/-
929001417466	LED Transformer 60W 5A 12VDC	600/-

Specifications & Features

- High standards of safety
- Reliable, robust and versatile
- Short circuit and over voltage protection
- Compact size
- Class II (no need of earthing)
- Application – with LED Tape/Strips



Sumo Extreme 136

Wattage available: 36W

12NC	Description	MRP (Rs)
913712910814	Sumo Xtreme 136 TLD	190/-

Specifications & Features

- Robust and reliable performance
- Surge Protection of 2.2 KV – works well in voltage
- Unique end-of-life circuit -2x life
- Auto Cut-off and restart at 300V



