

# Unmatched Sustainability



TMI Expertise




**Rishabh Instruments Pvt. Ltd.**

Price List w.e.f 1<sup>st</sup> January 2021

# Index

<b>TMI Expertise</b>	<b>Page No</b>
Digital Multimeters	01
Digital Clamp Meters	02
Insulation Testers	03
Earth Testers	05
<b>Terms and conditions</b>	06



Material Code	Model No	Description	Digits/Counts	Category	LP (INR)
<b>Digital Multimeters</b>					
<b>Economical Multimeters</b>					
MM10-1N2Z000000000	RISH Max 10	MAX 10	[3 3/4], 3999	CAT II	2,330
MM10-1F2Z000000000		MAX 10 Fine Tip Probe			
MM67-402F00Z000000	Young	DMM YOUNG FT W/O BACKLIT W/O HOLSTER	[3 3/4], 3999	NA	1,590
MM67-402F000000000	Young	DMM YOUNG FT W/O BACKLIT WITH HOLSTER	[3 3/4], 3999	NA	1,660
MM67-401F00Z000000	i-Young	DMM i-YOUNG FT W/O BACKLIT W/O HOLSTER	[3 3/4], 3999	NA	1,700
MM67-401F000000000	i-Young	DMM iYOUNG FT W/O BACKLIT WITH HOLSTER	[3 3/4], 3999	NA	1,770
<b>General Purpose Multimeters</b>					
MM60-410N000000000	RISHABH 410	DMM 410 NT	[3 3/4], 3999	CAT III	2,900
MM60-410F000000000		DMM 410 Fine Tip Probe			
MM60-612N000000000	RISHABH 612	DMM 612 NT	[4], 6600	CAT IV	4,125
MM60-612F000000000		DMM 612 Fine Tip Probe			
MM60-613N000000000	RISHABH 613	DMM 613 NT	[4], 6600	CAT III	4,245
MM60-613F000000000		DMM 613 Fine Tip Probe			
MM60-615N000000000	RISHABH 615	DMM 615 NT	[4], 6600	CAT IV	4,480
MM60-615F000000000		DMM 615 Fine Tip Probe			
MM60-616N000000000	RISHABH 616	DMM 616 NT TRMS	[4], 6600	CAT IV	7,230
MM60-616F000000000		DMM 616 Fine Tip Probe TRMS			
<b>Industrial Multimeters</b>					
MM20-2NB40000000000	RISH Multi 12S	Multi 12S Backlit	[3 3/4], 3100	CAT IV	4,705
MM20-2FB4000000000		Multi 12S Fine Tip Backlit			
MM20-3NB40000000000	RISH Multi 13S	Multi 13S Backlit	[3 3/4], 3100	CAT III	5,305
MM20-3FB4000000000		Multi 13S Fine Tip Backlit			
MM20-4NB40000000000	RISH Multi 14S	Multi 14S Backlit	[3 3/4], 3100	CAT IV	5,400
MM20-4FB4000000000		Multi 14S Fine Tip Backlit			
MM20-5NB40000000000	RISH Multi 15S	Multi 15S Backlit	[3 3/4], 3100	CAT IV	7,030
MM20-5FB4000000000		Multi 15S Fine Tip Backlit			
MM20-6NB40000000000	RISH Multi 16S	Multi 16S TRMS Backlit	[3 3/4], 3100	CAT IV	10,480
MM20-6FB4000000000		Multi 16S TRMS Fine Tip TRMS Backlit			
<b>Advanced Multimeters</b>					
MM20-7NB40000000000	RISH Multi 18S	Multi 18S TRMS Backlit	[4 3/4], 31000	CAT IV	15,580
MM20-7FB4000000000		Multi 18S Fine Tip TRMS Backlit			
MM20-8NB40000000000	RISH Multi 18S IR	Multi 18S IR (Indian Railway) TRMS Backlit	[4 3/4], 31000	CAT IV	16,390
MM20-8FB4000000000		Multi 18S IR (Indian Railway) Fine Tip TRMS Backlit			
MM20-9NB40000000000	RISH Multi 20	Multi 20 TRMS Backlit	[5 3/4], 310000	CAT IV	17,480
MM20-9FB4000000000		Multi 20 Fine Tip TRMS Backlit			
IT30-1N00000000000	RISH MIT 30	MIT 30 TRMS , 3 GΩ Insulation resistance measurement	[3 3/4], 3100	CAT III	9,705
IT30-1F00000000000		MIT 30 Fine Tip TRMS , 3 GΩ Insulation resistance measurement			
MM66-6012N000000000	RISHABH 6012	TRMS Datalogging DMM	[5], 60000	CAT IV	13,425
MM66-6012F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6013N000000000	RISHABH 6013	TRMS Datalogging DMM	[5], 60000	CAT II	14,600
MM66-6013F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6015N000000000	RISHABH 6015	TRMS Datalogging DMM	[5], 60000	CAT IV	16,230
MM66-6015F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6016N000000000	RISHABH 6016	TRMS Datalogging DMM	[5], 60000	CAT IV	18,720
MM66-6016F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6012F0BT00000	RISHABH 6012 Bluetooth	TRMS Datalogging DMM	[5], 60000	CAT IV	16,895
MM66-6012N0BT00000		TRMS Datalogging DMM Fine Tip			
MM66-6013F0BT00000	RISHABH 6013 Bluetooth	TRMS Datalogging DMM	[5], 60000	CAT II	17,965
MM66-6013N0BT00000		TRMS Datalogging DMM Fine Tip			
MM66-6015F0BT00000	RISHABH 6015 Bluetooth	TRMS Datalogging DMM	[5], 60000	CAT IV	19,595
MM66-6015N0BT00000		TRMS Datalogging DMM Fine Tip			
MM66-6016F0BT00000	RISHABH 6016 Bluetooth	TRMS Datalogging DMM	[5], 60000	CAT IV	22,085
MM66-6016N0BT00000		TRMS Datalogging DMM Fine Tip			
Note: Multimeters are available with either Normal Probe Set (NT) & Fine Tip Probe Set (FT). Use the appropriate Ordering code for probe selection.					

Material Code	Model No	Description	Digits/Counts	Category	LP (INR)
<b>Digital Clamp Meters</b>					
CL10-4NZ0000000000	Rish Clamp ES400 AC	400 A AC Digital Clamp meter	[3 3/4], 3999	CAT III	2,940
CL10-4FZ0000000000		400 A AC Digital Clamp meter Fine Tip			
CL10-3NZ0000000000	Rish Clamp ES1000 AC	1000 A AC Digital Clamp meter	[3 3/4], 3999	CAT III	3,320
CL10-3FZ0000000000		1000 A AC Digital Clamp meter Fine Tip			
CL10-2NB0000000000	RISH Clamp 300A AC	Clamp 300A Backlit	[3 3/4], 3100	CAT IV	5,155
CL10-2FB0000000000		Clamp 300A Fine Tip Backlit			
CL10-1NB0000000000	RISH Clamp 1000A AC	Clamp 1000A Backlit	[3 3/4], 3100	CAT IV	5,560
CL10-1FB0000000000		Clamp 1000A Fine Tip Backlit			
CL20-3NB0000000000	RISH Clamp 300A AC/DC	Clamp 300A AC/DC Backlit	[3 3/4], 3100	CAT IV	7,855
CL20-3FB0000000000		Clamp 300A AC/DC Fine Tip Backlit			
CL20-1NB0000000000	RISH Clamp 1000A AC/DC	Clamp 1000A AC/DC TRMS Backlit	[3 3/4], 3100	CAT IV	10,770
CL20-1FB0000000000		Clamp 1000A AC/DC TRMS Fine Tip Backlit			
CL30-3NZ0000000000	Rish Clamp Power 400A AC/DC	400 A AC/DC 3 Phase Power Clamp meter with inrush measurement	[4], 9999	CAT IV	10,490
CL30-3FZ0000000000		400 A AC/DC 3 Phase Power Clamp meter with inrush measurement Fine Tip			
CL30-1NZ0000000000	Rish Clamp Power 1000A AC/DC	1000 A AC/DC 3 Phase Power Clamp meter with inrush measurement	[4], 9999	CAT IV	14,515
CL30-1FZ0000000000		1000 A AC/DC 3 Phase Power Clamp meter with inrush measurement Fine Tip			
New Rish Clamp Power with Bluetooth & Memory			<b>New</b>		Coming Soon
New Rish Clamp Solar with 1500 A current and 1500V DC voltage			<b>New</b>		
IT91-2010000000000	Agam ALCT 66A	AC Leakage Clamp Meter 0.001mA to 60A	[4], 9999	CAT II	14,935
IT91-3010000000000	Agam ALCT 606A	AC Leakage Clamp Meter 0.1mA to 600A	[4], 9999	CAT II	17,615
IT91-4010000000000	Agam ALCT 60A	AC/DC Leakage Clamp Meter up to 60A	[4], 9999	CAT III	19,500
<b>Optional Accessories for DMM &amp; Clamp Meter</b>					
CL90-1100000000000	RISH Clip on CT	Clip on CT 300A/0.3A AC			2,140
CL90-2100000000000		Clip on CT 1000A/1A AC			2,720
CL90-3100000000000		Clip on CT 1000A/5A AC			2,720
RISH Multi SI 232 Communication Adaptor - Storage Adaptor + RISH COM 100 Software					5,440
Temperature Probe - PT 100					3,150
Temperature Probe - PT 1000					3,150
High Voltage Probe - 3 K V					5,860
High Voltage Probe - 30 K V					7,960
1.6 Amp Fuse for RISH Multi / RISH Max					120
16 Amp Fuse for RISH Multi / RISH Max					160
Normal Silicon Probe Set - Digital Multimeters and Clamp Meters					380
Fine Tip Silicon Probe Set - Digital Multimeters and Clamp Meters					380
RISH Multi Carrying Case					360
Rish Clamp meter Carrying case					200
Crocodile Clip Set					240
Test Certificate for RISH Max Series - RISH Max 10					180
Terminal block for RISH Max Series					170
SPAR-SD00-0226 : External power supply adapter for 601X DMM					760
SPAR-SD00-0227 : USB Interface adapter for 601X DMM					1,570



Material Code	Model No	Description	Insulation Resistance	Voltage Range	LP (INR)
<b>Insulation Testers</b>					
<b>Analog High-Voltage Insulation Testers</b>					
<b>RISH Insu Series</b>					
IT50-1NS0000000000	RISH Insu 5000A	Insu 5000A STD High-voltage insulation tester for battery operation	10KΩ-1TΩ	5kV	39,285
IT50-1BS0000000000		Insu 5000A Bull Dog clip STD			
IT50-2NS0000000000	RISH Insu 5000AK	Insu 5000AK STD High-voltage insulation tester for hand crank generator operation	10KΩ-1TΩ	5kV	43,720
IT50-2BS0000000000		Insu 5000AK Bull Dog clip STD High-voltage insulation tester for hand crank generator operation			
IT50-5NS0000000000	RISH Insu 5000 AM	Insu 5000AM STD Mains Operated with Battery	10KΩ-1TΩ	5kV	43,720
IT50-6NS0000000000	RISH Insu 5000 AMR	Insu 5000AKMR STD Mains Operated with Rechargeble Battery	10KΩ-1TΩ	5kV	45,350
IT50-3NS0000000000	RISH Insu 5000AKM	Insu 5000AKM STD Battery, Crank & Mains Operated	10KΩ-1TΩ	5kV	48,950
IT50-3BS0000000000		Insu 5000AKM Bull Dog clip STD Battery, Crank & Mains Operated			
IT50-4NS0000000000	RISH Insu 5000AKMR	Insu 5000AKMR STD Crank & Mains Operated with Rechargeble Battery	10KΩ-1TΩ	5kV	52,980
IT50-4BS0000000000		Insu 5000AKMR Bull Dog clip STD Crank & Mains Operated with Rechargeble Battery			
IT91-1010000000000	Agam AIT 501	5kV Digital Insulation Tester 1 T Ohm	Upto 1TΩ	5kV	31,960
Availability from April <b>New</b>	Rish Insu 5Dt	5kV Digital Insulation Tester, 3mA short circuit current – Bench top model (with software CD, USB & Bluetooth communication, without leads #)	Upto 2TΩ	5kV	91,000
	Rish Insu 5Dx +	5kV Digital Insulation Tester, 6mA short circuit current - Suitcase model (with software CD, USB & Bluetooth communication, without leads #)	Upto 10TΩ	5kV	1,45,000
	Rish Insu 10Dx +	10kV Digital Insulation Tester, 6mA short circuit current - Suitcase model (with software CD, USB & Bluetooth communication, without leads #)	Upto 20TΩ	10kV	1,92,000
Test leads options with Rish Insu 5Dx+ / 10Dx+ & Rish Insu 5Dt	# Select the appropriate leads from the section below				
	3m test leads with crocodile clips (Only for Rish Insu 5Dt)				4,000
	3m test leads set (+ve, -ve & Guard lead) with 50mm jaw clamps				8,000
	10m test leads set (+ve, -ve & Guard lead) with 50mm jaw clamps				23,000
	15m test leads set (+ve, -ve & Guard lead) with 50mm jaw clamps (Recommended for operation in 765kV switchyards)				30,000
TM05-00000000014MT	*Rish Insu 5Dx	5kV Digital Insulation Tester 10 T Ohm with standard accessories	Upto 10TΩ	5kV	1,72,690
<b>* Available fill stock lasts</b>					
<b>ITHV Series</b>					
IT84-0111000000000	ITHV-2525	ITHV2525 1M STD BOX	0-2500 MΩ (Voltage - 2500V)	2.5kV	7,120
IT84-0211000000000	ITHV-2550	ITHV2550 1M STD BOX	0-5000 MΩ (Voltage - 2500V)	2.5kV	7,120
IT84-0311000000000	ITHV-25100	ITHV25100 1M STD BOX	0-10000 MΩ (Voltage - 2500V)	2.5kV	7,860
IT84-0411000000000	ITHV-25200	ITHV25200 1M STD BOX	0-20000 MΩ (Voltage - 2500V)	2.5kV	8,580
IT84-1011000000000	ITHV-25500	ITHV25500 1M STD BOX	0-50000 MΩ (Voltage - 2500V)	2.5kV	10,035
IT84-0511000000000	ITHV-5050	ITHV5050 1M STD BOX	0-5000 MΩ (Voltage - 5000V)	5kV	9,315
IT84-0611000000000	ITHV-50100	ITHV50100 1M STD BOX	0-10000 MΩ (Voltage - 5000V)	5kV	9,315
IT84-0711000000000	ITHV-50200	ITHV50200 1M STD BOX	0-20000 MΩ (Voltage - 5000V)	5kV	10,035
IT84-0811000000000	ITHV-50500	ITHV50500 1M STD BOX	0-50000 MΩ (Voltage - 5000V)	5kV	11,495
IT84-0911000000000	ITHV-501000	ITHV501000 1M STD BOX	0-100000 MΩ (Voltage - 5000V)	5kV	14,545
<b>Upgradation Cost for ITHV Series</b>					
To order ITHV with Dual Insulation Range**					1,195
To order ITHV Dual Insulation Range with Dual Voltage**					2,670
**Net price = LP of Upgradation + LP of Higher Insulation range model					

Material Code	Model No	Description	Insulation Resistance	Voltage Range	LP (INR)
<b>Analog Low-Voltage Insulation Testers</b>					
<b>ITS/ ITS-C Series PC Body</b>					
IT80-3110000000000	ITS-5010	ITS 5010 1M CROC CLIP STD BOX	100 MΩ	500 V	1,920
IT80-4110000000000	ITS-10020	ITS 10020 1M CROC CLIP STD BOX	200 MΩ	1000 V	1,980
IT82-3120000000000	ITC-5010	ITC 5010 1M STD BOX with continuity	100 MΩ (Voltage - 500V)	500 V	1,875
IT82-4120000000000	ITC-10020	ITC 10020 1M STD BOX with continuity	200 MΩ (Voltage - 500V)	1000 V	2,050
<b>IT / ITI / ITI-V Series Metal Body with guard terminals (IS:2992)</b>					
IT83-0111000000000	ITI-102	ITI 102 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	4,255
IT83-0211000000000	ITI-105	ITI 105 1M STD BOX	0-50 MΩ (Voltage - 100V)	100V	4,255
IT83-0311000000000	ITI-252	ITI 252 1M STD BOX	0-20 MΩ (Voltage - 250V)	250V	4,255
IT83-0411000000000	ITI-255	ITI 255 1M STD BOX	0-50 MΩ (Voltage - 250V)	250V	4,255
IT83-0511000000000	ITI-5010	ITI5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	4,255
IT83-0611000000000	ITI-5020	ITI5020 1M STD BOX	0-200 MΩ (Voltage - 500V)	500 V	4,255
IT83-0711000000000	ITI-5050	ITI5050 1M STD BOX	0-500 MΩ (Voltage - 500V)	500 V	4,720
IT83-0811000000000	ITI-50100	ITI50100 1M STD BOX	0-1000 MΩ (Voltage - 500V)	500 V	4,720
IT83-0911000000000	ITI-50200	ITI50200 1M STD BOX	0-2000 MΩ (Voltage - 500V)	500 V	4,720
IT83-1011000000000	ITI-10010	ITI10010 1M STD BOX	0-100 MΩ (Voltage - 1000V)	1000V	4,720
IT83-1111000000000	ITI-10020	ITI10020 1M STD BOX	0-200 MΩ (Voltage - 1000V)	1000V	4,720
IT83-1211000000000	ITI-10050	ITI10050 1M STD BOX	0-500 MΩ (Voltage - 1000V)	1000V	5,020
IT83-1311000000000	ITI-100100	ITI100100 1M STD BOX	0-1000 MΩ (Voltage - 1000V)	1000V	5,020
IT83-1411000000000	ITI-100200	ITI100200 1M STD BOX	0-2000 MΩ (Voltage - 1000V)	1000V	5,020
IT83-1511000000000	ITI-V-5010	ITIV5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	4,720
IT83-1611000000000	ITI-V-10020	ITIV10020 1M STD BOX	0-200 MΩ (Voltage - 500V)	500 V	4,875
<b>Analog Multirange Insulation Testers</b>					
<b>ITMR Series (Hand Driven Generator Type)</b>					
IT85-0111000000000	ITMR-1-122	ITMR-1-122 1M STD BOX	0-20 MΩ (Voltage - 100V) 0.2-200 MΩ (Voltage - 100V)	100V	6,390
IT85-0211000000000	ITMR-1-255	ITMR-1-255 1M STD BOX	0-50 MΩ (Voltage - 250V) 0.5-500 MΩ (Voltage - 250V)	250V	6,390
IT85-0311000000000	ITMR-1-5110	ITMR-1-5110 1M STD BOX	0-100 MΩ (Voltage - 500V) 0-1000 MΩ (Voltage - 500V)	500 V	6,390
IT85-0411000000000	ITMR-1-10220	ITMR-1-10220 1M STD BOX	0-200 MΩ (Voltage - 1000V) 0-2000 MΩ (Voltage - 1000V)	1000V	6,390
IT85-0511000000000	ITMR-2-51102	ITMR-2-51102 1M STD BOX	0-1000 MΩ (Voltage - 500V) 0-200 MΩ (Voltage - 100V)	500V, 100V	7,305
IT85-0611000000000	ITMR-2-101202	ITMR-2-101202 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-200 MΩ (Voltage - 100V)	1000V, 100V	7,305
IT85-0711000000000	ITMR-2-1052010	ITMR-2-1052010 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-1000 MΩ (Voltage - 500V)	1000V, 500V	7,305
IT85-0811000000000	ITMR-3	ITMR-3 1M STD BOX	0-2000 MΩ (Voltage - 1000V) Continuity 0-20kΩ & Discharge 0-1000 MΩ (Voltage - 500V) Continuity 0-20kΩ & Discharge 0-500 MΩ (Voltage - 250V) Continuity 0-20kΩ & Discharge	1000V, 500V, 250V	10,640
IT85-0911000000000	ITMR-4	ITMR-4 1M STD BOX	0-200 MΩ (Voltage - 1000V) Continuity 0-500Ω 0-100 MΩ (Voltage - 500V) Continuity 0-500Ω 0-50 MΩ (Voltage - 250V) Continuity 0-500Ω 0-20 MΩ (Voltage - 100V) Continuity 0-500Ω	1000V, 500V, 250V, 100V	9,735
<b>Digital Low-Voltage Insulation Testers</b>					
IT10-1N0000000000000	RISH Insu 10	Insu 10	10KΩ-999MΩ	1000V	4,500
IT10-1F0000000000000		Insu 10 Fine Tip			
IT20-1NS0000000000000	RISH Insu 20	Insu 20 Battery Operated	10KΩ-2GΩ	1000V	5,380
IT20-1FS0000000000000		Insu 20 Fine Tip Battery Operated			
IT20-2NS0000000000000	RISH Insu 20 A	Insu 20 A Mains & Battery Operated	10KΩ-2GΩ	1000V	6,170
IT20-2FS0000000000000		Insu 20 A Fine Tip Mains & Battery Operated			

Material Code	Model No	Description	Range	LP (INR)
<b>Earth &amp; Continuity Testers – Analog</b>				
<b>ET Series (IS:9223) - Direct Indicating Type (Four Terminals)</b>				
<b>Single Range</b>				
EA01-0110000000000	SET-3	SET 3 STD BOX	0-3 Ω	4,310
EA01-0210000000000	SET-10	SET 10 1M STD BOX	0-10 Ω	4,310
EA01-0310000000000	SET-50	SET 50 STD BOX	0-50 Ω	4,310
EA01-0410000000000	SET-100	SET 100 1M STD BOX	0-100 Ω	4,310
EA01-0510000000000	SET-500	SET 500 1M STD BOX	0-500 Ω	4,310
<b>Double Range</b>				
EA01-0610000000000	DET-1	DET 1 STD BOX	0-1 Ω / 0-10 Ω	4,585
EA01-0710000000000	DET-10	DET 10 1M STD BOX	0-10 Ω / 0-100 Ω	4,585
EA01-0810000000000	DET-20	DET 20 STD BOX	0-20 Ω / 0-200 Ω	4,585
EA01-0910000000000	DET-50	DET 50 STD BOX	0-50 Ω / 0-500 Ω	4,585
EA01-1010000000000	DET-100	DET 100 STD BOX	0-100 Ω / 0-1000 Ω	4,585
EA01-1110000000000	DET-500	DET 500 STD BOX	0-500 Ω / 0-5000 Ω	4,585
<b>Triple Range</b>				
EA01-1210000000000	TET-1	TET 1 STD BOX	0-1 Ω / 0-10 Ω / 0-100 Ω	4,935
EA01-1310000000000	TET-3	TET 3 STD BOX	0-3 Ω / 0-30 Ω / 0-300 Ω	4,935
EA01-1410000000000	TET-5	TET 5 STD BOX	0-5 Ω / 0-50 Ω / 0-500 Ω	4,935
EA01-1510000000000	TET-10	TET 10 STD BOX	0-10 Ω / 0-100 Ω / 0-1000 Ω	4,935
EA01-1610000000000	TET-50	TET 50 STD BOX	0-50 Ω / 0-500 Ω / 0-5000 Ω	4,935
<b>Four Range</b>				
EA01-1710000000000	FET-1	FET 1 STD BOX	0-1Ω / 0-10Ω / 0-100Ω / 0-1000Ω	5,285
EA01-1810000000000	FET-3	FET 3 STD BOX	0-3Ω / 0-30Ω / 0-300Ω / 0-3000Ω	5,285
EA01-1910000000000	FET-10	FET 10 STD BOX	0-10Ω/0-100Ω/0-1000Ω/0-10000Ω	5,285
<b>Digital Earth Tester</b>				
EA51-1010000000000	AET 23	Digital Earth Tester	0-20Ω/0-200Ω/0-2000Ω	12,640
<b>Rishabh Maintenance Tool Kit</b>				
TM00-1400000000000	RISH Kit 14E	Kit consisting of Tool Bag, RISH Insu 10, Rishabh 410, RISH Clamp ES1000 & Accessories		12,365
TM00-2600000000000	RISH Kit 26D	Kit consisting of Tool Bag, RISH Insu 20, Rishabh 616, RISH Clamp 1000A AC/DC & Accessories		23,730
TM00-3600000000000	RISH Kit 36P	Kit consisting of Tool Bag, RISH Mit 30, Rishabh 616, RISH Clamp Power 1000A AC/DC & Accessories		34,285
Note : Tool kit can be customised as per the requirement of customer after feasibility check.				
<b>Optional Accessories for Insulation/Earth/Continuity Testers</b>				
Extra Cable for RISH Insu 5000A/AK/AKM - Price Per Meter / Per Dipole Standard Cable length -1.5m & Maximum possible length is 10m(Including 1.5m)				1,550
RISH Insu 10/20 Normal Silicon Probe set				380
RISH Insu 10/20 Fine Tip Silicon Probe Set				380
Crocodile Clip Set				240
Crocodile Clip Set for RISH Insu 5000A/AK/AKM ( 3 nos )				1,230
RISH Insu 10/20 Carrying Case				360
RISH Insu 5000A/AK/AKM Carrying Case				1,550
RISH Insu 20 Mains Adaptor				780
Spare Hand Crank For 5000A				4,620
Rechargeble Battery set for 5000AKM				4,280
FUUSE 500mA /500V for RISH Insu 10/20				90
ITS	Probe Assembly black for PC Body			450
ITI/ ITI-V/ITHV/ITMR	Test Leads 1 Mtr Long			530
ITI/ ITI-V/ITHV/ITMR	Test Leads 3 Mtrs Long			750
ITS	Rexine Carrying Case			520
ITI/ ITI-V/ITHV/ITMR/ET	Rexine Carrying Case			560
Kit of Earth Tester Models ET Series	Consisting of - 4 M.S. spikes length 45 cms each approx., 1 Spike Lifting Rod, 3 Rolls of flexible wire wound on Spool (30m app), 5m Loose Wire, 1 Hammer, 1 Rexine Carrying Case (Not as per IS Standard)			2,430
Re-calibration Charges with Certificate for ITS/ITS-V/ITI/ITI-V/ITHV/ITMR/ET Models				360
AIT 501 10m leads set				5,000
AIT 501 standard leads set				3,100

---

## Terms and conditions

- This issue of Price List supersedes all previous Price Lists
- All Prices are in INR
- The prices are subject to change without prior notice
- List Prices mentioned are exclusive of all taxes & duties
- Prices charged will be as prevailing on the date of dispatch
- Minimum order value criterion should be observed while ordering
- The company reserves the right to supply goods at its discretion
- For any non-standard requirement, please contact nearest sales office regarding technical feasibility, price & delivery

## Warranty

- All the products listed in the Price List carry a warranty of 18 months against manufacturing defects (unless otherwise specified) from the date of purchase or 12 months from the date of commissioning, whichever is earlier

## Note

- To facilitate the ordering kindly make use of product configurator
- For Energy Management Solutions (EMS) enquiries, please contact nearest sales office
- Kindly refer respective datasheets for detailed technical specifications. Technical specs given in this price list are in abbreviated form only for easy understanding. Selection of products must be done from the datasheets.
- Since the product approbations mentioned in the price list are on generic header level, kindly contact to our nearest sales office for productwise approbations
- For any enquiry regarding Energy Measurement Software and Solar Inverters, kindly contact our sales office.





Product up-gradation is a continuous process. Hence data in this price list are subject to change without prior notice. For the latest information, please get in touch with our sales offices



Measure



Control



Record



Analyze

**RISHABH INSTRUMENTS PVT. LTD.**

+91 253 2202028/99 | [marketing@rishabh.co.in](mailto:marketing@rishabh.co.in) | [www.rishabh.co.in](http://www.rishabh.co.in)