

SWITCH TO PERFECTION

Wipro introduces new colors in Platia Switches range.




Platia color switches are uniquely designed that enliven the ambience and make it even more welcoming without compromising on quality and reliability.



Flat Switch

Super Slim Design

Long Lasting



Cat No	Mod. Description	White	Silver	Matt	Cham.	Pack
		Grey	Black	Gold	Nos.	

SWITCHES

P0110	1M Switch 6A One Way	348	404	-	-	20/400
P0111	1M Switch 6A One Way with Neon Indicator	504	600	-	-	20/400
P0130	1M Switch 16A One Way	470	582	-	-	20/400
P0131	1M Switch 16A One Way with Neon Indicator	658	784	-	-	20/400
P0210	1M Switch 6A Two Way	434	482	-	-	20/400
P0211	1M Switch 6A Two Way with Neon Indicator	590	672	-	-	20/400
P0230	1M Switch 16A Two Way	658	740	-	-	20/400
P0231	1M Switch 16A Two Way with Neon Indicator	730	806	-	-	20/400
P0161	1M Switch 20A One Way with Neon Indicator	658	806	-	-	20/400
P0171	2M Switch 32A DP with Neon Indicator	1,612	2,038	-	-	5/100
P0310	1M Bell Push 6A	482	560	-	-	20/400
P0311	1M Bell Push 6A with Neon Indicator	590	672	-	-	20/400

SOCKETS

P1212	2M Socket 6A 3 Pin	528	604	-	-	10/200
P1332	2M Socket 6/16A 3 Pin - Power	764	930	-	-	10/200
P1410	2M Socket 6A 2/3 Pin	648	784	-	-	10/120
P1532	2M Socket 6/13A - International	940	1,164	-	-	10/120
P1352	2M Socket 6/25A 3 Pin - Power	976	1,210	-	-	10/120
P1542	3M Shaver Socket	7,392	8,512	-	-	5/60

FAN REGULATORS

P1500	1M Dimmer 400W 1M	1,530	1,748	-	-	10/240
P2710	2M Dimmer 1000W 2M	2,000	2,352	-	-	5/120
P1700	1M Fan Regulator 5 Step Type 360° 1M	1,176	1,400	-	-	10/200
P1810	2M Fan Regulator 4 Step Type 2M	1,766	2,084	-	-	5/10
P1910	2M Fan Regulator 6 Step Type 360° 2M	1,882	2,172	-	-	5/10

Cat No	Mod. Description	White	Silver	Matt	Cham.	Pack
		Grey	Black	Gold	Nos.	

COMMUNICATION MODULES

P4900	1M Telephone Socket Single Shutter RJ11	506	628	-	-	20/400
P4700	1M Telephone Socket Double Shutter RJ11	564	694	-	-	20/400
P4797	1M Co-Axial TV Socket 1 Point	388	470	-	-	20/400
P5100	1M Computer Socket with Shutter RJ45 Cat5	1,000	1,142	-	-	20/240
P5200	1M Computer Socket with Shutter RJ45 Cat6	1,766	2,184	-	-	20/240
PS6001	3M PIR Sensor With Neutral 5Mtrs, 120° 200W	5,764	7,134	-	-	6/72

HOSPITALITY MODULES

P4601	1M DND Indicator 1M	1,412	1,748	-	-	20/400
P4602	1M CMR Indicator 1M	1,412	1,748	-	-	20/400
P4603	2M Combi DND, CMR, Bell Push	2,352	2,912	-	-	8/96
PC6002	1M Curtain Controller 6A	1,060	1,254	-	-	20/120
PP5500	3M Smart Card Key Tag Switch 25A	11,054	12,634	-	-	6/72

PLATES

PP911	1M 1M Plate with Frame	282	404	404	448	10/200
PP922	2M 2M Plate with Frame	294	448	448	492	10/200
PP933	3M 3M Plate with Frame without Rib	340	516	516	560	10/120
PP933S	3M 3M Plate with Frame with Rib	340	516	516	560	10/120
PP944	4M 4M Plate with Frame	400	604	604	660	10/120
PP956	6M 6M Plate with Frame	542	699	699	818	10/80
PP968H	8MH 8MH Plate with Frame (Horizontal)	706	930	930	1,042	5/60
PP968S	8MS 8MS Plate with Frame (Square)	940	1,254	1,254	1,388	5/60
PP9712S	12M 12MS Plate with Frame	1,588	2,116	2,116	2,116	5/40
PP9718S	18M 18MS Plate with Frame	2,116	2,822	2,822	2,822	5/30
P3900	1M Blanking Plate 1M	130	156	-	-	50/300

please suffix for product code GREY, MBLK, CGLD

SWITCH TO STYLE

Stylus+ comes with the benefit of dual fitment mechanism, which facilitates by holding all the modules firmly onto the base frame. This system ensures extra safety for user. Designed with high finish and aesthetics, the Stylus+ range offers plates in Gloss, Matt White and Metal finish.



Cat No	Mod. Description	MRPs White/Euro White	Matt White	Silver Grey	Pack Nos.
--------	------------------	--------------------------	---------------	----------------	--------------

SWITCHES

SR110-PLUS	1M Switch 6A One – Way – Plus	274	288	692	20/500
SR111-PLUS	1M Switch 6A One – Way LED – Plus	368	388	924	20/500
SR130-PLUS	1M Switch 16A One – Way – Plus	434	454	1,080	20/500
SR131-PLUS	1M Switch 16A One – Way – Plus (with LED)	506	530	1,276	20/500
SR210-PLUS	1M Switch 6A Two-way – Plus	350	368	442	20/500
SR211-PLUS	1M Switch 6A Two-way LED – Plus	472	992	588	20/500
SR230-PLUS	1M Switch 16A Two-Way – Plus	534	1,120	670	20/500
SR310-PLUS	1M Bell Push 6A – Plus	386	808	477	20/500
SR311-PLUS	1M Bell Push 6A LED – Plus	456	960	572	20/500

SOCKETS

M1212-PLUS	2M 6A 2/3 Pin Socket – Plus	452	474	570	10/300
M1412-PLUS	2M 8A 2 and 3 Pin Socket – Plus	630	662	784	10/300
M1332-PLUS	2M 16/6A 6-Pin Power Socket – Plus	660	694	824	10/300
M1352-PLUS	2M 25/6A 6-Pin Socket – Plus	770	808	966	10/300
M1532-PLUS	2M International Socket 13/6 A – Plus	660	694	824	10/250
M3012-PLUS	2M 6A 3/2 Push button Integral Socket – Plus	780	820	974	10/250
SR3033	2M 16A Socket + Plate Combo	1,448	1,522	1,808	1/-

COVER PLATES

Cat No	Mod. Description	MRPs White/Euro White	Matt White	Silver Grey	Pack Nos.
CS911M-PLUS	1M One Module Plate – Plus	246	258	400	10/240
CS922M-PLUS	2M Two Module Plate – Plus	246	258	400	10/240
CS933MS-PLUS	3M Three Module Plate – Plus	276	290	442	10/240
CS944M-PLUS	4M Four Module Plate – Plus	300	316	486	10/200
CS956MS-PLUS	6M Six Module Plate – Plus	488	512	766	5/120
CS968MH-PLUS	8MH Eight Module Horizontal Plate – Plus	590	618	918	8/128
CS968MS-PLUS	8MS Eight Module Vertical Plate – Plus	650	682	1,016	10/80
CS9712MS-PLUS	12M Twelve Module Plate – Plus	782	820	1,220	10/20
CS9718MS-PLUS	18M Eighteen Module Plate – Plus	1,070	1,124	1,674	10/20

Silver Grey – Switches, accessories & plates
Matt Black – Plates

Cat No	Mod. Description	MRPs White/Euro White	Matt White	Silver Grey	Pack Nos.
--------	------------------	--------------------------	---------------	----------------	--------------

METAL PLATES

MP711MSS00	1M 1 Module SS Matt Plate-Plus	722	-	-	10
MP722MSS00	2M 2 Module SS Matt Plate-Plus	722	-	-	10
MP733MSS00	3M 3 Module SS Matt Plate-Plus	876	-	-	10
MP744MSS00	4M 4 Module SS Matt Plate-Plus	1,200	-	-	10
MP756MSS00	6M 6 Module SS Matt Plate-Plus	1,730	-	-	5
MP768MHSS00	8MH 8 Module H SS Matt Plate-Plus	1,946	-	-	8
MP768MSS00	8MS 8 Module S SS Matt Plate-Plus	1,996	-	-	10
MP5712MSSS	12M 12 Module SS Matt Plate-Plus	1,443	-	-	10

FAN REGULATORS & DIMMERS

M1700-PLUS	1M Fan Regulator 4 Position Steptype-Plus	1,232	1,284	1,760	10/400
M1900-PLUS	2M Fan Regulator 6 Position with 360 Rotation-Plus	1,556	1,632	1,936	5/200
M1800-PLUS	2M Fan Regulator 4 Position Step Type-Plus	1,470	1,542	1,838	5/200
M1500-PLUS	1M Dimmer 300 Watts-Plus	1,020	1,070	1,280	10/400
M2700-PLUS	2M Dimmer 1000 Watts-Plus	2,030	2,132	2,538	1/120

COMMUNICATION MODULES

M4797-PLUS	1M Co-Axial T. Socket 1-Point – Plus	330	348	416	20/600
M4900S-PLUS	1M RJ 11 Telephone Jack & Single Shutter-Plus	344	360	430	20/600
M4700-PLUS	1M Twin RJ 11 Telephone Outlet-Plus	506	522	638	20/600
M5100-PLUS	1M RJ 45 Cat 5 Socket with Shutter-Plus	1,100	1,156	1,372	20/500
M5200-PLUS	1M RJ 45 Cat 6 Socket with Shutter-Plus	1,226	1,284	1,530	20/500
SP45-PLUS	1M Fitment for RJ45 Cat 5/6 – Plus	306	322	386	20/600

HOSPITALITY MODULES

M4401-PLUS	1M Buzzer with Indicator 1M – Plus	820	860	1,024	10/300
M4601-PLUS	1M 1M Indicator (DND) – Plus	430	452	540	10/300
M4602-PLUS	1M 1M Indicator (CMR) – Plus	430	452	540	10/300
M1542-PLUS	2M Shaver Socket 240V & 110V – Plus	1,346	1,414	1,684	5/150
M4300	2M Volume Control	1,298	1,362	1,618	5
SR5500	3M Smart Card Key Tag – 25 A	4,162	4,372	5,192	1
FL921	2M LED Foot Light	1,408	1,478	1,760	20

SUPPORT MODULES



M3900-PLUS	1M Blanking Plate-Plus	80	90	146	20/600
M4500-PLUS	1M Telephone Cord Outlet-Plus	220	232	298	20/600
M4600-PLUS	1M Indicator / Signal Lamp-Plus	220	232	298	20/600

Contemporary collarless design

Protective spark shield

Design Terminals shrouding for greater protection

Available in White, Euro White, Matt White, Silver Grey and Matt black



SWITCH TO SUSTAINABILITY

Convex is a perfect integration of classic design and modern technology. By combining superior electrical engineering technology with elegant aesthetics, it offers a wide range of metal plates, boxes and plastic enclosures for surface mounting.





Elegant collar design

Thermoset material for safe electrical insulation

Heavy metal contacts for better conductivity

Available in White, Euro White, Silver Grey and Matt black



Cat No	Mod.	Description	MRPs		Pack Nos.
			White/Euro White	Silver Grey	
SWITCHES					
M0110	1M	6A One Way Switch	256	326	20/600
M0111	1M	6A One way switch with Indicator	350	442	20/600
M0210	1M	6A Two Way switch	332	420	20/600
M0310	1M	Bell Push 6A	171	432	20/600
M0311	1M	Bell Push 1 Module with Indicator	342	562	20/600
M0340	2M	Palm Bell 6 A	432	540	20/300
M0341	2M	Palm Bell 6 A with Indicator	600	756	20/300
M0130	1M	16A One way switch	420	518	20/600
M0131	1M	16A One way switch with indicator	468	584	20/600
M0230	1M	16A Two way switch	468	584	20/600
M0431	1M	Switch Push Button 16 A with Indicator	566	712	10/300
M0451	1M	Switch Push Button 25 A with Indicator	700	888	10/300
M0440	2M	Palm Switch 16 A One way	532	672	10/300
M0551	2M	Palm DP One way 16 A with indicator	820	515	10/300
M0370	2M	Circular Bell switch 6A	734	1030	5/200

Cat No	Mod.	Description	MRPs		Pack Nos.
			White/Euro White	Silver Grey	
SOCKETS					
M1212-PLUS	2M	6A 2/3 Pin Socket-Plus	452	570	10/300
M1412-PLUS	2M	6A 2 & 3 Pin Socket-Plus	630	784	10/300
M1332-PLUS	2M	16/6A 6-Pin Power Socket-Plus	660	824	10/300
M1352-PLUS	2M	25/6A 6-Pin Socket-Plus	770	966	10/300
M1532-PLUS	2M	International Socket 13/6 A-Plus	660	412	10/250
M3012-PLUS	2M	6A 3/2 Push button Integral Socket-Plus	780	824	10/250
SR3033	2M	16A Socket + Plate Combo	1448	1808	1/-

Cat No	Mod.	Description	MRPs		Pack Nos.
			White/Euro White	Silver Grey/Matt Black	
COVER PLATES					
CS911M-PLUS	1M	One Module Plate-Plus	246	400	10/240
CS922M-PLUS	2M	Two Module Plate-Plus	246	400	10/240
CS933MS-PLUS	3M	Three Module Plate-Plus	276	442	10/240
CS944M-PLUS	4M	Four Module Plate-Plus	300	486	10/200
CS956MS-PLUS	6M	Six Module Plate-Plus	488	766	5/120
CS968MH-PLUS	8MH	Eight Module Horizontal Plate-Plus	590	918	8/128
CS968MS-PLUS	8MS	Eight Module Vertical Plate-Plus	650	1016	10/80
CS9712MS-PLUS	12M	Twelve Module Plate-Plus	782	1220	10/20
CS9718MS-PLUS	18M	Eighteen Module Plate-Plus	1070	1674	10/20

Cat No	Mod.	Description	MRPs		Pack Nos.
			White/Euro White	Silver Grey	
METAL PLATES					
MP711MSS00	1M	1 Module SS Matt Plate-Plus	722		10
MP722MSS00	2M	2 Module SS Matt Plate-Plus	722		10
MP733MSS00	3M	3 Module SS Matt Plate-Plus	876		10
MP744MSS00	4M	4 Module SS Matt Plate-Plus	1200		10
MP756MSS00	6M	6 Module SS Matt Plate-Plus	1730		5
MP768MHSS00	8MH	8 Module H SS Matt Plate-Plus	1946		8
MP768MSS00	8MS	8 Module S SS Matt Plate-Plus	1996		10
MP5712MSS12M	12M	12 Module SS Matt Plate-Plus	2,886		10

Silver Grey – Switches, accessories & plates
Matt Black – Plates

Cat No	Mod.	Description	MRPs		Pack Nos.
			White/Euro White	Silver Grey	
FAN REGULATORS					
M1700-PLUS	1M	Fan Regulator 4 Position Steptype-Plus	1232	1760	10/400
M1900-PLUS	2M	Fan Regulator 6 Position with 360 rotation - Plus	1556	1936	5/200
M1800-PLUS	2M	Fan Regulator 4 Position Step Type - Plus	1470	1838	5/200
M1500-PLUS	1M	Dimmer 300 Watts-Plus	1020	1280	10/400
M2700-PLUS	2M	Dimmer 1000 Watta-Plus	2050	2538	1/120

Cat No	Mod.	Description	MRPs		Pack Nos.
			White/Euro White	Silver Grey	
COMMUNICATION MODULES					
M4797-PLUS	1M	Co-Axial T.V. Socket 1-Point-Plus	330	416	20/600
M4900S-PLUS	1M	RJ 11 Telephone Jack & Single Shutter-Plus	344	430	20/600
M4700-PLUS	1M	Twin RJ 11 Telephone Outlet-Plus	506	638	20/600
M5100-PLUS	1M	RJ 45 Cat 5 Socket with Shutter-Plus	1100	1372	20/500
M5200-PLUS	1M	RJ 45 Cat 6 Socket with Shutter-Plus	1226	1530	20/500
SP45-vPLUS	1M	Fitment for RJ45 Cat 5/6-Plus	306	386	20/600

Cat No	Mod.	Description	MRPs		Pack Nos.
			White/Euro White	Silver Grey	
HOSPITALITY MODULES					
M4401-PLUS	1M	Buzzer with Indicator 1M-Plus	820	1024	10/300
M4601-PLUS	1M	1M Indicator (DND)-Plus	430	540	10/300
M4602-PLUS	1M	1M Indicator (CMR)-Plus	430	540	10/300
M1542-PLUS	2M	Shaver Socket 240V & 110V-Plus	1346	1684	5/150
M4300	2M	Volume Control	1298	1618	5
SR5500	3M	Smart Card Key Tag-25 A	4,162	5,192	1
FL921	2M	LED Foot Light	1408	1,760	20

Cat No	Mod.	Description	MRPs		Pack Nos.
			White/Euro White	Silver Grey	
SUPPORT MODULES					
M3900-PLUS	1M	Blanking Plate - Plus	80	146	20/600
M4500-PLUS	1M	Telephone Cord Outlet - Plus	220	298	20/600
M4600-PLUS	1M	Indicator / Signal Lamp - Plus	220	298	20/600

TINY TRIP					
Rating (Amp)	Single Role MRP (₹)	Case Lot (Nos.)	Double Role MRP (₹)	Case Lot (Nos.)	
6A, 10A, 16A, 20A, 25A, 32A	350	120	750	60	

LOAD BREAK SWITCHES (ISOLATOR)				
Rating (Amp)	Single Role MRP (₹)	Double Role MRP (₹)	Case Lot (Nos.)	
32A	-	700	60	
50A	-	800	60	

Cat No.	Rating	Description	MRP (₹)	Inner Case Lot (nos.)	
C 12M01 A	0.60 A – 1.00 A	1/8 HP Pump	800	20	20
C 12M01 B	0.90 A – 1.50 A	1/4 HP Pump	800	20	20
C 12M01 C	1.20 A – 2.00 A	1/3 HP Pump	800	20	20
C 12M01 D	2.00 A – 3.50 A	1/2 HP Pump	800	20	20
C 12M01 E	3.00 A – 5.00 A	3/4 HP Pump	800	20	20
C 12M01 F	4.75 A – 7.50 A	1 Ton AC	800	20	20
C 12M01 G	7.00 A – 11.50 A	1.5 Ton AC	800	20	20
C 12M01 H	16.00 A – 25.00 A	2 Ton AC	850	20	20
C 12M01 J	16.00 A – 25.00 A	2.5 Ton AC	940	20	20

SWITCH TO COMFORT



Cat No	Mod.	Description	MRPs White	Silver Grey	Pack Nos.
SWITCHES					
A0110	1M	Switch 6A one way	236	304	20/600
A0111	1M	Switch 6A one way with indicator	344	420	20/600
A0210	1M	Switch 6A two way	324	400	20/600
A0130	1M	Switch 16A one way	368	452	20/600
A0131	1M	Switch 16A one way with indicator	460	560	20/600
A0230	1M	Switch 16A two way	460	560	20/600
A0551	2M	Switch 32A one way with indicator-DP 2M	1028	1274	10/300
A0310	1M	Bell Push 6A	338	412	20/600
A0311	1M	Bell Push 6A with indicator	574	702	20/600
A0341	2M	Bell Push 6A with indicator - Palm 2M	650	800	10/300
A0110	1M	CMR/DND	236	304	20/600
A0210	1M	DND	324	400	20/600

Cat No	Mod.	Description	MRPs White	Silver Grey	Pack Nos.
SOCKETS					
A1212	2M	Socket 6A 3 Pin with Euro Pin	396	496	10/300
A1410	2M	Socket 6A 2/3 Pin	470	572	10/300
A1332	2M	Socket 6/16A 3 Pin - Power	612	760	10/300
A1532	2M	Socket 6/13A - International	572	682	10/300
A1352	2M	Socket 6/25A 6 Pin - Power	650	804	10/300

Cat No	Mod.	Description	MRPs White	Silver Grey/ Matt Black	Pack Nos.
COVER PLATES					
AP911	1M	1M Plate with frame	200	356	10/360
AP922	2M	2M Plate with frame	200	356	10/360
AP933	3M	3M Plate with frame	258	432	10/240
AP933M	3M	3M Plate with frame W/o Rib	258	432	10/240
AP944	4M	4M Plate with frame	292	486	8/192
AP956	6M	6M Plate with frame	366	594	5/120
AP968H	8M	8MH Plate with frame (Horizontal)	470	734	5/120
AP968S	8M	8MS Plate with frame (Square)	490	778	5/95
AP979	9M	9M Plate with frame	614	950	5/60
AP9712S	12M	12M Plate with frame	680	1050	5/30
AP9718S	18M	18M Plate with frame	1032	1598	5/20

Cat No	Mod.	Description	MRPs White	Silver Grey	Pack Nos.
FAN REGULATORS & DIMMERS					
A1700	1M	Fan Reg. 4+1 Position Step Type 360 degree 1M	1054	1298	10/300
A1900	2M	Fan Reg. 5+1 Position Step Type 360 degree 2M	1408	1738	6/120
A1500	1M	Dimmer 400W 1M	1356	1672	10/300
A2700	2M	Dimmer 1000W 2M	1910	2366	6/120

Cat No	Mod.	Description	MRPs White	Silver Grey	Pack Nos.
COMMUNICATION MODULES					
A4900	1M	Telephone Socket with single shutter - RJ11	306	418	20/600
A4700	1M	Telephone Socket with double shutter - RJ11	502	650	20/600
A5100	1M	Computer Socket with shutter - RJ45 Cat 5	844	1002	20/600
A5200	1M	Computer Socket with shutter - RJ45 Cat 6	1170	1386	20/600
A4797	1M	Co-Axial TV Socket 1 Point	320	394	20/600
A4910	1M	USB Port	2,042	2,420	5/100
A4911	1M	USB Charger	1728	1988	5/100
A4912	1M	HDMI Port	2354	2,916	5/100
A4913	1M	RCA Socket	2,137	5,280	5/100
AFL922	2M	LED Night Lamp (Foot Light)	1560	2,889	6/120
A5500	3M	Electronic Key Tag - 20A	6930	8,570	1/20

Cat No	Mod.	Description	MRPs White	Silver Grey	Pack Nos.
SUPPORT MODULES					
A3900	1M	Blanking Plate	74	144	40/1200
A4500	1M	Cord Outlet	280	364	20/600
A4600	1M	Indicator Lamp - LED	388	484	20/300
A4603	1M	DND and CMR Combi	484	594	-
A4401	2M	Buzzer	638	792	-

Rating (Amp)	Single Role MRP (₹)	Case Lot (Nos.)	Double Role MRP (₹)	Case Lot (Nos.)
6A, 10A, 16A, 20A, 25A, 32A	598	10/80	1,298	4/32
Silver Grey	722	10/80	1,556	4/32



Rating (Amp)	Single Role MRP (₹)	Case Lot (Nos.)
20A, 25A	1,494	4/32
Silver Grey	1,792	4/32

Slim and Contemporary Design

Pristine White with High Gloss

Reliable Spark Shield for Safeguarding Equipments

Available in White, Silver Grey and Matt black



Silver Grey - Switches, accessories & plates
Matt Black - Plates




Wipro North-West present Anti-Bacterial range in Nowa switches which provides protection against infection from bacteria and cross contamination
Nowa Anti-bacterial range is available on request only.

SWITCH TO SIMPLICITY

Sleek switch

Satin finish

Sturdy design



Cat No	Mod.	Description	MRPs White	Pack Nos.
--------	------	-------------	------------	-----------

SWITCHES

B0110	1M	Switch 6A One Way	206	20/600
B0111	1M	Switch 6A One Way with Indicator	304	20/600
B0210	1M	Switch 6A Two Way	284	20/600
B0130	1M	Switch 16A One Way	314	20/600
B0131	1M	Switch 16A One Way with Indicator	410	20/600
B0551	2M	Switch 32A One Way with Indicator – DP	928	10/600
B0310	1M	Bell Push 6A	292	20/600
B0311	1M	Bell Push 6A with Indicator	422	20/600
B0341	2M	Bell Push 6A with Indicator – Palm	486	10/600

SOCKETS

B1212	2M	Socket 6A 3 – Pin With Euro Pin	324	10/300
B1410	2M	Socket 6A 2/3 Pin	368	10/300
B1332	2M	Socket 6/16A 3 Pin – Power	508	10/300
B1352	2M	Socket 6/25A 6 Pin – Power	562	10/300
B1532	2M	Socket 6/13A – International	496	10/300

FAN REGULATORS

B1700	1M	Fan Regulator 4+1 Position Step Type 360°	918	10/300
B1900	2M	Fan Regulator 5+1 Position Step Type 360°	1,114	6/180

Cat No	Mod.	Description	MRPs White	Pack Nos.
--------	------	-------------	------------	-----------

COMMUNICATION MODULES

B4900	1M	Telephone Socket with Single Shutter RJ11	264	20/600
B4797	1M	Co–Axial Tv Socket 1 Point	286	20/600
B5100	1M	Computer Socket with Shutter-RJ45 Cat 5	778	20/600
B5200	1M	Computer Socket with Shutter-RJ45 Cat 6	1,080	20/600
B4600	1M	Venia Indicator Lamp	308	20/600
B4911	1M	USB Charger	1,620	20/600


COVER PLATES

BP911	1M	1M Plate With Frame	172	15/360
BP922	2M	2M Plate With Frame	172	15/360
BP933	3M	3M Plate With Frame (Rib)	216	10/240
BP944	4M	4M Plate with frame	260	8/192
BP956	6M	6M Plate With Frame	324	5/120
BP968H	8M	8MH Plate With Frame (Horizontal)	410	5/120
BP968S	8M	8MS Plate With Frame (Square)	432	5/95
BP9712S	12M	12M Plate With Frame	594	5/95
BP9718S	18M	18M Plate With Frame	886	5/40
B3900	1M	Blanking Plate	64	30/900

SAFETY DEVICES

BTT6ASP	1M	6A Single Pole Tiny Trip	556	10/80
BTT10ASP	1M	10A Single Pole Tiny Trip	556	10/80
BTT16ASP	1M	16A Single Pole Tiny Trip	556	10/80
BTT20ASP	1M	20A Single Pole Tiny Trip	556	10/80
BTT25ASP	1M	25A Single Pole Tiny Trip	556	10/80
BTT32ASP	1M	32A Single Pole Tiny Trip	556	10/80
BTT6ADP	2M	6A Double Pole Tiny Trip	1,256	4/32
BTT10ADP	2M	10A Double Pole Tiny Trip	1,256	4/32
BTT16ADP	2M	16A Double Pole Tiny Trip	1,256	4/32
BTT20ADP	2M	20A Double Pole Tiny Trip	1,256	4/32
BTT25ADP	2M	25A Double Pole Tiny Trip	1,256	4/32
BTT32ADP	2M	32A Double Pole Tiny Trip	1,256	4/32
BMS20A	2M	20A Motor Starter Single Phase	1,442	4/32
BMS25A	2M	25A Motor Starter Single Phase	1,442	4/32


HAVE A SAFE & SECURE LIFE



Cat No.	Description	MRPs
NW-EL4WSPNSDO	4 Way SPN SD	1,550
NW-EL6WSPNSDO	6 Way SPN SD	1,700
NW-EL8WSPNSDO	8 Way SPN SD	1,800
NW-EL12WSPNSD	12 Way SPN SD	2,400
NW-EL16WSPNSD	16 Way SPN SD	3,000
NW-EL4WSPNDDO	4 Way SPN DD	2,400
NW-EL6WSPNDDO	6 Way SPN DD	2,700
NW-EL8WSPNDDO	8 Way SPN DD	3,050
NW-EL12WSPNDD	12 Way SPN DD	3,700
NW-EL16WSPNDD	16 Way SPN DD	4,500
NW-EL4WTPNSDO	4 Way TPN SD (8+12)	4,600
NW-EL6WTPNSDO	6 Way TPN SD (8+18)	5,700
NW-EL8WTPNSDO	8 Way TPN SD (8+24)	6,400
NW-EL12WTPNSD	12 Way TPN SD (8+36)	8,400
NW-EL4WTPNDDO	4 Way TPN DD (8+12)	6,100
NW-EL6WTPNDDO	6 Way TPN DD (8+18)	6,800
NW-EL8WTPNDDO	8 Way TPN DD (8+24)	8,400

Cat No.	Description	MRPs
NW-EL12WTPNDD	12 Way TPN DD (8+36)	14,400
NW-EL4WTPNPIDD	4 Way TPN PPI DD	18,000
NW-EL6TPNPIDD	6 Way TPN PPI DD	11,600
NW-EL8TPNPIDD	8 Way TPN PPI DD	13,800
NW-EL12WTPNPIDD	12 Way TPN PPI DD	21,800
NW-EL16WTPNPIDD	16 Way TPN PPI DD	23,800
NW-EL4WVTPNDD	4 Way VTPN DD	16,000
NW-EL6WVTPNDD	6 Way VTPN DD	19,200
NW-EL8WVTPNDD	8 Way VTPN DD	20,200
NW-EL12WVTPNDD	12 Way VTPN DD	28,000
NW-EL16WVTPNDD	16 Way VTPN DD	37,200
NW-EL4WTPNDDTVTEL	4 Way TPN DD TV TEL	9,000
NW-EL6WTPNDDTVTEL	6 Way TPN DD TV TEL	11,000
NW-EL8WTPNDDTVTEL	8 Way TPN DD TV TEL	12,000
NW-EL12WTPNDDTVTEL	12 Way TPN DD TV TEL	15,000
NW-ELEN2W0000	2 Way Metal Enclosure	540
NW-ELEN4W0000	4 Way Metal Enclosure	620

*PPI, VTPN and TV TEL DB's available on request.



- Manufactured as per IS 8623 standard
- Powder coated surface with seven tank process for superior finish and long life
- Off-white color with superior finish (RAL 9003)
- Reversible door facility to suit installation style
- IP 43 protection for double door distribution board
- Shrouded neutral link
- Provision for surface & flush mounting
- Identified accessories which include wires, copper bus bar and cable tie

SAFETY DEVICES

SeQura

SEQURA MCB

Rating (Amp)	B-curve		C-curve				
	SP (₹)	SPN (₹)	DP (₹)	TP (₹)	TPN (₹)	FP (₹)	
6A, 10A, 16A, 20A 25A, 32A	300	320	800	900	1,320	1,800	2,000
40A	580	684	1,100	1,300	1,900	2,400	2,600
63A	-	760	1,200	1,460	2,160	2,600	2,820

LOAD BREAK SWITCHES (ISOLATORS)

Rating (Amp)	DP MRP (₹)	FP MRP (₹)
40A	600	1,400
63A	760	1,460

RC TRIP (RESIDUAL CURRENT CIRCUIT BREAKER - RCCB)

Rating (Amp)	30mA		100mA		300mA	
	DP (₹)	FP (₹)	DP (₹)	FP (₹)	DP (₹)	FP (₹)
16A	3,820	4,800	3,710	4,600	3,710	4,600
25A	3,820	4,800	3,710	4,600	3,710	4,600
32A	4,050	4,960	3,990	4,790	3,990	4,790
40A	4,050	4,960	3,990	4,790	3,990	4,790
63A	5,350	5,650	5,050	5,530	5,050	5,530

POWER UNITS

Cat No	Description	Standard of Rating	MRP (₹)	Inner Case Lot (Nos.)
ACPU6M-FT	6M Flush type with Starter, DP MCB & Plug top with Indicator	G/H/J	2,650	24
ACPU4M-FT	4M Flush type with Starter & Plug top with Indicator	G/H/J	1,850	40
ACPU6M-BT	6M Surface mounted with Starter DP MCB & Plug top with Indicator	G/H/J	2,900	24
ACPU4M-BT	4M Surface mounted with Starter & Plug top with Indicator	G/H/J	1,960	32



Mid-Trip Position MCB



RCCB



Power Unit

HAVE A SAFE & SECURE LIFE



iView klick
touch. capture. store.

Cat. No.	Description	MRPs
WS-DT511070M	i-View video door phone with 7" TFT color monitor with in-built memory door camera and power supply	23,998

iView mini
beautiful. compact. secure.

Cat. No.	Description	MRPs
WS-DT511043	i-View video door phone with compact 4.3" TFT color monitor, SOS alarm, door camera and power supply	15,998

iView color+
exclusive. dependable. classy.

Cat. No.	Description	MRPs
WS-DT511070P	iView Color Plus Video Door Phone with 7" TFT color monitor, SOS alarm, door camera and power supply	21,998



METAL BOXES

Cat No	Description	MRPs	Inner Case Lot (Nos.)
NW-MB01M20GGI	1-2M Metal Box GI 20G	148	80
NW-MB03M20GGI	3M Metal Box GI 20G	186	60
NW-MB04M20GGI	4M Metal Box GI 20G	242	50
NW-MB06M20GGI	6M Metal Box GI 20G	332	50
NW-MB8MS20GGI	8M S Metal Box GI 20G	404	30
NW-MB8MH20GGI	8M H Metal Box GI 20G	404	30
NW-MB12M20GGI	12M Metal Box GI 20G	528	20
NW-MB18M20GGI	18M Metal Box GI 20G	736	20

*22G, 18G, 16G Metal boxes available on request.



NORTH - WEST



Registered Of

9801021834
9801021833
9801021842
9801005446

ndia

MULTITECH TRADE CIRCLE PVT. LTD.

Ph. No.: 4101091, 4218871
Baba Krishna Plaza
Tripureshwor, Kathmandu

E-mail:

multicircle@ntc.net.np, multicircle@wlink.com.np

feedb

Visit us at: www.v

DECON
Indoor/Outdoor Lighting

ALMONDARD
Ceiling & Exhausted Fans & Industrial Exhaust Systems

HOMDEC
Indoor/Outdoor Lighting

fumagalli

norisys

itches

FIAM
LIGHTING

SIEMENS



NORTH - WEST

ABB