


Yeelight Product Brochure









16 Million Colors

Tunable

Dimmable







Работает с Алисой









Features

16 Million Colors

O Dimmable and Adjustable Color Temperature

✓ Major AloT Platforms Compatible
 ✓ Game Sync with Razer Chroma™ RGB

China with Dhama with Maria Com

Shine with Rhyme with Music Sync

0.3W Ultra-Low Standby Power

Light up Entire Room with Group Control

Explore More with Yeelight App


Specifications

Model No.: YLDP005 Luminous Flux: 900 lm

Color Temperature: 1700K-6500K

Rated Power: 8W

Rated Input: 100-240V-50/60Hz 0.07A





Dimmable




















Features

- Dimmable to Create a Homely Atmosphere
- ✓ Major AloT Platforms Compatible
- 0.3W Ultra-Low Standby Power
- ✓ Light up Entire Room with Group & Remote Control
- Explore More with Yeelight App

Specifications

Model No.: YLDP007
Luminous Flux: 900 lm
Color Temperature: 2700K
Rated Power: 8W

Rated Input: 100-240 V ~ 50/60 Hz 0.07 A





















Features

16 Million Colors

Oimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Game Sync with Razer Chroma™ RGB

Shine with Rhyme with Music Sync

0.4W Ultra-Low Standby Power


Light up Entire Room with Group Control

Explore More with Yeelight App

Specifications

Model No.: YLDP004-A
Luminous Flux: 350 lm
Color Temperature: 2700K-6500K
Rated Power: 4.5W

Rated Input: 220-240 V ~ 50/60 Hz 50mA





Dimmable



















Features

- Set the Tone of Your Home with Dimmable Light
- Major AloT Platforms Compatible
- **②** 0.3W Ultra-Low Standby Power
- ✓ Light up Entire Room with Group & Remote Control
- Explore More with Yeelight App

Specifications

Model No.: YLDP004
Luminous Flux: 350 lm
Color Temperature: 2700K
Rated Power: 4.8W

Rated Input: 220-240 V ~ 50/60 Hz 50mA





Tunable
Dimmable



















Features

- Dimmable and Adjustable Color Temperature
- Remote Control with BLE Mesh Technology
- Stable Group Control and Quick Response
 Voice Control with Major AloT Platforms Compatible
- Simple Operation
- With the latest BLE Gateway included in the Kit

Specifications

Product Name: Yeelight Smart Downlight M2
Product No: YLTS02YL

 Luminous Flux:
 350lm

 Color Temperature:
 2700K-6500K

 Wattage:
 5W(12X1W/LED Module)


Product Name: Yeelight Mesh Spotlight M2
Product No: YLTS04YL


Luminous Flux: 350lm Color Temperature: 2700K-6500K

Product Name: Yeelight Mesh Downlight M2 Pro Product No: YLTS03YL

Luminous Flux: 500lm
Color Temperature: 2700K-6500K

































Features

16 Million Colors Backlight

Dimmable and Adjustable Color Temperature

Major AIoT Platforms Compatible

Come with Yeelight Remote Contorl

Easy Setup with Patented Quick Change Fixture

0.4W Ultra-Low Standby Power

Moonlight Mode with an Ultra-Low Brightness

Bug-proof and Dust-proof

Other Remote Control Enabled by App, Remote & Smart Dimmer

Specifications

Model No.: Light Dimensions: Luminous Flux: Color Temperature: Room Size:


Color Rendering Index: Rated Power:

Rated Input:

YLXD013 Ф455mm x 94mm 3000 lm

2700K-6500K 10-20 m2 Ra≥95

50 W (81x1W/LED



























Features

16 Million Colors Backlight

Dimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Come with Yeelight Remote Contorl

Easy Setup with Patented Quick Change Fixture

0.4W Ultra-Low Standby Power

Moonlight Mode with an Ultra-Low Brightness

Bug-proof and Dust-proof

Other Remote Control Enabled by App, Remote & Smart Dimmer

Specifications

Model No.: Light Dimensions: Luminous Flux: Color Temperature: Room Size:

Color Rendering Index: Rated Power:

Rated Input:

YLXD013-A Ф555mm x 94mm 3500 lm 2700K-6500K 15-25㎡ Ra≥95 50 W (84x1W/LED module+60x0 2W/LED





16 Million Colors

Tunable

Dimmable

















Yeelight Arwen Ceiling Light 450C



Features

16 Million Colors Backlight

Dimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Enjoy an Easy Setup with a Quick Change Fixture

Ultra-Thin Shape with 2 Available Sizes

Moonlight Mode with an Ultra-Low Brightness

Ra95 to Accurately Showcase the Colors You Want

Dust and Insect-Proof

Specifications

Model No.: Light Dimensions: Luminous Flux: Color Temperature: Room Size:

Color Rendering Index: Rated Power:

Rated Input:

YLXD013-B Ф495mm x 92mm 4000 lm

2700K-6500K 10-20 m2 Ra≥95

50 W (81x1W/LED





16 Million Colors

Tunable

Dimmable

















Yeelight Arwen Ceiling Light 550C



Features

16 Million Colors Backlight

Dimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Enjoy an Easy Setup with a Quick Change Fixture

Ultra-Thin Shape with 2 Available Sizes

Moonlight Mode with an Ultra-Low Brightness

Ra95 to Accurately Showcase the Colors You Want

Dust and Insect-Proof

Specifications

Model No.: Light Dimensions: Luminous Flux: Color Temperature: Room Size:

Color Rendering Index: Ra≥95 Rated Power:

Rated Input:

YLXD013-C Ф595mm x 92mm 4500 lm 2700K-6500K 15-25 m2

50 W (84x1W/LED





Tunable

Dimmable





works with DILIM

works with Ok Google

Works with
SmartThings

Apple HomeKit

Работает с Алисой

WORKS WITH alexa

Yeelight LED Ceiling Light A2001R900



Features

- Dimmable and Tunable
- Major AloT Platforms Compatible
- Dust and Insect-Proof
- Moonlight Mode with an Ultra-Low Brightness
- Light up Every Corner with Larger Beam Angle and Size
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Contorl

Specifications

Model: Dimensions: Luminous Flux:

Color temperature: Room size:

Color rendering index:

Rated power:

YLXD033

940 x 640 x 122mm

7000 lm 2700K-6500K

25-35m² Ra 95@4000K

95W







Dimmable



Yeelight LED Ceiling Light A2001C550

















Features

Dimmable and Tunable

Major AloT Platforms Compatible Dust and Insect-Proof

Moonlight Mode with an Ultra-Low Brightness

Light up Every Corner with Larger Beam Angle and Size

Ra95 to Accurately Showcase the Colors You Want

Come with Yeelight Remote Contorl

Specifications

YLXD031 Model: Dimensions: 598 x 103mm Luminous Flux: 4800lm Color temperature: 2700K-6500K

Room size: 15-25m²

Color rendering index: Ra 95@4000K







Dimmable



Features



Major AloT Platforms CompatibleDust and Insect-Proof

Mor

Moonlight Mode with an Ultra-Low Brightness

Yeelight LED Ceiling Light A2001C450

=

Light up Every Corner with Larger Beam Angle and Size

Ra95 to Accurately Showcase the Colors You Want

Come with Yeelight Remote Contorl













Specifications

Model: YLXD032
Dimensions: 495 x 93mm
Luminous Flux: 4500 lm
Color temperature: 2700K-6500K
Room size: 10-20m²
Color rendering index: Ra 95@4000K





Tunable

Dimmable



















Yeelight LED Ceiling Light C2001R900



Features

Dimmable and Tunable with a Smoother Dimming

Dust and Insect-Proof

Finely Finished Metal Frame

Major AIoT Platforms Compatible

Ultra-Thin Shape with 4 Available Sizes

Moonlight Mode with an Ultra-Low Brightness

Ra95 to Accurately Showcase the Colors You Want

Come with Yeelight Remote Contorl


Specifications

Model No.: YLXD039

Dimensions: 905 x 605 x 122mm Luminous Flux: 6000 Im

Color temperature: 2700K-6500K Room size: 25-35m²

Color rendering index: Ra 95@4000K



















Yeelight LED Ceiling Light C2001S500



Features

Dimmable and Tunable with a Smoother Dimming

Dust and Insect-Proof

A Finely Finished Metal Frame

Major AloT Platforms Compatible

Ultra-Thin Shape with 4 Available Sizes

Moonlight Mode with an Ultra-Low Brightness

Ra95 to Accurately Showcase the Colors You Want

Come with Yeelight Remote Contorl

Specifications


Model No.: YLXD038

Dimensions: 505 x 505 x 103mm

Luminous Flux: 4000 lm

Color temperature: 2700K-6500K

Room size: 15-25m²
Color rendering index: Ra 95@4000K













Works with Apple HomeKit



Yeelight LED Ceiling Light C2001C550



Features

- Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- A Finely Finished Metal Frame
- Major AloT Platforms Compatible
- Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
 - Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Contorl

Specifications

 Model No.:
 YLXD037


 Dimensions:
 555 x 555 x 99mm

 Luminous Flux:
 4000 lm

 Color temperature:
 2700K-6500K

 Room size:
 15-25m²

 Color rendering index:
 Ra 95@4000K















Yeelight LED Ceiling Light C2001C450



Features

- Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- A Finely Finished Metal Frame
- Major AloT Platforms Compatible
- ✓ Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Contorl

Specifications

 Model No.:
 YLXD036

 Dimensions:
 455 x 455 x 94mm

 Luminous Flux:
 3500 lm


 Color temperature:
 2700K-6500K

 Room size:
 10-20m²

Color rendering index: Ra 95@4000K





























Features

- Dimmable and adjustable color temperature
- Red Dot Award Winner
- Voice Control with Major AloT Platforms Compatible
- Easy Setup with Patented Quick Change Fixture
- Bug-proof and Dust-proof
- Moonlight Mode with an Ultra-Low Brightness
- Come with Yeelight Remote Contorl
- Other Remote Control Enabled by App, Remote & **Smart Dimmer**

Specifications

Product Name: Yeelight LED Ceiling Light Model No.: YLXD01YL Color: White

Dimensions: 320×320×73mm Luminous Flux: 1500lm Color Temperature: 2700K-6500K

Power: 23W

Adapter Voltage: 200V ~ 50/60 Hz 0.12 A





Dimmable

Tunable



















- ▶ Dimmable and Tunable White
- Major AloT Platforms Compatible
- Adjustable Fan Direction Brings Pleasant Breeze in All Seasons
- 3 Wind Speeds for Different Levels of Refreshment
- Stepless Dimming Caters to All Atmospheres
 - Superb Quality to Meet the Highest Industry Standard
- Modern Minimalist Design for a Tasteful Home
- Retractable Blade Design Frees Up Your Space
- Little Noise and Energy-Saving with Strong DC Inverter Moter
- Safety is Always Here for You with Reinforced Protection
- Easier Installation with 15° Tilt Feature





Specifications

Product Name: Yeelight Smart Ceiling Fan

C2101C1060 Model No.: YLFD003

Rated Input: 220-240V~50/60Hz

Total power: 74W Fan Power: 30W

Lamp Power: $44W(81 \times 1W/LED \text{ module})$

Color Temperature: 2700K-6500K

Compatible with: Android 4.4 & iOS 9.0 or above Wireless Connectivity: Wi-Fi IEEE 802.11 b/g/n 2.4 GHz,

Bluetooth 4.2













Features

Auto Light-on with Infrared Sensor and Light Sensor

Ra90 to Accurately Showcase the Colors You Want

Bug-proof and Dust-proof

Specifications

Product Name: Yeelight Crystal Sensory Ceiling Light Mini
Product No: YLXD09YL

Product No: YLXD09YL
Color: White
Product Shape: Round

Product Material: SPCC Background board, PMMA lamp cover

Brightness: 670lm Color Rendering: Ra90

Sensor Module: Infrared sensor and light sensor







Yeelight LED Lightstrip Pro



App Control

Customized

Light Effects

(+ 0)

Game Sync

16 Million Colors



Ambiance Lighting





















Features

16 Million Colors

Addressable Color LED Strip to Rock Your Mood

Trimmable & Extendable up to 10m

16 Million Colors for Customized Light Effects

Immersive Gaming Experience

A Seamless Integration with Apple HomeKit

More Ways to Control

Specifications

Standard Pack (2m)

Product Model: YLDD005


Power Input: 100-240V-50/60Hz Rated Power: 5.1W (2m) 21W (10m)

Power Factor: 0.5

 $\label{eq:wireless} \begin{tabular}{ll} Wireless Connectivity: & Wi-Fi IEEE 802.11b/g/n 2.4GHz \\ Compatible with: & Android 4.4 \& iOS 10.0 or above \\ \end{tabular}$

Extension Pack (1m)

Product Model: YLDD007 Rated Input: 24V























Features

- 16 Million Colors
- **⊘** Voice Control with Major AloT Platforms Compatible
- Game Sync with Razer Chroma™ RGB
- Trimmable According to Needs
- Shine with Rhyme with Music Sync
- ▼ Turn On/Off the Strip at Scheduled Time Available
- Smart App Control Anytime Anywhere
- Simple Setup with Built-in Wifi and No Hub Required

Specifications

Product Name : Product No: Rated Input :

Rated Power : Wi-Fi Connection :


Supported Operating Systems:

Yeeligt LED Lightstrip 1S YLDD05YL

100-240V~50/60Hz 0.17A(2m) 100-240V~50/60Hz 0.6A(10m)

24W(10m)

Wi-Fi IEEE 802.11 b/g/n 2.4GHz Android 4.4 or iOS 9.0 and above





16 Million Colors

Tunable

Dimmable















OVERWOLF



Features

16 Million Color RGB Backlights

Dimmable and Adjustable Color Temperature

✓ Major AloT Platforms Compatible

Game Sync with Razer Chroma™ RGB

Interactive Lighting with Chroma Enabled Devices

Change Angle Easily with Magnetic Mount

✓ Wireless Rotary Switch Knob

Work from Home with Office Lighting

Explore More with Yeelight App

Specifications

Model No.: YLTD003 Rated Input: DC 5V/2A

Rated Power: $10W (80 \times 0.2W/ LED \mod 10) + 100 \pmod 10$

Light Dimensions: \$\Phi 23.0 \times 485.5 mm\$ Switch Knob Dimensions: \$\Phi 66.5 \times 34.0 mm\$







Dimmable

















Features

16 Million Colors

Dimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Game Sync with Razer Chroma™ RGB

Interactive Lighting with Chroma Enabled Devices

Change Angle Easily with Magnetic Mount

Flexible Rotary Switch Knob

Work from Home with Office Lighting

Explore More with Yeelight App

Improved Neat Design with A Dark Blue Coating

Applicable to Both Flat and Curve Screens

Specifications


 Model No.:
 YLYTD-0003

 Rated Input:
 DC 5V/2A

 Patrick Drown and Drown and Drown are properties.
 10W (2007)

Rated Power: $10W (80 \times 0.2W/ LED \mod 10) \pmod{40 \times 0.2W/ LED \mod 10}$

Light Dimensions: \$\Phi23.0 \times 485.5mm\$ Switch Knob Dimensions: \$\Phi66.5 \times 34.0mm\$





Tunable White

Dimmable





Features

- Rechargeable & USB powered monitor light bar
- Easy setup & portable
- Proper lighting to eliminate glares and flickers from your monitor
- High CRI (RA>95) to provide prime user experience
- 3 color temperature modes to suit your needs
- Stepless dimming to get any brightness you want
- Back-lit touch panel for precise control



Specifications

Product Model: Color: Rated Power: Rated Input: Dimensions:

Color Rendering Index: Service Life:


Battery:

YLODJ-0027 silver gray 5W (64 × 0. 2W/LED module) DC 5V-- 1A 450×75×110mm

25,000 hours

1800mAh, Type-C USB charging









Tunable White















Features

16 million color RGB panels for customized lighting effects

Triangular LED panels to design the layout according to needs

Music sync available to change colors according to music rhythm

Game sync with Razer Chroma™ RGB

3 lighting modes & 20+ preset lighting effects

✓ Voice control with Google Assistant and Amazon Alexa

Prime quality with a service life of 25,000 hours

Specifications Product Model:

Product Model: Working Temperature: Working Humidity: Operating Frequency:


Compatible with:

Recommended Environment: Weight Per Panel: Color Composition: Color Range: Smart Interaction:

Package Size:

Maximum Power of a Single Panel: Maximum Output Power of Power Supply: Service Life: YLFWD-012 -10 - 40°C 0% - 85% RH 2412-2472MHz (Wi-Fi) 2402-2480MHz (BT) Android 4.4 or iOS 9.0 and above Indoor only 224g RGB 16 million colors Scene sync/ app control/ controller/ voice control 290x240x100mm 2W

approx. 25000 hours





Dimmable











Features

- Dimmable by Simply Rotating the Lamp Base
- ✓ A Candle-shape Table Lamp Designed to Wow
- A Perfect Add-on to Your House and Atmosphere
- Built-in 2100mAh Battery to Allow up to 8-hour Continuous Use on A Single Charge
- Portable Enough for Both Indoor and Outdoor Use
- BLE-mesh Technology to Enable Group Control of max.30,000 Lamps
- Yeelight App to Adjust Brightness or Change Light Modes

Specifications

 Product Name:
 Yeelight Candela Lamp

 Product No:
 YLFW01YL

 Product Color:
 Gold


 Dimensions:
 72×195mm

 Weight:
 430g

 Luminous Flux:
 0.3-13lm

 Color Temperature:
 1600K

Battery: 2100mAh+Micro USB(1.2m)







Tunable

Dimmable



















Features

0 16

16 Million Colors

Dimmable and Adjustable Color TemperatureOn/Off with Double Tap

Voice Control with Major AloT Platforms Compatible

Flowing Color Mode

Explore More with Yeelight App

Game Sync with Razer Chroma™ RGB

Shine with Rhyme with Music Sync

Interactive Control with Touch Board

Specifications

Product Name: Yeelight LED Smart Lamp D2
Product No: YLCT01YL

Dimensions: 140mm(diameter)×100mm(height)

Rated Input: 100-240V-50/60Hz 0.1A
Rated Power: 5W (6×1W/LED module(W) + 6×

0.5W/LED module (RGB)

Service Life: 25000hrs

Wireless Connection: Wi-Fi 802.11b/g/n 2.4 GHz and Bluetooth

4.2 BLE







Dimmable



















16 Million Colors

Dimmable and Adjustable Color Temperature

Game Experience with Razer Chroma™ RGB

Various Preset Lighting Modes

Chroma enabled Devices

Double Tap to Wake it Up

ToInteractive Control with Touch Board

Explore More with Yeelight App

Specifications

Product Name: YEELIGHT × RAZER LED Smart Lamp D2 Product No: YLCT01YL Dimensions: 140mm×100mm

Rated Input: 100-240V-50/60Hz 0.1A

Rated Power: 5W (6 \times 1W/LED module(W) + 6 \times 0.5W/LED

module (RGB)) 25000hrs

Wireless Connection: Wi-Fi 802.11b/g/n 2.4 GHz and Bluetooth 4.2 BLE





Multicolor Backlight

Tunable White

Dimmable


















Features

16 Million Colors

Dimmable and Adjustable Color Temperature

Long & Sleek Design

Voice Control with Major AloT Platforms

280 Quality LED Lighting Beads

Adjustable to Lengths Ranging from 0.5m to 1.5m

Ra95 to Accurately Showcase the Colors You Want

Bug and Dust-proof

Specifications

Product Name Product No. Product Color:

Product Material Lamp Body: Lamp Cover:

Rated Power: Color Temperature: Brightness:

Color Rendering:

Yeelight Crystal Pendant Light YLDL01YL

White PC


PMMA 33W

2700K-6000K 450lm-1700lm

Ra95 @4000K for the Entire Lamp

















Features



3 Available Lengths to Meet Your Need

Hands-Free Lighting Control with Smart Motion Sensor

Built-in Photosensitive Sensor Ensures The Light

Remains on Only In the Dark


Place it Anywhere to Brighten the Dark Corner of Your Home

Light up Every Corner with Larger Beam Angle & Size

2700K Warm Lighting with a Soft Glow

Enjoy Longer Lighting Duration with Larger Battery Capacity

Specifications			
Name	Yeelight Motion Sensor Closet Light A20	Yeelight Motion Sensor Closet Light A40	Yeelight Motion Sensor Closet Light A60
Model	YLCG002	YLCG004	YLCG006
Dimensions	20cm*3.9cm*0.9cm	40cm*3.9cm*0.9cm	60cm*3.9cm*0.9cm
Rated Power	1.2W	2.3W	2.4W
Battery Capacity	1100mAh	1500mAh	2200mAh
Color Temperature	2700K		
Rated Input	DC 5V/0.5A		
Charging Mode	USB-C (charging cable included)		













Features

- Rechargeable Built-in Battery Affords More Convenience
- 360° Rotation Understands All Needs
- Magnetic Base Makes Things Easier
- Flexible Enough to Cater to Any Scene
- A Perfect Lamp to Touch up Art Photos, Selfies and Streaming
- Add a Touch of Dreamy Vibe to Your Home Décor
- Prime Quality Ensures Prime User Experience

Specifications

 Model:
 YLFWD-0006

 Rated voltage:
 5V=1A


 Rated power:
 3W

 Operating temperture:
 -10°C~40°C

 Dimensions:
 82mm*82mm

Dimensions: 82mm*82mm*95mm

Net weight: About 300g















Features

- 2 Dimming Levels
- Rechargeable with 120-day Long Standby Time
- Flare-free & Soft Light Protects Your Eyes
- Detect Motion up to 5-7m away with An Infrared Sensor
- Adhesive, Magnetic and Suspended

Specifications

Product Name: Product No: Color Temperature:


Brightness: Sensor: Max Power: Mix Power:

0.25W 0.12W

Yeelight Rechargeable Sensor Nightlight YLYD01YL

2700K

Sensor Mode 3.5lm, Lighting Mode 7lm Light sensor + PIR motion sensor





Ambiance Lighting



Features



- ✓ Long-lasting with 0.5W Rated Power
- ✓ Elegant Appearance All-around Home Detor




0

Specifications Product Name:

Product No: Dimension: Weight: Color Temperature: Service Hemmidity: Rated Power: Input Voltage: Lifespan: Yeelight Plug-in Light Sensor Nightlight YLYD11YL \$\phi70\times 69mm\$ 63\times 5g\$ 2500k

0%-85%RH 0.5W AC 220-240V >25,000h

-10±40°C







Ambiance Lighting



Features

- Smart Light Shines Whenever Needed to Light up Every Corner
- Ultra-Thin Design with Turn-Off Delay Function
- Standby Time that Lasts up to 6 Months
- 300mAh Large Capacity
- Magnetic Plate Allows an Easy Fix





Specifications

Name: Yeelight LED Sensor Drawer Light A6
Model No.: YI CTDO01

 Model No.:
 YLCTD001

 Product Color:
 White

 Product Size:
 68*26*11

 Color Temperature:
 2700 K


 Luminous Flux:
 Approx. 15 lm

 Rated Input:
 5V DC/0.5 A


 Rated Power:
 0.15 W

 Standby Current:
 0.12 mA





Desk Lamp





Desk Light

Tunable

Dimmable

















Features

- Both Base Version and Clamp Version Provided Auto Brightness Adjustment Enabled by Bionic Dual Sensors
- Voice Control with Major AloT Platforms Compatible
- Smart Indicator to Present the Perfect Lighting
- Customized Lighting for Both Adults and Children
- Replicating Natural Sunlight with SunLike Technology Higher Illuminance Wider Spread of Light
- Strobe-free for the Ease of Eyes
- Ra90 to Accurately Showcase the Colors You Want

Specifications

Power Factor:


Model No. YLTD08YL/YLTD13YL

Color Temperature: 3000-5000K 0.5

Color Rendering Index: Ra90

Wattage: 10.5W

Dimension: 86×86×25mm Operating Temperature: -10 - 40°C





Desk Light

Tunable

Dimmable



reddot design award

















Features

- Red Dot Award-winner Design
- Dimmable and Tunable
- ▼ Voice Control with Major AloT Platforms Compatible
- Night light on the top
- Built-in Wireless Charger
- Simple Control with One Touch

Specifications

Product Name: Yeelight Staria Bedside Lamp Pro Product No: YLCT03YL

Rated Input: 22W
Color Rendering Index: Ra95
Color Temperature: 2700-6500K
Operating Temperature: -10°C-35°C

Wireless Connectivity: Wi-Fi iEEE 802.11b/g/n 2.4GHz

Max Wirless Charging output: 10W



Yeelight Serene Eye-friendly Desk Lamp Pro





Desk Light

Dimmable

















Features

- Natural Light Brought by the SunLike™ technology
- Voice Control with Major AIoT Platforms Compatible
- Certified by TUV
- No Flicker and Glare
- ✓ Smart Eye-use Scheduling
- Ra≥95 to Accurately Showcase the Colors You Want
- Patented Multi-axis Design for High Flexibility
- 88 light beads to provide sufficient light

Specifications

Product Name: Yeelight Serene Eye-friendly Desk Lamp Pro Product No: YLTD04YL

Product Color: Moca Gold


Product Size: 330×200mm×500mm Net Weight: 2390g

Luminance Flux: 650lm(-10%/+20%)@4000K Color Temperature: 4000K

Color Rendering Index: Ra≥95

Brightness Range: 100lm-650lm, dimmable

Rated Power: 15W





Desk Light

Dimmable







Features

5-level Dimming

Charge Once Lasting 40 Hours

Enhanced Brightness

Handy & Rechargeable Type-C Charging Support

One-button Touch Control

Specifications

Product Name: Yeelight LED Folding Desk Lamp Z1 Pro Product No: YLTD14YL

Reference Input: 5V 1A

Rated Power: 5W (30×0.2W/LED)

Color Rendering Index: Ra90

Color Temperature: 2700-5000K(5levels) Luminous Flux: 200lumen

Battery Capacity: 2500mAh

Charging Method: USB Chord and Plug

YEELIGHT

Yeelight 4-in-1 Rechargeable Desk Lamp







Essential Lighting













Features

- A multi-functional desk lamp to complement all needs
- Can be used as a desk lamp for your desktop
- Can be used as a clip-on LED lamp for bookshelves and bedside
- Can be used as a magnetic wall lamp/spotlight for corridors
- Can be used as a handheld light for emergencies and outdoor use
- Flexible enough with built-in 1800mAh lithium battery (5V Type-C)
- A large illuminating area with less eye glare
- 180-degree rotation desk lamp head
- Easy installation, no extra nuts or screws required
- Stepless dimming with 4000K color temperature

Specifications

Rated Power:

 Product Model:
 YLYTD-0011

 Battery:
 1800mAh, Type-C USB charging

 Dimensions:
 120*120*360mm


 Color Temperature:
 4000K±500K

 Rated Input:
 5V DC/ IA

 Color Rendering Index:
 >80





















Features

- Superb Mobility Compared with Wall Switches
- More Convenience Than Apps
- Full Control at Your Fingertips
- 5-Button Simple Control
- 12-month Long Standby Time(40 Operations per Day)
- Compatible with Yeelight Ceiling Lights Series

Specifications

Product Name: Yeelight BLE Remote

Temperature -10-40°C

Operating Humidity: 0%-85%RH

Battery Model: CR2032



















Features

Red Dot Award-winner Design

Connect to Yeelight Smart Ceiling Lights

Stick on the wall With Built-in Battery

Bluetooth Remote Control

No Disconnection from Light Power

50,000 Press Tests to Ensure Durability

Battery Life Up to Two Years

The All-in-one Switch

Specifications

Dimension:

Product Name Yeelight Smart Dimmer
Product Model: YLKG07YL

86×86×25mm

Wireless Connection: BLE 4.2

Standby Time: 3 years
Operating Temperature: -10-+40°C

Operating Temperature: -10- +40°C
Operating Humidity: 0%-85%RH



















Features

- Transfrom Non-smart Appliances to Smart Devices
- Enable Smart APP and Remote Control
- Enable Voice Control with Major AloT Platforms
- Enable Remote Timer Control Anytime Anywhere
- Compact Design for Easy Set up without Changing
- Compatible with Existing Sockets or Switches
- Quality Materials with Premium Design

Specifications

Product Name: Yeelight Smart Dual Control Module

Product No. YLAI002

Size: 49.5×46.2×24.5mm Rated Input: 220-240V-50/60Hz

Wireless Connection: Wi-Fi Ieee 802.11b/g/n 2.4 GHz and Bluetooth

Support Systems: Android 4.4 or iOS 9.0 and above Load Range (L1, L2):

Resistive Load-MAX 10A(Total)

Capacitive Load-200W/Channel



F10-B4, Bldg.B, International Innovation Park, 169 Songling Rd., Laoshan, Qingdao City, Shandong Provice, 266101, China

