

# Brilliance beyond illumination

COMMERCIAL LIGHTING















# LIGHTING FOR PEOPLE, NOT JUST FOR WORKSPACE!

Lighting plays a crucial role in enhancing employee comfort and productivity at the workspace. It's not just about illuminating spaces; it's about creating environments where people feel energized, motivated, and focused at work.

Employee well-being is of prime importance for the employer. Our innovative designs create productive and safe spaces by reducing eye strain, improving mood, and supporting overall health. We also prioritize sustainable solutions, ensuring that your workspace is both efficient and environmentally friendly. With an emphasis on aesthetics, Bajaj not only illuminates a space but also empowers people to thrive in an inspiring environment.




# ENHANCED WELLNESS

Employee well-being at workspaces is crucial for productivity and self satisfaction. A thoughtful workspace artchitecture can enhanced physical comfort, mental health, and a supportive environment leads to reduced stress and increased motivation. Prioritizing well-being fosters a positive culture, enhancing overall performance and commitment to employees' success.

# FOSTER PRODUCTIVITY & SAFETY

Workspaces should complement and facilitate employee productivity by creating an environment that minimizes fatigue and enhances focus. A well-designed workspace promotes safety through ergonomic setups, proper lighting, and thoughtful layouts, ensuring employees feel secure and comfortable. This balance fosters higher efficiency, satisfaction, and overall well-being, leading to better employee performance.






# MAXIMISE SUSTAINABLE

Sustainability in workspace facilities, driven by thoughtful management choices, supports long-term environmental and economic goals. Implementing energy-efficient systems, reducing waste, and using sustainable materials not only lowers operational costs but also enhances corporate responsibility. These practices contribute to better organizational performance and align with broader sustainability objectives.

# EXQUISITE **AESTHETICS**

Utilities in the workspace should align with modern trends to create a vibrant, welcoming environment. Contemporary designs and technologies make spaces more collaborative and inviting, enhancing employee satisfaction and productivity. By incorporating up-to-date features, workspaces become more engaging and supportive, nurturing a positive atmosphere and encouraging teamwork.







Light Embracing Comfort



Sustainability Meets Style




Personalised **Solutions** 





**Smart And Future Ready**  Energy Efficient



# SMART & CONNECTED LIGHTING SOLUTION










# SYSTEM ARCHITECTURE



# INSTALL IN A SNAP!

### **PLANNING**



### Design

Create a network plan and devise a lighting layout.

### Select luminaires

Bajaj Illumiga enabled

### Customize your lighting system

Pair your setup with compatible sensors and switches.

# **SETUP**



Install like usual gadgets



Download Get ready using and install the web app or mobile app mobile app



g Setup using the mobile app



using Add gateways for remotely managing the site on your web-app

O



Manage and monitor using the mobile and web app

# illumiga

# Smart & Connected Lighting Solutions\_



Presence Detection

Activates lights only when motion is detected, saving energy.



Daylight Harvesting

Automatically dims lights based on available natural lights.



Wireless Controls

Enable easy lighting control from anywhere.



Scene Scheduler

Create and recall custom scenes effortlessly using wireless switches or an app.



Remote Monitoring & Control

Monitor device lifetimes, potential failures, and burning hours for improved building upkeep.



Energy Usage Analysis

Access detailed energy consumption reports to further analyze and optimize your building's energy saving plan.



Automatic Upgrades

Seamlessly receive background updates for features and security with minimal disruption to building operations.



Predictive Maintenance

Be alerted with unusual system behaviour for proactive and preventive maintenance.



# Illumiga

an Centric Light. entric light.

lave engineered lighting solutions that attempt to achieve a perfect rain, soul, and light helping users to maintain their circadium rhythm. Bajaj nan Centric Lighting Solutions provide adaptive, versatile and intelligent ns that can illuminate everything from workspaces to healthcare facilities al spaces.

ed your needs may be, Bajaj Illumiga's Human Centric Lighting (HCL) Solutions consistently provide a 'user-centric' lighting experience. Our HCL technology adjusts its light profiles throughout the day to adapt to the surroundings and match the natural lighting outside. This creates an environment that reproduces naturally lit settings as closely as possible, thus improving user wellbeing, welfare and productivity.



Visual

It makes for a comfortable and relaxing environment, thus influencing the way one works.



## **Emotional**

By virtue of following a circadian cycle, this light affects one's mood, well-being and even perception of space.



# **Biological**

It adapts to the required lighting according to the time of the day, helping the user to perform better at work, manage day-to-day activities and complete tasks effectively.





# Embracing Wellness\_

Bajaj Visual comfort lighting solutions emphasis on the need of having quality lighting at workspace areas for reducing eye strain and enhancing focus. Well-designed lighting ensures adequate illumination without glare, creating a comfortable environment that supports productivity.

By prioritizing visual comfort, workspaces become more inviting, allowing employees to work efficiently and with improved well-being.



CRI >90 Enhances vision

Improves
concentration, and
fosters a more
comfortable and
pleasing environment.



R9 >70 Improved Visual Appeal

Ideal combination of Blue & Red in the spectrum facilitates high focused working.



UGR <19 Glare Reduction

Ensuring complete glare free lighting at your workplace.



Ripple <5% Flicker Free

Eliminates stroboscopic effect, enhancing user comfort for reading and work.




Upto 1301m/W
Best-in-class
Efficacy

Visual comfort with unmatched efficacy.

DISCOVER THE RANGE OF COMMERCIAL LIGHTING LUMINAIRES







Recess Linear Luminaire

# Illuminate with style

Transform your space with our Linear Recessed standalone and continous luminaire, where sleek aesthetics meet unparalleled efficacy. Enjoy stunning design and exceptional efficiency in every corner, perfectly balancing style with sustainability.



Superior & appealing Aesthetics

White Powder coated aluminium extrusion housing



High Efficacy Upto 100 lm/W



Continuous line of light


End to End connectivity and wire harness for loop in-loop out available











# **Applications**







# **Product Diagram**



# Specifications & Dimensions

Wattage	Cat ref	Efficacy (lm/W)	CCT (K)	Dime A	nsions (mi B	m) C	
20W	BRCS 20W LED WH 4F	100	5700	1200	65	50	
28W	BRCS 28W LED WH 4F	100	5700	1200	65	50	
40W	BRCS 40W LED WH 4F	100	5700	1200	65	50	
40W	BRCS 40W LED WH 8F	100	5700	2400	65	50	
56W	BRCS 56W LED WH 8F	100	5700	2400	65	50	
80W	BRCS 80W LED WH 8F	100	5700	2400	65	50	

Options available -

• CCTs: Warm White, Neutral White, Cool White • Dimming







Linear Suspended Luminaire

# Sleek and Stylish

Introducing Levitaire standalone & connect linear suspended luminaires, designed for workstations to provide sleek, aesthetically pleasing lighting solutions. Ideal for modern offices, they enhance productivity and workplace ambiance effortlessly. Ideal for offices, they offer easy installation and simple connectivity for creating a continuous series of lights.



# Superior & appealing Aesthetics

White Powder coated aluminium extrusion housing



# **High Efficacy**

Upto 100 lm/W



Options for direct indirect lighting

70 down

100 down

### Continuous line of light

End to End connectivity and wire harness for loop in-loop out available



### Ease of Installation

Provided with suitable suspensions for easy installation.












# **Applications**







**Product Diagram** 



# Specifications & Dimensions

Wattage	Cat ref	Efficacy (lm/W)	CCT (K)	Dime A	nsions (mi B	m) C	
20W	BPCS 20W LED WH 4F	100	5700	1200	52	75	
28W	BPCS 28W LED WH 4F	100	5700	1200	52	75	
40W	BPCS 40W LED WH 4F	100	5700	1200	52	75	
40W	BPCS 40W LED WH 8F	100	5700	2400	52	75	
56W	BPCS 56W LED WH 8F	100	5700	2400	52	75	
80W	BPCS 80W LED WH 8F	100	5700	2400	52	75	
20W	BPCS 20W LED WH 4F CT	120	5700	1200	52	75	
28W	BPCS 28W LED WH 4F CT	120	5700	1200	52	75	
40W	BPCS 40W LED WH 4F CT	120	5700	1200	52	75	

Options available -

• CCTs: Warm White, Neutral White, Cool White • Housing Color: Black • Dimming • Continuous line of light





Regressed Linear Luminaire

## Suspended brilliance, minimal glare

Elevate workspace tranquility with our suspended linear lights. Regressed diffusers minimize glare, fostering focused productivity in an ambiance of refined elegance



# Superior & appealing Aesthetics

White Powder coated aluminium extrusion housing



## Soft Glow, Less Glare

Deep regressed diffuser to ensure UGR <19



## Continuous line of light

End to End connectivity and wire harness for loop in-loop out available



70 down


100 down

Options for direct indirect lighting














# **Applications**





<u>=</u>

# **Product Diagram**



# Specifications & Dimensions

Wattage	Cat ref	Efficacy	CCT	Dimensions (mm)			
		(lm/W)	(K)	А	В	C	
40W	BPCS DR 40W LED WH 4F	85	5700	1200	55	85	

Options available -

• CCTs: Warm White, Neutral White, Cool White | Up-down | Housing Color: Black • Dimming



Linear Suspended Luminaire

# Elevate ambiance, minimize glare

Elevate your ambiance and minimize glare with our range of sophisticated lighting solutions. Illuminate your world with elegance, where style meets functionality in every beam.





## Superior & appealing aesthetics

Black powder coated aluminium extrusion housing



### Soft Glow, Less Glare

Special designed lens to ensure UGR <10



### Continuous line of light

End to End connectivity and wire harness for loop in-loop out available

Options for direct indirect lighting















# **Applications**





#

# **Product Diagram**



# Specifications & Dimensions

Wattage	Cat ref	Efficacy (lm/W)	CCT (K)	Dime A	ensions (m B	m) C	
28W	BPCS LZ 28W LED WH 4F	100	5700	1126	40	82	

Options available -

• CCTs: Warm White, Neutral White, Cool White | Up-down | Housing Color: Black • Dimming




Formations Connector Options

# Specifications & Dimensions


Wattage	Cat ref	Dimensions (mm)			
		Α	В	С	
56W	BPCS 56W LED WH X2F	605	52	75	
40W	BPCS 40W LED WH Y2F	605	52	75	
28W	BPCS 28W LED WH L2F	605	52	75	

Options available -


• CCTs: Warm White, Neutral White, Cool White • Housing Colour – Black


















# OTHER FORMATIONS AVAILABLE



















# **SKYLUX**

2x2 Luminaires

# **Built Tough, Shining Bright**

Bajaj Skylux range is an aesthetically designed fabricated CRCA housing making it sturdy and energy efficient illumination.





Superior & appealing Aesthetics CRCA white powder coated housing, having better



**Best in Class System Efficacy** 

upto >120 lumens per watt



Glare free uniform illumination

high performance diffuser ensures glare




50000 LED burning hours












# **Applications**







**Product Diagram** 



# Specifications & Dimensions

Wattage	Cat ref	Efficacy (lm/W)	CCT (K)	Dimensions (mm) A B C			
24W	BZRSQL 30L XE WH OD SD	120	5700	595	595	75	
30W	BZRSQL 36L XE WH OD SD	120	5700	595	595	75	
36W	BZRSQL 43L XE WH OD SD	120	5700	595	595	75	

Options available -

CCTs: Warm White, Neutral White, Cool White • Surface Mounting • Dimming



# **SKYLUX GLADDEN**

2x2 Luminaires

# Sleek & Seamless

Bajaj Gladden series is reliable, energy efficient, sleek & light weight range of troffers. Range is exquisitely designed to deliver high system lumen efficacy.





# Superior & appealing Aesthetics

CRCA white powder coated housing, having better



## **Energy Efficient**

with upto 120 lumens per watt



# **Mounting Flexibility**

Suitable for all kind ceilings



# **High Performance Diffuser**

Uniformly lit special diffuser with well distributed light.














# **Applications**







**Product Diagram** 



## Specifications & Dimensions

Wattage	Cat ref	Efficacy (lm/W)	CCT (K)	Dimensions (mm) A B C			
24W	BZRSOL 30L LED GX Pro	120	5700	595	595	31	
30W	BZRSOL 36L LED GX Pro	120	5700	595	595	31	
36W	BZRSQL 43L LED GX Pro	120	5700	595	595	31	
30W	BZRSQL 30L LED GX	100	5700	595	595	31	
36W	BZRSQL 36L LED GX	100	5700	595	595	31	
42W	BZRSQL 42L LED GX	100	5700	595	595	31	
30W	BZRSQL 30W LED WH XT	100	5700	595	595	31	
36W	BZRSQL 36W LED WH XT	100	5700	595	595	31	

Options available -

• CCTs: Warm White, Neutral White, Cool White • Dimming • 1x4 and 1x1 • Surface mounting



# **SKYLUX PIR**

2x2 Luminaires

# **Presence-Powered Lighting**

This range features an integrated PIR sensor, ideal for modern workspaces, assembly halls, and other commercial spaces where sensor-based on/off functionality is essential, ensuring enhanced





# Superior & appealing Aesthetics

CRCA white powder coated housing, having better



# High Efficacy

with upto 100 lumens per watt



# PIR Sensor

With detection range: @2.5-4Mtr. Height, 12M for walk across motion, 360° motion detectable



# High Performance Diffuser

For better light transmission and pure effect













# Applications











**Product Diagram** 



# Specifications & Dimensions

Wattage	Cat ref	Efficacy	CCT	Dimensions (mm)			
		(lm/W)	(K)	Α	В	С	
30W	BZRSQL 30W GZ1 WH PIR	100	5700	595	595	75	
36W	BZRSQL 36W GZ1 WH PIR	100	5700	595	595	75	
43W	BZRSQL 43W GZ1 WH PIR	100	5700	595	595	75	





# **DOVEE** i

Reccessed Downlights

# Effortless Elegance, Low Glare-Free Brilliance

Presenting Dovee-i, a stylish LED downlight in round and square shape that provides a more natural, soft light with deep recessed diffuser, perfect for enhancing esthetics's of contemporary commercial spaces





# Superior & appealing aesthetics

White Powder coated aluminium die-cast housing



### Low Glare

Deep Recessed diffuser to minimise glare



# High Lumen efficacy

upto 100 lm/W




## **High Performance Driver**

Highly efficient eletronic driver provided with open and short circuit protection













# **Applications**













# **Product Diagram**





# Specifications & Dimensions

Wattag	ge Cat ref	Efficacy (lm/W)	CCT (K)	Dime A	nsions (m B	m) C	
12W	BZSLO .nxt 12L LED WH RD TY	100	5700	Ø120	50	110	
15W	BZSLO .nxt 15L LED WH RD TY	100	5700	Ø120	50	110	
18W	BZSLO .nxt 18L LED WH RD TY	100	5700	Ø150	50	140	
24W	BZSLO .nxt 24L LED WH RD TY	100	5700	Ø170	50	160	
12W	BZSLO .nxt 12L LED WH SQ TY	100	5700	110	50	100	
15W	BZSLO .nxt 15L LED WH SQ TY	100	5700	110	50	100	
18W	BZSLO .nxt 18L LED WH SQ TY	100	5700	140	50	135	
24W	BZSLO .nxt 24L LED WH SQ TY	100	5700	165	50	155	







# **DOVEE PRO**

Recessed/surface mounting LED Luminaire

# **Energy-Efficient Downlights**

Presenting Dovee-i, a stylish LED downlight in round and square shape that provides a more natural, soft light with deep recessed diffuser, perfect for enhancing esthetics's of contemporary commercial spaces





# Superior & appealing aesthetics

Die cast aluminum housing



### **High Efficacy**

Best in class system level efficacy 125 lm/W



Greater energy saving help users to improve ROI



# Long Life

>50000 LED Burnning Hours











# **Applications**












# **Product Diagram**



# Specifications & Dimensions

Wattag	ge Cat ref	Efficacy (lm/W)	CCT (K)	Dime A	ensions (m B	m) C	
12W	BZSLO PRO nxt 12W LED CW SD	125	6500	Ø148	28	120	
15W	BZSLO PRO nxt 15W LED CW SD	125	6500	Ø148	28	120	
18W	BZSLO PRO nxt 18W LED CW SD	125	6500	Ø168	28	140	
24W	BZSLO PRO nxt 24W LED CW SD	125	6500	Ø168	28	140	

Options available -

• CCTS- Warm white, Neutral White • Surface Mounting • Dimming




# GLINT

Recessed/surface mounting LED Luminaire

# Sleek by Design, Brilliant by Nature

Aesthetically designed ultra sleek downlighters with die cast aluminum housing for all kind of office application and workspace solution with high efficiency and highly efficient diffuser provides for uniform illumination and better futuristic solution.





# Superior & appealing aesthetics

Sleek and Slim design in die cast aluminum housing



# HighLumen Efficacy

Higher wattages with High lumen LEDs for better



## **Mounting Flexibility**

Suitable for any ceiling system.




## High Performance Diffuser

High performance diffuser for better light transmission and pure effect.













# **Applications**










# **Product Diagram**



# Specifications & Dimensions

Wattag	ge Cat ref	CCT (K)	Dime A	ensions (m B	m) C	
9W	BGSLO Sleek Recess RD 9W WH LED	6500	Ø120	20	104	
12W	BGSLO Sleek Recess RD 12W WH LED	6500	Ø172	20	153	
15W	BGSLO Sleek Recess RD 15W WH LED	6500	Ø190	20	173	
18W	BGSLO Sleek Recess RD 18W WH LED	6500	Ø190	20	173	
9W	BGSLO Sleek Recess SQ 9W WH LED	6500	152	20	128	
12W	BGSLO Sleek Recess SQ 12W WH LED	6500	170	20	153	
15W	BGSLO Sleek Recess SQ 15W WH LED	6500	190	20	173	
18W	BGSLO Sleek Recess SQ 18W WH LED	6500	190	20	173	
24W	BGSLO Sleek Recess SQ 24W WH LED	6500	300	20	275	

Options available -

CCTS- Warm white, Neutral White
 Surface Mounting



# **RADIANCE**

Recessed/surface mounting LED Luminaire

# Slim Downlights for Modern offices

Bajaj Radiance PC Downlight, a perfect blend of style and efficiency for modern interiors. Designed with a sleek, durable polycarbonate, it delivers superior illumination with energy-saving. Radiance Downlight enhances any space with its bright, consistent light and contemporary design.





# Superior & appealing aesthetics

Sleek and Slim design in polycarbonate housing



# HighLumen Efficacy

Higher wattages with High lumen LEDs for better



## **Mounting Flexibility**

Suitable for any ceiling system.



## **High Performance Diffuser**

High performance diffuser for better light transmission and pure effect.













# **Applications**












# **Product Diagram**



# Specifications & Dimensions

Wattage Cat ref		Efficacy (lm/W)	CCT (K)	Dimensions (mm) A B C			
9W	BPSLR 9W LED WH RD SD	100	5700	Ø170	25	155	
12W	BPSLR 12W LED WH RD SD	100	5700	Ø170	25	155	
15W	BPSLR 15W LED WH RD SD	100	5700	Ø170	25	155	
18W	BPSLR 18W LED WH RD SD	100	5700	Ø220	25	205	
9W	BPSLR 9W LED WH SQ SD	100	5700	170	25	155	
12W	BPSLR 12W LED WH SQ SD	100	5700	170	25	155	
15W	BPSLR 15W LED WH SQ SD	100	5700	170	25	155	
18W	BPSLR 18W LED WH SQ SD	100	5700	218	25	205	

Options available -

<sup>•</sup> CCTS- Warm white, Neutral White • Surface Mounting



# **GLINT COB**

Recessed COB Downlights

# Where Style Meets Illumination

New generation COB LED technology best solution to focus light on work plane and designed to enhance the beauty of every architectural environment and create the modern, fashionable and stylish atmosphere





Superior & appealing aesthetics Die cast aluminum housing



# long Life

Best thermal management for better and long



## High Lumen efficacy

High lumen LEDs for better light output



## Even Glow, No Harm

Ensure Uniform, natural and soft lighting without UV or IR radiation











# **Applications**


















# Specifications & Dimensions

Wattag	ge Cat ref	Efficacy (lm/W)	CCT (K)	Dime A	ensions (m B	m) C	
7W	BRDCSL7W CW	85	6500	Ø87	56	70	
12W	BRDCSL 12W CW	85	6500	Ø100	71	85	
15W	BRDCSL15WCW	85	6500	Ø100	71	85	
18W	BRDCSL18WCW	85	6500	Ø115	72	95	
24W	BRDCSL 24W CW	85	6500	Ø135	85	125	

Also available 3000K and 4000K CCT  $\, \bullet \,$  Beam Angle - 40 $^{\circ} \,$ 






# **CONSCIO**

Pendant Mount Cylindrical COB Downlight

# Modern Interiors, Modern Downlights

"Conscio" offers design simplicity for creating luxurious ambience and provides enriching experience to modern workspaces. High transmittance which makes the light uniform soft comfortable and without losing the brightness. Special optical lens with an anti-glare reflector that creates a perfect ambiance in the space.





**Mounting Flexibility** Suspension with power cable



High Lumen efficacy

Highly efficient and antiglare reflector optics




High Performing LEDs

COB LED for optimum light output














# **Applications**







**Product Diagram** 




# Specifications & Dimensions

Wattage	Cat ref	Efficacy (Im/W)	CCT (K)	Dimensio A	ons (mm) B
10W	BSDCSL 10W	100	6500	Ø80	170
20W I	BSDCSL 20W	100	6500	Ø80	190
30W I	BSDCSL 30W	100	6500	Ø80	220

Also available 3000K and 4000K CCT







# **DAWN**

LED Batten

# Efficiency, reliability, brilliance

Dawn is a light weight batten with high efficacy, long life span and EMI/EMC driver. The luminaire comprises of extruded aluminium housing offering superior finish, long LED bruning hours and high transitivity ensuring uniform lighting.





# Superior & appealing aesthetics

Extruded aluminium housing fitted with Engg. Plastic



# **High Efficacy**

Upto 120 lm/W



Greater energy saving help and users to improve ROI



# Long Life

>50000 LED Burnning Hours













# **Applications**










**Product Diagram** 



# Specifications & Dimensions

Wattag	e Cat ref	Efficacy (Im/W)	CCT (K)	Dime A	nsions (mi B	m) C	
20W	BCLAB 20W CW LED EM	120	6500	1185	21.5	37	
40W	BCLAB 40W CW LED EM	120	6500	1185	21.5	37	
20W	BCLAB 20W CW LED XT	120	6500	1185	21.5	37	
40W	BCLAB 40W CW LED XT	110	6500	1185	21.5	37	
10W	BCLAB 10W	100	6500	600	23.5	37.5	
20W	BCLAB 20W LED P	100	6500	1182	23.5	37.5	
40W	BCLAB 40W WH LED	100	6500	1182	23.5	37.5	

Options available -

· CCTS- Warm white, Neutral White



# **DAWN SMART**

LED Batten

# Illuminate intelligently, conserve effortlessly

Intelligent smart Extruded aluminium batten with PC diffuser suitable for surface mounting. This product has inbult occupancy sensor and suitable for applications like corridor, basements, parkings, etc





# Superior & appealing aesthetics

Extruded aluminium housing fitted with Engg. Plastic



### PIR Sensor for better ROI

Inbuilt occupancy sensor. Upto 10 mtr sensor coverage area. 30% light output in case of non-occupancy.



## High Efficacy

LED populated on PCB comprising of LED's connected in series parallel.



# Long Life

>50000 LED Burnning Hours













# **Applications**













# Specifications & Dimensions

Wattag	ge Cat ref	Efficacy (lm/W)	CCT (K)	Dime A	ensions (m B	m) C	
20W	BCLAB 20W LED PS	100	6500	1182	23.5	37.5	



# DAWN PC

LED Batten

# **Bright Solutions, Bright Savings**

PC Batten range of robust and high performance battens made up in thermally conductive material with high translucent and milky white diffuser for glare free illumination.





# Superior & appealing aesthetics

Polycarbonate co-extrusion tube for LED light housing with engg-plastic end caps.



### Better ROI

The diffuser is made of opal polycarbonate material with groove inside for PCB.



# **High Efficacy**

upto 100 lm/W



# Long Life

>50000 LED Burnning Hours











# **Applications**










# **Product Diagram**



# Specifications & Dimensions

Wattage Cat ref	Efficacy (lm/W)	CCT (K)	Dimensions (mm) A B C			
5W BCLSB 05 WH	100	6500	305	22	37	
10W BCLSB 10 WH	100	6500	602	22	37	
18W BCLSB 18 WH	100	6500	1135	22	37	
20W BCLSB 20 WH	100	6500	1135	22	37	

Options available -

· CCTS- Warm white, Neutral White



# **BLITHE**

LED Bed Light

# Sleek and Elegant

Blithe is an overbed light that offers a sleek and elegant design to meet the needs of doctors, patients & caregivers as well. This multipurpose light incorporates the latest in LED technology to provide high-quality illumination while meeting the aesthetic requirements of the patient's room. The healthy lighting, simple design, solid-state performance, and durable construction are designed to take into consideration the varied challenges of the patient bed environment.





**Elegant Design** 



**Exceptional Visual Comfort** 



Individual control for Up-Down light and 3 Separate Switch Control



Ease of Installation














# **Applications**







**Product Diagram** 



# Specifications & Dimensions

Wattage Cat ref		Efficacy (lm/W)	CCT (K)	Dimensions (mm) A B C		
28W (16WUL+9WDL+3WNL)	BLBDL 28W WH	100	5665K ±355K (DL)	590	120	104
			3985 ± 275K (UL)			



# Electricals

27th Floor, One Unity Center (Erstwhile One International Center), Tower 4, Senapati Bapat Marg, Prabhadevi (West), Mumbai - 400013 | Tel.: 022-2406 4400 E-mail: illumination@bajajelectricals.com | www.bajajelectricals.com

 ¶/BajajElecBiz
 ☑/bajajelecbiz
 in/BajajElectricals

Images of the products shown are for representation purpose only and the actual colour/size may vary.