# **SOLUTIONS COMMERCIAL LIGHTING CATALOGUE** PRODUCT GUIDE



Global Headquarters
Net Zero Energy Building spread over 48,000 sq. mtrs.



Conceived back in 1960, the Jaquar Group has been built on the platform of the highest quality standards, aesthetics and the intent of providing world-class products. Today, the Jaquar Group caters to luxury, premium and value bathroom segments with Artize, Jaquar & Essco brands, respectively, for residential and commercial sectors across the globe. The group's lighting division, Jaquar Lighting too, has been setting new parameters of excellence while witnessing unprecedented success.

#### Art17e

It pays tribute to the fine traditions of exquisite craftsmanship and precision where design, technology and talent combine to deliver a masterpiece. Artize products are crafted for luxurious bath spaces. Perfect harmony is the very essence of Artize- together as coordinates or even as individual pieces. Artize's exquisite craftsmanship is so stunning that it can inspire the design principles of not just your bath spaces but of your entire living spaces.



BATH+LIGHT

A leading global super brand known for its excellence in innovation and technology. The highest build standards combine with the most beautifully designed aesthetics to provide world-class products for tough conditions. With a superb blend of ergonomic shapes, contemporary styles and meticulous finish, Jaquar continues to enthrall millions of hearts across the world with Its wide range of concepts and products.



For over 6 decades, 'Essco' the bathroom brand has been the benchmark for the organised bath industry in India. Essco defines base quality standards in India. A great value-for-money bath brand, Essco pioneered the concept of branded bath fittings in India, and is today one of the most respected names in the market, fulfilling a common man's ambition of a better quality of life through true quality, better hygiene, affordable pricing, trusted customer service & a 10-year warranty promise.



# LED lighting solutions

Jaquar lighting gives you LED lighting solutions – for residential, commercial and outdoor use. Choose for varied budgets without compromising on quality and reliability.

They are designed to complement and co-ordinate the most exclusive interior and exterior lifestyles and decors, from classic to contemporary.

In fact, Jaquar lighting carries forward the legacy of Jaquar Group where the thrust has always been on creating new parameters of design, quality and customer satisfaction.











# JAQUAR LIGHTING The torchbearer for innovation in lighting

Innovative, energy-efficient lighting solutions, for an array of places and purposes. From home to office, decorative to landscaping, from gorgeous chandeliers to unique LEDs, you name it, we have it. All, illuminating with the highest quality, fascinating designs and immaculate perfection.

#### What makes Jaquar lighting stand apart:

- LED lighting solutions
- Futuristic manufacturing facility
- Global certifications
- Unique customisation option for chandeliers
- Best in the world lighting, best for the Indian conditions
- Smart new products
- Trusted for prestigious projects
- Jaguar orientation centres
- Pro-active customer care



# Futuristic manufacturing facility

One of the flag-bearers of the government's 'Make in India' initiative, Jaquar's advanced LED plant produces a wide range of world-class lighting products under one roof.

- A fully automated state-of-the-art manufacturing facility sprawling over 68,000 sq. m. of covered area
- Fully automated facility with in-house ROHS-compliant LED driver manufacturing capability
- NABL-accredited lab with in-house testing of CCT upto 100,000 K
- LED module manufacturing unit with high-precision optical inspection equipment that can mount 160,000 LEDs per hour as well as 120,000 electronic components per hour simultaneously
- Powder coating machine to make 22,000 LED housing units a day
- In-house pressure die-casting machines of 250 tons and 350 tons for making housings
- With many firsts to its credit and with sustained investment in enhancing capabilities, Jaquar has been setting new benchmarks for the lighting industry







#### **BIS** Certificate



more series agency one power series on the Co. 110000. Matrix Statement & Salaston Work Late Many Nov Dalle - 110

Subject : Licence Document

MANUFACTURING UNIT	JAGUAR AND COMPANY PVT, LTD. PLOT NO.3, SICTION NISS, INT MANESAR, GURGAON, HARVANA – 122050, INDIA sališkubėvesthogiapur rom. 7290027208
--------------------	---

#### Dear Sr.

With reference to your Application, we are pleased to inform you that it has been decided to grant you Goesse through negistration based on self-declaration of conformity as per details given below:

PRODUCT:	JED FLOOD UGHTS		
IS NO	IS 10822 (PART S/SEC S): 2013		
IRANNO :	JAQUAR LIGHTING		
MODEL: 250W JFCW, 240W JFCW, 220W JFCW, 200W JFCW, 150W JFCW, 150W JFCW, 150W JFCW, 90W JFCW, 70W JFCW, 60W JFCW			
MANUFACTURING ADDRESS:	JACKLAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M31, INT MANESAR, GURGAON, HARYANA – 122050, INDIA		

- 2. The Scence is being granted to the unit located at the address and for the brand and models mentioned at serial
- The number assigned to this Licence is 8-93002879 which has been made operative from 06-09-2918 and is valid upto 05-09-2020. The licence Number should invariably be referred to in your future correspondence.
- 4. The rights and privileges under the ficence shall not be exercised by any other factory / organisation at any other location and in the event of shalling of the manufacturing machinery from the negistered premises to some other place use of the licence number shall be stooped and BIS shall be informed.
- 5. The licensee shall comply with the provisions of the Act. Rules and Regulations framed thereunder and as amended
- 7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, Rules and Regulations feared thereunder and as amended from time to time.
- 8. Upon expiry of validity, stoppage or suspension or cancellation of licence, the Ecenses shall discontinue forthwith the self-declaration of conformity to the nelevant teclain Standard(s) and withdraw all promotional and obvertising matter which concains any reference thereto.
- For renewal of Scence, the Scenses shall have to apply to BS three months in advance before expiration of the Scence and application form for flamewal is available on BS website.
- 30. The licence is not transferable.

Thanking you,





# BUREAU OF INDIAN STANDARDS

money servery arguments arrow server, and March .. 1150052. Normal Sharrow, P. Salandar Hank Zarba Mara, New Delte .. 110

Date 11-08-3018

Over Burl: Reseast 1600-9/CRS 2018-3075/78-91002771

MANUFACTURING URET: DACKAR AND COMPANY PVT. LTD.

VLGT NO 69, SECTION M.S., NAT MANESAR, GURGAÓN - 32205C, HARYANA, INDIA.

JULI SUBTRICTOR M.S., NAT MANESAR, GURGAÓN - 32205C, HARYANA, INDIA.

JULI SUBTRICTOR M.S.

ZYSOCI ZEGE

#### Dear Sir.

With reference to your Application, we are pleased to inform you that it has been declared to grant you License through registration based on self-declaration of conformity as per details given below:

PRODUCT:	RED LUMINAIRES FOR ROAD AND STREET LIGHTING
IS NO:	IS 10322 (PART S/SEC 3): 2017
BRAND	JAQUAR UGHTING
MODEL:	250W HCM, 320W BCM, 300W HCM, 190W HCM, 150W HCM, 160W HCW, 320W HCM, 310W HCM, 100W HCM, 71W HCM, 70W HCM, 60W HCM, 45W HCM, 45W HCM, 46W HCM, 45W
MANUFACTURING ADDRESS	JAQUAR AND COMPANY PYT. LTD. PLOT NO.01, SECTOR MEL, INT MANESAR, GURGAON - 122050, HURKIANA, INDIA

- The finence is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.
- The number assigned to this Usance is \$45002773 which has been made operative from 97-08-2018 and is valid opto 06-08-2020. The isomos Number should invariably be referred to in your future correspondence.
- 4. The rights and privileges under the licence shall not be energied by any other factory / erganisation at any other location and in the event of shalling of the remulacturing trachinery from the rigidizeric principles so some other place use of the ficence number shall be stopped and 85 shall be informed.
- The licenses shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as a
- 8. The Scenure shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.
- the Boensee shall not use the Boence in any manner which contrivienes the provisions of Act, Bulm and Regulations framed thereunder and as amended from time to time.
- 8. Upon expiry of validity, stoppage or suppression or cancellation of license, the stoppos shall discontinue for their the self-declaration of conformity to the relevant indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.
- For renewal of locace, the licensee shall have to apply to 85 three months in advance before expiration of the license and application form for Renewal is available on 85 website.
- 23. The licence is not transferable

Thinking you,

AFT/11-8-18



stress and pagings say have some up these. I 100002 blanck that up 9 feelants that Sale blang North-Sale a 1000

Our Ref: Registration/CRS 2018-3963/R-91009000

Darie: 27-09-2018

YANA, INDIA

#### Dear Sir,

lith reference to your Application, we are pleased to inform you that it has been decided to grant you License sugh registration based on self-declaration of conformity as per details given below:

PRODUCT	RECESSED LED LUMINAIRES
15 NO :	IS 20022 (PART S/SEC 2): 2012
BRAND -	SAGUAR LIGHTING
MODEL	22W DL, 20W DL, 18W DL, 15W DL, 12W DL, 10W DL, 8W DL, 6W DL, 3W DL
MANUFACTURING	JAGUAR AND COMPANY PVT, LTD.
ADDRESS	PLOT NO.3, SECTOR ML1, INIT MANESAR, GLIRUGRAM - 122050, HARYANA, INDIA

- 2. The floence is being granted to the unit located at the address and for the brand and models mentioned at serial
- The number assigned to this Licence is R-91001000 which has been made operative from 25-09-2018 and is said upon 24-09-2020. The licence Number should invariably be referred to in your future correspondence.
- 4. The rights and privileges under the licency shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing medianny have the registered premises to some other place use of the licence number shall be into med.
- 4. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annex
- The licenses shall not use the licence in any manner which conservenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.
- Open expiry of validity, stoppage or suspension or cancellation of icence, the ficensee shall discontinue forthwith the cell electration of enformity to the relevant todan Standard(s) and withdraw all promotional and advertising matter ability contains are reference thereins.
- For renewal of licence, the Scenaes shall have so apply to BIS three months in advance before equivalent of the Scence and application form for Renewal is available on BIS website.
- 10. The licence is not transferable.

Thanking you.

2011/09/ 298

fax: +91-11-2323 0854

सारतीय मातक बढ़ारे

miss sent yangs on over on up that - 1000. House them, release that having the hote-100. BEGIN RISES EQU.

Security operation for the force process of the first process of the first

Our Ref: Registration/CRS 2016-3126/R-91000159

MANUFACT, IRING UNIT - MODING AND COMPANY BYT LTD. POLY NO. 3. SECTOR M11, MET MANESAR, GURGAON, HARAYANA, INDIA MC SALI, RUSSHEISTHA, HEAD, R.B. D. B. PRODUNTION JULI SUBSHEISTHA, LIEAD, R.B. D. B. PRODUNTION JULI SUBSHEISTHA, LIEAD, R.B. D. B. PRODUNTION JULI SUBSHEIST

#### Dear Sir,

1.With reference to your Application, we are pleased to inflaem you that it has been decided to grant you registration as per details given below:

PRODUCT:	Fixed General Purpose UED Luminaires
IS NO	HS 10122(MART S/SEC 1) 2012
BRAND:	Brown Taylong
MOORE	26W IMSE, 18W IMSE, 20W IMSE, 6W IMSE, 8W IMSE, 10W IMSE, 12W IMSE, 4W IMPE
FACTORY ADDRESS	JACULAR AND COMPANY PYT LTD PLOT NO. 1, SECTOR MILL INT MAINISAR, GURGAON, HARAYANA, INDIA

- The Registration is being granted for your unit located at the address and for the brand and models mentioned at sensi no 1 above.
- The remoter accorded to this Registration is 8-01000259 which has been inade operative from 25-08-2015 and it would upto 22-08-2018 The Registration fearable should invariately be referred to in your feature of the commission.
- 4. The rights and privileges under the registration shall not be exercised by any other factory / organization at any other factory in organization at any other faction. This registration is not transferable, in the event of shifting of the manufacturing motherner from the registrated premises to some other place use of the Registration Number shall be imposed and till shall be inference.
- You shall comply with the provisions of fluence of Indian Standards Act, 1986 and flules and Regulations Instruct there under and as amended from tires to time.
- 6-Year shall follow the guidelines for the use of Standard Mark and labeling equirements under BG Compulsions Regulation Science for Sections and IT Products glaver to decide too feel : CND S/EL 18975 Greet 03/11/2013 evaluation on 85 verbries and Corporations of Electronics and Information Technology (Detri) cordication 6.0. 68(8) dated 10/20/2016.
- You shall not use the registration in any manner which contravenes the provisions of Bureau of trelian Standards Art, 1986 and Rules and Regulations framed there under and or arranded from time to time.
- Upon expiry of validity, stoppage or suspension or carcellation of reviet/action, you shall discontinue forthwith the self declaration of conformity to the relevant Inclan Soundardity and withdraw all promotional and aftertising matter which contains any reference thereto.

- 11. This letter is being issued with the approval of competent authority. Civilly or of this letter.

Thanking you.



#### ISO Certificate



#### **CERTIFICATE**

The Certification Body
of TÜV SÜD South Asia Private Limited
certifies that





Jaquar & Company Pvt. Ltd. (Lighting Division)
Plot No-A 111 to 114, RIICO Industrial Area,
Bhiwadi, Alwar – 301019, Rajasthan, India

has implemented Quality Management System in accordance with ISO 9001:2015 for the scope of

Design and Manufacture of Indoor & Outdoor LED Lights and Chandeliers for Domestic & Overseas Markets

The certificate is valid in conjunction with the main certificate from 2022-05-15 until 2025-05-14

Subject to successful completion of annual periodic audits
The present status of this certificate can be obtained through TUV SUD website by scanning below OR code and by entering the certificate number (without spaces) on web page. Further clarifications regarding the status & scope of this certificate may be obtained by consulting the certification body at <a href="mailto:indownstatic-action-acti

Certificate Registration No. 99 100 16868/07

Date of Initial certification: 2019-05-15 Issue Date: 2022-05-20 Rev. 01









TÜV SÜD South Asia Pvt, Ltd. 🛋 TÜV SÜD House 🛋 Saki Naka 🛋 Andheri (East) 🖿 Mumbei – 400072 🖷 Maharashtra 🖿 India

## Global certifications

They say, excellence begets rewards and laurels. Jaquar Lighting's NABL-accredited lab has enabled the company to come up with the best lighting products. Certifications followed along the way:

- System certifications like ISO 9001:2015, BIS and BEE
- BIS certification for its LED Lamps, Drivers, Panels, LED Streetlights and Floodlights, as per the latest applicable Indian standards



ROHS COMPLIANT









# Unique customisation option for Chandeliers

Jaquar Lighting has the first chandelier manufacturing plant in India with in-house facilities for designing, fabrication, plating and assembly, to provide unique customised solutions.

As a chandelier manufacturer, Jaquar is also the first and only one in India to offer 24K gold plating in Antique Gold, as well as Chrome plating with some of the world's best crystals.



### Best in the world lighting, best for Indian conditions

Jaquar lighting products are built keeping in mind the tough, ever-changing Indian weather conditions. These products pass through a wide range of tests to ensure their endurance, reliability and durability.

Jaquar lighting products follow the philosophy of sustained development. That is precisely why all these products are eco-friendly and energy-efficient.

Jaquar lighting LED products:

- Save up to 90% of the energy required for similar levels of illumination by conventional, non-LED products
- Designed to be glare-free and provide uniform illumination
- Built to be high-efficiency products that provide approximately 100 Lm/W-higher than most competing products

# Trusted for prestigious projects

Jaquar lighting has been entrusted to light up an array of prestigious premises for its expertise in coming up with the best lighting solutions. Have a look:

- Central Hall, Parliament of India
- Supreme Court, Delhi
- Jammu & Kashmir Assembly, Srinagar
- Governor House, Dehradun
- Air Force Headquarters, Delhi
- National Defence Academy (NDA), Pune
- ISRO
- Royal Orchid hotels in Bangalore, Hyderabad and Jaipur
- Hotel Mount View, Chandigarh
- Hotel Westin, Hyderabad
- Hotel India Awadh, Lucknow
- Amber Conventional Centre, Indore
- Hindustan Club, Kolkata
- Hotel Crown, Bhubaneswar

- IIM Shillong
- IIT Mandi & IIT Guwahati
- Bangur House, Kolkata
- Holiday Inn, Kolkata
- Mahagun, Noida
- Supertech, Noida
- MG Motors, Delhi
- Jeep Showroom, Haryana
- Hotel Hyatt, Gurgaon
- Hotel Marriott, Nasik
- HP (Hewlett Packard)

Jaquar lighting also has corporate tie-ups with Sayaji Group, Lemontree, and Jaypee, among others.



# Good lighting takes good planning

Give your property's lighting design the benefit of professional advice. With Jaquar's Light Planning Service you get expert guidance to achieve the right effect using the key features of your building's architecture, as well as evoke the right mood in your interior spaces.

Jaquar uses the latest professional design software to develop and present the entire solution to you – from AutoCAD drawings of the layouts to the analysis of the plan, to creating simulations, designs, renders and culminating in the documentation, right down to details like the BoQ.



### Jaquar's Luxstudio

Imagine a space where the boundaries between architecture and light are blurred. The Luxstudio by Jaquar, in New Delhi, is a first-of-its-kind light studio where a wide range of architectural lighting solutions is showcased in an applied scenario.

The designers of the studio, Harmeet Singh Issar and Nivedita Sehrawat of Design Matrix, say we took "...took the three constructs of space, time and light and merged them together to create an experience that is unpretentious, unexpected, fluid in form and program, and dignified yet engaging."

Unlike the usual design of experience centres for lighting that typically tends to fall into two categories - white, matte minimalism driven by surface textures, or a dark, edgier aesthetic emphasizing contrasts- the design of Luxstudio amalgamates and represents both these approaches.

Dark, solid, charcoal grey walls of the Studio, contrast with luminous, textural 'light' partitions. Both sit side by side in an amorphous, flowing plan. Designed to be flexible, the space is both a blank canvas for lighting experiments - making allowance for tests and trials, as well as evaluating space for light/light quality - in the Dark Room. The setting of the Luxstudio itself is a display of Jaquar's lighting capability and possibilities.

To discover how Jaquar's lighting range carries forward the legacy of the brand's commitment to excellence in bathroom fixtures, quality and customer satisfaction, the Luxstudio is a perfect showcase of possibilities and ideas for everyone who's planning to create buildings and spaces that are illuminated brilliantly.









## Jaquar orientation centres

Jaquar orientation centres are spread across the length & breadth of the nation and even abroad.

You can discover the whole gamut of Jaquar lighting products under one roof. Offering a one-stop solution to the discovery and selection process, the orientation centre is manned by trained experts who can help you find the perfect match even for your most unique lighting requirements.

So drop into a Jaquar orientation centre today. And bring home the glow of happiness!

For more information, visit any of our 21 orientation centres in the following cities:

Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Cochin, Guwahati, Hyderabad, Jaipur, Jammu, Kolkata, Lucknow, Ludhiana, Mumbai, Nagpur, New Delhi, Pune, Raipur, Siliguri and Surat









# Pro-active customer care

Even peers vouch for Jaquar's enviable customer care.

Backed by over 1,000 trained technicians and a warranty on its products, Jaquar lighting provides India's most reliable service to its customers with a fully integrated service network across the country.

Toll-free customer care no: 1800 212 6808

E-mail: ccare.lighting@jaquar.com

# **Category Content**

# Professional Lighting



# Chandeliers & Decorative Lights

The best of global lighting designs and craftsmanship in a large range of chandeliers and decorative lighting designs



# Commercial Indoor Lights

The latest options in LED lighting solutions for indoor spaces in offices, malls, and commercial areas



#### Commercial Outdoor Lights


The most comprehensive range of high-quality products for landscape and outdoor lighting



# Landscape Lights Choice Series

Affordable yet efficient Landscape lighting products to light up your spaces

# Smart Lighting



#### **Smart Lights**

The world is getting smarter and so are the Jaquar Lighting Products

# Consumer Lighting




#### **Consumer Lights**

Cutting-edge, energy-efficient LED lighting solutions for an array of residential requirements











# Professional Lighting

Discover the best of global lighting designs and craftsmanship in our comprehensive range of technologically advanced professional lighting products. Designed keeping your space in mind, our lighting solutions are essential in creating aesthetically pleasing urban & professional environments.

Our range of professional lighting includes:

- Chandeliers & Decorative Lights
- Commercial Indoor Lights
- Commercial Outdoor Lights
- Landscape Lights



#### Chandeliers

There are a few bigger statements of luxury in an indoor space than a sparkling chandelier. Discover a grand centrepiece for your indoor space in Jaquar's range of chandeliers.

- Our chandeliers, a fusion of class and quality, are made with lead-free Asfour Almaaza crystals of high-precision cut, clarity, colour, and shape, from some of the world's best crystal manufacturers.
- We use mainly brass in the frame of our chandeliers, which come with a 7 year to 10 year warranty on the plating – ranging from 24K Gold to Chrome, Antique Brass and Copper.
- With the fabrication and plating of chandeliers being done in-house, Jaquar is one of the leading brands of India with its own production facility for crystal chandeliers.
- Available in classic and contemporary styles, reflecting traditional grace or modern elegance, our chandeliers range from 3-head to 24-head designs, with suspended or ceiling-mounted options.
- In fact, apart from the extensive choice, Jaquar Lighting also
  offers a unique customisation option in Crystal chandeliers you can redesign, mix and match, and even ask to increase
  or reduce the crystals used in the chandeliers you select.

But no matter which chandelier you choose from Jaquar, it'll definitely have the power to be the cynosure of all eyes in the room.

# Content

CHANDELIERS WITH SHADES		CONCEALED LIGHT CHANDELIERS	;	WALL LAMPS
Carina	032	Sirius	064	Arena
Octans	033	Nobella	065	Trident
Ara	034	Grapewine	066	Tulipz
Ursa	035	Honey comb	067	Exalta
TIERED CANDLE CHANDELIERS		Lancia	068	Trident Gold
Grandiose Grandeliers	038	Lancia	069	Celestia Pearl
Meridian Meridian		Galaxy	070	Volans
	039	Cosmos	071	Gloria
Gondola	040	Liner	072	
Celeste	041 042	Supernova	073	
Orion		Starling	074	
Etheria	043 044	Starling	074	
Mensa	044	MODERN CHANDELIERC		
Pictor		MODERN CHANDELIERS	070	
Antlia	046	Lepus	078	
Apus	047	Gemini	079	
Vela	048	Nebula	080	
Pollux	049	Arcturus	081	
Celosia	050	Nova	082	
Trillium	051	Umbra	083	
Centaurus	052	Norma	084	
Circinus	053	Capella	085	
Cassia	054	Canis	086	
Wisteria	055	Lynx	087	
Pegasus	056	Auriga	088	
Bergenia	057	MINIMALISTIC CHANDELIERS		
Phoenix	058	Tortile	092	
Selene	059	Saggita	093	
Lantana	060		000	





# Chandeliers with Shades

Perfect for making the light source in the room discrete, a chandelier with shades works even better when paired with drapery that matches the colour and texture of the shades in the chandelier.



#### Carina

#### Asfour Almaaza

Product code: DTD-SKG-ASCARL0095436C

Color: SK gold

Material: Zinc alloy and fabric shade

6+12+18 E14 No. of heads: Cap type:

Wattage: 36 x 4.5 W LED 

No. of boxes for one product: 9



#### Octans

#### Asfour Almaaza

Product code: DTD-ABR-ASOCT0095430C

Color: Bronze

Material: Zinc alloy and fabric shade

No. of heads: 5+10+15 Cap type:

Wattage: 30 x 4.5 W LED Dimension (mm): Ø 1500 x H 1850 Weight (Kg): 115

No. of boxes for one product: 6

#### Chandeliers with Shades



#### Ara

#### Asfour Almaaza

Product code: DCS-ABR-CHL00954005

Color: Bronze

Material: Copper, bronze and fabric

No. of heads: 4+8+12 Cap type: E14

 $\begin{array}{lll} \mbox{Wattage:} & 24 \times 4.5 \mbox{ W LED} \\ \mbox{Dimension (mm):} & \mbox{$\varnothing$ 1260 \times H 1400} \\ \end{array}$ 

Weight (Kg): 59
No. of boxes for one product: 6

Premium fabric shade



# Ursa

Product code: DCS-SKG-14844X15C

Color: Gold finish

Material: Zinc alloy and fabric shade

No. of heads: 15 Cap type: E14

Wattage:  $15 \times 4.5 \text{ W LED}$  Dimension (mm):  $\emptyset 1000 \times \text{H} 600$ 



A tiered candle chandelier like this one is the perfect way to accentuate a room's traditional elegance. Reminiscent of real candle chandeliers from many centuries ago, that were lowered, lit and then pulled up by a rope, the unmasked light source allows the crystals underneath to sparkle with greater intensity.



# Grandiose

Asfour Almaaza

Gold

Product code: DTD-GLD-AS110212

Chrome

Product code: DTD-CHR-AS110212

Color: Gold and chrome Material: Brass casting

No. of heads: E14 Cap type:

12 x 4.5 W LED Wattage: Ø 850 x H 560 Dimension (mm):



# Meridian

Asfour Almaaza

Gold

Product code: DTD-GLD-AS20918B

Chrome

Product code: DTD-CHR-AS20918B

Color: Gold and chrome Material: Brass casting

No. of heads: 18 Cap type: E14

Wattage:  $18 \times 4.5 \text{ W LED}$  Dimension (mm):  $\emptyset$  1050 x H 560



## Gondola

Asfour Almaaza

Product code: DTD-GLD-AS2028A

Chrome

Product code: DTD-CHR-AS2028A

Gold and chrome Color: Material: Brass casting

No. of heads: Cap type: E14

8 x 4 W LED Wattage: Dimension (mm): Ø 700 x H 430



# Celeste

Asfour Almaaza

Gold

Product code: DTD-GLD-AS93112A

Product code: DTD-CHR-AS93112A

Color: Gold and chrome

Material: Brass No. of heads: 6+6 Cap type: E14

Wattage: 12 x 4.5 W LED Dimension (mm): Ø 630 x H 930



# Orion

#### Asfour Almaaza

Product code: DTD-GLD-AS2038BCAG

Color: Gold/Black powder Material: Brass/Asfour Crystal/MS

No. of heads: E14 Cap type:

Wattage: 8 x 4.5 W LED Dimension (mm): D 660 x H 1200



# Etheria

#### Asfour Almaaza

Product code: DTD-GLD-AS20918X1500

Color: Gold

Material: Brass/Glass/Asfour Crystal

 No. of heads:
 36

 Cap type:
 E14

 Wattage:
 36 x 4.5 W

 Dimension (mm):
 D 1500 x H 1800



# Mensa

#### Asfour Almaaza

Product code: DTD-GLD-ASMEN0095456C

Color: Gold

Material: Copper with natural pink

jade

8+12+16+20 No. of heads:

Cap type: E14

Wattage: 56 x 4.5 W LED Ø 2260 x H 3000 Dimension (mm):

450 Weight (Kg): No. of boxes for one product: 13 24K gold used for perfect finish



### **Pictor**

### Asfour Almaaza

Product code: DTD-SKG-ASPIC0095430C

Color: SK gold

Material: Zine alloy with jade

No. of heads: 5+10+15 Cap type: E14

Wattage:  $30 \times 4.5 \text{ W LED}$  Dimension (mm):  $\emptyset 1450 \times \text{H } 2100$ 



### Antlia

### Asfour Almaaza

Product code: DTD-SLV-ASANT0095424C

Color: Silver

Material: Copper and glass

8+16 No. of heads: Cap type: E14

Wattage: 24 x 4.5 W LED Dimension (mm): Ø 1230 x H 1100



# Apus

#### Asfour Almaaza

Product code: DTD-GLD-ASAPU0095451C

Color: Bronze

Material:

No. of heads:
Cap type:

Wattage:
Dimension (mm):

Material:
Copper with natural jade
6+10+15+20
E14
Wattage:
51 x 4.5 W LED
Weight (Kg):
340



# Vela

#### Asfour Almaaza

Product code: DTD-SKG-ASVEL09540636C

Color: SK gold

Material: Zinc alloy with natural pink

iade

No. of heads: 6+12+18
Cap type: E14

 Wattage:
 36 x 4.5 W LED

 Dimension (mm):
 Ø 1550 x H 2110

 Weight (Kg):
 166



# Pollux

#### Asfour Almaaza

Product code: DTD-ABR-ASPOL0095443C

Color:

Bronze
Zinc alloy and bobeche Material:

glass

 grass

 No. of heads:
 6+8+10+19+5

 Cap type:
 E14

 Wattage:
 48 x 4.5 W LED

 Dimension (mm):
 Ø 1600 x H 2300

 Weight (Kg):
 212

No. of boxes for one product: 6



# Celosia

#### Asfour Almaaza

Product code: DTD-SLV-ASCEL716510C

Color: Silver (Real)

Material: Copper and bobeche glass

No. of heads: 10 Cap type: E14

10 x 4.5 W LED Wattage: Ø 1000 x H 885 Dimension (mm):

Weight (Kg): No. of boxes for one product: 1 Real silver used for perfect finish



# Trillium

#### Asfour Almaaza

Product code: DTD-GLD-ASTRISYY15730C

Color:

Copper and bobeche glass 5+10+15 E14 Material:

No. of heads:

Cap type: Wattage: 30 x 4.5 W LED Dimension (mm): Ø 1500 x H 2120

175 No. of boxes for one product: 6 24K gold used for perfect finish



# Centaurus

#### Asfour Almaaza

Product code: DTD-GLD-ASCEL1771230C

Colour: Gold

Zinc alloy with natural jade 15+10+5 E14 Material:

No. of heads: Cap type:

Wattage: 30 x 4.5 W LED Dimension (mm): Ø 1470 x H 1900



# Circinus

#### Asfour Almaaza

Product code: DTD-GLD-ASCIR1780218C

Color: Gold

Zinc alloy with natural jade 12+6 E14 Material:

No. of heads: Cap type:

Wattage: 18 x 4.5 W LED Dimension (mm): Ø 1150 x H 1000



# Cassia

#### Asfour Almaaza

Product code: DTD-GLD-ASCAS178027C

Color: Gold

Material: Zinc alloy with natural jade

No. of heads: 70 Cap type: E14

70 x 4.5 W LED Wattage: Ø 2000 x H 3100 Dimension (mm):



# Wisteria

### Asfour Almaaza

Product code: DTD-BRS-ASWISSYY0170C

Color:

Bronze
Zinc alloy and marble
6+12+18+12+24+8
E14 Material: No. of heads:

Cap type:

| 2330 x H 3300 | No. of boxes (

No. of boxes for one product: 17



# Pegasus

### Asfour Almaaza

Product code: DTD-GLD-ASPEG173918C

Color: Gold

Material: Zinc alloy with natural jade

12+6 No. of heads: 12+0 E14 Cap type:

Wattage: 18 x 4.5 W LED Dimension (mm): Ø 1160 x H 690



# Bergenia

### Asfour Almaaza

Product code: DTD-GLD-ASBER1739536C

Color: Gold

Zinc alloy and glass 6+15+10+5 E14 Material: No. of heads: Cap type:

Wattage: 36 x 4.5 W LED Dimension (mm): Ø 1500 x H 2350



# Phoenix

### Asfour Almaaza

Product code: DTD-GLD-ASPHOSYA65032C

Color:

Material: Copper with natural jade

No. of heads: 6+10+16 Cap type: E14

32 x 4.5 W LED Wattage: Dimension (mm): Ø 1550 x H 1920

Weight (Kg): 205 No. of boxes for one product: 9 18K gold used for perfect finish



# Selene

### Asfour Almaaza

Product code: DTD-SLV-ASSEL716530C

Color: Silver (Real)

Material: Copper and bobeche glass

No. of heads: 5+10+15 Cap type: E14

Wattage: 30 x 4.5 W LED
Dimension (mm): Ø 1460 x H 1900
10Ω

Weight (Kg): 198

No. of boxes for one product: 4

Real silver used for perfect finish



### Lantana

### Asfour Almaaza

Product code: DTD-GLD-ASLANSY66031C

Color: Gold

Material:

Copper with natural jade 15+10+6 E14 No. of heads: Cap type:

31 x 4.5 W LED Wattage: Dimension (mm): Ø 1460 x H 2290

Weight (Kg): 180 No. of boxes for one product: 7 18K gold used for perfect finish





A complete creation in crystal, the opulence of chandeliers like these demand décor that's no less magnificent. Concealing the light source within allows the crystals to appear as if they are the light source themselves a multitude of little suns scattering beautiful rays around the room.



## Sirius

Asfour Almaaza

Gold

Product code: DCO-GLD-AS11063XB

Chrome

Product code: DCO-CHR-AS11063XB

Gold and chrome Color:

Material: Brass No. of heads: 27 Cap type: E14

27 x 4.5 W LED Wattage: Dimension (mm): Ø 1066 x H 2743



# Nobella

Asfour Almaaza

Gold

Product code: DCO-GLD-AS1009

Chrome

Product code: DCO-CHR-AS1009

Color: Gold and chrome

Material: Brass No. of heads: E14 Cap type:

Wattage: 12 x 4.5 W LED Dimension (mm): Ø 610 x H 920



# Grapewine

Asfour Almaaza

Gold

Product code: DCO-GLD-AS4032

Chrome

Product code: DCO-CHR-AS4032

Color: Gold and chrome

Material: Brass No. of heads: 8 E14 Cap type:

8 x 4.5 W LED Wattage: Ø 600 x H 380 Dimension (mm):



# Honey Comb

Asfour Almaaza

Gold

Product code: DCO-GLD-AS4031A

Chrome

Product code: DCO-CHR-AS4031A

Color: Gold and chrome

Material: Brass
No. of heads: 6
Cap type: E14

Wattage: 6 x 4.5 W LED
Dimension (mm): Ø 550 x H 510



### Lancia

Asfour Almaaza

Gold

Product code: DCO-GLD-AS8051B

Chrome

Product code: DCO-CHR-AS8051B

Color: Gold and chrome Material: Brass casting

No. of heads: Cap type: E14

4 x 4.5 W LED Wattage: Dimension (mm): Ø 400 x H 180



### Lancia

Asfour Almaaza

Gold

Product code: DCO-GLD-AS8051D25

Chrome

Product code: DCO-CHR-AS8051D25

Color: Gold and chrome Material: Brass casting

No. of heads: 3
Cap type: E14

 $\begin{tabular}{lll} Wattage: & 3 \times 4.5 \ W \ LED \\ Dimension (mm): & \varnothing \ 300 \times H \ 200 \\ \end{tabular}$ 



# Galaxy

Asfour Almaaza

Gold

Product code: DCO-GLD-AS11025

Chrome

Product code: DCO-CHR-AS11025

Color: Chrome and gold

Material: Brass No. of heads: N/A Cap type: N/A

120 W LED Wattage: Dimension (mm): Ø 914 x H 330

Weight (Kg):

No. of boxes for one product: 1



## Cosmos

Asfour Almaaza

Gold

Product code: DCO-GLD-AS11021

Chrome

Product code: DCO-CHR-AS11021

Color: Chrome and gold

Material: Brass
No. of heads: N/A
Cap type: N/A
Wattage: 60 W LED
Dimension (mm): Ø 600 x H 90

Weight (Kg): 12

No. of boxes for one product: 1



## Liner

Asfour Almaaza Color: Gold

> Material: Brass/Asfour Crystal

No. of heads: N/A Cap type: LED 30W Wattage:

Dimension (mm): D 700 x H 1100

Weight (Kg): No. of boxes for one product: 1

Gold

Product code: DCO-GLD-AS11025X700MM



# Supernova

Asfour Almaaza

Gold

Product code: DCO-GLD-AS11028

Chrome

Product code: DCO-CHR-AS11028

Color: Chrome and gold

Material: Brass
No. of heads: N/A
Cap type: N/A

Wattage: 105 W LED

Dimension (mm): L 533 x W 533 x H 450

Weight (Kg): 18
No. of boxes for one product: 1



# Starling

Asfour Almaaza

Gold

Product code: DCO-GLD-AS80881B

Product code: DCO-CHR-AS80881B

Color: Gold and chrome Material: Brass casting

No. of heads: Cap type: E14

Wattage: 4 x 4.5 W LED Dimension (mm): Ø 500 x H 180

Weight (Kg): No. of boxes for one product: 1

The actual product may slightly vary from the above pic attached



# Starling

Asfour Almaaza

Gold

Product code: DCO-GLD-AS8088B

Chrome

Product code: DCO-CHR-AS8088B

Color: Gold and chrome Material: Brass casting

No. of heads: 3 Cap type: E14

Wattage:  $3 \times 4.5 \text{ W LED}$  Dimension (mm):  $\emptyset 330 \times H 140$ 

Weight (Kg): 4.

No. of boxes for one product: 1



# Modern Chandeliers

Representing the evolution of chandeliers, rectilinear and curved forms of chandeliers question traditional outlines and pay tribute to the more functional forms seen in the architecture of the 20th century. Ideal for interiors where modern lines and newer, man-made materials are chosen.



# Lepus

Asfour Almaaza

Gold

Product code: DMO-GLD-AS40510X2

Chrome

Product code: DMO-CHR-AS40510X2

Color: Gold and chrome

Material: SS
No. of heads: 8
Cap type: G9

Wattage: 8 x 5 W LED

Dimension (mm): L 1066 x W 381 x H 304

Weight (Kg): 20
No. of boxes for one product: 1



# Gemini

## Asfour Almaaza

Product code: DMO-GLD-AS12032X1500

Color: Gold

Material: S.S/Asfour Crystal

No. of heads: N/A
Cap type: LED
Wattage: 200 W

Dimension (mm): D 1500 x H 2400

Weight (Kg): 45
No. of boxes for one product: 2



## Nebula

Asfour Almaaza

Product code: DMO-GLD-AS11058/3

Chrome

Product code: DMO-CHR-AS11058/3

Color: Gold and chrome

Material: Brass No. of heads: N/A N/A Cap type: Wattage: 225 W LED

L 1500 x W 457 x H 457 Dimension (mm):

Weight (Kg): No. of boxes for one product: 1



## **Arcturus**

Asfour Almaaza

Gold

Product code: DMO-GLD-AS11065

Chrome

Product code: DMO-CHR-AS11065

Color: Gold and chrome

Material: Brass
No. of heads: N/A
Cap type: N/A

Wattage: 150 W LED

Dimension (mm): L 1053 x W 600 x H 600

Weight (Kg): 28
No. of boxes for one product: 1



## Nova

Gold

Product code: DMO-GLD-DROP11066

Chrome

Product code: DMO-CHR-DROP11066

Gold and chrome Color: SS and glass Material:

No. of heads: 8 Cap type: E14

Wattage: 8 x 4.5 W LED

Dimension (mm): L 1210 x W 457 x H 395

Weight (Kg): No. of boxes for one product: 1 Available in mouth blown drop glass only



# Umbra

Asfour Almaaza

Gold

Product code: DMO-GLD-AS9111

Chrome

Product code: DMO-CHR-AS9111

Color: Gold and chrome

Material: Brass
No. of heads: 1
Cap type: E14

Wattage: 1 x 4.5 W LED

Weight (Kg): 1.5
No. of boxes for one product: 1

Dimension (mm):

Ø 250 x H 260



# Norma

Product code: DMO-GLD-MD177218009

Color: Gold Material: SS/Brass 

 No. of heads:
 9

 Cap type:
 E14

 Wattage:
 10 x 4.5 W LED

 Dimension (mm):
 Ø 800 x H 375

 Weight (Kg):
 30

Weight (Kg): No. of boxes for one product: 1 Available in K9 crystals only

# Modern Chandeliers



# Capella

## Asfour Almaaza

Product code: DMO-BRS-SL12024X6L

Color: Brass

Material: Brass/Solid Glass Rod

No. of heads: 6
Cap type: E14

Wattage: 6 x 4.5 W LED
Dimension (mm): D 650 x H 1320

Weight (Kg): 8
No. of boxes for one product: 1



# Canis

Asfour Almaaza

Product code: DMO-GLD-AS11003

Product code: DMO-CHR-AS11003

Color: Chome and gold

Material: Brass No. of heads: G9 Cap type:

Wattage: 7 x 5 W LED Dimension (mm): Ø 457 x H 225

Weight (Kg): No. of boxes for one product: 1



# Lynx

## Asfour Almaaza

Product code: DMO-BLK-GLS11042X70CM

Color: Black chrome
Material: Brass/Rock glass

No. of heads: N/A
Cap type: N/A
Wattage: 15 W LED
Dimension (mm): Ø 700 x H 195

Weight (Kg): 12
No. of boxes for one product: 1



# Auriga

## Asfour Almaaza

Product code: DMO-BLK-K9CUBE10X10

Color: Black nickel finished Material: Brass and K9 crystals

No. of heads: N/A Cap type: N/A Wattage: 45 W LED Dimension (mm): L 360 x H 450 Weight (Kg): 13.800

No. of boxes for one product: 1





# Minimalistic Chandeliers

Pushing the boundaries of the definition of chandeliers, iconic pieces like these are carefully designed to achieve the maximum effect with a minimum of elements. Accepting the challenge of today's minimalistic design aesthetic, pieces like this embody the concept of 'less is more'.



# Tortile

Asfour Almaaza

Gold

Product code: DMN-GLD-AS11037

Chrome

Product code: DMN-CHR-AS11037

Color: Chrome and gold

Material: Brass No. of heads:

Cap type: Spot light 5 x 2 W LED Wattage: Dimension (mm): Ø 360 x H 800

Weight (Kg): No. of boxes for one product: 1



# Saggita

## Asfour Almaaza

Product code: DMN-CHR-AS600X335X2

Color: Chrome

Material: Brass/Asfour crystal

No. of heads: N/A Cap type: N/A Wattage: 60 W LED Dimension (mm): D 600 x H 600

Weight (Kg): No. of boxes for one product: 1



# Wall Lamps

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky designs and artful expressions there's a wall light for every need here.



## Arena

#### Asfour Almaaza

Product code: DCW-GLD-AS20SW

Chrome

Product code: DCW-CHR-AS20SW

Color: Chrome and gold Material: Brass and bobeche glass

No. of heads: Cap type: E14

Wattage: 2 x 4.5 W LED

Dimension (mm): L 270 x W 190 x H 250

Weight (Kg): No. of boxes for one product: 1



## Trident

### Asfour Almaaza

Product code: DCW-GLD-AS9118

Product code: DCW-CHR-AS9118

Color: Chrome and gold Material: Brass and bobeche glass

No. of heads: Cap type: E14

Wattage: 2 x 4.5 W LED L 250 x W 160 x H 270 Dimension (mm):

Weight (Kg):

No. of boxes for one product: 1



# Tulipz

### Asfour Almaaza

Gold

Product code: DCW-GLD-AS7771

Chrome

Product code: DCW-CHR-AS7771

Color: Chrome and gold

Material:BrassNo. of heads:1Cap type:LEDWattage:3 W

Dimension (mm): L 130 x W 140 x H 500

Weight (Kg): 1.5 No. of boxes for one product: 1



## Exalta

### Asfour Almaaza

Gold

Product code: DCW-GLD-AS98181

Chrome

Product code: DCW-CHR-AS98181

Color: Chrome and gold
Material: Brass and bobeche glass

No. of heads: 1
Cap type: E14

 $\begin{array}{ll} \text{Wattage:} & 1 \text{ x 4.5 W LED} \\ \text{Dimension (mm):} & \text{L } 100 \text{ x W } 180 \text{ x H } 280 \\ \end{array}$ 

Weight (Kg): 1
No. of boxes for one product: 1



## Trident Gold

#### Asfour Almaaza

Product code: DCW-GLD-AS98182

Product code: DCW-CHR-AS98182

Gold and chrome Color:

Material: Brass No. of heads: Cap type: E14

Wattage: 2 x 4.5 W LED

Dimension (mm): L 280 x W 180 x H 300

Weight (Kg): 1.5 No. of boxes for one product: 1



# Celestia Pearl

### Asfour Almaaza

Product code: DCW-GLD-AS96069

Product code: DCW-CHR-AS96069

Gold and chrome Color:

Material: Brass No. of heads: Cap type: E 14

Wattage: 2 x 4.5 W LED Dimension (mm): L 260 x W 130 x H 240

Weight (Kg): No. of boxes for one product: 1



# Volans

#### Gold

Product code: DCW-GLD-5057

### Chrome

Product code: DCW-CHR-5057

Color: Chome and gold

Material: Brass
No. of heads: NA
Cap type: LED strip
Wattage: 9 W

Dimension (mm): L 110 x W 75 x H 290

Weight (Kg): 2.5

No. of boxes for one product: 1

Available in twist glass tube





## Gloria

### Asfour Almaaza

### Gold

Product code: DCW-COP-5057XRC

Color: Copper Material: Brass No. of heads: N/A Cap type: LED Wattage: 10 W

Dimension (mm): L100 x W 120 x H 350

Weight (Kg): 1.8

No. of boxes for one product: 1



# Decorative Lights

Jaquar decorative lighting collection combines the very best of global design and craftsmanship in an impressively large range of designs and shapes. Jaquar range of products in the Decorative category includes Chandeliers, Pendant lights, Wall and Ceiling mounted lights, Table lamps and Floor lamps, and even Aqua lights for use in bathrooms.

Within each type of light too, there's one for every preference. Pendant lights are available in single or multiple heads with suspended or ceiling-mounted options. Ceiling lights are available in standalone, single-tier, 2-tier and 3-tier variants with Chrome, White, or Rose Gold finishes with Metal and Glass options. Our innovative range of LED wall lights are available in standalone, single-head, 2-head and 3-head variants with matching chandeliers.

For enhancing the ambience of interiors, choose from our trendsetting table lamps that are available in Chrome, Glass, Wood and Metallic finishes with fabric or PVC shades. Similar options are available in our Floor lamps too, which are distinctive and contemporary.

For use in moist environments like bathrooms, Jaquar Aqua lights feature a Chrome finish and Ingress Protection (IP) 44 rating.


Unless otherwise specified, all Jaquar lighting products are built with the flexibility to be compatible with not just LED lamps but CFL and GLS lamps too.

# Content

## DECORATIVE LIGHTS

Ceiling Lights
Floor Lamps
Table Lamps 102 144 150 Wall Lights 164 Bath (Aqua) Lights 186





# Ceiling Lights

To meet the sophisticated design requirements of ceiling lighting, Jaquar offers a vast repertoire to choose from. Discover some of the most alluring models from our latest collection.





## Ceiling Lights



### DCL-CHR-MX81364B

**Description:** 4 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225 Standard Packaging Box: 1 Net Weight (Kg): 5.5 **Lamp:** G9 LED 5 W x 4

L W D H 350 225



### DCL-CHR-MX81366B

**Description:** 6 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225 Standard Packaging Box: 1 Net Weight (Kg): 9.2 **Lamp:** G9 LED 5 W x 6 L W D H

450 225



## DCL-CHR-MX81364A

**Description:** 4 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 7 **Lamp:** G9 LED 5 W x 4 L W D H 330 330 225



## DCL-CHR-MX81368A

**Description:** 8 Light star shape glass tube with chrome finish

ceiling light

Fixture Height: 225

Standard Packaging Box: 1 Net Weight (Kg): 11 **Lamp:** G9 LED 5 W x 8 L W D Н 430 430 225







### DCH-BLK-MX809812A

Description: 12 Light meta swan with black finish ceiling light Available in: Black / Matt Gold / Nickel Fixture Height: 620 Standard Packaging Box: 1 Net Weight (Kg): 9.5 **Lamp:** G4 Bulb 5 W x 12

LWDH 710 620



#### DCH-BLK-MD809812A

Description: 12 Light meta swan with black finish ceiling light with chain Available in: Black / Matt Gold / Nickel

Fixture Height: 620 Standard Packaging Box: 1 Net Weight (Kg): 9.5 **Lamp:** G4 Bulb 5 W x 12 L W D H 710 620



#### DCH-GLD-MX809818A

Description: 18 Light meta swan with gold finish ceiling light

Available in: Black / Matt Gold / Nickel

Fixture Height: 780

Standard Packaging Box: 1 Net Weight (Kg): 18 Lamp: G4 Bulb 5 W x 18 L W D Н

860 780



#### DCH-GLD-MD809818A

Description: 18 Light meta swan with gold finish ceiling light with chain Available in: Black / Matt Gold / Nickel

Fixture Height: 780 Standard Packaging Box: 1 Net Weight (Kg): 18 **Lamp:** G4 Bulb 5 W x 18 L W D H

860 780

All dimensions are in mm



### DPN-BLK-SL1027S400

**Description:** 1 Light black hemp

rope ball pendant

Fixture Height: 400 Available in: Black

Standard Packaging Box: 1

Net Weight (Kg): 1.2 **Lamp:** E27 LED 7 W x 1 L W D H 400 1200



#### DPN-BLK-SL1027S600

**Description:** 1 Light black hemp

rope ball pendant Fixture Height: 600 Available in: Black

Standard Packaging Box: 1 Net Weight (Kg): 1.5 **Lamp:** E27 LED 7 W x 1 L W D H



#### DCH-CHR-MD150330026A

**Description:** 6 Light champagne opal glass with chrome finish chandelier

Fixture Height: 620 Standard Packaging Box: 1

Net Weight (Kg): 7 Lamp: E14 LED 4.5 W x 6

L W D H 600 1200



#### DCH-CHR-MD1503300212

**Description:** 12 Light champagne opal glass with chrome finish chandelier

Fixture Height: 620

Standard Packaging Box: 1 Net Weight (Kg): 15 Lamp: E14 LED 4.5 W x 12 L'W D H



#### DCH-WTC-MX150300086A

**Description:** 6 Light white pitcher glass with white finish chandelier Fixture Height: 380 Standard Packaging Box: 1 Net Weight (Kg): 5

**Lamp:** E14 LED 4.5 W x 6 L W D H 430 600



#### DCH-WTC-MD150300088A

Description: 8 Light white pitcher glass with white finish chandelier

Fixture Height: 380 Standard Packaging Box: 1 Net Weight (Kg): 6 **Lamp:** E14 LED 4.5 W x 8

L W D H 760 1200





#### DCH-WTC-MX1503000812

**Description:** 12 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1 Net Weight (Kg): 10

**Lamp:** E14 LED 4.5 W x 12 L'WDH

870 490

#### All dimensions are in mm

## DCH-WTC-MD1503000818

**Description:** 18 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1 Net Weight (Kg): 18

**Lamp:** E14 LED 4.5 W x 18

L W D H



#### DCH-CHR-MD160275216A

**Description:** 6 Light frosted glass with chrome finish chandelier Fixture Height: 320 Standard Packaging Box: 1 Net Weight (Kg): 5 **Lamp:** E27 LED 7 W x 6 L W D H

800 1000



### DCH-CHR-MD160275218A

**Description:** 8 Light frosted glass with chrome finish chandelier Fixture Height: 540 Standard Packaging Box: 1 Net Weight (Kg): 6.5 **Lamp:** E27 LED 7 W x 8 L W D H 800 1000



### DPN-BLK-SL1174S

**Description:** 3 Light frosted glass, aluminium with black and gold finish pendant

Fixture Height: 50

Standard Packaging Box: 1 Net Weight (Kg): 4.02 **Lamp:** E14 LED 4.5 W x 3 L'W D H



#### DPN-COP-MD150031251C

Description: 1 Light copper glass with copper finish pendant
Fixture Height: 270
Standard Packaging Box: 8
Net Weight (Kg): 0.9
Lamp: E27 LED 7 W x 1
L W D H

100 1200



#### DPN-COP-MD150031251B

Description: 1 Light copper glass with copper finish pendant Fixture Height: 280 Standard Packaging Box: 1 Net Weight (Kg): 0.8 Lamp: E27 LED 7 W x 1 L W D H 130 1200



#### DPN-COP-MD150031251A

Description: 1 Light copper glass with copper finish pendant
Fixture Height: 220
Standard Packaging Box: 8
Net Weight (Kg): 0.6
Lamp: E27 LED 7 W x 1
L W D H

170 1200



#### DPN-CHR-MD140030571C

**Description:** 1 Light PC globe diffuser with

rose gold finish pendant

Available in: Nickel / Chrome / Antique brass

Fixture Height: 250 Standard Packaging Box: 1 Net Weight (Kg): 1.4

Lamp: E27 LED 7 W x 1 L W D H 200 1500

Bulb included



#### DPN-CHR-MD150031291A

**Description:** 1 Light smoky glass with chrome finish pendant Fixture Height: 225 Standard Packaging Box: 1 Net Weight (Kg): 1.2 **Lamp:** E27 LED 7 W x 1 L W D H 280 1200



#### DPN-CHR-MD150031291B

**Description:** 1 Light smoky glass with chrome finish pendant Fixture Height: 220 Standard Packaging Box: 8 Net Weight (Kg): 1 **Lamp:** E27 LED 7 W x 1

L W D H 200 1200







#### DPN-CHR-MD160020053B

Description: 3 Light clear glass, rose gold mesh with chrome finish pendant

Fixture Height: 260-750 Standard Packaging Box: 1 Net Weight (Kg): 3.5 **Lamp:** G9 LED 5 W x 3 L W D H 375 1200

Bulb included



#### DPN-CHR-MD160020051C

Description: 1 Light clear glass, rose gold mesh with chrome finish pendant

Fixture Height: 160

Standard Packaging Box: 1 Net Weight (Kg): 1

Lamp: G9 LED 5 W x 1 L W D H



#### DPN-CHR-MD160030111A

**Description:** 1 Light clear globe glass with chrome finish pendant

Fixture Height: 210 Standard Packaging Box: 1 Net Weight (Kg): 0.6 Lamp: G9 LED 5 W x 1 L W D H 130 1200





#### DPN-RDG-MD160030111A

**Description:** 1 Light clear globe glass with rose gold finish pendant

Fixture Height: 210 Standard Packaging Box: 1 Net Weight (Kg): 0.6 **Lamp:** G9 LED 5 W x 1 LWDH



### DPN-CHR-MD150031271A

Description: 1 Light smoky glass with chrome finish pendant Fixture Height: 436 Standard Packaging Box: 1 Net Weight (Kg): 1.3 **Lamp:** E27 LED 7 W x 1 L W D H

150 1200



### DPN-CHR-MD150031271B

**Description:** 1 Light smoky glass with chrome finish pendant Fixture Height: 180 Standard Packaging Box: 1 Net Weight (Kg): 1.2 **Lamp:** E27 LED 7 W x 1 L W D H 220 1200



### DPN-BLK-SL00WCNIE27

**Description:** 1 Light bar with black finish conical pendant Fixture Height: 380

Standard Packaging Box: 4 Net Weight (Kg): 1.3 **Lamp:** E27 LED 7 W x 1 L W D H 300 120





#### DPN-BLK-SL6003MESH

**Description:** 1 Light mild steel fabric with metal finish pendant

Fixture Height: 530

Standard Packaging Box: 1 Net Weight (Kg): 1.5 **Lamp:** E27 LED 8 W x 1 L W D H





Description: 1 Light mild steel fabric with metal finish pendant
Fixture Height: 360
Standard Packaging Box: 1
Net Weight (Kg): 1.8
Lamp: E27 LED 8 W x 1

L W D H 490 1360





#### DPN-BLK-SL6002MESH

**Description:** 1 Light mild steel fabric with metal finish pendant

**Fixture Height:** 295 **Standard Packaging Box:** 1

Net Weight (Kg): 2.5 Lamp: E27 LED 8 W x 1 L W D H

395 1295



#### DPN-BLK-SL6004MESH

**Description:** 1 Light mild steel fabric with metal finish pendant

Fixture Height: 270

Standard Packaging Box: 1 Net Weight (Kg): 1.5 Lamp: E27 LED 8 W x 1 L W D H





#### DPN-RDG-SL00FRD1E27

**Description:** 1 Light frosted glass with rose gold finish pendant **Fixture Height:** 260 Standard Packaging Box: 8 Net Weight (Kg): 0.9 Lamp: E27 LED 7 W x 1 L W D H 120 1200





#### DPN-COP-SL180461A **Description:** 1 Light mesh shade

with copper finish pendant Fixture Height: 235 Standard Packaging Box: 4 Net Weight (Kg): 1.2 Lamp: E27 LED 7 W x 1

L W D H 100 1200



### DPN-BRS-MD150273871B

**Description:** 1 Light clear glass with

brass finish pendant **Fixture Height:** 270

Standard Packaging Box: 1 Net Weight (Kg): 1.3 **Lamp:** E27 LED 7 W x 1

L W D H 200 1200



DPN-COG-SL1216S
Description: 1 Light cognac glass with copper finish pendant
Fixture Height: 460
Standard Packaging Box: 1 Net Weight (Kg): 0.9 **Lamp:** E14 LED 4.5 W x 1 L W D H 130 2000





**Description:** 1 Light smoked glass with chrome finish pendant Fixture Height: 250 Standard Packaging Box: 1 Net Weight (Kg): 1.5 **Lamp:** G9 LED 5 W x 1 L W D H 80 1200



#### DPN-ABS-SL1217S2

**Description:** 1 Light glass with antique brass finish pendant Fixture Height: 520 Standard Packaging Box: 1 Net Weight (Kg): 3.5 Lamp: E27 LED 7 W x 1 L W D H 350 2000



#### DPN-COP-SLPEA089AE27

**Description:** 1 Light aluminium globe shape with copper finish pendant **Available in:** Copper / Black

Fixture Height: 400

Standard Packaging Box: 1 Net Weight (Kg): 1.7 **Lamp:** E27 LED 7 W x 1 L W D H

400 1200



#### DPN-COP-SLPEA031BE27

Description: 1 Light aluminium, white wood with copper finish pendant

Fixture Height: 310

Standard Packaging Box: 1 Net Weight (Kg): 0.8 **Lamp:** E27 LED 7 W x 1 L W D H





#### DPN-BLK-11086X3

Description: 3 Light black powder coated pendant Fixture Height: 305 Standard Packaging Box: 1 Net Weight (Kg): 1.5 Lamp: LED 3 W x 3 (In-built) L W D H 510 65 1200



#### **DPN-BLK-11086X5**

Description: 3 Light black powder coated pendant Fixture Height: 305
Standard Packaging Box: 1
Net Weight (Kg): 1.5
Lamp: LED 3 W x 3 (In-built)
L W D H
510 65 1200



### **DPN-BLK-11086**

**Description:** 1 Light black powder coated pendant Fixture Height: 300 Standard Packaging Box: 12 Net Weight (Kg): 0.6 Lamp: LED 3 W x 1 (In-built)

L W D H 25 1200



### **DPN-GLD-SLKS2450S**

**Description:** 1 Light clear glass with gold finish pendant Fixture Height: 425 Standard Packaging Box: 1 Net Weight (Kg): 6.5 **Lamp:** E27 LED 7 W x 1 L W D H 450 1200



#### DPN-GLD-SLKS2450S1

**Description:** 1 Light clear glass with gold finish pendant Fixture Height: 290 Standard Packaging Box: 1 Net Weight (Kg): 4.6 **Lamp:** E27 LED 7 W x 1 L W D H 300 1200



### DPN-BLK-SLHPP0414E27

**Description:** 1 Light aluminium industrial style with sanded black finish pendant

Fixture Height: 380 Standard Packaging Box: 1 Net Weight (Kg): 2.8

380 1200

**Lamp:** E27 LED 7 W x 1 L W D H





#### DPN-BRN-SLPEA299E27

**Description:** 1 Light aluminum with coffee paint finish pendant Fixture Height: 310

Standard Packaging Box: 1 Net Weight (Kg): 1 Lamp: E27 LED 7 W x 1

L W D H 320 1200



#### DPN-BLK-SLPEA138E27

**Description:** 1 Light aluminum with sanded black paint finish pendant

Fixture Height: 370

Standard Packaging Box: 1

Net Weight (Kg): 1.2 **Lamp:** E27 LED 7 W x 1 L W D H



#### DPN-NKL-SLPEAW15833E27

**Description:** 1 Light aluminum, brown wood with satin nickel finish pendant

Fixture Height: 400 Standard Packaging Box: 1 Net Weight (Kg): 2 Lamp: E27 LED 7 W x 1 L W D H

330 1200



### DPN-COP-SLHPPA0414DE27

**Description:** 1 Light aluminium industrial style, frosted glass with copper

finish pendant

Fixture Height: 430 Standard Packaging Box: 1 Net Weight (Kg): 2.4 Lamp: E27 LED 7 W x 1

**.amp:** E27 LED 7 W x 1 L W D H 400 1200





### DPN-WHT-SLWAVEGLS200E27

**Description:** 1 Light globe shaped SS

finish ceiling light

Fixture Height: 200

Standard Packaging Box: 2

Net Weight (Kg): 0.85 Lamp: E27 LED 7 W x 1 L W D H 200 1200



### **DPN-YEL-SLWAVEGLS200E27**

**Description:** 1 Light globe shaped

SS finish ceiling light Fixture Height: 200

Standard Packaging Box: 2 Net Weight (Kg): 0.85

Lamp: E27 LED 7 W x 1
L W D H
200 1200



#### **DPN-AMB-SLGLS250E27**

**Description:** 1 Light apple shape amber

glass pendant with nickel finish

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 1.2

**Lamp:** E27 LED 7 W x 1 L W D H

250 1200



#### **DPN-GLD-SLCONE200E27**

Description: 1 Light bell shaped aluminium finish ceiling light Fixture Height: 285 Standard Packaging Box: 2 Net Weight (Kg): 0.6 Lamp: E27 LED 7 W x 1 L W D H

200 1200



#### DPN-GRY-SL275GLWCE27

**Description:** 1 Light bell shaped aluminium finish ceiling light Fixture Height: 220 Standard Packaging Box: 4

Net Weight (Kg): 0.75 **Lamp:** E27 LED 7 W x 1

L W D H

170 1200



### **DPN-GRN-SLCONE300E27**

**Description:** 1 Light bell shaped aluminium finish ceiling light Fixture Height: 215

Standard Packaging Box: 1

Net Weight (Kg): 0.7 **Lamp:** E14 LED 4.5 W x 6

L W D H 300 1200



#### **DPN-WNE-SLHALFRDL305E27**

Description: 1 Light bell shaped aluminium finish ceiling light
Fixture Height: 280
Standard Packaging Box: 1
Net Weight (Kg): 1.1
Lamp: E27 LED 7 W x 1
L W D H
290 1200



#### DPN-WNE-SLDL200E27

Description: 1 Light bell shaped aluminium/ MS finish ceiling light Fixture Height: 260 Standard Packaging Box: 2 Net Weight (Kg): 1.2 Lamp: E27 LED 7 W x 1 L W D H 200 1200



#### DPN-GRY-SL270GLWCE27

Description: 1 Light bell shaped aluminium finish ceiling light
Fixture Height: 275
Standard Packaging Box: 1
Net Weight (Kg): 1.25
Lamp: E27 LED 7 W x 1
L W D H
260 1200



#### **DPN-WHT-SLCON107E27**

Description: 1 Light cone shaped aluminium finish ceiling light
Fixture Height: 330
Standard Packaging Box: 4
Net Weight (Kg): 0.75
Lamp: E27 LED 7 W x 1
L W D H
105 1200



#### DPN-GRY-SLCON107X3E27

**Description:** 3 Light cone shaped aluminium finish ceiling light Fixture Height: 330 Standard Packaging Box: 1 Net Weight (Kg): 2.5 **Lamp:** E27 LED 7 W x 3 L W D H 550 105 1200



#### DPN-ACR-SL11086X6W

**Description:** 1 Light cylindrical brass finish ceiling light Fixture Height: 305 Standard Packaging Box: 1 Net Weight (Kg): 0.5 Lamp: LED 6 W (In-built)
L W D H 42 1200



### DCH-BLK-CHL0006PRE14

Description: 6 Light black glass with black crystal chandelier Fixture Height: 900 Standard Packaging Box: 1 Net Weight (Kg): 6.1 Lamp: E14 LED 4.5 W x 6 L W D H

D H 580 1200



#### DCH-AMB-CHL0006SYE14

Description: 6 Light honey glass with gold finish chandelier
Fixture Height: 900
Standard Packaging Box: 1
Net Weight (Kg): 5
Lamp: E14 LED 4.5 W x 6
L W D H



#### DCL-CHR-MD400500618C

**Description:** 1 Tier metal string with chrome finish ceiling light

Fixture Height: 1500 Standard Packaging Box: 1

Net Weight (Kg): 18 Lamp: G9 LED 4 W x 8 L W D H

W D H 680 1500



#### DCL-CHR-MD400500636C

**Description:** 2 Tier metal string with chrome finish ceiling light

Fixture Height: 1700 Standard Packaging Box: 1 Net Weight (Kg): 32

**Lamp:** G9 LED 4 W x 16 L W D H



#### DCL-CHR-MD400500654C

**Description:** 3 Tier metal string with chrome finish ceiling light

Fixture Height: 2500 Standard Packaging Box: 1 Net Weight (Kg): 38 Lamp: G9 LED 4 W x 24

L W D H 680 2500




#### DCL-RDG-MD400500618C

**Description:** 1 Tier metal string with rose gold finish ceiling light

Fixture Height: 1500 Standard Packaging Box: 1 Net Weight (Kg): 18


**Lamp:** G9 LED 4 W x 8 L W D H 680 1500



#### DCL-RDG-MD400500636C

**Description:** 2 Tier metal string with rose gold finish ceiling light

Fixture Height: 1700 Standard Packaging Box: 1 Net Weight (Kg): 32 **Lamp:** G9 LED 4 W x 16 L W D H




#### DCL-RDG-MD400500654C

**Description:** 3 Tier metal string with rose gold finish ceiling light

Fixture Height: 2500 Standard Packaging Box: 1 Net Weight (Kg): 38 **Lamp:** G9 LED 4 W x 24 L W D H 680 2500





### DCH-COP-SL1162S2

**Description:** 14 Light aluminium pipe with copper finish pendant

Fixture Height: 320

Standard Packaging Box: 1 Net Weight (Kg): 33.2 **Lamp:** E14 LED 4.5 W x 14

L W D H 1720 300 2000



#### DCH-COP-SL1162S1

**Description:** 12 Light aluminium pipe with copper finish pendant

Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 26

**Lamp:** E14 LED 4.5 W x 12

L W D H 950 2000



#### DCH-COP-SL1162S3

**Description:** 37 Light aluminium pipe with copper finish pendant

Fixture Height: 750

Standard Packaging Box: 1

Net Weight (Kg): 44

**Lamp:** E14 LED 4.5 W x 37

L W D 1050 2000-3000

All dimensions are in mm



### DCH-COP-SL1162S7

**Description:** 89 Light aluminium pipe with copper finish pendant

Fixture Height: 1250

Standard Packaging Box: 1

Net Weight (Kg): 164

**Lamp:** E14 LED 4.5 W x 89

L W D

1950 2000-3000



#### **DPN-ABR-SL5010ST**

**Description:** 1 Light frosted glass with brass finish ceiling light

Fixture Height: 648

Standard Packaging Box: 1 Net Weight (Kg): 0.75 **Lamp:** G9 LED 5 W x 1 L W D Н

170

648



#### **DPN-ABR-SL5010S**

**Description:** 1 Light frosted glass with brass finish ceiling light

Fixture Height: 880

Standard Packaging Box: 1 Net Weight (Kg): 0.900 **Lamp:** G9 LED 5 W x 1 L WD

300

880



#### DPN-BRS-SL1600030111A

**Description:** 1 Light hammer glass with brass finish ceiling light

Fixture Height: 200

Standard Packaging Box: 1

Net Weight (Kg): 0.7 **Lamp:** G9 LED 5 W x 1 W D Н 1200

#### DPN-GRY-SL966S3

**Description:** 2 Light dark gold carbon steel pendant

Fixture Height: 820

Standard Packaging Box: 1

Net Weight (Kg): 12.5 **Lamp:** E27 LED 9 W x 2

L WD Н

750 1200



Available in Grey also

### DPN-CHR-SL1128S

**Description:** 9 Light black fabric shade with chrome finish pendant

Fixture Height: 970

Standard Packaging Box: 1

Net Weight (Kg): 23 **Lamp:** E27 LED 7 W x 9

L W D H 1030 1750









#### DPN-ABS-SLSF9001S1

Description: 1 Light diamond cut style glass with antique brass finish pendant

Fixture Height: 500

Standard Packaging Box: 1

Net Weight (Kg): 1 Lamp: G4 LED 5 W x 1 L W D 100 100 1200



#### DCH-BRS-SL1260SX3

**Description:** 3 Light clear glass with brushed brass finish pendant

Fixture Height: 600

Standard Packaging Box: 1 Net Weight (Kg): 4.5 Lamp: G4 LED 5 W x 3

L W D

780 700-2000



#### **DCH-BRS-SL1260S1**

**Description:** 6 Light clear glass with brushed brass finish pendant

Fixture Height: 600

Standard Packaging Box: 1 Net Weight (Kg): 6.43

**Lamp:** G4 LED 5 W x 6 L W D 900-1800 960 650



DCH-BRS-SL1260S3

**Description:** 8 Light clear glass with brushed brass finish pendant

Fixture Height: 1000

Standard Packaging Box: 1 Net Weight (Kg): 11.40 **Lamp:** G4 LED 5 W x 8

W D 2000 1140 950-1900



#### DPN-BLK-SL5010S9

Description: 9 Light frosted glass with

black finish ceiling light Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 3.5 **Lamp:** G9 LED 5 W x 9 L W D H 1000 300 1300

#### DPN-COP-SL1204S3

**Description:** 3 Light aluminium hexagon style with antique copper finish pendant

Available in: Copper / ABS Fixture Height: 200

Standard Packaging Box: 1

Net Weight (Kg): 4.5 **Lamp:** E14 LED 4.5 W x 3 L W D 500 210-2000



#### DPN-COP-SL1204S5

**Description:** 5 Light aluminium hexagon style with antique copper finish pendant

Available in: Copper / ABS Fixture Height: 200

Standard Packaging Box: 1

Net Weight (Kg): 6.5 **Lamp:** E14 LED 4.5 W x 3

L W D 500 210-2000







Add a unique touch to your décor with our exciting range of floor lights that not only add functional elegance to the room, but also become conversation pieces for your visitors.





**Description:** 1 Light aluminium shade with white paint finish floor lamp

Fixture Height: 1765 Standard Packaging Box: 1 Net Weight (Kg): 12.5 **Lamp:** E27 LED 7 W x 1 L W D H 500 1765



**Description:** 1 Light aluminium shade with black paint finish

floor lamp

Fixture Height: 1765 Standard Packaging Box: 1 Net Weight (Kg): 12.5 **Lamp:** E27 LED 7 W x 1 L W D H 500 1765





DFL-CHR-FL12021192B

**Description:** 1 Light brass fabric with chrome finish floor lamp Fixture Height: 550 Standard Packaging Box: 2

Net Weight (Kg): 6.5 **Lamp:** E27 LED 7 W x 1 W D L Н

350 350 1550





**Description:** 1 Light brass fabric with chrome finish floor lamp Fixture Height: 550 **Standard Packaging Box:** 2 Net Weight (Kg): 6.5 **Lamp:** E27 LED 7 W x 1

L W D H 380 1550





#### DFL-BLK-FL1174F

**Description:** 3 Light frosted glass with black and gold finish floor lamp

Fixture Height: 1400 Standard Packaging Box: 1 Net Weight (Kg): 16.2 **Lamp:** E14 LED 4.5 W x 3 L W D H 610 350 1400



#### DFL-CHR-ML49061A

**Description:** 1 Light opal glass shade with marble base and chrome finish floor lamp Fixture Height: 1900 Standard Packaging Box: 1 Net Weight (Kg): 20 **Lamp:** E27 LED 7 W x 1 L W D H

1250 300 1900



#### DFL-WHT-FL1213F

Description: 3 Light metal half dome with antique white finish floor lamp

Fixture Height: 1680 Standard Packaging Box: 1 Net Weight (Kg): 30 **Lamp:** G9 LED 4 W x 3 L W D H

455 1680



### DFL-BRS-FL1260F

**Description:** 2 Light clear glass with brushed brass finish floor lamp

Fixture Height: 1880 Standard Packaging Box: 1

Net Weight (Kg): 8 **Lamp:** G4 LED 5 W x 2 L W D H 1220-1880 1100 250





**Description:** 6 Light frosted glass with antique brass finish floor lamp

Fixture Height: 625 Standard Packaging Box: 1 Net Weight (Kg):  $\ensuremath{9}$ **Lamp:** G9 LED 5 W x 6 L W

D H 580 1625



#### **DFL-GRY-FL737F**

**Description:** 1 Light grey fabric shade pattern with black powder coated finish floor lamp Fixture Height: 1900-2400 Standard Packaging Box: 1 Net Weight (Kg): 8.4

**Lamp:** E27 LED 9 W x 1 L W D H 1900-2400 935 860



#### DFL-WNG-FL1092FB

**Description:** 1 Light fabric shade with wood, alloy zinc floor lamp

Fixture Height: 1850 Standard Packaging Box: 1

Net Weight (Kg): 16 **Lamp:** E27 LED 14 W x 1 L W D H 850 800 1850



#### DFL-CHR-FL1128F

**Description:** 3 Light black fabric shade with chrome finish floor lamp

Fixture Height: 1750 Standard Packaging Box: 1 Net Weight (Kg): 19 **Lamp:** E27 LED 7 W x 3 L W D H

490 1750





#### DFL-WNG-FL1092FA

**Description:** 1 Light diffuser glass with wood, alloy zinc floor lamp

Fixture Height: 1850 Standard Packaging Box: 1 Net Weight (Kg): 35

**Lamp:** E27 LED 14 W x 1 L W D H 850 800 1850



#### DFL-BLK-FL1029F

**Description:** 1 Light PVC shade cheval with black finish floor lamp

Fixture Height: 2550

Standard Packaging Box: 1

Net Weight (Kg): 52 Lamp: E27 LED 14 W x 1 L W D H 2400 550 2550



#### DFL-WNT-FLWD400E27

**Description:** 1 Light wooden tripod with black fabric shade floor lamp

Fixture Height: 945

Standard Packaging Box: 2 Net Weight (Kg): 9

**Lamp:** E27 LED 7 W x 1 L W D H 400 1500



#### **DFL-GRY-FL737F**

**Description:** 1 Light black fabric shade with black powder coated

finish floor lamp

**Fixture Height:** 1900-2400 **Standard Packaging Box:** 1

Net Weight (Kg): 14 Height: Adjustable Lamp: E27 LED 7 W x 1 L W D H

L W D H 935 860 1900-2400



For the demanding needs of task lighting around your workspaces and your bedside, Jaquar Lighting's table lamps span a wide range of design influences - from the classic to the ultra contemporary.



#### DTL-BLK-TL1018T2

**Description:** 1 Light black fabric shade with black finish table lamp

Fixture Height: 750

Standard Packaging Box: 1 Net Weight (Kg): 3.26 Lamp: E27 LED 7 W x 1
L W D H
230 750





#### DTL-BLK-TL306T

**Description:** 1 Light aluminium shade with black paint finish table

lamp

Fixture Height: 575

Standard Packaging Box: 1

Net Weight (Kg): 3.1 **Lamp:** E27 LED 7 W x 1 L W D H 390 575



#### DTL-CHR-MT49061A

Description: 1 Light opal glass, marble base with chrome finish

frame table lamp Fixture Height: 520

425 130

Standard Packaging Box: 1 Net Weight (Kg): 2

**Lamp:** E14 LED 4.5 W x 1 L W D H



#### DTL-BRS-TL1300H

**Description:** 1 Light fabric shade with hammered pattern base with

brash finish table lamp Fixture Height: 460

**Standard Packaging Box:** 4

Net Weight (Kg): 0.9 **Lamp:** E27 LED 7 W x 1 LWDH

350 460



#### **DTL-WNT-TLVPWODE27**

**Description:** 1 Light fabric shade with wooden vertical pyramid

base table lamp Fixture Height: 650

**Standard Packaging Box:** 4

Net Weight (Kg): 1.3 **Lamp:** E27 LED 7 W x 1

L W D H 300 650





### DTL-CHR-MT160275451B

**Description:** 1 Light fabric shade with chrome finish base table lamp

Fixture Height: 610 Standard Packaging Box: 1

Net Weight (Kg): 2 Lamp: E27 LED 7 W x 1 L W D H

350 610



#### DTL-CHR-MT160275451A

**Description:** 1 Light fabric shade with chrome finish base table lamp

Fixture Height: 680 Standard Packaging Box: 1 Net Weight (Kg): 2.65

**Lamp:** E27 LED 7 W x 1 L W D H

380 680



#### DTL-CHR-MT170275021L

**Description:** 1 Light fabric shade, red leather with chrome finish base

table lamp

Fixture Height: 950

Standard Packaging Box: 1 Net Weight (Kg): 2.6

Lamp: E27 LED 7 W x 1

L W D H

355 950



## DTL-CHR-MT170275041C

Description: 1 Light PVC shade, red leather with chrome finish base

table lamp

Fixture Height: 880

Standard Packaging Box: 1 Net Weight (Kg): 3.2

**Lamp:** E27 LED 7 W x 1 LWDH

355 880



#### DTL-CHR-MT170275071I

Description: 1 Light fabric shade, crystal with chrome finish base

table lamp

Fixture Height: 670

Standard Packaging Box: 1

Net Weight (Kg): 4.2

**Lamp:** E27 LED 7 W x 1 L W D H

410 670

All dimensions are in mm





## DTL-ABR-MT170275071J

**Description:** 1 Light fabric shade, crystal with chrome finish base

table lamp

Fixture Height: 670 Standard Packaging Box: 1 Net Weight (Kg): 2.75 **Lamp:** E27 LED 7 W x 1 L W D H

410 670



#### DTL-WHT-TL1213T

**Description:** 3 Light metal half dome with antique white finish table lamp

Fixture Height: 600 Standard Packaging Box: 1 Net Weight (Kg): 9.9 Lamp: G9 LED 5 W x 3

L W D H 305 600



### DTL-GRY-TL1187T1

**Description:** 1 Light smoky grey glass with chrome finish

table lamp

Fixture Height: 400 Standard Packaging Box: 1 Net Weight (Kg): 3.25

Lamp: E27 LED 7 W x 1 L W D H 285 400



#### DTL-GLD-TLCYLND260E27

**Description:** 1 Light fabric shade with gold finish table lamp **Fixture Height:** 450 Standard Packaging Box: 1 Net Weight (Kg): 2.4 Available in: Chrome / Gold Lamp: E27 LED 7 W x 1
L W D H
280 450



#### DTL-ABR-TL5010T

**Description:** 1 Light frosted glass with antique brass finish table lamp

Fixture Height: 465

Standard Packaging Box: 1 Net Weight (Kg): 2.2

Lamp: G9 LED 5 W x 1 L W D H 210 465





#### **DTL-ABR-TL954006**

**Description:** 1 Light antique brass

finish table lamp

Fixture Height: 530

Standard Packaging Box: 2

Net Weight (Kg): 3.3

**Lamp:** E27 LED 7 W x 1

L W D H

265 530



#### DTL-GLD-TLWAVE550E27

**Description:** 1 Light fabric shade

with gold finish table lamp

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Available in: Chrome / Gold **Lamp:** E27 LED 7 W x 1

L W D H

280 520



### DTL-ACR-TL951001X265MM

Description: 1 Light antique copper

finish table lamp

Fixture Height: 490

Standard Packaging Box: 1

Net Weight (Kg): 1.2

**Lamp:** E27 LED 7 W x 1

L W D H 280 490



#### DTL-ACR-TL951003X150MM

**Description:** 1 Light antique copper

finish table lamp

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 1.2

**Lamp:** G9 LED 5 W x 1

L W D H 170 250



#### DTL-CHR-TL951002X265MM

**Description:** 1 Light chrome finish

table lamp

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 1.4

**Lamp:** E27 LED 7 W x 1

L W D H 265 520



### DTL-BRS-TL1260T

**Description:** 2 Light clear glass with brushed brass finish base table lamp

Fixture Height: 510

Standard Packaging Box: 1

Net Weight (Kg): 3 **Lamp:** G4 LED 5 W x 2

L W D H 400 200 360-510



#### DTL-WHT-TL765T

Description: 1 Light strip fabric shade with chrome finish table lamp

Available in: White Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 4.5 **Lamp:** E27 LED 14 W x 1 L W D H 370 850

Available in Red also



#### DTL-CHR-TL1128T

**Description:** 3 Light black fabric shade

with chrome finish table lamp

Fixture Height: 875

Standard Packaging Box: 1

Net Weight (Kg): 13 **Lamp:** E27 LED  $5 \ W \times 3$ L W D H 490 875



#### DTL-RED-TL1187T2

**Description:** 1 Light smoky grey glass with chrome finish table lamp

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 8.5 **Lamp:** E27 LED 14 W x 1 W D

509 850



#### DTL-COG-TL1149T

Description: 1 Light cognac

glass table lamp

Fixture Height: 835

Standard Packaging Box: 1

Net Weight (Kg): 6.4 **Lamp:** G9 LED 5 W x 1 L W D H 380 835





Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky designs and artful expressions, there's a wall light for every need.







#### DWL-NKL-MB80983A

Description: 3 Light meta swan shape with red finish wall lamp Available in: Black / Gold / Nickel Fixture Height: 470 Standard Packaging Box: 1

Net Weight (Kg): 2 **Lamp:** G4 Bulb 5 W x 3 L W D H 228 425 470



### DWL-NKL-MB80985A

Description: 5 Light meta swan shape with chrome finish wall lamp Available in: Black / Gold / Nickel

Fixture Height: 850 Standard Packaging Box: 1

Net Weight (Kg): 3 Lamp: G4 Bulb 5 W x 5 L'W D H 230 460 850

#### DWL-CHR-MB12021201A

Description: 1 Light ivory fabric shade with chrome finish base wall lamp

Fixture Height: 205

Standard Packaging Box: 1

Net Weight (Kg): 2 **Lamp:** E14 LED 4.5 W x 1 L W D H



#### DWL-CHR-MB11002351B

**Description:** 1 Light aluminium mesh with clear glass and chrome finish base wall lamp

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1 Lamp: G9 Bulb 5 W x 1 L W D H 150 160 160



#### DWL-WTC-MB150300081A

**Description:** 1 Light white pitcher glass with white finish base wall lamp

Fixture Height: 300

Standard Packaging Box: 1 Net Weight (Kg): 0.9 **Lamp:** E14 LED 4.5 W x 1 L W D H

150 305 290



#### DWL-WTC-MB150300082A

**Description:** 2 Light white pitcher glass with white finish base wall lamp

Fixture Height: 250

Standard Packaging Box: 1 Net Weight (Kg): 2.5 **Lamp:** E14 LED 4.5 W x 2

L W D H 440 250 290 290



#### DWL-BLK-WL1174W

Description: 3 Light frosted glass, aluminium with black and gold finish wall lamp

360

Fixture Height: 360 Standard Packaging Box: 1 Net Weight (Kg): 3.9 **Lamp:** E14 LED 4.5 W x 3 L W D H

590 350




#### DWL-GRY-WL91301

Description: 1 Light mesh/ ceramic

with rust finish wall lamp Fixture Height: 340 Standard Packaging Box: 1 Net Weight (Kg): 3.5 Lamp: E27 LED 7 W x 1

L W D 210 150 Н 340



#### DWL-GLD-WL1153W2

**Description:** 2 Light frosted glass with matt gold finish base wall lamp

Fixture Height: 860 Standard Packaging Box: 1 Net Weight (Kg): 1.8 **Lamp:** G9 LED 5 W x 2 L W D H 760 160 95



#### DWL-GRY-WL92931

**Description:** 1 Light cage type, antique green marble with antique finish wall lamp

Fixture Height: 310

Standard Packaging Box: 4 Net Weight (Kg): 2.3

**Lamp:** E27 LED 7 W x 1 L W D H 130 170 310



#### DWL-GRY-WL92932

**Description:** 2 Light cage type, antique green marble with antique

finish base wall lamp Fixture Height: 310

Standard Packaging Box: 1 Net Weight (Kg): 4.5 Lamp: E27 LED 7 W x 2 L W D H 340 160 310 310



## DWL-CHR-MB160275211A

**Description:** 1 Light frosted glass with chrome finish base wall lamp

Fixture Height: 200

Standard Packaging Box: 8 Net Weight (Kg): 0.9 **Lamp:** E27 LED 7 W x 1

L W D H 130 180 200



#### DWL-CHR-MB160275212A

**Description:** 2 Light frosted glass with chrome finish base wall lamp

Fixture Height: 195

Standard Packaging Box: 4

Net Weight (Kg): 2 **Lamp:** E27 LED 7 W x 2 L W D H 300 180 195



#### DWL-CHR-MB150330021A

Description: 1 Light champagne opal glass with chrome finish wall lamp

Fixture Height: 355

Standard Packaging Box: 1 Net Weight (Kg): 1.5

**Lamp:** E14 LED 4.5 W x 1 L W D H

210 330 355



#### DWL-CHR-MB150330022A

**Description:** 2 Light champagne opal glass with chrome finish wall lamp

Fixture Height: 355

Standard Packaging Box: 1

Net Weight (Kg): 2.2 **Lamp:** E14 LED 4.5 W x 2

L W D H 480 260

355



#### DWL-CHR-MB160275531B

**Description:** 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 215

Standard Packaging Box: 1 Net Weight (Kg): 0.6

**Lamp:** E14 LED 4.5 W x 1 L W D H

120 130 215



#### DWL-CHR-MB160275532B

Description: 2 Light opal glass with

chrome finish base wall lamp

Fixture Height: 215

Standard Packaging Box: 1

Net Weight (Kg): 1 **Lamp:** E14 LED 4.5 W x 2

L W D H

270 130 215



## DWL-AGR-WL89872

**Description:** 2 Light tap style with antique green finish base wall lamp

Fixture Height: 200 Standard Packaging Box: 4 Net Weight (Kg): 1.6

**Lamp:** E27 LED 7 W x 2 L W D H 310 150 200





#### DWL-CHR-MB14048T1E27

**Description:** 1 Light opal glass with

chrome finish SS wall lamp Fixture Height: 310 **Standard Packaging Box:** 8 Net Weight (Kg): 0.8 **Lamp:** E27 LED 7 W x 1

L W D H 165 130 310



#### DWL-CHR-MB14048T2E27

Description: 2 Light opal glass aluminium finish wall light Fixture Height: 265 Standard Packaging Box: 4 Net Weight (Kg): 1.5 Lamp: E27 LED 7 W x 2

L W D H 275 165 265 265



#### DWL-CHR-MB160275542A

Description: 2 Light opal glass with

chrome finish wall lamp Fixture Height: 230 Standard Packaging Box: 4

Net Weight (Kg): 1.2 **Lamp:** E27 LED 7 W x 2

L W D H 270 150 230



#### DWL-CHR-MB160275541A

230

**Description:** 1 Light frosted glass with chrome finish wall lamp

Fixture Height: 230

Standard Packaging Box: 8 Net Weight (Kg): 0.65 **Lamp:** E27 LED 7 W x 1 L W D H 120 150 230



#### DWL-NKL-WLRB0480SE27

**Description:** 1 Light opal glass with nickel finish base wall lamp Fixture Height: 235 Standard Packaging Box: 8 Net Weight (Kg): 0.58 **Lamp:** E27 LED 7 W x 1 L W D H

235

100 140



#### DWL-NKL-WLSL55004E27

Description: 1 Light opal glass with nickel finish base wall lamp Fixture Height: 295 **Standard Packaging Box:** 8 Net Weight (Kg): 0.65 **Lamp:** E27 LED 7 W x 1 L W D H 125 220 295

295



#### **DWL-NKL-WLBPGG001E27**

**Description:** 1 Light opal globe glass with nickel finish base wall lamp

Fixture Height: 315

Standard Packaging Box: 8 Net Weight (Kg): 0.7

**Lamp:** E27 LED 7 W x 1 L W D H 120 225 315



#### DWL-NKL-WLBPGG002E27

**Description:** 2 Light opal globe glass with nickel finish base wall lamp

Fixture Height: 315

Standard Packaging Box: 4 Net Weight (Kg): 1.45 **Lamp:** E27 LED 7 W x 2

L W D H 275 225 315 315



#### DWL-COP-WL180461B Description: 1 Light mesh with rust finish base wall lamp Fixture Height: 350 Standard Packaging Box: 8 Net Weight (Kg): 1.5 Lamp: E27 LED 7 W x 1

L W D H 120 140 350



#### DWL-CHR-MB140048C1E

**Description:** 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 310

Standard Packaging Box: 8 Net Weight (Kg): 0.8 Lamp: E27 LED 7 W x 1

L W D H 120 150 310



## **DWL-BRG-WLCONESIE14**

**Description:** 1 Light cone opal

glass wall lamp Fixture Height: 280

Standard Packaging Box: 8

Net Weight (Kg): 0.7 Lamp: E14 LED 4.5 W x 1 L W D H 100 140 300



#### **DWL-BRG-WLCYLNDSIE14**

**Description:** 1 Light cylindrical

opal glass wall lamp **Fixture Height:** 300

Standard Packaging Box: 8 Net Weight (Kg): 0.6 Lamp: E14 LED 4.5 W x 1 L W D H 100 140 300



#### DWL-CHR-MB12021191B

**Description:** 1 Light black fabric shade with chrome finish base wall lamp

Fixture Height: 205 Standard Packaging Box: 1 Net Weight (Kg): 1.5 **Lamp:** E14 LED 4.5 W x 1 L W D H 240 280 205



#### DWL-CHR-MB12021192B

**Description:** 1 Light black fabric shade with chrome finish base wall lamp with 3 W reading lamp

405

Fixture Height: 405 Standard Packaging Box: 1 Net Weight (Kg): 1.5 **Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built) L W D H

240 280



#### DWL-CHR-MB12021192A

**Description:** 1 Light ivory fabric shade with chrome finish base wall lamp (bulb included)

Fixture Height: 405

Standard Packaging Box: 1

Net Weight (Kg): 2 **Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built) L W D H

155 280 405



#### DWL-AMB-WL00002SYE14

**Description:** 2 Light honey glass

wall lamp

Fixture Height: 225

Standard Packaging Box: 4

Net Weight (Kg): 1.9 **Lamp:** E14 LED 4.5 W x 2 L W D H 590 200 225





Description: 2 Light SS finish with

double neck wall lamp Fixture Height: 80

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: LED 3 W x 2 (In-built)

L W D H 228 100 110



**DWL-SNS-5048** 

Description: 1 Light SS finish with

single neck wall lamp **Fixture Height:** 125

Standard Packaging Box: 1 Net Weight (Kg): 0.6 Lamp: LED 3 W x 1 (In-built)

L W D H 77 100 125



#### DWL-CHR-WL5007X315

**Description:** 1 Light flute with chrome finish wall lamp **Fixture Height:** 345

Standard Packaging Box: 4

**Net Weight (Kg):** 2.5 **Lamp:** E14 LED 4.5 W x 1

L W D H 110 100 345



#### **DWL-CHR-WLLED5006**

**Description:** 2 Light strip with chrome finish wall lamp **Fixture Height:** 195 **Standard Packaging Box:** 1

Net Weight (Kg): 2.5 Lamp: E14 LED 4.5 W x 2 L W D H 185 95 195



#### **DWL-COG-WL1216W**

**Description:** 1 Light copper glass with cognac finish wall lamp Fixture Height: 550 Standard Packaging Box: 1 Net Weight (Kg): 1.5 **Lamp:** E14 LED 4.5 W x 1 L W D H 130 210 550



#### **DCW-ABR-FBCRYS155**

Description: 1 Light fabric shade with crystal plate base wall lamp Fixture Height: 310 Standard Packaging Box: 1 Net Weight (Kg): 2 **Lamp:** E14 LED 4.5 W x 1 L W D H 230 160 310



## DWL-BRS-WL5009

**Description:** 1 Light with brass finish wall lamp Fixture Height: 350 Standard Packaging Box: 1 Net Weight (Kg): 1.5 **Lamp:** E14 LED 4.5 W x 1 L W D H

350

#### DWL-BRS-WL5009X2L

Description: 2 Light wall lamp with brass finish Fixture Height: 595 Standard Packaging Box: 1 Net Weight (Kg): 0.9 **Lamp:** E14 LED 4.5 W x 2 L W D H 115 115 595 595



120 110

### Wall Lights



#### **DWL-CHR-WLRDFAB150**

**Description:** 1 Light fabric shade with chrome finish base wall lamp Available in: Antique brass Fixture Height: 310 Standard Packaging Box: 1 Net Weight (Kg): 2 **Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built) L W D Н

310

210 160



#### **DWL-ABR-BELLFAB255**

Description: 1 Light bell shape fabric shade with antique brass finish base wall lamp

Available in: Chrome Fixture Height: 315 Standard Packaging Box: 1 Net Weight (Kg): 2 **Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built) L W D H 260 220 315



### DWL-BCH-5048XBC

**Description:** 1 Light spot light with black chrome finish wall lamp Fixture Height: 100 Standard Packaging Box: 1 Net Weight (Kg): 0.6

100

Lamp: LED 3 W x 1 (In-built) L W D H



### DWL-CHR-LBED01R003XW

**Description:** 1 Light with chrome

finsh wall lamp Fixture Height: 220 Standard Packaging Box: 1 Net Weight (Kg): 0.30 Lamp: LED 3 W x 1 (In-built) L W D H 200 80 220 220

80 90

### Wall Lights



#### DWL-CHR-WL5048X6W

**Description:** 1 Light cylindrical shaped brass finish wall light Fixture Height: 120 Standard Packaging Box: 1 Net Weight (Kg): 0.4 Lamp: LED 6 W (In-built) L W D H 42 140 120

120



#### DCW-ACR-WLG5012

**Description:** 1 Light bell shaped

brass finish wall light Fixture Height: 325

Standard Packaging Box: 1 Net Weight (Kg): 0.85 **Lamp:** E14 LED 4 W x 1 L W D H 125 220 325



#### DWL-CHR-WL160020051C

**Description:** 1 Light bell shaped aluminium finish wall light Fixture Height: 210 Standard Packaging Box: 2 Net Weight (Kg): 0.8 Lamp: G9 LED 5 W x 1 L W D H 140 240 210



**Description:** 1 Light clear glass

with brushed brass wall lamp

Fixture Height: 370

Standard Packaging Box: 1

Net Weight (Kg): 0.9 **Lamp:** G9 LED 5 W x 3 L W D H 150 215 370

### Wall Lights



#### **DWL-ABR-WL5010W**

**Description:** 1 Light frosted glass wall lamp with antique brass finish

Fixture Height: 280 Standard Packaging Box: 1

Net Weight (Kg): 0.6 **Lamp:** G9 LED 5 W x 1 L W D H 100 175 280



#### DCW-ABR-WL9601G9

**Description:** 1 Light clear glass

brass finish wall light Fixture Height: 230

Standard Packaging Box: 1 Net Weight (Kg): 0.65

Lamp: G9 LED 5 W x 1 L W D H 120 190 230



### DCW-ACR-WLC9602XK9

**Description:** 1 Light clear glass

brass finish wall light Fixture Height: 260

Standard Packaging Box: 1

Net Weight (Kg): 1.2 **Lamp:** G9 LED 5 W x 1 L W D H

190 255 260



### DCW-ABR-WLC9603XK9

**Description:** 1 Light clear glass

brass finish wall light Fixture Height: 220

Standard Packaging Box: 1 Net Weight (Kg): 1.6 **Lamp:** E14 LED 4 W x 1

L W D H 220





### DWL-GLD-WL00002TAE27

**Description:** 2 Light clear glass with crystal wall lamp

Fixture Height: 360

Standard Packaging Box: 4

Net Weight (Kg): 2.1 **Lamp:** E27 LED 7 W x 2 L W D H 440 160 360



#### DWL-CHR-WL1128W


**Description:** 2 Light black fabric shade with chrome finish base wall lamp

Fixture Height: 785

Standard Packaging Box: 1

Net Weight (Kg): 4.2 **Lamp:** E27 LED 5 W x 2 L W D H 470 360 785 785

Available in Antique Brass also



### DWL-COP-WL1204W1

**Description:** 1 Light aluminium hexagon style with antique copper finish wall lamp

Available in: Antique brass / Copper

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1.2 **Lamp:** E14 LED 4.5 W x 1 L W D H 230 160 160 160



#### DWL-COP-WL1162W

**Description:** 1 Light aluminium pipe with copper finish wall lamp

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 2 **Lamp:** E14 LED 4.5 W x 1

L W D H 145 120 300



### DWL-COP-WL1162W3

**Description:** 5 Light aluminium pipe with copper finish wall lamp

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 4

**Lamp:** E14 LED 4.5 W x 1

L W D H 420 210 600

600





# Bath (Aqua) Lights

Take bath décor beyond the ordinary with Jaquar's Aqualite range. Created especially for the bathroom, these are the perfect choice for withstanding the rigours of the bath environment.



### Bath (Agua) Lights



#### DBL-CHR-MB12021151A

**Description:** 1 Light opal glass with chrome finish base wall lamp Fixture Height: 166 Standard Packaging Box: 12 Net Weight (Kg): 0.9 Lamp: G9 LED 5 W x 1 L W D H

166

120 160



#### DBL-CHR-MB12021161A

**Description:** 1 Light opal glass with chrome finish base wall lamp Fixture Height: 156 Standard Packaging Box: 12

Net Weight (Kg): 0.6 **Lamp:** G9 LED 5 W x 1 L W D H 110 145 156



#### DBL-CHR-MB48012A

**Description:** 2 Light opal glass with nickel finish wall lamp

Fixture Height: 95

**Standard Packaging Box:** 12

Net Weight (Kg): 0.9 Lamp: G9 LED 4W x 2 L W D H 400 74 95



#### DBL-CHR-MB12021321A

**Description:** 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 270

**Standard Packaging Box: 12** Net Weight (Kg): 1.5 **Lamp:** E14 LED 4.5 W x 1

L W D H 107 80 270 270

### Bath (Agua) Lights



#### DBL-CHR-MB48011A

**Description:** 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 212

Standard Packaging Box: 12

Net Weight (Kg): 0.8 **Lamp:** G9 LED 5 W x 1 L W D H 74 95 212 212



Description: 1 Light matt opal glass with nickel finish base wall lamp

Fixture Height: 290

Standard Packaging Box: 12 Net Weight (Kg): 1.5 **Lamp:** E14 LED 4.5 W x 1

L W D H 74 100 290 290





#### DBL-CHR-MB12021121A

**Description:** 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 290

Standard Packaging Box: 12

Net Weight (Kg): 0.6 Lamp: G9 LED 5 W x 1 L W D H 70 137 290 290

### Bath (Agua) Lights





#### DBL-CHR-MB48022A

**Description:** 2 Light opal glass with nickel finish base wall lamp

Fixture Height: 74

Standard Packaging Box: 12

Net Weight (Kg): 1 **Lamp:** E14 LED 4.5 W x 2 L W D H 500 100 74

#### DBL-CHR-MB12021172A

**Description:** 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 80

Standard Packaging Box: 12 Net Weight (Kg): 1.3 **Lamp:** E14 LED 4.5 W x 2 L W D 485 85 Н 80





### DBL-CHR-MB48012D

**Description:** 2 Light clear glass with chrome finish base wall lamp and inside frosted glass

Fixture Height: 130

Standard Packaging Box: 12

**Lamp:** G9 LED 5 W x 2 L W D H 400 100 130

Net Weight (Kg): 1.3

All dimensions are in mm

#### **DBL-CHR-MB12021262A**

**Description:** 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 60

**Standard Packaging Box:** 12 Net Weight (Kg): 0.6 **Lamp:** G9 LED 5 W x 2

L W D H 330 55 60













# Commercial Lights

Jaquar Lighting pushes the boundaries of commercial lighting to provide you with some of the most advanced, high-performance, energy-saving lighting systems for the workplace. Choose from a wide variety of products to suit every application and meet the lighting needs of all kinds of commercial spaces, from workstations to conference rooms, reception areas to cabins, and small and large showrooms, workshops and factories.

### **APPLICATIONS**













CORRIDOR







**ROHS COMPLIANT** 



# Content

### COMMERCIAL INDOOR LIGHTS

DOWNLIGHTS		Emina Tiltable	209	BATTENS / TUBES	
Lucent	197	Rene	209	Glaze	222
Areva Prime	197	IP20 Strip Light (24 V DC)	210	Glaze Ultra (PC)	222
Nero Surface (Round)	198	IP65 Strip Light (24 V DC)	210	T8 Retro Tube	222
Nero Surface (Square)	198	Power Supply for Indoor		T8 Retro Accessories	223
Ensave Plus	199	Strip Light (IP20)	211	Glaze Ultra Aluminium	223
Microwave Sensor	199	Power Supply for Outdoor		INDUSTRIAL LIGHTS	
COB-DOWNLIGHTS		Strip Light (IP65 rated)	211	Kubik Ultra HD	226
	200	MAGNETIC LIGHTS		Pride (Weather-proof IP65 rated)	220
Eris (Low border deep-recessed) Estus Swivel (Round)	200	Orelli Slim	214	Bulk Head	22
Eris Swivel (Round)	201	Instaray Slim Linear- with Lens	214	Well Glass	227
Eris Reflecto	202	Instaray Slim Linear	215	Highbay	228
Eris Fixed	202	Instaray Round Slim	215	Ultralite Highbay	228
Eris Fixeu	203	Orelli Slim Hanging	215	Oltralite Highbay	220
RETAIL LIGHTS		Instaray Slim Linear Diffused	216	COMMERCIAL OUTDOOR LIGHTS	
Zoom Light	206	Instaray Slim Tiltable & diffused	216	PCR	232
Multiple Zoom Light	206	Magnetic Track Light Accessories	217	Trump	232
Track Light	207			Street Light (45 W)	232
Accessories for Track Light		PANELS		Street Light (25 & 30 W)	233
3 Line Track	207	Ultima Slim (1'x1')	220	Street Light (45, 60, 70 & 72 W)	233
3 Line Track Connector	207	Ultima Slim (2'x2')	220	Street Light (90, 120, 150 & 200 W)	233
Epito	208	Accessories for Ultima Slim	220	Faro (Low wattage floodlight)	234
Cyno	208	Ultima Ultra Slim (1'x4')	220	Ledstar	234
Empha	208	Ultima Ultra Pro (2'x2')	221		
Emina	209	Ultima Multi-colour (2'x2')	221		





## Commercial Indoor Lights

Jaquar's lighting solutions for indoor commercial spaces include a wide range of high quality Downlights, COB Downlights, Battens and Panel lights. The choice makes it easy to find the perfect solution for every décor and lighting need.

#### Downlights

Choose from as many as 10 different design ranges with sleek profiles, and multiple shapes and specifications.

#### COB Downlights

Jaquar's recess-mounted COB downlights are available in 3 extensive design ranges with multiple choices of illumination power.

### • Designer Lights

Jaquar's stunning offering in its Designer Lighting series brings state-of-the-art lighting solutions for commercial indoor spaces.

#### Retail Lights

Jaquar offers a complete range of recess-mounted and surface-mounted spotlights, strip lights, and accessories for innovative and attractive commercial indoor spaces.

#### Panels

Available in recess-mounted, surface-mounted or pendant applications, Jaquar's LED panels are first among the equals.

#### Battens and Tubes

Jaquar offers Battens in 2 designs, a variety of outputs, and 3 different colour temperatures. Also available are a wide range of Tubes.

#### Industrial Lights

Jaquar offers high-powered, long-lasting tube lights, bulk heads, and COB highbay lights for heavy-duty lighting requirements of industrial plants, factories and shop floors.



### Downlights

Recess-mounted, sleek, round downlight with die cast aluminium housing and polycarbonate diffuser for dazzle-free soft light.



### Lucent

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LLCN01R003XC	3	6500	20
IDL-WHT-LLCN01R003XN	3	4000	20
IDL-WHT-LLCN01R003XW	3	3000	20
IDL-WHT-LLCN01R006XC	6	6500	20
IDL-WHT-LLCN01R006XN	6	4000	20
IDL-WHT-LLCN01R006XW	6	3000	20
IDL-WHT-LLCN01R009XC	9	6500	20
IDL-WHT-LLCN01R009XN	9	4000	20
IDL-WHT-LLCN01R009XW	9	3000	20
IDL-WHT-LLCN01R012XC	12	6500	10
IDL-WHT-LLCN01R012XN	12	4000	10
IDL-WHT-LLCN01R012XW	12	3000	10
IDL-WHT-LLCN01R015XC	15	6500	10
IDL-WHT-LLCN01R015XN	15	4000	10
IDL-WHT-LLCN01R015XW	15	3000	10
IDL-WHT-LLCN01R018XC	18	6500	10
IDL-WHT-LLCN01R018XN	18	4000	10
IDL-WHT-LLCN01R018XW	18	3000	10
IDL-WHT-LLCN01R022XC	22	6500	10
IDL-WHT-LLCN01R022XN	22	4000	10
IDL-WHT-LLCN01R022XW	22	3000	10

3 W Cutout: Ø70 mm (DxH): Ø82x17 mm

6 W Cutout: Ø105 mm (DxH): Ø116x17 mm

9 W Cutout: Ø105 mm (DxH): Ø116x17 mm

**12 W** Cutout: Ø132 mm (DxH): Ø144x17 mm

**15 W** Cutout: Ø155 mm (DxH): Ø166x17 mm

**18 W** Cutout: Ø155 mm (DxH): Ø166x17 mm

**22 W** Cutout: Ø175 mm (DxH): Ø184x17 mm

Recess-mounted, maintenance-free, round downlight with die cast aluminium housing and sleek backlit design suitable for low height ceiling.



### Areva Prime

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LARP01R006XC	6	6500	20
IDL-WHT-LARP01R006XN	6	4000	20
IDL-WHT-LARP01R006XW	6	3000	20
IDL-WHT-LARP01R009XC	9	6500	20
IDL-WHT-LARP01R009XN	9	4000	20
IDL-WHT-LARP01R009XW	9	3000	20
IDL-WHT-LARP01R012XC	12	6500	10
IDL-WHT-LARP01R012XN	12	4000	10
IDL-WHT-LARP01R012XW	12	3000	10
IDL-WHT-LARP01R015XC	15	6500	10
IDL-WHT-LARP01R015XN	15	4000	10
IDL-WHT-LARP01R015XW	15	3000	10
IDL-WHT-LARP01R018XC	18	6500	10
IDL-WHT-LARP01R018XN	18	4000	10
IDL-WHT-LARP01R018XW	18	3000	10
IDL-WHT-LARP01R024XC	24	6500	10
IDL-WHT-LARP01R024XN	24	4000	10
IDL-WHT-LARP01R024XW	24	3000	10

6 W Cutout: Ø80 mm (DxH): Ø90x28 mm

**15 W** Cutout: Ø105 mm (DxH): Ø120x28 mm

9 W Cutout: Ø80 mm (DxH): Ø90x28 mm

**18 W** Cutout: Ø152 mm (DxH): Ø171x28 mm

**12 W** Cutout: Ø105 mm (DxH): Ø120x28 mm


24 W Cutout: Ø207 mm (DxH): Ø225x28 mm

\*Also available in black housing

### Downlights

Surface-mounted round panel with die cast aluminium housing.






## Nero Surface (Round)

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LNRO02R006SC	6	6500	20
IDL-WHT-LNRO02R006SN	6	4000	20
IDL-WHT-LNRO02R006SW	6	3000	20
IDL-WHT-LNRO02R012SC	12	6500	12
IDL-WHT-LNRO02R012SN	12	4000	12
IDL-WHT-LNRO02R012SW	12	3000	12
IDL-WHT-LNRO02R018SC	18	6500	12
IDL-WHT-LNRO02R018SN	18	4000	12
IDL-WHT-LNRO02R018SW	18	3000	12
	<b>12 W</b> Dia: Ø175 mm Height: 35 mm	<b>18 W</b> D Height:	ia: Ø225 mm 35 mm

Surface-mounted square panel with die cast aluminium housing.





## Nero Surface (Square)

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LNRO02S006SC	6	6500	20
IDL-WHT-LNRO02S006SN	6	4000	20
IDL-WHT-LNRO02S006SW	6	3000	20
IDL-WHT-LNRO02S012SC	12	6500	12
IDL-WHT-LNRO02S012SN	12	4000	12
IDL-WHT-LNRO02S012SW	12	3000	12
IDL-WHT-LNRO02S018SC	18	6500	12
IDL-WHT-LNRO02S018SN	18	4000	12
IDL-WHT-LNRO02S018SW	18	3000	12

6 W Length: 125 mm Width: 125 mm Height: 35 mm

12 W Length: 175 mm Width: 175 mm Height: 35 mm

18 W Length: 225 mm Width: 225 mm Height: 35 mm

## Downlights

Recess-mounted round downlight with die cast aluminium housing.



## **Ensave Plus**

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LESP01R009XC	9	6500	20
IDL-WHT-LESP01R009XN	9	4000	20
IDL-WHT-LESP01R009XW	9	3000	20
IDL-WHT-LESP01R015XC	15	6500	10
IDL-WHT-LESP01R015XN	15	4000	10
IDL-WHT-LESP01R015XW	15	3000	10
IDL-WHT-LESP01R025XC	25	6500	10
IDL-WHT-LESP01R025XN	25	4000	10
IDL-WHT-LESP01R025XW	25	3000	10
9 W Cutout: Ø100 mm 1	5 W Cutout: Ø1	60 mm <b>25 W</b> (	Cutout: Ø160 mm

Height: 60 mm

Height: 85 mm

Height: 85 mm

Recess/ Surface mounted round microwave sensor with die cast aluminium housing.



## Microwave Sensor

Item Code	Cutout (MM)	Dimension (MM)	Case No.
AHL-WHT-MOTSENMW2IN1	Ø85	Ø85	5

Deep recess-mounted, COB-based, round, fixed downlight with die cast aluminium housing and 24° beam angle.



## Eris (Low border deep recess)

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS02R005XC	5	6500	20
ICO-WHT-LERS02R005XN	5	4000	20
ICO-WHT-LERS02R005XW	5	3000	20
ICO-WHT-LERS02R010XC	10	6500	20
ICO-WHT-LERS02R010XN	10	4000	20
ICO-WHT-LERS02R010XW	10	3000	20
ICO-WHT-LERS02R015XC	15	6500	10
ICO-WHT-LERS02R015XN	15	4000	10
ICO-WHT-LERS02R015XW	15	3000	10
ICO-WHT-LERS02R020XC	20	6500	10
ICO-WHT-LERS02R020XN	20	4000	10
ICO-WHT-LERS02R020XW	20	3000	10

5 W Cutout: Ø47 mm Height: 100 mm

10 W Cutout: Ø69 mm Height: 110 mm

15 W Cutout: Ø80 mm Height: 120 mm

**20 W** Cutout: Ø115 mm Height: 130 mm

<sup>\*</sup>THD <10%, \*CRI >90

<sup>\*</sup>Also available in black housing in 10 & 15  $\ensuremath{\mathrm{W}}$ 

Recess-mounted, COB-based, round, tiltable downlight with die cast aluminium housing and 36° beam angle.



## Estus Swivel (Round)

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LETS36R003XC	3	6500	20
ICO-WHT-LETS36R003XN	3	4000	20
ICO-WHT-LETS36R003XW	3	3000	20
ICO-WHT-LETS36R006XC	6	6500	20
ICO-WHT-LETS36R006XN	6	4000	20
ICO-WHT-LETS36R006XW	6	3000	20
ICO-WHT-LETS36R009XC	9	6500	20
ICO-WHT-LETS36R009XN	9	4000	20
ICO-WHT-LETS36R009XW	9	3000	20
ICO-WHT-LETS36R012XC	12	6500	20
ICO-WHT-LETS36R012XN	12	4000	20
ICO-WHT-LETS36R012XW	12	3000	20
ICO-WHT-LETS36R015XC	15	6500	20
ICO-WHT-LETS36R015XN	15	4000	20
ICO-WHT-LETS36R015XW	15	3000	20
ICO-WHT-LETS36R018XC	18	6500	10
ICO-WHT-LETS36R018XN	18	4000	10
ICO-WHT-LETS36R018XW	18	3000	10
ICO-WHT-LETS36R024XC	24	6500	10
ICO-WHT-LETS36R024XN	24	4000	10
ICO-WHT-LETS36R024XW	24	3000	10
ICO-WHT-LETS36R030XC	30	6500	10
ICO-WHT-LETS36R030XN	30	4000	10
ICO-WHT-LETS36R030XW	30	3000	10

3 W Cutout: Ø58 mm Height: 50 mm

12 W Cutout: Ø95 mm Height: 85 mm

24 W Cutout: Ø118 mm Height: 85 mm

\*THD <10% for wattage  $\geq$ 6 W. \*Also available in black housing

6 W Cutout: Ø74 mm Height: 65 mm

15 W Cutout: Ø95 mm Height: 85 mm

**30 W** Cutout: Ø118 mm

Height: 100 mm

9 W Cutout: Ø74 mm Height: 65 mm

**18 W** Cutout: Ø118 mm Height: 85 mm

Deep recess-mounted, COB-based swivel downlight with 38° beam angle.



## Eris Swivel (Round)

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS03R007XC	7	6500	20
ICO-WHT-LERS03R007XN	7	4000	20
ICO-WHT-LERS03R007XW	7	3000	20
ICO-WHT-LERS03R012XC	12	6500	10
ICO-WHT-LERS03R012XN	12	4000	10
ICO-WHT-LERS03R012XW	12	3000	10
ICO-WHT-LERS03R020XC	20	6500	20
ICO-WHT-LERS03R020XN	20	4000	20
ICO-WHT-LERS03R020XW	20	3000	20
ICO-WHT-LERS03R030XC	30	6500	10
ICO-WHT-LERS03R030XN	30	4000	10
ICO-WHT-LERS03R030XW	30	3000	10

7 W Cutout: Ø78 mm Height: 73 mm

12 W Cutout: Ø92 mm Height: 90 mm

20 W Cutout: Ø117 mm Height: 90 mm

**30 W** Cutout: Ø148 mm Height: 98 mm

\*THD <10%, CRI >90

Recess-mounted, COB-based downlight with die cast aluminium housing and anodized reflector.



### Eris Reflecto

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS04R007XC	7	6500	50
ICO-WHT-LERS04R007XN	7	4000	50
ICO-WHT-LERS04R007XW	7	3000	50
ICO-WHT-LERS04R012XC	12	6500	10
ICO-WHT-LERS04R012XN	12	4000	10
ICO-WHT-LERS04R012XW	12	3000	10
ICO-WHT-LERS04R020XC	20	6500	20
ICO-WHT-LERS04R020XN	20	4000	20
ICO-WHT-LERS04R020XW	20	3000	20
ICO-WHT-LERS04R030XC	30	6500	20
ICO-WHT-LERS04R030XN	30	4000	20
ICO-WHT-LERS04R030XW	30	3000	20

**12 W** Cutout: Ø97 mm

7 W Cutout: Ø75 mm Height: 43 mm Beam angle: 38°

Height: 53 mm Beam angle: 43°

20 W Cutout: Ø115 mm Height: 65 mm Beam angle: 52°

**30 W** Cutout: Ø140 mm Height: 75 mm Beam angle: 52°

<sup>\*</sup>Also available in black housing

Recess-mounted, COB-based downlight with die cast aluminium housing and clear glass.



### Eris Fixed

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS05R007XC	7	6500	50
ICO-WHT-LERS05R007XN	7	4000	50
ICO-WHT-LERS05R007XW	7	3000	50
ICO-WHT-LERS05R012XC	12	6500	40
ICO-WHT-LERS05R012XN	12	4000	40
ICO-WHT-LERS05R012XW	12	3000	40
ICO-WHT-LERS05R020XC	20	6500	10
ICO-WHT-LERS05R020XN	20	4000	10
ICO-WHT-LERS05R020XW	20	3000	10
ICO-WHT-LERS05R035XC	35	6500	10
ICO-WHT-LERS05R035XN	35	4000	10
ICO-WHT-LERS05R035XW	35	3000	10

7 W Cutout: Ø80 mm Height: 60 mm Beam angle: 33°

**35 W** Cutout: Ø185 mm Height: 95 mm Beam angle: 50°

12 W Cutout: Ø100 mm Height: 65 mm Beam angle: 45°

**20 W** Cutout: Ø130 mm Height: 75 mm Beam angle: 45°



For the specialised needs of the retail industry, Jaquar offers a complete range of recess-mounted and surface-mounted spot lights, strip lights and accessories, which make innovative and highly attractive product lighting possible.

Recess-mounted zoom light with powder coated die cast aluminium housing and anodized aluminium reflector. 38° beam angle.






## Zoom Light


Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LZOM01R015XC	15	6500	1
IRL-WHT-LZOM01R015XN	15	4000	1
IRL-WHT-LZOM01R015XW	15	3000	1
IRL-WHT-LZOM01R025XC	25	6500	1
IRL-WHT-LZOM01R025XN	25	4000	1
IRL-WHT-LZOM01R025XW	25	3000	1

15 W Cutout: Ø85 mm Height: 72 mm

\*THD <10%


25 W Cutout: Ø140 mm Height: 121 mm





Recess-mounted, COB based multiple zoom light with die cast aluminium housing, anodized reflector and tempered transparent glass diffuser. 40° beam angle.






## Multiple Zoom Light

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LZOMMLR215XC	2x15	6500	20
IRL-WHT-LZOMMLR215XN	2x15	4000	20
IRL-WHT-LZOMMLR215XW	2x15	3000	20

2 x 15 W Length: 192 mm Width: 92 mm Height: 86 mm

Track-mounted round focus light with moveable base. Fully adjustable with aluminium housing (including driver casing). 40° beam angle.



## Track Light

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LTRLW1R010XC	10	5000	1
IRL-WHT-LTRLW1R010XN	10	4000	1
IRL-WHT-LTRLW1R010XW	10	3000	1
IRL-WHT-LTRLW1R020XC	20	5000	1
IRL-WHT-LTRLW1R020XN	20	4000	1
IRL-WHT-LTRLW1R020XW	20	3000	1
IRL-WHT-LTRLW1R030XC	30	5000	1
IRL-WHT-LTRLW1R030XN	30	4000	1
IRL-WHT-LTRLW1R030XW	30	3000	1
IRL-BLK-LTRLB1R010XC	10	5000	1
IRL-BLK-LTRLB1R010XN	10	4000	1
IRL-BLK-LTRLB1R010XW	10	3000	1
IRL-BLK-LTRLB1R020XC	20	5000	1
IRL-BLK-LTRLB1R020XN	20	4000	1
IRL-BLK-LTRLB1R020XW	20	3000	1
IRL-BLK-LTRLB1R030XC	30	5000	1
IRL-BLK-LTRLB1R030XN	30	4000	1
IRL-BLK-LTRLB1R030XW	30	3000	1

**10 W** Dia: Ø78 mm Length: 205 mm Width: 192 mm Height: 106 mm

20 W Dia: Ø110 mm Length: 268 mm Width: 240 mm Height: 131 mm

**30 W** Dia: Ø110 mm Length: 268 mm Width: 240 mm Height: 131 mm

## **Accessories for Track Light**

## 3 Line Track

Item Code	Length	Colour
ACI-WHT-LTRK3L1MTRBL	1 Meter	Black
ACI-WHT-LTRK3L1MTRWH	1 Meter	White
ACI-WHT-LTRK3L2MTRBL	2 Meter	Black
ACI-WHT-LTRK3L2MTRWH	2 Meter	White

## 3 Line Track Connector

Item Code	Shape	Colour
ACI-BLK-LTRCBL3LISHP	I	Black
ACI-WHT-LTRCWH3LISHP	1	White
ACI-BLK-LTRCBL3LLSHP	L	Black
ACI-WHT-LTRCWH3LLSHP	L	White
ACI-BLK-LTRCBL3LXSHP	Χ	Black
ACI-WHT-LTRCWH3LXSHP	Χ	White
ACI-BLK-LTRCBL3LTSHP	Т	Black
ACI-WHT-LTRCWH3LTSHP	Т	White

Recessed, directional COB downlight with die cast aluminium housing.




## Epito

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEPO01R012XC	12	6500	10
IRL-WHT-LEPO01R012XN	12	4000	10
IRL-WHT-LEPO01R012XW	12	3000	10
IRL-WHT-LEPO01R020XC	20	6500	10
IRL-WHT-LEPO01R020XN	20	4000	10
IRL-WHT-LEPO01R020XW	20	3000	10

12 W Cutout: Ø75 mm Dia: Ø85 mm Height: 70 mm

**20 W** Cutout: Ø95 mm Dia: Ø108 mm Height: 85 mm

Deep recessed, surface mounted focus light with die cast aluminium housing.




## Cyno

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LCYN01R010SC	10	6500	20
IRL-BLK-LCYN01R010SN	10	4000	20
IRL-BLK-LCYN01R010SW	10	3000	20

**10 W** Dia: Ø50 mm Height: 165 mm

Deep recessed, extended COB focus light with die cast aluminium housing.



## Empha

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEMP01R007XC	7	6500	20
IRL-WHT-LEMP01R007XN	7	4000	20
IRL-WHT-LEMP01R007XW	7	3000	20
IRL-WHT-LEMP01R015XC	15	6500	10
IRL-WHT-LEMP01R015XN	15	4000	10
IRL-WHT-LEMP01R015XW	15	3000	10

7 W Cutout: Ø62 mm Dia: Ø72 mm Height: 98 mm

**15 W** Cutout: Ø90 mm Dia: Ø103 mm Height: 99 mm

Deep recessed downlight with die cast aluminium housing.



### Emina

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEMA01R008XC	8	6500	20
IRL-WHT-LEMA01R008XN	8	4000	20
IRL-WHT-LEMA01R008XW	8	3000	20
IRL-WHT-LEMA01R015XC	15	6500	20
IRL-WHT-LEMA01R015XN	15	4000	20
IRL-WHT-LEMA01R015XW	15	3000	20
8 W Cutout: Ø55 mm Dia: Ø65 mm Height: 65 mm	15 W Cutout: Ø7 Dia: Ø85 mm Height: 80 mm	75 mm	
*CRI >90, THD <10%   *Also avai	lable in black housing		

Deep recessed downlight with die cast aluminium housing.



## Emina Tiltable

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEMAT1R008XC	8	6500	20
IRL-WHT-LEMAT1R008XN	8	4000	20
IRL-WHT-LEMAT1R008XW	8	3000	20
IRL-WHT-LEMAT1R015XC	15	6500	20
IRL-WHT-LEMAT1R015XN	15	4000	20
IRL-WHT-LEMAT1R015XW	15	3000	20
8 W Cutout: Ø55 mm Dia: Ø65 mm Height: 65 mm	15 W Cutout: Ø7 Dia: Ø85 mm Height: 80 mm	75 mm	

\*CRI >90, THD <10%

Recess-mounted, COB based tiltable linear spot light with die cast aluminium housing and 30° beam angle.



### Rene

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LRNE01S002XC	2	6500	60
IRL-WHT-LRNE01S002XN	2	4000	60
IRL-WHT-LRNE01S002XW	2	3000	60
IRL-WHT-LRNE01S006XC	6	6500	48
IRL-WHT-LRNE01S006XN	6	4000	48
IRL-WHT-LRNE01S006XW	6	3000	48
IRL-WHT-LRNE01S010XC	10	6500	40
IRL-WHT-LRNE01S010XN	10	4000	40
IRL-WHT-LRNE01S010XW	10	3000	40
IRL-WHT-LRNE01S020XC	20	6500	25
IRL-WHT-LRNE01S020XN	20	4000	25
IRL-WHT-LRNE01S020XW	20	3000	25
IRL-WHT-LRNE01S030XC	30	6500	20
IRL-WHT-LRNE01S030XN	30	4000	20
IRL-WHT-LRNE01S030XW	30	3000	20

Length: 55 mm Width: 55 mm Height: 47mm

Length: 116 mm Width: 55 mm Height: 47 mm

**2 W** Cutout: Ø50 x 47 mm **6 W** Cutout: Ø111 x 47 mm **10 W** Cutout: Ø153 x 47 mm Length: 158 mm Width: 55 mm Height: 47 mm

**20 W** Cutout: Ø286 x 47 mm **30 W** Cutout: Ø419 x 47 mm Length: 290 mm Length: 423 mm Width: 55 mm Width: 55 mm Height: 47 mm Height: 47 mm

\*Also available in black housing

This strip light is suitable for indoor applications with different colours and wattages. Standard 5.0 meter roll.




## IP20 Strip Light (24 V DC)

Item Code	Wattage (W)	CCT (K)	Case No.
STI-WHT-LSTP03X005XC	25	6000	5
STI-WHT-LSTP03X005XN	25	4000	5
STI-WHT-LSTP03X005XW	25	3000	5
STI-WHT-LSTP03X008XC	40	6000	5
STI-WHT-LSTP03X008XW	40	3000	5
STI-WHT-LSTP03X015XC	75	6000	5
STI-WHT-LSTP03X015XW	75	3000	5
25 W Width: 8 mm Height: 2.5 mm	40 W Width: 8 mm Height: 2.5 mm		Width: 8 mm t: 2.5 mm


This strip light is suitable for outdoor applications with different colours and wattages. Standard 5.0 meter roll.






## IP65 Strip Light (24 V DC)

Item Code	Wattage (W)	CCT (K)	Case No.
STI-WHT-LSTP04X005XC	25	6000	5
STI-WHT-LSTP04X005XW	25	3000	5
STI-WHT-LSTP04X008XC	40	6000	5
STI-WHT-LSTP04X008XW	40	3000	5
STI-WHT-LSTP04X015XC	75	6000	5
STI-WHT-LSTP04X015XW	75	3000	5
25 W Width: 10 mm Height: 4.5 mm	40 W Width: 10 mm Height: 4.5 mm		Width: 10 mm : 4.5 mm





## Power Supply for Indoor Strip Light (IP20)

Item Code	Wattage (W)
ZCI-WHT-LDRV01S030XX	30
ZCI-WHT-LDRV01S048XX	48
ZCI-WHT-LDRV01S060XX	60
ZCI-WHT-LDRV01S072XX	72
ZCI-WHT-LDRV01S096XX	96



## Power Supply for Outdoor Strip Light (IP65)

Item Code	Wattage (W)
ZCI-WHT-LDRV02S030XX	30
ZCI-WHT-LDRV02S048XX	48
ZCI-WHT-LDRV02S060XX	60
ZCI-WHT-LDRV02S072XX	72
ZCI-WHT-LDRV02S096XX	96



# Magnetic Lights

Adorn your space with modern, stylish, and innovative Magnetic Lights by Jaquar. Create vertical and horizontal styles to suit many creative lighting designs. These lights are perfect for accentuating a particular spot, object, painting or more - just stick them on and let your spaces shine!

### Magnetic Lights

Slim magnetic track light with die cast aluminium housing, 48 V DC operated.



### Orelli Slim

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LORLS24R07XC	7	6500	24
IRL-BLK-LORLS24R07XN	7	4000	24
IRL-BLK-LORLS24R07XW	7	3000	24
IRL-BLK-LORLS24R12XC	12	6500	24
IRL-BLK-LORLS24R12XN	12	4000	24
IRL-BLK-LORLS24R12XW	12	3000	24
IRL-BLK-LORLS24R18XC	18	6500	24
IRL-BLK-LORLS24R18XN	18	4000	24
IRL-BLK-LORLS24R18XW	18	3000	24
IRL-BLK-LORLS24R24XC	24	6500	24
IRL-BLK-LORLS24R24XN	24	4000	24
IRL-BLK-LORLS24R24XW	24	3000	24

7 W Length: 118 mm Width: 80 mm Height: 125 mm

24 W Length: 118 mm Width: 160 mm Height: 185 mm

**12 W** Length: 118 mm Width: 100 mm Height: 135 mm

18 W Length: 118 mm Width: 125 mm Height: 150 mm

Slim magnetic linear track light with die cast aluminium housing, 48 V DC operated.



## Instaray Slim Linear- with Lens

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL1F06XC	6	6500	36
IRL-BLK-LINRSL1F06XN	6	4000	36
IRL-BLK-LINRSL1F06XW	6	3000	36
IRL-BLK-LINRSL1F12XC	12	6500	36
IRL-BLK-LINRSL1F12XN	12	4000	36
IRL-BLK-LINRSL1F12XW	12	3000	36
IRL-BLK-LINRSL1F18XC	18	6500	36
IRL-BLK-LINRSL1F18XW	18	4000	36
IRL-BLK-LINRSL1F18XW	18	3000	36
IRL-BLK-LINRSL1F24XC	24	6500	36
IRL-BLK-LINRSL1F24XN	24	4000	36
IRL-BLK-LINRSL1F24XW	24	3000	36
IRL-BLK-LINRSL1F30XC	30	6500	36
IRL-BLK-LINRSL1F30XN	30	4000	36
IRL-BLK-LINRSL1F30XW	30	3000	36

6 W Length: 112 mm Width: 22 mm Height: 45 mm

24 W Length: 436 mm Width: 22 mm Height: 45 mm

12 W Length: 220 mm Width: 22 mm Height: 45 mm

**30 W** Length: 544 mm Width: 22 mm Height: 45 mm

18 W Length: 328 mm Width: 22 mm Height: 45 mm

### Magnetic Lights

Slim magnetic linear tiltable track light with die cast aluminium housing, 48 V DC operated.



### Instaray Slim Linear

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL2T12XC	12	6500	36
IRL-BLK-LINRSL2T12XN	12	4000	36
IRL-BLK-LINRSL2T12XW	12	3000	36
IRL-BLK-LINRSL2T24XC	24	6500	36
IRL-BLK-LINRSL2T24XN	24	4000	36
IRL-BLK-LINRSL2T24XW	24	3000	36

**12 W** Length: 135 mm Width: 35 mm Height: 150 mm

**24 W** Length: 270 mm Width: 35 mm Height: 150 mm

Slim magnetic round track light with die cast aluminium housing, 48 V DC operated.



### Instaray Round Slim

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL2R09XC	9	6500	24
IRL-BLK-LINRSL2R09XN	9	4000	24
IRL-BLK-LINRSL2R09XW	9	3000	24
IRL-BLK-LINRSD2R12XC	12	6500	120
IRL-BLK-LINRSD2R12XN	12	4000	120
IRL-BLK-LINRSD2R12XW	12	3000	120

9 W Length: 118 mm Width: 30 mm Height: 135 mm 12 W Length: 135 mm Width: 35 mm Height: 150 mm

Slim magnetic linear hanging light with die cast aluminium housing, 48 V DC operated.

### Orelli Slim Hanging

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LORLS24R12HN	12	6500/4000/3000	10

**12 W** Length: 36 mm Width: 27.5 mm Height: 38 mm

### Magnetic Lights

Slim magnetic linear diffused light with die cast aluminium housing, 48 V DC operated.



### Instaray Slim Linear Diffused

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSD1F10XC	10	6500	20
IRL-BLK-LINRSD1F10XN	10	4000	20
IRL-BLK-LINRSD1F10XW	10	3000	20
IRL-BLK-LINRSD1F20XC	20	6500	20
IRL-BLK-LINRSD1F20XN	20	4000	20
IRL-BLK-LINRSD1F20XW	20	3000	20
IRL-BLK-LINRSD1F30XC	30	6500	10
IRL-BLK-LINRSD1F30XN	30	4000	10
IRL-BLK-LINRSD1F30XW	30	3000	10
IRL-BLK-LINRSD1F40XC	40	6500	10
IRL-BLK-LINRSD1F40XN	40	4000	10
IRL-BLK-LINRSD1F40XW	40	3000	10

**10 W** Length: 300 mm Width: 22 mm Height: 45 mm

20 W Length: 600 mm Width: 22 mm Height: 45 mm

30 W Length: 900 mm Width: 22 mm Height: 45 mm

40 W Length: 1200 mm Width: 22 mm Height: 45 mm

Slim magnetic linear tiltable & diffused light with die cast aluminium housing, 48 V DC operated.



### Instaray Slim Tiltable & diffused

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL1T06XC	6	6500	20
IRL-BLK-LINRSL1T06XN	6	4000	20
IRL-BLK-LINRSL1T06XW	6	3000	20
IRL-BLK-LINRSL1T12XC	12	6500	10
IRL-BLK-LINRSL1T12XN	12	4000	10
IRL-BLK-LINRSL1T12XW	12	3000	10
IRL-BLK-LINRSD1T06XC	6	6500	20
IRL-BLK-LINRSD1T06XN	6	4000	20
IRL-BLK-LINRSD1T06XW	6	3000	20
IRL-BLK-LINRSD1T12XC	12	6500	10
IRL-BLK-LINRSD1T12XN	12	4000	10
IRL-BLK-LINRSD1T12XW	12	3000	10

6 W Length: 118 mm Width: 35 mm Height: 110 mm

12 W Length: 220 mm Width: 35 mm Height: 110 mm



















ACI-BLK-LTRCMFJOINTR

### Magnetic Track Light Accessories

Item Code         Description           ACI-BLK-LTRIKSM1MTRXX         Magnetic track slim 1 meter recess mounted           Item Code         Description           ACI-BLK-LTRIKSM2MTRXX         Magnetic track slim 2 meter recess mounted           Item Code         Description           ACI-BLK-LTRIKSM1MTRXS         Magnetic track slim 1 meter surface/ hanging mounted           Item Code         Description           ACI-BLK-LTRICMLSHPVXS         Magnetic track connector L shape vertical surface mounted           Item Code         Description           ACI-BLK-LTRCMLSHPVXS         Magnetic track connector L shape horizontal surface mounted           Item Code         Description           ACI-BLK-LTRCMLSHPVXX         Magnetic track connector L shape horizontal surface mounted           Item Code         Description           ACI-BLK-LTRCMLSHPVXX         Magnetic track connector L shape vertical recess mounted           Rem Code         Description           ACI-BLK-LTRCMLSHPVXX         Magnetic track connector L shape horizontal recess mounted	Magnetic Track	Light Accessories
Item Code     Description       ACI-BLK-LTRKSM2MTRXX     Magnetic track slim 2 meter recess mounted       Item Code     Description       ACI-BLK-LTRKSM1MTRXS     Magnetic track slim 1 meter surface/ hanging mounted       Item Code     Description       ACI-BLK-LTRKSM2MTRXS     Magnetic track slim 2 meter surface/ hanging mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXS     Magnetic track connector L shape vertical surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXS     Magnetic track connector L shape horizontal surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXX     Magnetic track connector L shape vertical recess mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXX     Magnetic track connector L shape horizontal recess mounted	Item Code	Description
Item Code Description  ACI-BLK-LTRKSM1MTRXS Magnetic track slim 1 meter surface/ hanging mounted  Item Code Description  ACI-BLK-LTRKSM2MTRXS Magnetic track slim 2 meter surface/ hanging mounted  Item Code Description  ACI-BLK-LTRCMLSHPVXS Magnetic track connector L shape vertical surface mounted  Item Code Description  ACI-BLK-LTRCMLSHPVXS Magnetic track connector L shape horizontal surface mounted  Item Code Description  ACI-BLK-LTRCMLSHPHXS Magnetic track connector L shape vertical recess mounted  Item Code Description  ACI-BLK-LTRCMLSHPVXX Magnetic track connector L shape vertical recess mounted  Item Code Description  ACI-BLK-LTRCMLSHPHXX Magnetic track connector L shape vertical recess mounted  Item Code Description  ACI-BLK-LTRCMLSHPHXX Magnetic track connector L shape horizontal recess mounted	ACI-BLK-LTRKSM1MTRXX	Magnetic track slim 1 meter recess mounted
Item Code     Description       ACI-BLK-LTRKSM1MTRXS     Magnetic track slim 1 meter surface/ hanging mounted       Item Code     Description       ACI-BLK-LTRKSM2MTRXS     Magnetic track slim 2 meter surface/ hanging mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXS     Magnetic track connector L shape vertical surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPXX     Magnetic track connector L shape horizontal surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXX     Magnetic track connector L shape vertical recess mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXX     Magnetic track connector L shape horizontal recess mounted	Item Code	Description
ACI-BLK-LTRKSM1MTRXS  Magnetic track slim 1 meter surface/ hanging mounted  Rem Code  Description  ACI-BLK-LTRKSM2MTRXS  Magnetic track slim 2 meter surface/ hanging mounted  Rem Code  Description  ACI-BLK-LTRCMLSHPVXS  Magnetic track connector L shape vertical surface mounted  Rem Code  Description  ACI-BLK-LTRCMLSHPHXS  Magnetic track connector L shape horizontal surface mounted  Rem Code  Description  ACI-BLK-LTRCMLSHPVXX  Magnetic track connector L shape vertical recess mounted  Rem Code  Description  Magnetic track connector L shape vertical recess mounted  Rem Code  Description  Magnetic track connector L shape horizontal recess mounted	ACI-BLK-LTRKSM2MTRXX	Magnetic track slim 2 meter recess mounted
Item Code     Description       ACI-BLK-LTRKSM2MTRXS     Magnetic track slim 2 meter surface/ hanging mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXS     Magnetic track connector L shape vertical surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXS     Magnetic track connector L shape horizontal surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXX     Magnetic track connector L shape vertical recess mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXX     Magnetic track connector L shape horizontal recess mounted	Item Code	Description
Item Code     Description       ACI-BLK-LTRCMLSHPVXS     Magnetic track connector L shape vertical surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXS     Magnetic track connector L shape horizontal surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXX     Magnetic track connector L shape vertical recess mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXX     Magnetic track connector L shape vertical recess mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXX     Magnetic track connector L shape horizontal recess mounted	ACI-BLK-LTRKSM1MTRXS	Magnetic track slim 1 meter surface/ hanging mounted
Item Code     Description       ACI-BLK-LTRCMLSHPVXS     Magnetic track connector L shape vertical surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXS     Magnetic track connector L shape horizontal surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXX     Magnetic track connector L shape vertical recess mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXX     Magnetic track connector L shape horizontal recess mounted	Item Code	Description
ACI-BLK-LTRCMLSHPVXS  Magnetic track connector L shape vertical surface mounted  Pescription  ACI-BLK-LTRCMLSHPHXS  Magnetic track connector L shape horizontal surface mounted  Pescription  ACI-BLK-LTRCMLSHPVXX  Magnetic track connector L shape vertical recess mounted  Pescription  ACI-BLK-LTRCMLSHPVXX  Magnetic track connector L shape vertical recess mounted  Magnetic track connector L shape horizontal recess mounted	ACI-BLK-LTRKSM2MTRXS	Magnetic track slim 2 meter surface/ hanging mounted
Item Code     Description       ACI-BLK-LTRCMLSHPHXS     Magnetic track connector L shape horizontal surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXX     Magnetic track connector L shape vertical recess mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXX     Magnetic track connector L shape horizontal recess mounted	Item Code	Description
ACI-BLK-LTRCMLSHPHXS     Magnetic track connector L shape horizontal surface mounted       Item Code     Description       ACI-BLK-LTRCMLSHPVXX     Magnetic track connector L shape vertical recess mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXX     Magnetic track connector L shape horizontal recess mounted	ACI-BLK-LTRCMLSHPVXS	Magnetic track connector L shape vertical surface mounted
Item Code     Description       ACI-BLK-LTRCMLSHPVXX     Magnetic track connector L shape vertical recess mounted       Item Code     Description       ACI-BLK-LTRCMLSHPHXX     Magnetic track connector L shape horizontal recess mounted	Item Code	Description
ACI-BLK-LTRCMLSHPVXX  Magnetic track connector L shape vertical recess mounted  Item Code  Description  ACI-BLK-LTRCMLSHPHXX  Magnetic track connector L shape horizontal recess mounted	ACI-BLK-LTRCMLSHPHXS	Magnetic track connector L shape horizontal surface mounted
Item Code         Description           ACI-BLK-LTRCMLSHPHXX         Magnetic track connector L shape horizontal recess mounted	Item Code	Description
ACI-BLK-LTRCMLSHPHXX Magnetic track connector L shape horizontal recess mounted	ACI-BLK-LTRCMLSHPVXX	Magnetic track connector L shape vertical recess mounted
	Item Code	Description
Item Code Description	ACI-BLK-LTRCMLSHPHXX	Magnetic track connector L shape horizontal recess mounted
	Item Code	Description

Magnetic track channel fixed jointer



Magnetic Track Light Accessories			
Item Code	Description		
ACI-BLK-LTRCMBINLINE	Magnetic track bendable input line connector		
Item Code	Description		
ACI-BLK-LTRCMBLOOPIN	Magnetic track bendable loop in jointer		
Item Code	Description		
ACI-BLK-LTROMISHPXXX	Magnetic track I shape connector		
Item Code	Description		
ZCI-WHT-LDRVM48V30W	LED magnetic track driver 48 V 30 W		
Item Code	Description		
ZCI-WHT-LDRVM48V50W	LED magnetic track driver 48 V 50 W		
Item Code	Description		
ZCI-BLK-LDRVM48V100W	LED magnetic track driver 48 V 100 W		



	Item Code	Description
-	ZCI-BLK-LDRVM48V100W	LED magnetic track driver 48 V 100 W



Item Code	Description
ZCI-BLK-LDRVM48V200W	LED magnetic track driver 48 V 200 W



Item Code	Description
ACI-BLK-HANGWIREMAGT	Hanging wire for surface mounted magnetic track



Recess-mounted 1'x1' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



### Ultima Slim (1'x1')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULTSLS018XC	18	6500	2
IPN-WHT-LULTSLS018XN	18	5000	2
IPN-WHT-LULTSLS018XW	18	4000	2

18 W Length: 294 mm Width: 294 mm Height: 35 mm THD <15%, CRI >80,

Efficacy: 100 Lm/W Beam angle: 120°

Recess-mounted 2'x2' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



### Ultima Slim (2'x2')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULTSLS036XC	36	6500	2
IPN-WHT-LULTSLS036XN	36	4000	2
IPN-WHT-LULTSLS036XW	36	3000	2
IPN-WHT-LULTSLSN36XC*	36	6500	2

36 W Length: 580 mm Width: 580 mm Height: 30 mm \*With motion Sensor

### Accessories for Ultima Slim

Item Code	Description
ZCI-WHT-L2X2SLCLIPXX	Recess-mounted clip for Ultima Slim 2'x2' and 1'x4' panel
ACI-WHT-LTMPULTSL36S	Surface-mount template for Ultima Slim 2'x2' panel
ACI-WHT-HANGWIREYSHP	Y Shape wiring system for hanging

Recess-mounted 1'x4' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



### Ultima Ultra Slim (1'x4')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULU4SL033XC	33	6500	2
IPN-WHT-LULU4SL033XN	33	4000	2
IPN-WHT-LULU4SL033XW	33	3000	2

33 W Length:1185 Width: 285 mm Height: 34 mm

Efficacy: 120 Lm/W (for 6500K)

### Panels

High efficacy, recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2'), 140 Lm / W for 36 W



### Ultima Ultra Pro (2'x2')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULPU2SL36XC	36	6500	2

**36 W** Length: 595 mm Width: 595 mm Height: 35 mm

Multi-colour changeable recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2').



### Ultima Multi-colour (2'x2')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULTSLA032XM	32	6500/4000/3000	5
IPN-WHT-ULTSLAREMOTE*			

32 W Length: 595 mm Width: 595 mm Height: 35 mm

THD <10%, CRI >80 Colour changes through switching

\*Remote

### Battens / Tubes

High quality batten with extruded aluminium housing and decorative end caps.



### Glaze


Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LGLZ01X010XC	10	6500	20
BTI-WHT-LGLZ01X010XN	10	4000	20
BTI-WHT-LGLZ01X010XW	10	3000	20
BTI-WHT-LGLZ01X020XC	20	6500	20
BTI-WHT-LGLZ01X020XN	20	4000	20
BTI-WHT-LGLZ01X020XW	20	3000	20
BTI-WHT-LGLZ01X024XC	24	6500	20
BTI-WHT-LGLZ01X024XN	24	4000	20
BTI-WHT-LGLZ01X024XW	24	3000	20

**10 W** Length: 570 mm Width: 22 mm Height: 37 mm

20 W Length: 1135 mm Width: 22 mm Height: 37 mm

24 W Length: 1185 mm Width: 22 mm Height: 37 mm

High quality batten with polycarbonate housing and decorative end caps.




### Glaze Ultra (PC)

Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LGLZPCX022XC	22	6500	20
BTI-WHT-LGLZPCX022XW	22	3000	20

22 W Length: 1145 mm Width: 30 mm Height: 40 mm

Indoor tubelight with aluminium housing and polycarbonate diffuser.



### T8 Retro Tube

Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LTBL01X020XC	20	6000	10
BTI-WHT-LTBL01X020XW	20	3000	10

20 W Length: 1200 mm Height: 30 mm



High quality batten with extruded aluminium housing and decorative end caps.





### Glaze Ultra Aluminium


Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LGLZU1X022XC	22	6500	20
BTI-WHT-LGLZU1X022XN	22	4000	20
BTI-WHT-LGLZU1X022XW	22	3000	20

22 W Length: 1135 mm Width: 20 mm Height: 35 mm



For the heavy-duty lighting requirements of industrial plants, factories and shop floors, Jaquar has high-powered, long-lasting solutions. Choose from weather-proof, corrosion-resistant lights, twin-tube lights, bulk heads, and suspended, industrial COB highbay lights in a wide range of options.

High quality batten with extruded aluminium housing and decorative end caps.



### Kubik Ultra HD

Item Code	Wattage (W)	CCT (K)	Case No.
HBT-WHT-LKBU4KU535XC	35	6500	20

**35 W** Length: 1135 mm Width: 24 mm Height: 37 mm

Corrosion and impact resistant batten with polycarbonate housing. Dust and water-proof.



### Pride (Weather-proof IP65 rated)


Item Code	Wattage (W)	CCT (K)	Case No.
IIL-WHT-LPRD01X020XC	20	6000	1
IIL-WHT-LPRD01X020XW	20	3000	1
IIL-WHT-LPRD01X040XC	40	6000	1
IIL-WHT-LPRD01X040XW	40	3000	1
ISB-WHT-LPRD01S040XC*	40	6500	1

20 W Length: 590 mm Width: 86 mm Height: 67 mm

\*With motion sensor

40 W Length: 1180 mm Width: 86 mm Height: 67 mm

Bulk head with pressure die cast aluminium housing and acrylic diffuser (IP65 protection).



### Bulk Head

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-BLK-LBLK02X010XC	10	6500	1
ILO-BLK-LBLK02X010XN	10	4000	1
ILO-BLK-LBLK02X010XW	10	3000	1
ILO-BLK-LBLK03X010XC	10	6500	1
ILO-BLK-LBLK03X010XN	10	4000	1
ILO-BLK-LBLK03X010XW	10	3000	1

10 W Length: 216 mm Width: 132 mm Height: 58 mm CRI >80

Well glass light with die cast aluminium housing and polycarbonate diffuser (IP65 rating).




### Well Glass

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-GRY-LWGL02X035XC	35	6500	4
ILO-GRY-LWGL02X040XC	40	6500	4
ILO-GRY-LWGL02X070XC	70	5700	4
<b>35 W</b> Dia: Ø158 mm Height: 215 mm *THD <10%, CRI >70	<b>40 W</b> Dia: Ø158 mm Height: 215 mm		Dia: Ø200 mm t: 195 mm

Discrete highbay light with die cast aluminium housing offering lumen intensity  $\geq$ 100 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).







### Highbay

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-BLK-LHBLD1R070XC	70	5700	1
ILO-BLK-LHBLD1R100XC	100	5700	1
ILO-BLK-LHBLD1R120XC	120	5700	1
ILO-BLK-LHBLD1R150XC	150	5700	1
ILO-BLK-LHBLD1R200XC	200	5700	1

**100 W** Dia: Ø244 mm

**70 W** Dia: Ø244 mm Height: 135 mm **150 W** Dia: Ø276 mm Height: 135 mm

Height: 135 mm **200 W** Dia: Ø276 mm Height: 135 mm

**120 W** Dia: Ø244 mm Height: 135 mm

\*THD <10%, CRI >70

Discrete highbay light with die cast aluminium housing offering lumen intensity ≥130 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).



### Ultralite Highbay

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-BLK-LHBLDUR070XC	70	5700	1
ILO-BLK-LHBLDUR100XC	100	5700	1
ILO-BLK-LHBLDUR120XC	120	5700	1
ILO-BLK-LHBLDUR150XC	150	5700	1
ILO-BLK-LHBLDUR200XC	200	5700	1

**100 W** Dia: Ø244 mm

**200 W** Dia: Ø276 mm

Height: 135 mm

Height: 135 mm


**150 W** Dia: Ø276 mm \*THD <10%, CRI >70


**70 W** Dia: Ø244 mm

Height: 135 mm

Height: 135 mm

**120 W** Dia: Ø244 mm Height: 135 mm








# Commercial Outdoor Lights

Reducing energy consumption and increasing road safety can now go hand-in-hand with commercial outdoor lighting solutions from Jaquar. Choose from a wide range of durable and weather-resistant street light and flood light options in a choice of outputs to suit every road's requirement.

### Roadway Lights

IP66 rated street light with pressure die cast aluminium housing, glass cover and lens\*\*.



### PCR

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LPCRSRT25WLC	25	5700	1
OSL-GRY-LPCRSRT25WLW	25	3000	1
OSL-GRY-LPCRSRT30WXC	30	5700	1
OSL-GRY-LPCRSRT30WXW	30	3000	1
OSL-GRY-LPCRSRT36WXC	36	5700	1
OSL-GRY-LPCRSRT36WXW	36	3000	1

25, 30 & 36 W Mounting dia: Ø42 mm

Length: 330 mm Width: 117 mm Height: 67 mm \*\*T&C apply

IP66 rated street light with pressure die cast aluminium housing and polycarbonate cover.



### Trump

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LTRUMP0025XC	25	5700	1
OSL-GRY-LTRUMP0025XW	25	3000	1
OSL-WHT-LTRUMP0030XC	30	5700	1
OSL-WHT-LTRUMP0030XW	30	3000	1

25 & 30 W Mounting dia: Ø41 mm

Length: 365 mm Width: 105 mm Height: 75 mm

LED street light with pressure die cast aluminium housing with toughened glass cover.



### Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRT015045XC	45	5700	10

45 W Mounting dia: Ø42 mm

Length: 330 mm Width:117 mm Height: 67 mm

\*THD <10%, CRI >70

### Roadway Lights

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and polycarbonate cover.



### Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRT04S025XC	25	5700	10
OSL-GRY-LSRT04S025XW	25	3000	10
OSL-GRY-LSRTT0S025XC*	25	5700	10
OSL-GRY-LSRT015030XC	30	5700	10
OSL-GRY-LSRT015030XW	30	3000	10
OSL-GRY-LSRTT0S030XC*	30	5700	10

25 & 30 W Mounting dia: Ø26 mm

Length: 180 mm Width: 115 mm Height: 60 mm

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



### Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRTTOS045XC*	45	5700	1
OSL-GRY-LSRT015060XC	60	5700	1
OSL-GRY-LSRT015060XW	60	3000	1
OSL-GRY-LSRTTOS060XC*	60	5700	1
OSL-GRY-LSRT015070XC	70	5700	1
OSL-GRY-LSRT015070XW	70	3000	1
OSL-GRY-LSRTTOS072XC*	72	5700	1

**45, 60, 70 & 72 W** Mounting dia: Ø53 mm

Length: 320 mm Width: 190 mm Height: 80 mm

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



### Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRT015090XC	90	5700	1
OSL-GRY-LSRT015090XW	90	3000	1
OSL-GRY-LSRTTOS090XC*	90	5700	1
OSL-GRY-LSRT015120XC	120	5700	1
OSL-GRY-LSRT015120XW	120	3000	1
OSL-GRY-LSRTTOS120XC*	120	5700	1
OSL-GRY-LSRT015150XC	150	5700	1
OSL-GRY-LSRT015150XW	150	3000	1
OSL-GRY-LSRTTOS150XC*	150	5700	1
OSL-GRY-LSRT015200XC	200	5700	1
OSL-GRY-LSRT015200XW	200	3000	1
OSL-GRY-LSRTTOS200XC*	200	5700	1

**90 & 120 W** Mounting dia: Ø62 mm

Length: 400 mm Width: 200 mm Height: 108 mm

\*System lumen efficacy 120 Lm / W

**150 & 200 W** Mounting dia: Ø62 mm

Length: 520 mm Width: 200 mm Height: 75 mm

<sup>\*</sup>System lumen efficacy 120 Lm / W

<sup>\*</sup>System lumen efficacy 120 Lm / W

#### Roadway Lights

IP65 rated floodlight with high pressure die cast aluminium housing and impact resistant polycarbonate lens.



IP66 rated floodlight with high pressure die cast aluminium housing, lens and toughened glass cover offering lumen intensity >110 Lm / W.



### Ledstar

Item Code	Wattage (W)	CCT (K)	Case No.
OFL-GRY-LFLDSLS070XC	70	5700	1
OFL-GRY-LFLDSLS070XW	70	3000	1
OFL-GRY-LFLDSLS100XC	100	5700	1
OFL-GRY-LFLDSLS100XW	100	3000	1
OFL-GRY-LFLDSLS120XC	120	5700	1
OFL-GRY-LFLDSLS120XW	120	3000	1
OFL-GRY-LFLDSLS150XC	150	5700	1
OFL-GRY-LFLDSLS150XW	150	3000	1
OFL-GRY-LFLDSLS200XC	200	5700	1
OFL-GRY-LFLDSLS200XW	200	3000	1
OFL-GRY-LFLDSLS240XC	240	5700	1
OFL-GRY-LFLDSLS240XW	240	3000	1
OFL-GRY-LFLDSLS300XC	300	5700	1
OFL-GRY-LFLDSLS300XW	300	3000	1
OFL-GRY-LFLDSLS350XC	350	5700	1
OFL-GRY-LFLDSLS400XC	400	5700	1

70 W Length: 230 mm Width: 195 mm Height: 53 mm

150 W Length: 360 mm Width: 295 mm Height: 74 mm

300 W Length: 383 mm Width: 295 mm Height: 125 mm

100 & 120 W Length: 290 mm

Width: 240 mm Height: 60 mm

200 W Length: 387 mm Width: 287 mm Height: 50 mm

350 W Length: 485 mm Width: 350 mm Height: 135 mm

240 W Length: 332 mm Width: 245 mm Height: 120 mm

1

1

400 W Length: 485 mm Width: 350 mm Height: 135 mm





# Landscape Lighting Choice Series

Choose the best of Choice Landscape Lighting products for your spaces. Affordable yet classy, the Jaquar Choice Series offers a wide range of Projector Lights, Ground Burials, Gate Tops, Bollards, and Wall Lights to light up your spaces. Carefully crafted to perfection to illuminate your spaces, the Choice Landscape Lighting products are unparalleled and beyond comparison.

### Content

#### PROJECTOR LIGHTS **BOLLARD LIGHTS** Luminz 240 Miram 258 259 Electra 240 Visio Sparklz 241 Cone Bollard 259 Splash 241 Cylinder Bollard 260 Illumine 242 Disc Bollard 260 Rigel 242 Orbarix 261 Ossum 243 Elumx 261 Garnet 243 Mushroom 262 **GROUND BURIAL LIGHTS** WALL LIGHTS Castor 246 Lupus 266 Hydrus 246 Carina 266 Polaris 247 Xcellent 266 Octan lkon 247 267 Alfie 267 GATE TOP LIGHTS Preston 267 250 Capella 268 Woody Irena 250 Lima 268 Reneva 251 Cooper 268 Avior 251 Kira 269 Turais 252 Foot Light 269 Lex 252 Robo Light 269 Vimio 253 253 Navis Sentinel 254 254 Ring Post Top






#### APPLICATIONS:

- Façade lighting
- Accent lighting
- Atriums and columns
- Architectural lightingVaried beam angle applications





### Luminz

#### **Features**

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 90 V - 260 V AC Warm white IP65


#### **Product Code**

OSK-BLK-LSPK03R104XW

#### Wattage

4 x 1 W LED





### Electra

#### Features

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 90 V - 260 V AC Warm white IP65


#### **Product Code**

OSK-BLK-LSPK04R108XW

#### Wattage

1 x 8 W COB LED





### Sparklz

#### Features

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 90 V - 260 V AC Warm white IP65


#### **Product Code**

OSK-BLK-LSPK04R112XW

#### Wattage

1 x 12 W COB LED





## Splash

#### Features

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 90 V - 260 V AC Warm white IP54


#### **Product Code**

OSK-BLK-LSPK05R112SW

#### Wattage

1 x 12 W COB LED





### Illumine

#### Features

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 90 V - 260 V AC Warm white IP54

#### **Product Code**

OSK-BLK-LSPK05R112XW

#### Wattage

1 x 12 W COB LED



### Rigel

Die cast aluminium housing Clear glass diffuser 90 V - 260 V AC Warm white IP65


#### **Product Code**

OSK-BLK-LSPK06R103SW

#### Wattage

1 x 3 W LED





### Ossum

#### Features

304 stainless steel housing Tempered glass diffuser 12 V AC Warm white IP68

#### **Product Code**


OSK-WHT-LSPK68R103SW

#### Wattage

 $3 \times 1 \text{ W LED}$ 

Note: Product has to be used with 12 V AC/DC power supply at the site, not to be used under water





### Garnet

#### Features

304 stainless steel housing Tempered glass diffuser 12 V AC Warm white IP68

#### **Product Code**

OSK-WHT-LSPK68R108SW

#### Wattage

8 x 1 W LED

Note: Product has to be used with 12 V AC/DC power supply at the site, not to be used under water



# Ground Burial Lights

#### APPLICATIONS:

- Outdoor façade lighting
- Landscape lighting
- Accent lighting

### Ground Burial Lights



### Castor

#### **Features**

304 stainless steel ring Transparent tempered glass diffuser Stainless steel finish 90 V - 260 V AC Warm white IP67


#### **Product Code**

OGB-BLK-LGBL04R301XW

#### Wattage

3 x 1 W LED





### Hydrus

#### **Features**

Die cast aluminium housing 304 stainless steel ring Transparent tempered glass diffuser 90 V - 260 V AC Warm white IP67

#### **Product Code**


OGB-BLK-LGBL06R601XW

#### Wattage

6 x 1 W LED

### Ground Burial Lights





### Polaris

#### Features

Die cast aluminium housing 304 stainless steel ring Transparent tempered glass diffuser Stainless steel finish 90 V - 260 V AC Warm white IP67


#### Product Code

OGB-BLK-LGBL05R101XW

#### Wattage

10 x 1 W LED





### Ikon

#### Features

Die cast aluminium housing 304 stainless steel ring Transparent tempered glass diffuser 90 V - 260 V AC Warm white IP67

#### **Product Code**

OGB-BLK-LGBL07R181XW

#### Wattage

18 x 1 W LED



# Gate Top Lights

#### APPLICATIONS:

- Bungalows
- Villas
- Pavement lighting
- Landscape lighting

### Gate Top Lights





### Capella

Die cast aluminium housing Clear polycarbonate diffuser Matt grey finish 140 V - 270 V AC Warm white IP66


#### **Product Code**

OGL-GRY-LGTP03X012XW

#### Wattage

1 x 12 W COB LED





### Irena

#### Features

Die cast aluminium housing Opal polycarbonate diffuser Matt grey finish 140 V - 270 V AC Warm white IP66

#### **Product Code**

OGL-GRY-LGTP02X006XW

#### Wattage

1 x 6 W LED



### Reneva

#### **Features**

MS housing with PU paint
Top canopy made of spun aluminium
140 V - 270 V AC
IP65
IK10

#### **Product Code**

OGL-GRY-LGTP01X030XW

#### Wattage

30 W LED COB



### **Avior**

#### Features

Die cast aluminium housing
Heat resistant toughened bell shaped
acrylic diffuser
MS housing with PU paint
Top canopy made of spun aluminium
140 V - 270 V AC
IP65

#### **Product Code**

OGL-GRY-LGTP04X028XW

#### Wattage

### Gate Top Lights





## Turais

#### Features

Die cast aluminium housing Heat resistant toughened glass (clear diffuser) 140 V - 270 V AC IP65

#### **Product Code**

OGL-GRY-LGTP02X030XW

#### Wattage

30 W mid power LED



### Lex

#### Features

Heavy spun aluminium housing PU paint Heavy duty heat resistance / toughened acrylic diffuser 140 V - 270 V AC IP65


#### **Product Code**

OGL-GRY-LWLL01X045XW

#### Wattage

### Gate Top Lights





### Vimio

#### Features

Die cast aluminium housing Heat resistant toughened glass diffuser 140 V - 270 V AC IP65

#### **Product Code**

OGL-GRY-LGTP05X030XW

#### Wattage

30 W LED



### Navis

#### Features

Die cast aluminium housing Polycarbonate diffuser Powder coated IP65

#### **Product Code**

OGL-GRY-LGTP06R040XC OGL-GRY-LGTP06R040XN OGL-GRY-LGTP06R040XW

#### Wattage



### Sentinel

#### **Features**

Die cast aluminium housing Polycarbonate diffuser Powder coated IP65

#### **Product Code**

OGL-BLK-LGTP08X060XC OGL-BLK-LGTP08X060XW OGL-BLK-LGTP08X120XC OGL-GRY-LGTP08X120XW OGL-BLK-LGTP08X150XC OGL-GRY-LGTP08X150XW

#### Wattage

60 W LED 120 W LED 150 W LED



# Ring Post Top

Die cast aluminium housing Polycarbonate diffuser Powder coated IP65

#### **Product Code**

OGL-GRY-LGTP07X040XW OGL-GRY-LGTP07X060XW

#### Wattage

40 W LED 60 W LED





#### APPLICATIONS:

- Landscape lighting
- Parks
- Lawns
- Colony streetsPathwaysBanquet Halls





# Miram

#### Features

Die cast aluminium housing Opal white polycarbonate diffuser Matt grey finish 90 V - 260 V AC Warm white IP54


#### **Product Code**

OBL-GRY-LBLD01R305XW

#### Wattage

3 x 10 x 0.5 W LED





# Visio

#### Features

Die cast aluminium housing Tempered glass diffuser Matt grey finish 90 V - 260 V AC Warm white IP54

#### **Product Code**

OBL-GRY-LBLD06R108XW

#### Wattage

8 W COB LED



### Cone Bollard

#### Features

Die cast aluminium housing Opal diffuser with in-built LED 140 V - 270 V AC IP65

#### **Product Code**

OBL-GRY-LBLDCON010XW

#### Wattage





#### Features

Die cast aluminium housing Opal diffuser with in-built LED 140 V - 270 V AC IP65

#### **Product Code**

OBL-GRY-LBLDCYL010XW

#### Wattage

10 W LED





# Disc Bollard

#### Features

Die cast aluminium housing Opal diffuser with in-built LED 140 V - 270 V AC IP65

#### **Product Code**

OBL-GRY-LBLDDSC010XW

#### Wattage





### **Features**

Die cast aluminium housing Tempered glass diffuser Matt grey finish 90 V - 260 V AC Warm white IP54

#### **Product Code**

OBL-GRY-LBLD02R108XW

#### Wattage

8 W COB LED



# Elumx

#### Features


Die cast aluminium housing Opal white polycarbonate diffuser Matt grey finish 90 V - 260 V AC Warm white IP54

### **Product Code**

OBL-GRY-LBLD05R601XW

#### Wattage







## Mushroom

#### Features


Die cast aluminium housing Opal diffuser with in-built LED 140 V - 270 V AC IP65

#### **Product Code**

OBL-GRY-LBLDMSH009XW

#### Wattage





# Wall Lights

#### APPLICATIONS:

- Residential
- Offices
- Hotels
- Banquet Halls
- Malls

### Wall Lights







### Lupus

#### Features

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 90 V - 260 V AC Up and down light Warm white IP54

#### **Product Code**

OWA-BLK-LWWL03X203XW

#### Wattage

2 x 3 W COB LED

### Carina

#### Features

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 90 V - 260 V AC

Warm white


IP54

#### **Product Code**

OWA-BLK-LWWL03X103XW


#### Wattage

1 x 3 W COB LED









### Xcellent

#### **Features**

Die cast aluminium housing Opal polycarbonate diffuser Matt grey finish 90 V - 260 V AC Up and down light Warm white IP54


#### **Product Code**

OWA-BLK-LWWL02R206XW

#### Wattage

2 x 6 W COB LED





### Octan

#### Features

Die cast aluminium housing Opal polycarbonate diffuser Matt grey finish 90 V - 260 V AC Warm white IP54

#### **Product Code**

OWA-BLK-LWWL02R108XW

#### Wattage

1 x 8 W COB LED

### Alfie

#### Features

Die cast aluminium housing SUS304 ring Frosted polycarbonate diffuser Anti-glare 90 V - 260 V AC Warm white IP65


#### **Product Code**

OWA-GRY-LBRK01S105XW


#### Wattage

10 x 0.5 W LED









### Preston

#### **Features**

Die cast aluminium housing Tempered glass diffuser Grey finish 90 V - 260 V AC Up and down light Warm white IP54

#### **Product Code**

OWA-BLK-LWWL02X203XW

#### Wattage

2 x 3 W LED

## Woody

#### **Features**

Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

#### **Product Code**


OWA-GRY-LWLL01X108XW

#### Wattage

1 x 8 W COB LED







## Lima

#### **Features**

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 170 V - 260 V AC Warm white Wall washer light IP54

#### **Product Code**

OWA-GRY-LWWL03X012XW

#### Wattage

1 x 12 W COB LED

## Cooper

#### **Features**

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 90 V - 260 V AC Up and down light Warm white


Product Code

IP54

OWA-BLK-LWWL04X206XW

#### Wattage


2 x 6 W COB LED





### Wall Lights





### Kira

#### Features

Die cast aluminium housing Transparent tempered glass diffuser Matt grey finish 90 V - 260 V AC Warm white Wall washer light

IP54

**Product Code** OWA-GRY-LWWL04X012XW

#### Wattage

1 x 12 W COB LED

## Foot Light

#### Features

Die cast aluminium housing Polycarbonate diffuser White and grey finish 150 V - 300 V AC IP54


#### **Product Code**

OWA-BLK-LFTL01S003XW\*
OWA-WHT-LFTLW1S003XW#

#### Wattage

3 W LED


<sup>\*</sup>Grey housing | #White housing











# Robo Light

#### **Features**

Die cast aluminium housing Black powder coated Warm white 140 V - 270 V AC IP65


#### **Product Code**

OWA-BLK-LWWL05S401XW OWA-BLK-LWWL05S201XW

#### Wattage

4 x 1 W

2 x 1 W



# Content

#### SMART LIGHTS

 Smart Pole
 272

 Strella Tri-color
 273

 Strella Smart
 274


 Kubik Smart
 274

 Starlite Alika (with remote)
 275

 Starlite
 275













# Strella Tri-color

Item Code	Wattage	CCT	Cutout	Dimension in MM
	(W)	(K)	(MM)	(DXH)
HDL-WHT-LSTA3IN1R15	X 15	CW/ NW/ WW	Ф 155	Ф 162 х 35











#### **Technical & Commercial Data:**

- Input voltage range: 100 V 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate



### Strella\* SMART SQUARE / ROUND

#### Motion sensor based downlights

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (LXWXH / DXH)
SDL-WHT-LSTS01S008XC	8	CW	105 x 105	116 x 116 x 35
SDL-WHT-LSTS01S015XC	15	CW	155 x 155	162 x 162 x 35
SDL-WHT-LSTS01S022XC	22	CW	205 x 205	220 x 220 x 35
SDL-WHT-LSTS01S015XW	15	$\vee\vee\vee\vee$	155 x 155	162 x 162 x 35
SDL-WHT-LSTS01S022XW	22	$\vee\vee\vee$	205 x 205	220 x 220 x 35
SDL-WHT-LSTS01R008XC	8	CW	Ф 105	116 x 35
SDL-WHT-LSTS01R015XC	15	CW	Ф 155	165 x 35
SDL-WHT-LSTS01R022XC	22	CW	Ф 205	220 x 35
SDL-WHT-LSTS01R008XW	8	$\vee\vee\vee$	Ф 105	116 x 35
SDL-WHT-LSTS01R015XW	15	$\vee\vee\vee$	Ф 155	165 x 35
SDL-WHT-LSTS01R022XW	22	WW	Ф 205	220 x 35















CRI>80

Beam angle >120°

**Technical Data:** 

Long life

- Input voltage range: 110 300 V AC
- Luminous efficacy: >80 Lm/W for 8 W >90 Lm/W for 15 W & 22 W
- Power factor: >0.95
- Sensor coverage range: 5-7 meters
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate

# Kubik\* **SMART**

#### Motion sensor based battens

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
SSB-WHT-LKBS01S020XC	20	CW	1135 x 22 x 37





Long life





Technical Data:

- Input voltage range: 100 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Sensor coverage range: 5-7 metrs
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate



\*Make to order



# Starlite Alika (with remote)

Remote control operated batten with tunable colors & dimming

Item Code	Watta (W)	ge CCT (K)	Dimension in M (LXWXH)	ЛΜ
SSB-WHT-LSBA01S0	)20DM* 20	CW// NW//	/ WW 1170 x 20 x 40	$\cap$









>120°



BENEFITS:

- 80% energy saving
- Compact and sleek design
- 2000 lumen output
- Single batten with tunable colors & dimming

#### **Technical & Commercial Data:**

- Input voltage range: 100 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate

# Starlite SMART

Single batten with tunable colours

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)	
HBT-WHT-LSRE01S020X	20	CW/ NW/ WW	1170 x 20 x 40	









>120°



Changing tri-color from CW to NW to WW in manual switching

#### Technical & Commercial Data:

- Input voltage range: 100 V 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate



<sup>\*</sup>Single remote can control 30 battens



# Content

DOWNLIGHTS		LAMPS	
Strella HD	280	Kriza Emergency Bulb	296
Strella Accessories	280	Illuminator	296
Volga Prime Smart	281	Prima HD	297
Kriza Emergency	281	Night Lamps (0.5 W)	297
Pearl Plus Striker	282 282	STRIP LIGHTS	
Eris Surface Round	283	Janus	300
Microwave Sensor	283	Strip Driver	300
Lucent	284	Rope Light	300
Gem Surface	284	STREET LIGHTS	
SPOTLIGHTS Gem Blaze Gem Star Jasper Prime	288 288 288	Hummer Kriza Emergency Street Light PCR Street Light	304 304 304 305
BATTENS Kubik Ultra Kubik Plus	292 293	<b>FLOOD LIGHTS</b> Faro	308





# Downlights

Create an enchanting ambience with Jaquar's high-performance LED downlights in different wattages. Not only do these downlights uplift the entire mood & the ambience of the place, but they also make a great addition to your entire home décor.

- Recessed Downlights
- Surface Mounted Downlights
- Fixed Downlights
- Trimless Downlights
- Round Downlights
- Square Downlights

#### **APPLICATIONS**











Kitchens

Staircases

LED LIGHTING SOLUTIONS 279

### Downlights















CRI>80 Beam angle >120°

#### Technical data:

Input voltage range: 100 V - 300 V AC

Luminous efficacy: >90 Lm/W

Power factor: >0.95

Housing material: Thermally conductive polycarbonate

### Strella HD

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (L X W X H / DXH)
HDL-WHT-LSTA4KVR05XC	5 5	CW	Ø 70	Ø 80 x 35
HDL-WHT-LSTA4KVR05XN	J 5	NW	Ø 70	Ø 80 x 35
HDL-WHT-LSTA4KVR05XV	V 5	WW	Ø 70	Ø 80 x 35
HDL-WHT-LSTA4KVS08XC	8	CW	105 x 105	116 x 116 x 35
HDL-WHT-LSTA4KVS08XN	l 8	NW	105 x 105	116 x 116 x 35
HDL-WHT-LSTA4KVS08XV	V 8	WW	105 x 105	116 x 116 x 35
HDL-WHT-LSTA4KVR08XC	8	CW	Ø 105	Ø 116 x 35
HDL-WHT-LSTA4KVR08XN	8	NW	Ø 105	Ø 116 x 35
HDL-WHT-LSTA4KVR08XV	V 8	$\vee\!\!\vee\!\!\vee$	Ø 105	Ø 116 x 35
HDL-WHT-LSTA4KVS12XC	12	CW	125 x 125	132 x 132 x 35
HDL-WHT-LSTA4KVS12XN	12	NW	125 x 125	132 x 132 x 35
HDL-WHT-LSTA4KVS12XV	V 12	WW	125 x 125	132 x 132 x 35
HDL-WHT-LSTA4KVR12XC	12	CW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA4KVR12XN	12	NW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA4KVR12XV	V 12	WW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01S015XC	15	CW	155 x 155	162 x 162 x 35
HDL-WHT-LSTA01S015XN	15	NW	155 x 155	162 x 162 x 35
HDL-WHT-LSTA01S015XW	/ 15	$\vee\vee\vee$	155 x 155	162 x 162 x 35
HDL-WHT-LSTA01R015XC	15	CW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01R015XN	15	NW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01R015XW	/ 15	WW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01S022XC	22	CW	205 x 205	220 x 220 x 35
HDL-WHT-LSTA01S022XN	22	NW	205 x 205	220 x 220 x 35
HDL-WHT-LSTA01S022XW	/ 22	WW	205 x 205	220 x 220 x 35
HDL-WHT-LSTA01R022XC	22	CW	Ø 205	Ø 220 x 35
HDL-WHT-LSTA01R022XN	22	NW	Ø 205	Ø 220 x 35
HDL-WHT-LSTA01R022XW	/ 22	VVVV	Ø 205	Ø 220 x 35



# Strella Accessories

Item Code	Wattage (W)	Dimension in MM (L X W X H / DXH)
HDL-WHT-LSTA01SMS008	8	105 x 105
HDL-WHT-LSTA01SMR008	8	Ø 105
HDL-WHT-LSTA01SMS015	15	155 x 155
HDL-WHT-LSTA01SMR015	15	Ø 155
HDL-WHT-LSTA01SMS022	22	205 x 205
HDL-WHT-LSTA01SMR022	22	Ø 205













CRI>80

Beam angle

Technical data:

- Input voltage range: 220 V 240 V AC
- Luminous efficacy: 55 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate
- Dazzle free soft light & no dark patches
- IP65- Protected against dust & splashing water
- PC diffuser Uniform distribution of light



# Volga Prime Smart

Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
SDL-WHT-LVOLPS2R18SC	18	CW	280 x 70
SDL-WHT-LVOLPS2R18SN	18	NW	280 x 70
SDL-WHT-LVOLPS2R18SW	18	WW	280 x 70















Technical data:

- Housing material: Thermally conductive polycarbonate
- Easy & safe installation
- Dazzle free soft light & no dark patches
- AC/DC Downlight Perfect for power cuts and emergency situations







Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HEL-WHT-KRZ01DLR15SC	15	6500	Ø 146 x48

### Downlights













Beam angle >120°

Technical data:

- Input voltage range: 100 V 300 V AC
- Luminous efficacy: >70 Lm/W for 3 W, >80 Lm/W for 6 W, >90 Lm/W for 15 W
- Power factor: >0.9
- Housing material: Thermally conductive polycarbonate
- Suitable for junction box fitment

### Pearl Plus

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HDL-WHT-LPPS01R003XC	3	CW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XN	3	NW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XW	3	VVVV	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XR	3	RED	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XG	3	GREEN	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XB	3	BLUE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XP	3	PINK	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XV	3	VIOLET / PURPLE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XC	6	CW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XN	6	NW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XW	6	VVVV	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XR	6	RED	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XG	6	GREEN	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XB	6	BLUE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XP	6	PINK	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XV	6	VIOLET / PURPLE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R015XC	15	CW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R015XN	15	NW	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XW	15	VVVV	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XR	15	RED	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XG	15	GREEN	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XB	15	BLUE	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XP	15	PINK	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XV	15	VIOLET / PURPLE	Ø 45	Ø 140 x 65



### Striker

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM
	(44)	(IX)	(141141)	(DXH)
HDL-WHT-LSTK01R006XC	6	CW	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XN	6	NW	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XW	6	VVVV	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XR	6	RED	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XG	6	GREEN	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XB	6	BLUE	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XP	6	PINK	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XV	6	VIOLET / PURPLE	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R008XC	8	CW	Ø 83	Ø 110 x 50
HDL-WHT-LSTK01R008XN	8	NW	Ø 83	Ø 110 x 50
HDL-WHT-LSTK01R008XW	8	WW	Ø 83	Ø 110 x 50









Technical data:

- Input voltage range: 100 V 300 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate with aluminium heat sink
- Suitable for junction box fitment



### Eris Surface Round

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HCO-BLK-LERSBRGR05SC	5	CW	Ø 53	Ø 53 x 70
HCO-BLK-LERSBRGR05SN	5	NW	Ø 53	Ø 53 x 70
HCO-BLK-LERSBRGR05SW	5	$\vee\!\!\vee\!\!\vee\!\!\vee$	Ø 53	Ø 53 x 70
HCO-BLK-LERSBRGR10SC	10	CW	Ø 72	Ø 72 x 90
HCO-BLK-LERSBRGR10SN	10	NW	Ø 72	Ø 72 x 90
HCO-BLK-LERSBRGR10SW	10	$\vee\!\!\vee\!\!\vee\!\!\vee$	Ø 72	Ø 72 x 90
HCO-BLK-LERSBRGR15SC	15	CW	Ø 95	Ø 95 x 95
HCO-BLK-LERSBRGR15SN	15	NW	Ø 95	Ø 95 x 95
HCO-BLK-LERSBRGR15SW	15	$\vee\!\!\vee\!\!\vee\!\!\vee$	Ø 95	Ø 95 x 95



#### Technical data:

- Input voltage range: 220-240 V AC
- Luminous efficacy: >70 Lm/W
- Power factor: >0.90
- Housing material: Die cast aluminium housing with black powder coating

#### Technical data:

Input voltage: 220 to 240 V AC

• Input frequency: 50/60 Hz

Wiring input: 2 Wire/single phase

Power consumption: < 1W</li>

Power on delay: 0-5 sec

Size diameter (mm): 93 mm +/- 2 mm

Type of mounting: Surface/recessed

• Hold time: 10 sec - 15 min (Adjustable)

Detection distance: 6 meter

HF System: 5.8 GHz



# Microwave Sensor

Item Code	Cutout (MM)	Dimension in MM (D)
AHL-WHT-MOTSENMW2IN1	Ø 85	Ø 93

### Downlights













CRI>80

Beam angle >120°

Technical data:

- Input voltage range: 100 V 300 V AC
- Luminous efficacy: >70 Lm/W for 6 W, >95 Lm/W for 22 W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

### Lucent

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
IDL-WHT-LLCN01R003XC	3	6500	Ø 70	Ø 82 x 17
IDL-WHT-LLCN01R003XN	3	4000	Ø 70	Ø 82 x 17
IDL-WHT-LLCN01R003XW	3	3000	Ø 70	Ø 82 x 17
IDL-WHT-LLCN01R006XC	6	6500	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R006XN	6	4000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R006XW	6	3000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R009XC	9	6500	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R009XN	9	4000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R009XW	9	3000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R012XC	12	6500	Ø 132	Ø 144 x 17
IDL-WHT-LLCN01R012XN	12	4000	Ø 132	Ø 144 x 17
IDL-WHT-LLCN01R012XW	12	3000	Ø 132	Ø 144 x 17
IDL-WHT-LLCN01R015XC	15	6500	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R015XW	15	4000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R015XN	15	3000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R018XC	18	6500	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R018XN	18	4000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R018XW	18	3000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R022XC	22	6500	Ø 175	Ø 184 x 17
IDL-WHT-LLCN01R022XN	22	4000	Ø 175	Ø 184 x 17
IDL-WHT-LLCN01R022XW	22	3000	Ø 175	Ø 184 x 17



### Gem Surface

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (WXH)
HDL-WHT-LGEM01R006SC	6	6500	Ø90	90 x 27
HDL-WHT-LGEM01R006SW	6	4000	Ø90	90 x 27
HDL-WHT-LGEM01R006SN	6	3000	Ø90	90 x 27
HDL-WHT-LGEM01R012SC	12	6500	Ø121	121 x 27
HDL-WHT-LGEM01R012SW	12	4000	Ø121	121 x 27
HDL-WHT-LGEM01R012SN	12	3000	Ø121	121 x 27
HDL-WHT-LGEM01R018SC	18	6500	Ø156	156 x 27
HDL-WHT-LGEM01R018SW	18	4000	Ø156	156 x 27
HDL-WHT-LGEM01R018SN	18	3000	Ø156	156 x 27












CRI>80 Beam angle >120°

Long life

#### Technical data:

- Input voltage range: 100 V 230 V AC
- Luminous efficacy: For 6 & 12 W (65 Lm/W) For 18 W (60 Lm/W)
- Power factor: >0.9
- Housing material: PC body & diffuser with metal mounting plate





# Spotlights

Highlight the little details when you bring home Jaquar's energy-efficient LED spotlights. The different colour temperatures lend your home décor a vibrant and new look every time.















Focus

Cabinets











Input voltage range: 220-240 V AC

Luminous efficacy: >90 Lm/W

Power factor: >0.95

Housing material: Polycarbonate body with aluminum heat sink & lens



### Gem Blaze

Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
3	6500	Ø 55.5	Ø 74.5 x 42
3	4000	Ø 55.5	Ø 74.5 x 42
3	3000	Ø 55.5	Ø 74.5 x 42
6	6500	Ø 67.5	Ø 94.5 x 46
6	4000	Ø 67.5	Ø 94.5 x 46
6	3000	Ø 67.5	Ø 94.5 x 46
9	6500	Ø 87	Ø 116 x 53
9	4000	Ø 87	Ø 116 x 53
9	3000	Ø87	Ø 116 x 53
	(W) 3 3 3 6 6 6 9 9	(W) (K)  3 6500 3 4000 3 3000 6 6500 6 4000 6 3000 9 6500 9 4000	(W) (K) (MM)  3 6500 Ø 55.5  3 4000 Ø 55.5  3 3000 Ø 55.5  6 6500 Ø 67.5  6 4000 Ø 67.5  6 3000 Ø 67.5  9 6500 Ø 87  9 4000 Ø 87

#### Technical data:

- Surge protection upto 4KV
- Sustain voltage upto 400V
- Input voltage range: 220-240 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.90
- CRI: >80
- Polycarbonate housing



### Gem Star

70 x 35
70 x 35
70 x 35









Long life







CRI>70 Beam angle >30°

### Technical data:


- Input voltage range: 100 V 300 V AC
- Luminous efficacy: >50 Lm/W
- Housing material: Thermally conductive polycarbonate



## Jasper Prime

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HCO-WHT-LJPM01R002XC	2	CW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XG	2	GW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XW	2	WW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XR	2	RW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XB	2	BW	Ø 35	Ø 43 x 105





## Battens

Brighten up your space with Jaquar's range of environment-friendly LED battens. Available in different lumen intensity and colour temperatures, our battens are perfect for your home décor.















Kitchens Study rooms

Terraces

Balconies Pooja rooms











Beam angle >120° for 35 W >180° for 25 W 130 Lm/W for 25 W



Input voltage range: 100 V - 300 V AC

Power factor: >0.95

\*Housing material: Extruded aluminium

## Kubik Ultra

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
HBT-WHT-LKBU4KVS22X0	22	CW	1135 x 31 x 40
HBT-WHT-LGLZU1X025XC	25	CW	1135 x 31 x 40
HBT-WHT-LKBU4KVS35X0	C* 35	CW	1135 x 22 x 37















CRI>80

Beam angle >120°


Input voltage range: 100 V - 300 V AC

Power factor: >0.95

Housing material: Thermally conductive polycarbonate

## Kubik Plus

Item Code	Wa	attage (W)	CCT (K)	Dimension in MM (L X W X H)
HBT-WHT-LKBP01S006X0	$\supset$	6	CW	300 x 22 x 37
HBT-WHT-LKBP01S006XN	V	6	NW	300 x 22 x 37
HBT-WHT-LKBP01S006XV	Ν	6	$\vee\vee\vee$	300 x 22 x 37
HBT-WHT-LKBP4KV010X0	0	10	CW	575 x 22 x 37
HBT-WHT-LKBP4KV010XN	V	10	NW	575 x 22 x 37
HBT-WHT-LKBP4KV010XV	$\mathbb{N}$	10	$\vee\vee\vee$	575 x 22 x 37
HBT-WHT-LKBP4KV020X0	С	20	CW	1090 x 22 x 37
HBT-WHT-LKBP4KV020XN	V	20	NW	1090 x 22 x 37
HBT-WHT-LKBP4KV020X\	$\mathbb{N}$	20	WW	1090 x 22 x 37



## Lamps

Welcome home holistic lighting solutions from Jaquar. Want to light up a small space or illuminate an entire room? Here is our range of LED lamps, from low-wattage night bulbs to high-wattage LED lamps, for you. Enjoy the extra brightness of happiness that fits every budget and requirement.















Bedrooms Living rooms

Kitchens

Study rooms

Terraces

ies Pooja rooms





Item Code	Wattage	CCT	Dimension in MM
	(W)	(K)	(DXH)
HEL-WHT-LKRZ009B22CW	9	6500 K	Ø 70 x 146







- Input voltage range: 100 300 V AC
- Luminous efficacy: >80 Lm/W @ Normal Supply
- Power factor: >0.95
- Charging time: Minimum 6 Hours
- Housing materials: Thermally conductive polycarbonate



### Illuminator

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HLB-WHT-LILM030B22CW	B22	30	CW	Ø 100 x 180
HLB-WHT-LILM040B22CW	B22	40	CW	Ø 115 x 198
HLB-WHT-LILM050B22CW	B22	50	CW	Ø 125 x 220









CRI>80

Wide beam angle >180°

### Technical data:

- Input voltage range: 100 V 300 V AC
- Luminous efficacy: 100 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium













CRI>80

Wide beam angle >240°

Full glove diffuser for wide distribution of light

Input voltage range: 100 V - 300 V AC

Luminous efficacy: 105 Lm/W

Power factor: >0.95

Housing material: Overmoulded PC

### Prima HD

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HLB-WHT-LPRM4KV03B2C	B22	3	CW	Ø 50 x 92
HLB-WHT-LPRM4KV03B2W	B22	3	WW	Ø 50 x 92
HLB-WHT-LPRM4KV03E2C	E27	3	CW	Ø 50 x 92
HLB-WHT-LPRM4KV03E2W	E27	3	WW	Ø 50 x 92
HLB-WHT-LPRMD4K05B2C	B22	5	CW	Ø 60 x 112
HLB-WHT-LPRMD4K05B2W	B22	5	WW	Ø 60 x 112
HLB-WHT-LPRMD4K05E2C	E27	5	CW	Ø 60 x 112
HLB-WHT-LPRMD4K05E2W	E27	5	WW	Ø 60 x 112
HLB-WHT-LPRMD4K07B2C	B22	7	CW	Ø 60 x 112
HLB-WHT-LPRMD4K07B2W	B22	7	WW	Ø 60 x 112
HLB-WHT-LPRMD4K07E2C	E27	7	CW	Ø 60 x 112
HLB-WHT-LPRMD4K07E2W	E27	7	WW	Ø 60 x 112
HLB-WHT-LPRM5KV09B2C	B22	9	CW	Ø 60 x 112
HLB-WHT-LPRMD4K09B2W	B22	9	WW	Ø 60 x 112
HLB-WHT-LPRMD4K09E2C	E27	9	CW	Ø 60 x 112
HLB-WHT-LPRMD4K09E2W	E27	9	$\vee\!\!\vee\!\!\vee$	Ø 60 x 112
HLB-WHT-LPRMD4K12B2C	B22	12	CW	Ø 65 x 118
HLB-WHT-LPRMD4K12B2W	B22	12	WW	Ø 65 x 118
HLB-WHT-LPRMD4K12E2C	E27	12	CW	Ø 65 x 118
HLB-WHT-LPRMD4K12E2W	E27	12	WW	Ø 65 x 118
HLB-WHT-LPRMD4K14B2C	B22	14	CW	Ø 65 x 126
HLB-WHT-LPRMD4K14B2W	B22	14	$\vee\!\!\vee\!\!\vee$	Ø 65 x 126
HLB-WHT-LPRMD4K14E2C	E27	14	CW	Ø 65 x 126
HLB-WHT-LPRMD4K14E2W	E27	14	WW	Ø 65 x 126
HLB-WHT-LPRMD4K20B2C	B22	20	CW	Ø 80 x 152
HLB-WHT-LPRMD4K20B2W	B22	20	$\vee\!\!\vee\!\!\vee$	Ø 80 x 152
HLB-WHT-LPRMD4K20E2C	E27	20	CW	Ø 80 x 152
HLB-WHT-LPRMD4K20E2W	E27	20	WW	Ø 80 x 152















CRI>80 Beam angle >180°

### Technical data:


Input voltage range: 100 V - 300 V AC

Luminous efficacy: >40 Lm/W

Housing material: Polycarbonate

## Night Lamps (0.5 W)

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HLB-WHT-LPRM01R001XC	B22	0.5	CW	Ø 45 x 70
HLB-WHT-LPRM01R001XY	B22	0.5	YELLOW	Ø 45 x 70
HLB-WHT-LPRM01R001XR	B22	0.5	RED	Ø 45 x 70
HLB-WHT-LPRM01R001XG	B22	0.5	GREEN	Ø 45 x 70
HLB-WHT-LPRM01R001XB	B22	0.5	BLUE	Ø 45 x 70
HLB-WHT-LPRM01R001XO	B22	0.5	ORANGE	Ø 45 x 70
HLB-WHT-LPRM01R001XP	B22	0.5	PINK	Ø 45 x 70



# Strip Lights

Give your home a festive makeover or create awe-inspiring spaces within your home with our LED strip lights in blue, white, and other pleasing colours. Our strip lights come in a 5-meter roll with specific cut points.













Decorations Shelves

Focus

Cabinets

### Janus

Item Code	W	attage (W)	CCT (K)	Dimension in MM (L X W X H)
STH-WHT-LJNS02S012X0	С	24	CW	8 x 2.25
STH-WHT-LJNS02S012XI	Ν	24	NW	8 x 2.25
STH-WHT-LJNS02S012X	V	24	WW	8 x 2.25
STH-WHT-LJNS02S012XI	R	24	Red	8 x 2.25
STH-WHT-LJNS02S012X	G	24	Green	8 x 2.25
STH-WHT-LJNS02S012XI	В	24	Blue	8 x 2.25

## Strip Driver

Item Code	Voltage (V)	Current (A)
AHL-WHT-LSTD02A012X	12 DC	2

### Technical data:

- Input voltage range: 12 V DC (with adapter)
- Luminous efficacy: >90 Lm / W
- Roll: 5 meter with cut points
- No. of LEDs: 60 LEDs / meter



### Technical data:

- Easy to install
- IP65 LED Rope Light
- Long lasting and bright light to make your home, factory, and office bright and stylish
- Can be used in POP Cove
- Rated input voltage-220-240 V AC
- Dazzle-free soft light
- Very easy to decorate patterns, designs and characters
- Low power consumption, safe and reliable

### Product specifications:

- Options: 60 LED/meter & 120 LED/meter
- Length: 45 meter/roll
- CRI: ≥80
- Available Colours: CW / WW / Red / Green Blue / Ice Blue / Amber

## Rope Light

Item Code	LED/Mete	er CCT (K)	Dimension
STH-WHT-LJNP01S060XC	60	CW	45m/Roll
STH-WHT-LJNP01S060XW	60	WW	45m/Roll
STH-WHT-LJNP01S060XR	60	RED	45m/Roll
STH-WHT-LJNP01S060XG	60	GREEN	45m/Roll
STH-WHT-LJNP01S060XB	60	BLUE	45m/Roll
STH-WHT-LJNP01S060XI	60	ICE BLUE	45m/Roll
STH-WHT-LJNP01S060XA	60	AMBER	45m/Roll
STH-WHT-LJNP01S120XC	120	CW	45m/Roll
STH-WHT-LJNP01S120XW	120	WW	45m/Roll
STH-WHT-LJNP01S120XR	120	RED	45m/Roll
STH-WHT-LJNP01S120XG	120	GREEN	45m/Roll
STH-WHT-LJNP01S120XB	120	BLUE	45m/Roll
STH-WHT-LJNP01S120XI	120	ICE BLUE	45m/Roll
STH-WHT-LJNP01S120XA	120	AMBER	45m/Roll
STH-WHT-LJNP01S120XT	120	TRI-COLOUF	R 18m/Roll
STH-WHT-LJNP01S120XW	120	WW	18m/Roll
STH-WHT-LJPMACD01S45			





# Street Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.





Parkings

Walkways













- Input voltage range: 100 V 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



### Hummer

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
HSL-GRY-LHMR01SL020C HSL-GRY-LHMR01SL030C		CW	Ø 40 Ø 40	320 x 75 x 60 320 x 75 x 60













CRI>80

Technical data:

- Input voltage range: 220 to 240 V AV
- Battery voltage: 3.7V Li-ION
- Battery capacity: 2600 mAH
- Luminous flux on AC mode: 1800 Lm
- Luminous flux on battery mode: 500 Lm
- Power factor: >0.95
- Full battery charging time: 9 Hours
- IP66





Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
HEL-WHT-LKRZ01SL018C	18	CW	40 (Tol.±5)	355 x 105 x 75















Beam angle

### Technical data:

- Input voltage range: 100 V 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP66
- Housing material: Die cast aluminium



### **PCR**

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
OSI -GRY-I PCRSRT25WI (	25	CW	Ø 42	330 x 117 x 67

### Street Lights











CRI>80


### Technical data:

- Input voltage range: 100 V 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



## Street Light

Item Code	Wattage	CCT	Pole Mounting	Dimension
	(W)	(K)	Dimensions (MM)	(MM)
HSL-WHT-LSRT01F025XC	25 W	CW	Ø 42	325 x 145 x 65



# Flood Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.





Parkings

Walkways

### Flood Lights













Long life CRI>80

Beam angle >60°

### Technical data:

Operating voltage range: 140 - 270V

Luminous efficacy: >100 Lm/W

Power fector: ≥0.95

THD: <10%

IP66

Lens: PMMA lens for proper distribution of light

No harmful UV & IR radiations

Housing material: Die cast aluminum housing for superior heat dissipation





## Faro

Item Code	Wattage (W)	CCT (K)	Dimension (MM)
HFL-GRY-LFR001S030XC	30	CW	198 x 188 x 36
HFL-GRY-LFRO01S030XN	30	NW	198 x 188 x 36
HFL-GRY-LFR001S030XW	30	VVVV	198 x 188 x 36
HFL-GRY-LFRO01S050XC	50	CW	238 x 228 x 36
HFL-GRY-LFRO01S050XN	50	NW	238 x 228 x 36
HFL-GRY-LFRO01S050XW	50	VVVV	238 x 228 x 36

### **JAQUAR GROUP**

Global Headquarters,
Plot No. 3, Sector-11, IMT Manesar, Gurugram-122050 India
For more information: Visit any of our 21 Orientation Centres
or log on to www.jaquar.com, e-mail: ccare.lighting@jaquar.com
For any query call: 18002126808 (Toll Free)

### **ORIENTATION CENTRES:**

AHMEDABAD: Ground Floor, Commerce House-4, B/S Shell Petrol Pump, Near Anand Nagar Cross Roads, 100 Ft. Road, Prahlad Nagar, Satellite, Ahmedabad Ph.: 079-30452600 Email: ahmedabad@jaquar.com

BANGALORE: No. 10, V.N. Street, Next to Hotel Ramada, Shivaji Nagar, Tasker Town, Bangalore-560051 Email: bangalore@jaquar.com

BHOPAL: T- 7, 8, 3rd Floor, City Center, Above Lotus Electronics, 1 Press Complex, M. P. Nagar, Zone-1, Bhopal- 462011 Ph.: 0755-6550888 Email: bhopal@jaquar.com

**BHUBANESWAR:** Plot No. 853/1671, 2nd Floor, Jharpada, Cuttack Road, Bhubaneswar-751006 Ph.: 0674-2575501 Email: bhubaneswar@jaquar.com

**CHANDIGARH:** S.C.O. 52-53, Sector 17-A, Opp. Hotel Park Plaza, Adjacent to Fab India, Chandigarh-160017

Ph.: 0172-4071727 Email: chandigarhoc@jaquar.com

CHENNAI: Ground Floor, KGN Towers, #62. Ethiraj Salai, Egmore,

Chennai- 600008 Phone: 044-42693001 Email: chennai@jaquar.com

COCHIN: No. 35/563, Opposite International Stadium, Palarivattom P.O., Cochin-682025 Email: cochin@jaquar.com GUWAHATI: "Swagota Envission" Ground Floor, G.S. Road, Sixmile, Khanapara (Opp. Directorate of Agriculture, Assam) Guwahati-781022 Email: guwahati@jaquar.com

HYDERABAD: Unit No. 202, Reliance Classic, Banjara Hills, Road No.1, Hyderabad-500034 Email: hyderabad@jaquar.co

JAIPUR: Neelkanth, 1 Bhawani Singh Road, Opp. Nehru Sehkar Bhawan, C-Scheme, Jaipur-302001 Ph.: 0141-5115609 Email: jaipur@jaguar.com

JAMMU: Bonny Square, NH Bypass, Near Vishal Mega Mart, Kunjwani, Jammu-180010 Ph.: 0191-2484876 Email: jammu@jaquar.com

KOLKATA: 2nd Floor, 55, Chowringhee Road, Kolkata-700071 Ph.: 033-40054891 Email: kolkata@jaquar.com

**LUCKNOW:** Asha Bhawan, 27/II A, Gokhle Marg, Lucknow Ph.: 0522-4001434 Email: lucknow@jaquar.com

LUDHIANA: 2nd Floor, Lodhi Complex, Mall Road, Ludhiana-141001 Ph.: 0161-5094974 Email: ludhiana@jaguar.com MUMBAI: 101,102,103, Kamla Spaces, Above Kohinoor Electronics, S.V. Road, Santacruz West, Mumbai-400054 Ph.: 022-26613279 Email: mumbai@iaguar.com

NAGPUR: Kala Bhavan, 103/A, South Ambazari Road, Shradhanand Peth Square, Laxmi Nagar, Nagpur-440022 Ph.: 0712-2223395 Email: nagpur@jaquar.com

NEW DELHI: D-56, Defence Colony, New Delhi-110024 Ph.: 011-24636807 Email: delhincr@jaquar.com

PUNE: DSK Gandharva Heights, 5th Floor, Office No. 501, Near Hotel Pride Executive, Ganeshkhind Road, Shivajinagar, Pune-411005 Email: pune@jaquar.com

RAIPUR: M K Planet, Ring Road No. 1, New Rajendra Nagar, Raipur-492001. Ph.: 0771-6556789 Email: raipur@jaquar.com

**SILIGURI:** 1st Floor, M-Square Building, Opp. Hotel Sachitra, 2½ Mile, Sevoke Road, Siliguri-734002

Email: siliguri@jaquar.com

SURAT: 23, Siddhi Shopping Centre, Near Agrasen Bhavan Char Rasta, City Light Road, Surat Email: suratcare@jaquar.com





CALL
PURCHASE ASSISTANCE
1800-120-332222
(Toll Free)

And we'll make it easy!

Speak to our Lighting Experts, who will suggest the right product that you should go in for and where to buy it from.

