

# HORIZONTAL THINKING



neo®  
face the future



## World-Renowned Design Innovations!

NEO shares its avant garde design with the internationally acclaimed NEO Intelligent Switch that had won multiple awards in Australia and USA.

Revolutionary horizontal dollies round off an outstanding example of cutting edge ingenuity which will always appeal to those wishing to stay ahead of changing trends.

[schneider-electric.co.in](http://schneider-electric.co.in)

Life Is On

**Schneider**  
Electric

## Unobtrusive during the day



Soft luminescent  
glow in darkness

## Quality and Safety That's Built To Last

- Bullet-proof material face plate is less flammable, more shock resistant and provides outstanding insulation
- Spray-painted, silver coloured polyurethane coating ensures surrounds keep looking factory-fresh
- A smooth, silver spot-welded contact and silver-brass alloy bridge coupled with a robust spring puncher design ensure quicker contact making/breaking and significantly reduced arc generation
- Reinforced-nylon protective socket shutter prevents electric shocks caused by accidental insertion of conductive objects
- Seamless conductor bridge significantly reduces heat generation
- Switch operations are tested fully 80,000 cycles - double the international standard. All sockets can be plugged in and removed over 10,000 times and are designed to last more than a decade
- Fully compliant with IEC safety standards

## Structure that Ensures Easy Installation

- Transparent polycarbonate housing enables easy viewing of mechanical functions
- Durable web-grid increases rigidity of plate
- Double thickness of mounting hole prevents risk of damage during installation
- Ovalshaped mounting hole ensures easy fixing and level adjustment



## Awards



# NEO C-Metro

## Product Range



E3031H1EBGS



E3033H1EBGS



E3031H1EWWW



E3032H1EWWW



E3031H1FWWW



E3033H1FWWW



E3032V1EBGS



E3033V1EBGS



E3031V1EWWW



E3032V1EWWW



E3031V1FWWW



E3033V1FWWW



EH2015/6>GS-OS



E3015/15-EWWW-EX



EH3015/16/6>GS-OS



E3426/10IS>GS-OS




E3031HBP>GS-OS



E3031VBP>WW-OS

Description	Reference
<b>Horizontal Dolly Switches with Blue LED Indicator</b>	
10AX 250V 1 Gang 1 Way Grey Switch with Blue LED	E3031H1EBGS
10AX 250V 1 Gang 2 Way Grey Switch with Blue LED	E3031H2EBGS
10AX 250V 2 Gang 1 Way Grey Switch with Blue LED	E3032H1EBGS
10AX 250V 2 Gang 2 Way Grey Switch with Blue LED	E3032H2EBGS
10AX 250V 3 Gang 1 Way Grey Switch with Blue LED	E3033H1EBGS
10AX 250V 3 Gang 2 Way Grey Switch with Blue LED	E3033H2EBGS
10AX 250V 4 Gang 1 Way Grey Switch with Blue LED	E3034H1EBGS
10AX 250V 4 Gang 2 Way Grey Switch with Blue LED	E3034H2EBGS
<b>Horizontal Dolly Switches with White LED Indicator</b>	
10AX 250V 1 Gang 1 Way White Switch with White LED	E3031H1EWWW
10AX 250V 1 Gang 2 Way White Switch with White LED	E3031H2EWWW
10AX 250V 2 Gang 1 Way White Switch with White LED	E3032H1EWWW
10AX 250V 2 Gang 2 Way White Switch with White LED	E3032H2EWWW
10AX 250V 3 Gang 1 Way White Switch with White LED	E3033H1EWWW
10AX 250V 3 Gang 2 Way White Switch with White LED	E3033H2EWWW
10AX 250V 4 Gang 1 Way White Switch with White LED	E3034H1EWWW
10AX 250V 4 Gang 2 Way White Switch with White LED	E3034H2EWWW
<b>Horizontal Dolly Switches with White Fluorescent Indicator</b>	
10AX 250V 1 Gang 1 Way White Switch with White Fluorescent Indicator	E3031H1FWWW
10AX 250V 1 Gang 2 Way White Switch with White Fluorescent Indicator	E3031H2FWWW
10AX 250V 2 Gang 1 Way White Switch with White Fluorescent Indicator	E3032H1FWWW
10AX 250V 2 Gang 2 Way White Switch with White Fluorescent Indicator	E3032H2FWWW
10AX 250V 3 Gang 1 Way White Switch with White Fluorescent Indicator	E3033H1FWWW
10AX 250V 3 Gang 2 Way White Switch with White Fluorescent Indicator	E3033H2FWWW
10AX 250V 4 Gang 1 Way White Switch with White Fluorescent Indicator	E3034H1FWWW
10AX 250V 4 Gang 2 Way White Switch with White Fluorescent Indicator	E3034H2FWWW
<b>Vertical Dolly Switches with Blue LED Indicator</b>	
10AX 250V 1 Gang 1 Way Grey Switch with Blue LED	E3031V1EBGS
10AX 250V 1 Gang 2 Way Grey Switch with Blue LED	E3031V2EBGS
10AX 250V 2 Gang 1 Way Grey Switch with Blue LED	E3032V1EBGS
10AX 250V 2 Gang 2 Way Grey Switch with Blue LED	E3032V2EBGS
10AX 250V 3 Gang 1 Way Grey Switch with Blue LED	E3033V1EBGS
10AX 250V 3 Gang 2 Way Grey Switch with Blue LED	E3033V2EBGS
<b>Vertical Dolly Switches with White LED Indicator</b>	
10AX 250V 1 Gang 1 Way White Switch with White LED	E3031V1EWWW
10AX 250V 1 Gang 2 Way White Switch with White LED	E3031V2EWWW
10AX 250V 2 Gang 1 Way White Switch with White LED	E3032V1EWWW
10AX 250V 2 Gang 2 Way White Switch with White LED	E3032V2EWWW
10AX 250V 3 Gang 1 Way White Switch with White LED	E3033V1EWWW
10AX 250V 3 Gang 2 Way White Switch with White LED	E3033V2EWWW
<b>Vertical Dolly Switches with White Fluorescent Indicator</b>	
10A 1 Gang 1 Way White Switch with White Fluorescent Indicator	E3031V1FWWW
10A 1 Gang 2 Way White Switch with White Fluorescent Indicator	E3031V2FWWW
10A 2 Gang 1 Way White Switch with White Fluorescent Indicator	E3032V1FWWW
10A 2 Gang 2 Way White Switch with White Fluorescent Indicator	E3032V2FWWW
10A 3 Gang 1 Way White Switch with White Fluorescent Indicator	E3033V1FWWW
10A 3 Gang 2 Way White Switch with White Fluorescent Indicator	E3033V2FWWW
<b>Socket</b>	
15A 1 Gang Switch Socket Outlet Grey with Blue LED	E3015/15-EBGS-EX
15A 1 Gang Switch Socket Outlet White with White LED	E3015/15-EWWW-EX
10A International Socket in Grey colour	E3426/10IS>GS-OS
10A International Socket in White colour	E3426/10IS>WW-OS
6A 1 Gang Switch Socket Outlet Grey	EH3015/6>GS-OS
6A 1 Gang Switch Socket Outlet White	EH3015/6>WW-OS
16/6A 1 Gang Switch Socket Outlet Grey	EH3015/16/6>GS-OS
16/6A 1 Gang Switch Socket Outlet White	EH3015/16/6>WW-OS
<b>Bell Push</b>	
4A 1 Way Horizontal Bell Push Switch Grey	E3031HBP>GS-OS
4A 1 Way Vertical Bell Push Switch Grey	E3031VBP>GS-OS
4A 1 Way Horizontal Bell Push Switch White	E3031HBP>WW-OS
4A 1 Way Vertical Bell Push Switch White	E3031VBP>WW-OS



20A DP Switch	
1 Gang Horizontal 20A DP Grey Switch with Blue LED	E3031HD20EBGS
1 Gang Horizontal 20A DP White Switch with White LED	E3031HD20EWWW
1 Gang Vertical 20A DP Grey Switch with Blue LED	E3031VD20>EBGS-OS
1 Gang Vertical 20A DP White Switch with White LED	E3031VD20>EWWW-OS
32A DP Switch	
32A 1 Gang DP Rocker Grey Switch with Blue LED	E3031DR32EBGS
32A 1 Gang DP Rocker White Switch with White LED	E3031DR32EWWW
Intermediate Switch	
16AX Intermediate Switch with Blue LED	E3031VIA>EBGS-OS
16AX Intermediate Switch with White LED	E3031VIA>EWWW-OS
Telecommunication	
1 Gang TV Socket Outlet in Grey Silver colour	E3031TV>GS-OS
1 Gang TV Socket Outlet in White colour	E3031TV>WW-OS
2 Gang TV Socket Outlet in Grey colour	E3032VTV>GS-OS
2 Gang TV Socket Outlet in White colour	E3032VTV>WW-OS
4 Pin 1 Gang Telephone Outlet (CAT 3) in Grey colour	E3031RJ>GS-OS
4 Pin 1 Gang 8 Pin Data Outlet (CAT 5E) in Grey colour	E3031RJ5E>GS-OS
4 Pin 2 Gang Telephone Outlet (CAT 3) in Grey colour	E3032RJ>GS-OS
4 Pin Telephone Outlet (CAT 3) + 8 Pin Data Outlet (CAT 5E) in Grey colour	E3032TD>GS-OS
4 Pin 1 Gang Telephone Outlet in White colour	E3031RJ>WW-OS
4 Pin 1 Gang 8 Pin Data Outlet (CAT 5E) in White colour	E3031RJ5E>WW-OS
4 Pin 2 Gang Telephone Outlet (CAT 3) in White colour	E3032RJ>WW-OS
4 Pin Telephone Outlet (CAT 3) + 8 Pin Data Outlet (CAT 5E) in White colour	E3032TD>WW-OS
1G Keystone Plate Shuttered - Grey Silver	E3031RJK>GS-OS
1G Keystone Plate Shuttered - White	E3031RJK>WW-OS
2G Keystone Plate Shuttered - Grey Silver	E3032RJK>GS-OS
2G Keystone Plate Shuttered - White	E3032RJK>WW-OS
1 Gang 2.1A, USB Charger in Grey Silver	E3031USB_GS
1 Gang 2.1A, USB Charger in White	E3031USB_WW
Blank Plate	
1 Gang Blank Plate in Grey colour	E3030X>GS-OS
2 Gang Blank Plate in Grey colour	ET3030X>GS-OS
1 Gang Blank Plate in White colour	E3030X>WW-OS
2 Gang Blank Plate in White colour	ET3030X>WW-OS
Terminal Block	
25A Connection Unit in Grey colour	E3031TB>GS-OS
25A Connection Unit in White colour	E3031TB>WW-OS
Dimmer/FR	
Single Gang Dimmer Grey with Blue LED	E3031HD>EBGS-OS
2 Gang Horizontal Dimming Grey Switch with Blue LED	E3032HD>EBGS-OS
Single Gang Dimmer White with White LED	E3031HD>EWWW-OS
2 Gang Horizontal Dimming White Switch with White LED	E3032HD>EWWW-OS
1 Gang Fan Control in Grey colour	E3031FRGS
1 Gang Fan Control in White colour	E3031FRWW
Hotel Series	
2 Gang "Do Not Disturb" & "Please Clean Up" Combined (Horizontal) in Grey colour	E3032HDM>GS-OS
1 Gang "Do Not Disturb" & "Please Clean Up" Combined (Vertical) in Grey colour	E3030VDM>GS-OS
1 Gang Bell Push with "Please Clean Up" Combined (Vertical) in Grey colour	E3031VBPM>GS-OS
1 Gang Bell Push with "Do not Disturb" Combined (Vertical) in Grey colour	E3031VBPD>GS-OS
1 Gang Bell Push with "Do Not Disturb" & "Please Clean Up" Combined (Vertical) in Grey colour	E3031VBPDM>GS-OS
Electronic Key Card Switch (Horizontal) in Grey colour	E3031EKTH>GS-OS
115/240V Shaver Outlet (Vertical) in Grey colour	ET3727V>GS-OS
2 Gang "Do not Disturb" & "Please Clean Up" Combined (Horizontal) in White colour	E3032HDM>WW-OS
1 Gang "Do not Disturb" & "Please Clean Up" Combined (Vertical) in White colour	E3030VDM>WW-OS
1 Gang Bell Push with "Please Clean Up" Combined (Vertical) in White colour	E3031VBPM>WW-OS
1 Gang Bell Push with "Do not Disturb" Combined (Vertical) in White colour	E3031VBPD>WW-OS
1 Gang Bell Push with "Do not Disturb" & "Please Clean Up" Combined (Vertical) in White colour	E3031VBPDM>WW-OS
Electronic Key Card Switch (Horizontal) in White colour	E3031EKTH>WW-OS
115/240V Shaver Outlet (Vertical) in White colour	ET3727V>WW-OS

Metal Boxes for BS Format Ranges (ULTI, NEO, ZENcelo BS)	Reference
1 mm thickness	
2 Gang GI Metal Boxes to accommodate up to 2 Units	GM1102
3 Gang GI Metal Boxes to accommodate up to 3 Units	GM1103
4 Gang GI Metal Boxes to accommodate up to 4 Units	GM1104