



**PRICE LIST**  
DEC.26, 2023

**SAFETY  
MEIN  
SAMJHOTA  
NAHIN.**



# ROUND CONDUIT uPVC PIPES & FITTINGS



## Precision Round Conduit uPVC Pipes & Fitting

are manufactured from a specially formulated unplasticated polyvinyl chloride (uPVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact material which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537 - Part 3, BS EN 61386-21 for uPVC conduits, IS 3419:1988 and BS 4067 for uPVC fittings.



**1ST TIME IN INDIA!**

Our premium range of  
TRANSPARENT ROUND CONDUIT uPVC PIPES & FITTINGS  
are also available in red, green & yellow on request.

## Applications

Channelising concealed and surface wiring.  
Telecommunication and cable ducting.

### DIMENSIONS OF ROUND CONDUIT uPVC PIPES IS 9537 - PART 3

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Inside Diameter (Min.) (mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-
#SPECIAL SIZES					
19	19	-0.3	16.5	16.0	15.1

## Features



Various Diameters & Grades



Fire retardant & corrosion free



Easy and quick installation



Thermal resistant  
(-5° C to +60° C)



Durable & Impact resistant



Laser Engraved Pipe

- Light, medium and heavy mechanical stress, to suit various applications and site conditions
- Wide range of component maximises application
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at +60° C



# ROUND CONDUIT uPVC PIPES (SOCKETED)

HSN : 39172310



≈ FRLS CE ☼ U.V.S.

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
<b>LMS (LIGHT MECHANICAL STRESS)</b>						
# 1	PRCS 19L	19	100 x 3m	300	-	19.25
# 2	PRCS 19LNI	19	40 x 3m	-	120	19.25
3	PRCS 20L	20	100 x 3m	300	-	21.50
4	PRCS 20LNI	20	40 x 3m	-	120	21.50
5	PRCS 25L	25	100 x 3m	300	-	30.00
6	PRCS 25LNI	25	25 x 3m	-	75	30.00
7	PRCS 32L	32	50 x 3m	150	-	41.50
8	PRCS 32LNI	32	10 x 3m	-	30	41.50
9	PRCS 40L	40	25 x 3m	75	-	66.50
10	PRCS 40LNI	40	5 x 3m	-	15	66.50
11	PRCS 50L	50	20 x 3m	60	-	95.00
12	PRCS 50LNI	50	5 x 3m	-	15	95.00
13	PRCS 63L	63	18 x 3m	54	-	145.50

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
<b>LMS (LIGHT MECHANICAL STRESS) ≈ FRLS ☼ UVS CE </b>						
# 38	PFRL 19LS	19	100 x 3m	300	-	20.25
# 39	PFRL 19LSNI	19	40 x 3m	-	120	20.25
40	PFRL 20LS	20	100 x 3m	300	-	22.50
41	PFRL 20LSNI	20	40 x 3m	-	120	22.50
42	PFRL 25LS	25	100 x 3m	300	-	31.50
43	PFRL 25LSNI	25	25 x 3m	-	75	31.50
44	PFRL 32LS	32	50 x 3m	150	-	43.50
45	PFRL 32LSNI	32	10 x 3m	-	30	43.50
46	PFRL 40LS	40	25 x 3m	75	-	70.00
47	PFRL 40LSNI	40	5 x 3m	-	15	70.00
48	PFRL 50LS	50	20 x 3m	60	-	100.00
49	PFRL 50LSNI	50	5 x 3m	-	15	100.00
50	PFRL 63LS	63	18 x 3m	54	-	152.50

## MMS (MEDIUM MECHANICAL STRESS)

# 14	PRCS 19M	19	100 x 3m	300	-	22.50
# 15	PRCS 19MNI	19	40 x 3m	-	120	22.50
16	PRCS 20M	20	100 x 3m	300	-	24.00
17	PRCS 20MNI	20	40 x 3m	-	120	24.00
18	PRCS 25M	25	100 x 3m	300	-	33.75
19	PRCS 25MNI	25	25 x 3m	-	75	33.75
20	PRCS 32M	32	50 x 3m	150	-	51.00
21	PRCS 32MNI	32	10 x 3m	-	30	51.00
22	PRCS 40M	40	25 x 3m	75	-	73.00
23	PRCS 40MNI	40	5 x 3m	-	15	73.00
24	PRCS 50M	50	20 x 3m	60	-	111.00
25	PRCS 50MNI	50	5 x 3m	-	15	111.00

## MMS (MEDIUM MECHANICAL STRESS) ≈ FRLS ☼ UVS CE

# 51	PFRL 19MS	19	100 x 3m	300	-	23.75
# 52	PFRL 19MSNI	19	40 x 3m	-	120	23.75
53	PFRL 20MS	20	100 x 3m	300	-	25.25
54	PFRL 20MSNI	20	40 x 3m	-	120	25.25
55	PFRL 25MS	25	100 x 3m	300	-	35.50
56	PFRL 25MSNI	25	25 x 3m	-	75	35.50
57	PFRL 32MS	32	50 x 3m	150	-	53.50
58	PFRL 32MSNI	32	10 x 3m	-	30	53.50
59	PFRL 40MS	40	25 x 3m	75	-	77.00
60	PFRL 40MSNI	40	5 x 3m	-	15	77.00
61	PFRL 50MS	50	20 x 3m	60	-	116.50
62	PFRL 50MSNI	50	5 x 3m	-	15	116.50

## HMS (HEAVY MECHANICAL STRESS)

# 26	PRCS 19H	19	100 x 3m	300	-	29.00
# 27	PRCS 19HNI	19	40 x 3m	-	120	29.00
28	PRCS 20H	20	100 x 3m	300	-	33.25
29	PRCS 20HNI	20	40 x 3m	-	120	33.25
30	PRCS 25H	25	50 x 3m	150	-	42.25
31	PRCS 25HNI	25	25 x 3m	-	75	42.25
32	PRCS 32H	32	50 x 3m	150	-	66.50
33	PRCS 32HNI	32	10 x 3m	-	30	66.50
34	PRCS 40H	40	25 x 3m	75	-	87.00
35	PRCS 40HNI	40	5 x 3m	-	15	87.00
36	PRCS 50H	50	20 x 3m	60	-	132.00
37	PRCS 50HNI	50	5 x 3m	-	15	132.00

## HMS (HEAVY MECHANICAL STRESS) ≈ FRLS ☼ UVS CE

# 63	PFRL 19HS	19	100 x 3m	300	-	30.50
# 64	PFRL 19HSNI	19	40 x 3m	-	120	30.50
65	PFRL 20HS	20	100 x 3m	300	-	35.00
66	PFRL 20HSNI	20	40 x 3m	-	120	35.00
67	PFRL 25HS	25	50 x 3m	150	-	44.25
68	PFRL 25HSNI	25	25 x 3m	-	75	44.25
69	PFRL 32HS	32	50 x 3m	150	-	70.00
70	PFRL 32HSNI	32	10 x 3m	-	30	70.00
71	PFRL 40HS	40	25 x 3m	75	-	91.50
72	PFRL 40HSNI	40	5 x 3m	-	15	91.50
73	PFRL 50HS	50	20 x 3m	60	-	138.50
74	PFRL 50HSNI	50	5 x 3m	-	15	138.50

# Special Size

≈ FRLS: Fire Retardant - Low Smoke

☼ UVS: Ultra Violet Stabilised

Lead Free for Green Environment

**ROUND CONDUIT  
uPVC PIPES  
(SOCKETED) FRLS  
HSN : 39172310  
SPECIAL SIZES**



#	SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Mtr.
				Pc. x Mtr.	Mtr. / Bdl.	
#	75	PRCS 19SPL	19 x 1mm	100 x 3m	300	15.75
#	76	PRCS 20SPL	20 x 1mm	100 x 3m	300	17.25
#	77	PRCS 25SPL	25 x 1mm	100 x 3m	300	21.75

# Special Size

**ROUND CONDUIT  
uPVC PIPE FITTINGS**

HSN : 73201019



**BENDING SPRING**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	COLOUR	STANDARD PACK		RATE Pc
				Pc/Bag	Pc/Carton	
<b>LIGHT GAUGE</b>						
78	PBS20L	20	Black	10	50	272.00
79	PBS25L	25	Black	5	25	360.00
<b>MEDIUM GAUGE</b>						
80	PBS20M	20	Silver	10	50	272.00
81	PBS25M	25	Silver	5	25	360.00
<b>HEAVY GAUGE</b>						
82	PBS20H	20	Gold	10	50	272.00
83	PBS25H	25	Gold	5	25	360.00

⊗ Suitable for 19mm LMS and 19mm MMS conduits also.

IS:3419



**ROUND CONDUIT uPVC PIPE FITTINGS**

HSN : 39174000



1988

**CIRCULAR BOX WITHOUT LID**

**TERMINAL - 1 WAY  
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
84	PRCB 191	19	20	600	17.25
85	PRCB 201	20	20	600	17.75
86	PRCB 251	25	15	450	22.25
87	PRCB 321	32	10	160	41.25
88	PRCB 401	40	10	160	49.75
89	PRCB 501	50	5	80	89.50

**TEE - 3 WAY  
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
102	PRCB 193	19	20	400	19.75
103	PRCB 203	20	20	400	20.75
104	PRCB 253	25	15	300	26.75
105	PRCB 323	32	10	160	44.50
106	PRCB 403	40	10	160	56.50
107	PRCB 503	50	5	80	105.00

**ANGLE - 2 WAY  
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
90	PRCB 192A	19	20	400	17.75
91	PRCB 202A	20	20	400	18.25
92	PRCB 252A	25	15	300	22.50
93	PRCB 322A	32	10	160	43.25
94	PRCB 402A	40	10	160	54.00
95	PRCB 502A	50	5	80	97.00

**INTERSECTION - 4 WAY  
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
108	PRCB 194	19	20	400	21.50
109	PRCB 204	20	20	400	22.00
110	PRCB 254	25	15	240	30.25
111	PRCB 324	32	10	160	47.00
112	PRCB 404	40	10	160	64.50
113	PRCB 504	50	5	80	114.50

**THROUGH - 2 WAY  
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
96	PRCB 192S	19	20	400	17.75
97	PRCB 202S	20	20	400	18.25
98	PRCB 252S	25	15	300	22.50
99	PRCB 322S	32	10	160	43.25
100	PRCB 402S	40	10	160	54.00
101	PRCB 502S	50	5	80	97.00

**TERMINAL - 1 WAY  
DEEP CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
114	PRCB 191D	19	10	280	28.50
115	PRCB 201D	20	10	280	29.25
116	PRCB 251D	25	10	280	35.50
117	PRCB 321D	32	10	280	41.50

# ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



## CIRCULAR BOX WITHOUT LID

### ANGLE - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
118	PRCB 192AD	19	10	280	30.00
119	PRCB 202AD	20	10	280	30.50
120	PRCB 252AD	25	10	280	36.75
121	PRCB 322AD	32	10	280	44.75

### BRANCH - 3 WAY (Y) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
137	PRCB 19Y	19	20	400	33.00
138	PRCB 20Y	20	20	400	34.50
139	PRCB 25Y	25	15	300	45.50

### THROUGH - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
122	PRCB 192SD	19	10	200	30.00
123	PRCB 202SD	20	10	200	30.50
124	PRCB 252SD	25	10	200	36.75
125	PRCB 322SD	32	10	200	44.75

### BRANCH - 4 WAY (H) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
140	PRCB 19H	19	15	300	34.75
141	PRCB 20H	20	15	300	35.75
142	PRCB 25H	25	15	300	48.75

### TEE - 3 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
126	PRCB 193D	19	10	220	33.75
127	PRCB 203D	20	10	220	34.50
128	PRCB 253D	25	10	220	43.25
129	PRCB 323D	32	10	160	48.25

### BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
143	PRCB 201 BO	20	20	400	30.25
144	PRCB 251 BO	25	15	300	43.25

### INTERSECTION - 4 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
130	PRCB 194D	19	10	220	34.25
131	PRCB 204D	20	10	220	35.50
132	PRCB 254D	25	10	220	45.75
133	PRCB 324D	32	10	160	49.50

### BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
145	PRCB 202S BO	20	20	400	30.75
146	PRCB 252S BO	25	15	300	45.50

### BRANCH - 2 WAY (U) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
134	PRCB 19U	19	20	400	30.50
135	PRCB 20U	20	20	400	31.00
136	PRCB 25U	25	20	400	42.00

### BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
147	PRCB 202A BO	20	20	400	30.75
148	PRCB 252A BO	25	15	300	45.50

### BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
149	PRCB 203 BO	20	20	400	34.50
150	PRCB 253 BO	25	15	300	49.00



## WITH SCREW CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
151	PRCL65	65	100	2000	5.25
152	PRCL80	80	100	2000	10.50
153	PRCL85	85	100	2000	10.50
154	PRCL90	90	100	1800	12.00
155	PRCL93	93	25	750	12.00
156	PRCL110	110	50	900	18.75

» 65 - For 19/20/25mm JB, DJB & 32 DJB    ❑ 80 - For 32/40mm JB    ~ 93 - For 50mm JB

## WITHOUT SCREW CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
157	PRCL65WS	65	100	2000	4.25
158	PRCL80WS	80	100	2000	10.00
159	PRCL85WS	85	100	2000	10.00
160	PRCL90WS	90	100	1800	11.50
161	PRCL93WS	93	25	750	11.50
162	PRCL110WS	110	50	900	18.25

## CIRCULAR BOX WITH LID & SCREW

### TERMINAL - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
163	PRCB 191L	19	20	600	23.50
164	PRCB 201L	20	20	600	24.00
165	PRCB 251L	25	15	450	28.50
166	PRCB 321L	32	10	160	52.75
167	PRCB 401L	40	10	160	61.25
168	PRCB 501L	50	5	80	102.50

### THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
179	PRCB 192SL	19	20	400	24.00
180	PRCB 202SL	20	20	400	24.50
181	PRCB 252SL	25	15	300	28.75
182	PRCB 322SL	32	10	160	54.75
183	PRCB 402SL	40	10	160	65.50
184	PRCB 502SL	50	5	80	110.00

### TERMINAL - 1 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
169	PRCB 201AL	20	20	360	21.50
170	PRCB 251AL	25	15	270	27.00

### THROUGH - 2 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
185	PRCB 202SAL	20	15	270	24.00
186	PRCB 252SAL	25	10	180	28.25

### ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
171	PRCB 192AL	19	20	400	24.00
172	PRCB 202AL	20	20	400	24.50
173	PRCB 252AL	25	15	300	28.75
174	PRCB 322AL	32	10	160	54.75
175	PRCB 402AL	40	10	160	65.50
176	PRCB 502AL	50	5	80	110.00

### TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
187	PRCB 193L	19	20	400	26.00
188	PRCB 203L	20	20	400	27.00
189	PRCB 253L	25	15	300	33.00
190	PRCB 323L	32	5	110	56.00
191	PRCB 403L	40	5	110	68.00
192	PRCB 503L	50	5	80	118.00

### ANGLE - 2 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
177	PRCB 202AAL	20	15	270	24.00
178	PRCB 252AAL	25	10	180	28.25

### TEE - 3 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
193	PRCB 203AL	20	15	270	25.50
194	PRCB 253AL	25	10	180	30.75



## CIRCULAR BOX WITH LID & SCREW

### INTERSECTION - 4 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
195	PRCB 194L	19	20	320	27.75
196	PRCB 204L	20	20	320	28.25
197	PRCB 254L	25	15	240	36.50
198	PRCB 324L	32	5	110	58.50
199	PRCB 404L	40	5	110	76.00
200	PRCB 504L	50	5	80	127.50

### INTERSECTION - 4 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
201	PRCB 204AL	20	12	216	27.75
202	PRCB 254AL	25	15	150	35.50

## PP CIRCULAR BOX WITH LID & SCREW



### INTERSECTION - 4 WAY (POLYPROPYLENE) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
203	PPCB194L	19	15	240	20.50
204	PPCB254L	25	10	250	24.50

## PP DEEP CIRCULAR BOX WITH LID & SCREW



### INTERSECTION - 4 WAY (POLYPROPYLENE) DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
205	PPCB194DL	19	12	240	24.50
206	PPCB254DL	25	10	200	35.00

## DEEP CIRCULAR BOX WITH LID & SCREW

### TERMINAL - 1 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
207	PRCB 191DL	19	10	280	34.75
208	PRCB 201DL	20	10	280	35.50
209	PRCB 251DL	25	10	280	41.75
210	PRCB 321DL	32	10	280	56.75

### ANGLE - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
211	PRCB 192ADL	19	10	280	36.25
212	PRCB 202ADL	20	10	280	36.75
213	PRCB 252ADL	25	10	280	43.00
214	PRCB 322ADL	32	10	280	58.75

### THROUGH - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
215	PRCB 192SDL	19	10	200	36.25
216	PRCB 202SDL	20	10	200	36.75
217	PRCB 252SDL	25	10	200	43.00
218	PRCB 322SDL	32	10	200	58.75

### TEE - 3 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
219	PRCB 193DL	19	10	220	40.00
220	PRCB 203DL	20	10	220	40.75
221	PRCB 253DL	25	10	220	49.50
222	PRCB 323DL	32	10	160	60.00

### INTERSECTION - 4 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
223	PRCB 194DL	19	10	220	40.50
224	PRCB 204DL	20	10	220	41.75
225	PRCB 254DL	25	10	220	52.00
226	PRCB 324DL	32	10	160	62.50

### BRANCH - 2 WAY (U) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
227	PRCB 19UL	19	20	400	36.75
228	PRCB 20UL	20	20	400	37.25
229	PRCB 25UL	25	20	400	48.25

### BRANCH - 3 WAY (Y) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
230	PRCB 19YL	19	15	300	39.25
231	PRCB 20YL	20	15	300	40.75
232	PRCB 25YL	25	15	300	51.75



# ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



## BRANCH - 4 WAY (H) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
233	PRCB 19HL	19	15	300	41.00
234	PRCB 20HL	20	15	300	42.00
235	PRCB 25HL	25	15	300	55.00

## BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
236	PRCB 201 BOL	20	20	400	36.50
237	PRCB 251 BOL	25	15	300	49.50

## BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
238	PRCB 202S BOL	20	15	300	37.00
239	PRCB 252S BOL	25	15	240	51.75

## BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
240	PRCB 202A BOL	20	15	300	37.00
241	PRCB 252A BOL	25	15	240	51.75

## BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
242	PRCB 203 BOL	20	15	300	40.75
243	PRCB 253 BOL	25	15	240	55.25

## CIRCULAR EXTENSION RING



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
244	PRER 20	20	50	800	12.50
245	PRER 25	25	40	640	16.00

## LOOP IN BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
246	PRLB 19	19 (4 punch)	20	400	17.75
247	PRLB 20	20 (4 punch)	20	400	17.75
248	PRLB 25	25 (2 punch)	20	400	17.75

## LOOP IN BOX EXTENSION



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
249	PRLB 20E	20	24	384	27.00

## COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
250	PCR 19	19	100	2000	4.75
251	PCR 20	20	100	2000	5.25
252	PCR 20 L	20 Long	150	2400	5.75
253	PCR 25	25	100	2000	7.25
254	PCR 32	32	60	960	12.50
255	PCR 40	40	30	480	21.75
256	PCR 50	50	20	320	37.25

## EXPANSION COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
257	PCR 20E	20	20	600	7.25
258	PCR 25E	25	12	360	12.50
259	PCR 32E	32	8	240	22.75
260	PCR 50E	50	10	160	41.50

## (PIPE TO FITTING) REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
261	PRR1	25>20	250	4000	7.25

## (PIPE TO PIPE) REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
262	PRR 2520	25 > 20	75	1500	7.25
263	PRR 3220	32 > 20	60	1200	9.50
264	PRR 3225	32 > 25	40	800	12.50
265	PRR 4020	40 > 20	48	960	16.00
266	PRR 4032	40 > 32	32	640	17.75
267	PRR 5032	50 > 32	30	480	21.50
268	PRR 5040	50 > 40	30	480	21.75





## SLIP TYPE BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
269	PRBN 19	19	65	1040	7.75
270	PRBN 20	20	65	1040	8.25
271	PRBN 25	25	35	560	13.50
272	PRBN 32	32	20	320	36.00
273	PRBN 40	40	10	160	73.00
274	PRBN 50	50	5	80	99.50
275	PRBN 63	63	-	50	145.50

## SLIP TYPE LONG BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
276	PRBL 19	19	45	720	12.00
277	PRBL 20	20	45	720	12.50
278	PRBL 25	25	20	320	20.75
279	PRBL 32	32	10	160	50.00
280	PRBL 40	40	-	80	98.00
281	PRBL 50	50	-	55	147.50

## SPACE BAR SADDLE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
282	PRBS 19	19	100	2000	6.75
283	PRBS 20	20	100	2000	7.25
284	PRBS 25	25	100	2000	8.75
285	PRBS 32	32	100	1600	15.00
286	PRBS 40	40	80	1280	16.75
287	PRBS 50	50	60	960	20.00
288	PRBS 63	63	-	50	26.25

## SADDLE STRAP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
289	PRSS 19	19	100	2000	4.00
290	PRSS 20	20	100	2000	4.25
291	PRSS 25	25	100	2000	5.75
292	PRSS 32	32	100	1600	6.75
293	PRSS 40	40	80	1280	8.75
294	PRSS 50	50	60	960	11.75

(POLYPROPYLENE)

## SELF LOCKING SADDLE CLIP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
295	PPSC20SL	20	75	450	9.50
296	PPSC25SL	25	50	300	12.00

## ROUND 'U' CLIP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
297	PRUC 20	20	200	4000	7.50
298	PRUC 25	25	100	3000	11.75

## END CAP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
299	PREC 20	20	150	3000	2.75
300	PREC 25	25	100	2000	4.75
301	PREC 32	32	70	1400	5.75
302	PREC 40	40	32	640	11.00
303	PREC 50	50	24	480	15.75

## MALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
304	PMBA 19	19	100	2000	7.25
305	PMBA 20	20	100	2000	7.75
306	PMBA 25	25	100	2000	9.25

## FEMALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
307	PFBA 19	19	100	2000	7.25
308	PFBA 20	20	100	2000	7.75
309	PFBA 25	25	100	2000	9.75
310	PFBA 32	32	75	1200	15.00
311	PFBA 40	40	50	800	20.25
312	PFBA 50	50	25	400	34.25

## ROUND ELBOW



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
313	PRE 20	20	125	2500	7.25
314	PRE 25	25	75	1200	9.75
315	PRE 32	32	20	400	13.75
316	PRE 40	40	15	300	21.25
317	PRE 50	50	10	200	34.00

IS:3419



1988

# ROUND CONDUIT UPVC PIPE FITTINGS

HSN : 39174000



## ROUND TEE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
318	PRT 20	20	50	1500	12.00
319	PRT 25	25	50	800	14.75
320	PRT 32	32	15	300	17.00
321	PRT 40	40	10	200	25.25
322	PRT 50	50	10	160	40.00

## INSPECTION ELBOW



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
323	PIE 20	20	20	600	31.00
324	PIE 25	25	20	400	38.50

## INSPECTION TEE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
325	PIT 20	20	20	600	30.50
326	PIT 25	25	20	400	45.50

## INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
327	PIB 20	20	20	600	30.75
328	PIB 25	25	20	400	45.25

## ADAPTABLE BOX WITH LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
329	PAB 75L	3" x 3" x 2" 75x75x50	10	200	66.50
330	PAB 110L	4" x 4" x 3" 110x110x75	-	100	131.00
331	PAB 160L	6" x 4" x 3" 160x110x75	-	75	264.50
332	PAB 160SL	6" x 6" x 3" 160x160x75	-	50	288.50
333	PAB 225SL	9" x 9" x 3" 225x225x75	-	20	624.50
334	PAB 300SL	12" x 12" x 4" 300x300x110	-	5	1319.50

(WHITE)

## SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
335	PSB1	3" x 3"	10	300	41.75
336	PSB2	6" x 3"	10	200	71.50

(WHITE)

## SWITCH BOX LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
337	PSBL1 LID	3" x 3"	40	1200	18.00
338	PSBL2 LID	6" x 3"	25	750	24.25

(SWITCH BOX)

## FLUSH MOUNTED



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
339	PFSB1	3" x 3" x 2"	10	200	47.00
340	PFSB2	6" x 3" x 2"	10	160	63.00

(BLACK)

## FAN BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
341	PRFB20	20 Standard	10	220	49.50
342	PRFB25	25 Standard	10	220	49.50
343	PRFB20SL	20 Large	10	140	67.00
344	PRFB25SL	25 Large	10	140	67.00
345	PRFBRD2025	20/25 with Rod	1	28	202.00
346	PRFBRD25	25 with Rod	1	28	202.00

## METAL FAN BOX WITH ROD (BROWN)

HSN : 73072900



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Bag	RATE Pc
347	PMFB 2025	20/25	50	200.00

## UPVC SOLVENT CEMENT

HSN: 35061000



SR. NO.	PRODUCT CODE	SIZE (ml)	STANDARD PACK		RATE Pc
			Colour	Pc./Box Pc./Carton	
348	PSC100 ML	100ml	Transparent	24 144	88.00
349	PSC250 ML	250ml	Transparent	24 96	158.00
350	PSC500 ML	500ml	Transparent	12 48	267.50
351	PSC1L	1L	Transparent	6 24	460.50
352	PSC5L	5L	Transparent	- 6	1853.00

## PVC ELECTRICAL INSULATION TAPE

HSN : 85469090



SR. NO.	PRODUCT CODE	SIZE W(mm)xL(Mtr)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
353	PPIT 18	18x6	30	540	13.50

✳ 20mm Knockout Available    △ 32/38/40mm Knockout Available  
 ✳ 20/25 Knockout Available    ◇ 50mm Knockout Available



## ALL WEATHER BOXES

**Precision All Weather Boxes** are manufactured from high quality impact resistant Engineering Thermoplastics (Polycarbonate / ABS). The material itself is self-extinguishing and our specially developed formulation gives it special ability to withstand high temperatures. The product passes stringent IP 67 standard requirements which makes it suitable to use indoor and outdoor in harsh environment. Our specially made design gives it highest level of safety from unwanted ingress of oil / water / any other solid waste.



### APPLICATIONS

Enclosure boxes for electrical installations.  
Suitable for Outdoor / Indoor environment.

### FEATURES

- IP 67 compliance, suitable for Outdoor Installations (CIPET tested)
- Specially formulated Engineering Thermoplastic (Polycarbonate / ABS) gives temperature protection ranging from  $-40^{\circ}\text{C}$  to  $+90^{\circ}\text{C}$
- Weatherproof, Dust proof and Impact resistant
- Transparent lids ensure enhanced visibility
- Innovative design makes compatible for various types of Switchgears / Electrical components
- Body part with adequate molded markings for easy cable entry location from all sides
- Various sizes available as per individual choice
- Screws supplied are made up of anti-rust SS / Engineering Plastic for corrosion free working and durability as well.



# ALL WEATHER BOXES

IP 67 HSN : 85381010

GREY

## ALL WEATHER BOXES OPAQUE LID (ABS)



Sr No.	Product Code	Size L x W x H (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
354	PAB 8383OL	83 X 83 X 65	21	190.00
⊗ 355	PAB 8888OL	88 X 88 X 53	27	199.00
⊗ 356	PAB 9898OL	98 X 98 X 61	24	220.00
357	PAB 100100OL	100 X 100 X 65	21	221.00
358	PAB 13080OL	130 X 80 X 65	16	254.50
359	PAB 130130OL	130 X 130 X 80	16	377.00
⊗ 360	PAB 139119OL	139 X 119 X 70	10	213.50
⊗ 361	PAB 167125OL	167 X 125 X 82	12	265.00
362	PAB 18080OL	180 X 80 X 90	12	308.00
363	PAB 1801OL	180 X 130 X 75	16	418.50
364	PAB 1802OL	180 X 130 X 100	12	423.00
365	PAB 180180OL	180 X 180 X 100	20	544.00
⊗ 366	PAB 200160OL	200 X 160 X 98	8	417.50
367	PAB 210190OL	210 X 190 X 100	6	625.50
368	PAB 27080OL	270 X 80 X 90	12	378.00
369	PAB 280190OL	280 X 190 X 130	4	775.00
370	PAB 280280OL	280 X 280 X 130	2	1093.00
371	PAB 380190OL	380 X 190 X 130	3	1002.50
372	PAB 380280OL	380 x 280 x 130	2	1424.00
373	PAB 560380OL	560 X 380 X 180	2	3317.00

⊗ With Knockout

## ALL WEATHER BOXES TRANSPARENT LID (ABS)




Sr No.	Product Code	Size L x W x H (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
374	PAB 18080TL	180 X 80 X 90	12	356.00
375	PAB 27080TL	270 X 80 X 90	12	443.50
376	PAB 180130TL	180 X 130 X 100	12	431.50
377	PAB 180180TL	180 X 180 X 100	20	559.50
378	PAB 210190TL	210 X 190 X 100	6	651.00
379	PAB 280190TL	280 X 190 X 130	4	843.50
380	PAB 280280TL	280 X 280 X 130	2	1145.00
381	PAB 380190TL	380 X 190 X 130	3	1145.00
382	PAB 380280TL	380 x 280 x 130	2	1660.00
383	PAB 560380TL	560 X 380 X 180	2	3782.00



## G.I & M.S. CONDUIT PIPES & FITTINGS

**Precision G.I & M.S. Conduit Pipes** are manufactured from rigorously tested raw material, in accordance with IS 9537 Part – 2. G.I. Conduit Pipes are coated at a hot dipped galvanising plant in which iron or steel is coated with a layer of zinc. This coating makes the conduit safe and durable for industrial installations, coastal line atmosphere & thermal power stations. M.S. Conduit Pipes are treated and coated with paint.



## Applications

Channelising electrical surface wiring and cable ducting.

## Features



Anti - Rust Coat



Good Finish



Easy to cut



High resistance to Corrosion



### DIMENSIONS OF G.I. & M.S. CONDUIT PIPES

NORMAL SIZE	OUTSIDE DIAMETER	TOLERANCE OD	WALL THICKNESS	WALL THICKNESS TOLERANCE
MM	MM	MM	MM	MM
20	20	0 -0.3	1.60	±0.2
25	25	0 -0.4	1.60	±0.2
32	32	0 -0.4	1.60	±0.2
40	40	0 -0.4	2.00	+0.2 -0.4
50	50	0 -0.5	2.00	+0.2 -0.4



## G.I. & M.S. CONDUIT PIPES

HSN : 73069090



COLOUR : SILVER

### G.I. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
384	PGIC 20	20	26 x 3m	78	231.00
385	PGIC 25	25	21 x 3m	63	280.00
386	PGIC 32	32	16 x 3m	48	420.00
387	PGIC 40	40	10 x 3m	30	665.00
388	PGIC 50	50	5 x 3m	15	755.00



COLOUR : BLACK

### M.S. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
389	PMSC 20	20	26 x 3m	78	145.00
390	PMSC 25	25	21 x 3m	63	185.00
391	PMSC 32	32	16 x 3m	48	260.00
392	PMSC 40	40	10 x 3m	30	435.00
393	PMSC 50	50	5 x 3m	15	570.00

## G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



### CIRCULAR BOX WITH LID AND SCREW

TERMINAL -1 WAY (SCREW TYPE)

### G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
394	PGIB 251	25	20	200	80.00

TERMINAL -1 WAY (SCREW TYPE)

### M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
395	PMSB 201	20	20	200	54.00
396	PMSB 251	25	20	200	60.00

# G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



## THROUGH - 2 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
397	PGIB 252S	25	20	200	83.50

## INTERSECTION - 4 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
404	PMSB 204	20	20	200	65.50
405	PMSB 254	25	20	200	71.50

## THROUGH - 2 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
398	PMSB 202S	20	20	200	65.50
399	PMSB 252S	25	20	200	68.00

## THREAD TYPE G.I. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
406	PGI 25IBT	25	20	200	84.00

## TEE - 3 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
400	PGIB 253	20	20	200	88.00

## SCREW TYPE M.S. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
407	PMS 20IBS	20	20	200	62.00
408	PMS 25IBS	25	20	200	64.00

## TEE - 3 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
401	PMSB 203	20	20	200	65.50
402	PMSB 253	25	20	200	71.50

## INTERNAL THREAD M.S.NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
409	PMS 25NBIT	25	12	144	108.50

## INTERSECTION - 4 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
403	PGIB 254	25	20	200	92.00



## uPVC MINI/MAXI TRUNKING PROFILE & FITTINGS

### Precision uPVC Mini/Maxi Trunking Profile & Fittings

are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards.

The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standard IS 14927 - Part 2 and BS EN 50085 -2-1. Mini Trunking Profile are also available with self-fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance.

Precision uPVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile Fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors.

### APPLICATIONS

To organize and protect cables on surface.



Easy and quick  
installation



Secure &  
Elegant look



Various Sizes  
Available



Durable & Impact  
Resistant



Fire retardant



Thermal resistant  
(-5° C to +60° C)







# UPVC MINI / MAXI TRUNKING PROFILE


CE FR HSN: 39162019

IVORY

WHITE

IVORY/WHITE

## UPVC MINI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
410	PT2012	20 x 12	100 x 2m	200	20.50
411	PT2512	25 x 12	100 x 2m	200	24.50
# 412	PT3015	30 x 15	100 x 2m	200	26.00
413	PT3212	32 x 12	100 x 2m	200	30.50
414	PT3212SPL	32 x 12	100 x 2m	200	25.25
# 415	PT1616	16 x 16	100 x 2m	200	19.75
416	PT2516	25 x 16	100 x 2m	200	29.50
417	PT2516SPL	25 x 16	100 x 2m	200	24.50
# 418	PT3216	32 x 16	100 x 2m	200	27.25
419	PT3816	38 x 16	50 x 2m	100	48.00
420	PT3825	38 x 25	50 x 2m	100	54.50
421	PT3838	38 x 38	25 x 2m	50	72.00
422	PT5016	50 x 16	50 x 2m	100	83.50

# Special Size  
∞ 100 x 50

WHITE

## UPVC MAXI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
423	PT5050	50 x 50	20 x 2m	40	140.50
424	PT7550	75 x 50	12 x 2m	24	341.00
425	PT7575	75 x 75	9 x 2m	18	446.00
426	PT10050	100 x 50	10 x 2m	20	555.50
427	PT100100	100 x 100	6 x 2m	12	712.25
428	PT15050	150 x 50	5 x 2m	10	845.50
429	PT150100	150 x 100	4 x 2m	8	1029.00

WHITE

## UPVC MAXI TRUNKING PROFILE DIVIDER



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
∞ 430	PMTD	Standard	50 x 2m	100	76.00

# UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000

IVORY

WHITE

## COUPLER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
431	PTC 2012	20 x 12	100	2.75
432	PTC 2512	25 x 12	100	2.50
433	PTC 3212	32 x 12	100	2.50
434	PTC 1616	16 x 16	100	2.75
435	PTC 3816	38 x 16	50	4.75
436	PTC 3825	38 x 25	50	5.75
437	PTC 10050	100 x 50(W)	10	14.00

## TEE



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
445	PTT 2012	20 x 12	100	4.75
446	PTT 2512	25 x 12	50	4.25
447	PTT 3212	32 x 12	50	5.75
448	PTT 1616	16 x 16	100	4.75
449	PTT 3816	38 x 16	50	7.25
450	PTT 3825	38 x 25	50	8.25
451	PTT 10050	100 x 50(W)	10	55.00

## ELBOW



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
438	PTB 2012	20 x 12	100	4.25
439	PTB 2512	25 x 12	100	2.75
440	PTB 3212	32 x 12	100	4.75
441	PTB 1616	16 x 16	100	2.75
442	PTB 3816	38 x 16	100	5.75
443	PTB 3825	38 x 25	100	7.25
444	PTB 10050	100 x 50(W)	10	58.50

## INTERNAL BEND



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
452	PTI 2512	25 x 12	100	2.00
453	PTI 3212	32 x 12	100	2.75
454	PTI 1616	16 x 16	100	2.75
455	PTI 3816	38 x 16	100	4.75
456	PTI 3825	38 x 25	50	6.25
457	PTI 10050	100 x 50(W)	10	22.50

# UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000



## EXTERNAL BEND

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
458	PTE 2512	25 x 12	100	2.00
459	PTE 3212	32 x 12	100	4.25
460	PTE 1616	16 x 16	100	4.75
461	PTE 3816	38 x 16	100	5.75
462	PTE 3825	38 x 25	50	8.50
463	PTE 10050	100 x 50(W)	10	40.25



## 4 - WAY

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
464	PTW3212	32 x 12	50	9.50



## END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
465	PMTC 100	100 x 50(W)	50	12.50

- ABS

## (POLY PROPYLENE) JUNCTION LINKER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE Pc
		Standard	Pc./Bag	Pc./Carton	
466	PTJL7575	Standard	20	300	7.00

## TRUNKING KNOCKOUT SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	Pc./Carton	RATE Pc
467	PTSB1	3"x3" (W)	10	300	41.25
468	PTSB2	6"x3" (W)	10	200	68.00

\$ 16 x 16, 25 x 16 Knockout Available  
(W) - White

# UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN: 39174000



## ELBOW

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
469	PMTL50	50 x 50	5	81.00
470	PMTL751	75 x 50	5	194.50
471	PMTL752	75 x 75	5	231.50
472	PMTL1002	100 x 100	5	332.50
473	PMTL1501	150 x 50	5	314.50



## TEE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
474	PMTT50	50 x 50	5	114.50
475	PMTT751	75 x 50	5	194.50
476	PMTT752	75 x 75	5	231.50
477	PMTT1002	100 x 100	5	332.50
478	PMTT1501	150 x 50	5	314.50



## INTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
479	PMTI50	50 x 50	5	81.00
480	PMTI751	75 x 50	5	194.50
481	PMTI752	75 x 75	5	231.50
482	PMTI1002	100 x 100	5	332.50
483	PMTI1501	150 x 50	5	314.50



## EXTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
484	PMTE50	50 x 50	5	81.00
485	PMTE751	75 x 50	5	194.50
486	PMTE752	75 x 75	5	231.50
487	PMTE1002	100 x 100	5	332.50
488	PMTE1501	150 x 50	5	314.50



## END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
489	PFTC50	50 x 50	5	22.75
490	PFTC751	75 x 50	5	31.50
491	PFTC752	75 x 75	5	36.50
492	PFTC1002	100 x 100	5	76.50
493	PFTC1501	150 x 50	5	84.50

## METALLIC CABLE MANAGEMENT SYSTEM



Precision after serving India and overseas markets all these years in routing wires through our conduits, we have launched metallic cable management system to route HT/ LT/ LV cables through our Perforated, Ladder & Trunking cable tray with accessories.

**It comes in 3 major categories as follows:**

- a) Trunking Cable Tray (TCT) and Fittings
- b) Perforated Cable Tray (PCT) and Fittings
- c) Ladder Cable Tray (LCT) and Fittings

**All above categories are further divided in various finishes such as:**

- i) Hot Dip Galvanized (HDG)
- ii) Powder Coated (PC)
- iii) Enamel Painted (EP)
- iv) Pre-Galvanized Sheets (PG)

**APPLICATIONS**

Metallic Cable Management System for HT/ LT/ LV cables suitable for Indoor and Outdoor environment.

**FEATURES**

- Available in different Thicknesses ranging from 1.6 mm to 3.0 mm
- Various Width x Height sizes available to make cost effective
- Choice of Finishes / Raw Materials available as per individual requirements
- Available in standard length of 2.5 Mtr
- Once fixed, it is absolutely Maintenance Free
- Availability of lids makes it easy to open in case of future work at later stage
- All raw material used is of IS grade
- Complimentary 2 nos of Coupler Plates & Nut-Bolts with each Cable Tray
- Suitable Fittings available in all categories of Cable Tray
- Hot dip Galvanizing comes with 65  $\mu$ m as standard Zinc coating. For humid and corrosive environment 80/120  $\mu$ m coating is also available as per requirements.

# METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090

## TRUNKING CABLE TRAY (TCT)



Sr No.	SIZE W x H (mm)	COVER W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
494	50 x 38	55 X 12	2.5	1
495	50 x 50	55 X 12	2.5	1
496	100 x 50	105 X 12	2.5	1
497	150 x 50	155 X 12	2.5	1
498	200 x 50	205 X 12	2.5	1
499	300 x 50	305 X 12	2.5	1
500	450 x 50	455 X 12	2.5	1
501	600 x 50	605 X 12	2.5	1
502	100 x 70	105 X 12	2.5	1
503	150 x 75	155 X 12	2.5	1
504	200 x 75	205 X 12	2.5	1
505	300 x 75	305 X 12	2.5	1
506	450 x 75	455 X 12	2.5	1
507	600 x 75	605 X 12	2.5	1

## PERFORATED CABLE TRAY (PCT)



## ACCESSORIES FOR TRUNKING CABLE TRAY (TCT)



Sr No	Fitting	Type	Standard Pack (Pc)
508	45° Bend	Horizontal	1
509	45° Bend	Vertical	1
510	90° Bend	Horizontal	1
511	90° Bend	Vertical	1
512	Tee joint	Equal	1
513	Tee joint	Unequal	1
514	Reducer joint	Concentric	1
515	Reducer joint	Eccentric	1
516	4 way Cross joint	Equal	1
517	4 way Cross joint	Unequal	1

**All above sizes are available:**

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

All above fittings are available for TCT range from 50 x 38 mm to 600 x 75 mm.

Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
518	50 x 50	2.5	1
519	100 x 50	2.5	1
520	150 x 50	2.5	1
521	200 x 50	2.5	1
522	300 x 50	2.5	1
523	450 x 50	2.5	1
524	600 x 50	2.5	1
525	100 x 75	2.5	1
526	150 x 75	2.5	1
527	200 x 75	2.5	1
528	300 x 75	2.5	1
529	450 x 75	2.5	1
530	600 x 75	2.5	1
531	150 x 100	2.5	1
532	200 x 100	2.5	1
533	300 x 100	2.5	1
534	450 x 100	2.5	1
535	600 x 100	2.5	1

# METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090



## ACCESSORIES FOR PERFORATED CABLE TRAY (PCT)

Sr No	Fitting	Type	Standard Pack (Pc)
536	45° Bend	Horizontal	1
537	45° Bend	Vertical	1
538	90° Bend	Horizontal	1
539	90° Bend	Vertical	1
540	Tee joint	Equal	1
541	Tee joint	Unequal	1
542	Reducer joint	Concentric	1
543	Reducer joint	Eccentric	1
544	4 way Cross joint	Equal	1
545	4 way Cross joint	Unequal	1



### All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

Covers are available for Perforated Cable Tray also.

All above fittings are available for PCT range from 50 x 50 mm to 600 x 100 mm.

## LADDER CABLE TRAY (LCT)


Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
546	100 x 50	2.5	1
547	150 x 50	2.5	1
548	200 x 50	2.5	1
549	300 x 50	2.5	1
550	450 x 50	2.5	1
551	600 x 50	2.5	1
552	750 x 50	2.5	1
553	900 x 50	2.5	1
554	1000 x 50	2.5	1
555	100 x 75	2.5	1
556	150 x 75	2.5	1
557	200 x 75	2.5	1
558	300 x 75	2.5	1
559	450 x 75	2.5	1
560	600 x 75	2.5	1
561	750 x 75	2.5	1

Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
562	900 x 75	2.5	1
563	1000 x 75	2.5	1
564	1200 x 75	2.5	1
565	1500 x 75	2.5	1
566	150 x 100	2.5	1
567	200 x 100	2.5	1
568	300 x 100	2.5	1
569	450 x 100	2.5	1
570	600 x 100	2.5	1
571	750 x 100	2.5	1
572	900 x 100	2.5	1
573	1000 x 100	2.5	1
574	1200 x 100	2.5	1
575	1500 x 100	2.5	1

# METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090

## ACCESSORIES FOR LADDER CABLE TRAY (LCT)



Sr No	Fitting	Type	Standard Pack (pc)
576	45° Bend	Horizontal	1
577	45° Bend	Vertical	1
578	90° Bend	Horizontal	1
579	90° Bend	Vertical	1
580	Tee joint	Equal	1
581	Tee joint	Unequal	1
582	Reducer joint	Concentric	1
583	Reducer joint	Eccentric	1
584	4 way Cross joint	Equal	1
585	4 way Cross joint	Unequal	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

Covers are available for Ladder Cable Tray also.

All above fittings are available for LCT range from 100 x 50 mm to 1500 x 100 mm



## SLOTTED L SECTION

Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
586	25 x 25	2.5	1
587	25 x 30	2.5	1
588	25 x 35	2.5	1
589	30 x 30	2.5	1
590	30 x 35	2.5	1
591	30 x 40	2.5	1
592	30 x 45	2.5	1
593	35 x 30	2.5	1
594	35 x 35	2.5	1
595	30 x 40	2.5	1
596	40 x 35	2.5	1
597	40 x 40	2.5	1
598	40 x 45	2.5	1
599	40 x 50	2.5	1
600	45 x 45	2.5	1
601	45 x 50	2.5	1
602	50 x 50	2.5	1

## SLOTTED C SECTION



Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
603	15 X 30 X 15	2.5	1
604	15 X 35 X 15	2.5	1
605	20 X 35 X 20	2.5	1
606	25 X 35 X 25	2.5	1
607	15 X 40 X 15	2.5	1
608	20 X 40 X 20	2.5	1
609	25 X 40 X 25	2.5	1
610	15 X 50 X 15	2.5	1
611	20 X 50 X 20	2.5	1
612	25 X 50 X 25	2.5	1



## SLOTTED Z SECTION

Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
613	25 X 25 X 25	2.5	1
614	25 X 30 X 25	2.5	1
615	30 X 30 X 30	2.5	1
616	30 X 35 X 30	2.5	1
617	30 X 40 X 30	2.5	1
618	30 X 50 X 30	2.5	1
619	35 X 30 X 35	2.5	1
620	35 X 35 X 35	2.5	1
621	35 X 40 X 35	2.5	1
622	35 X 50 X 35	2.5	1
623	40 X 35 X 40	2.5	1
624	40 X 40 X 40	2.5	1
625	45 X 40 X 45	2.5	1
626	45 X 45 X 45	2.5	1
627	45 X 50 X 45	2.5	1
628	50 X 45 X 50	2.5	1
629	50 X 50 X 50	2.5	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.



## uPVC PANEL TRUNKING

**Precision uPVC Panel Trunking** is manufactured from high impact unplasticised polyvinyl chloride (uPVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium, big size panels & various applications where economy, space saving, safety and durability are paramount.

### APPLICATIONS

To conduct, organise and protect cables inside electrical and telecommunication panels, industrial machinery wiring, computer LAN wiring and data centers.

### FEATURES



Fire retardant



Thermal resistant  
(-5° C to +60° C)



High Tensile  
Strength  
(390 kg/cm<sup>2</sup>)

- Non-brittle, wrap proof.
- Vertical slides and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires.
- Avoids bunching, taping, and provides complete electrical insulation.
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting.



# UPVC PANEL TRUNKING ≈ FRLS (€)

HSN : 85381010



## STANDARD SLOT

### UPVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
630	PPT1515	15 x 15	200 x 1m	200	43.00
631	PPT2525	25 x 25	130 x 1m	130	65.50
632	PPT3025	30 x 25	125 x 1m	125	70.00
633	PPT4525	45 x 25	90 x 1m	90	86.00
634	PPT4545	45 x 45	50 x 1m	50	119.00
635	PPT4560	45 x 60	50 x 1m	50	154.00
636	PPT6025	60 x 25	70 x 1m	70	110.00
637	PPT6040	60 x 40	60 x 1m	60	138.00
638	PPT6045	60 x 45	50 x 1m	50	139.00
639	PPT6060	60 x 60	40 x 1m	40	174.00
640	PPT7525	75 x 25	60 x 1m	60	140.00
641	PPT7575	75 x 75	30 x 1m	30	256.00
642	PPT10075	100 x 75	24 x 1m	24	421.00
643	PPT100100	100 x 100	16 x 1m	16	498.00

## THIN SLOT

### UPVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
644	PPT3025TS	30 x 25	125 x 1m	125	73.00
645	PPT4525TS	45 x 25	90 x 1m	90	90.00
646	PPT4545TS	45 x 45	50 x 1m	50	126.00
647	PPT4560TS	45 x 60	50 x 1m	50	156.50
648	PPT6025TS	60 x 25	70 x 1m	70	118.00
649	PPT6040TS	60 x 40	60 x 1m	60	145.00
650	PPT6045TS	60 x 45	50 x 1m	50	146.00
651	PPT6060TS	60 x 60	40 x 1m	40	184.00

## TOP COVER

### UPVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		(mm)	Pc/Mtr	Mtr/Carton	
652	PPT25T	25	100 x 1m	100	27.00
653	PPT40T	40	50 x 1m	50	44.00
654	PPT45T	45	50 x 1m	50	47.00
655	PPT60T	60	50 x 1m	50	72.00
656	PPT75T	75	25 x 1m	25	73.00
657	PPT100T	100	25 x 1m	25	117.00

≈ FRLS: Fire Retardant - Low Smoke





## CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

**Precision Corrugated Flexible Conduit Pipes & Fittings** come in a wide and comprehensive range of material variants to suit a variety of applications. These conduits are manufactured in variants based on the final application for wiring purposes.


**POLYPROPYLENE FLEXIBLE CONDUITS** are the best solution for applications where resistance to constant flexing and vibration is essential, these conduits display excellent flexibility. Moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from  $-5^{\circ}\text{C}$  to  $+90^{\circ}\text{C}$ .

**STEEL WIRE REINFORCED FLEXIBLE UPVC CONDUITS** are manufactured with soft polyvinyl chloride (uPVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali & saline water. Most suitable for electrical wiring in buildings, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from  $-5^{\circ}\text{C}$  to  $+60^{\circ}\text{C}$ .

**GALVANISED STEEL FLEXIBLE CONDUIT** Precision Steel Flexible Conduit Pipes are made from galvanised steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air conditioning, ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions.

### GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING

Precision PVC Coated Steel Flexible Conduit Pipes are made from galvanized steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating. They are available in black/grey colour with spiral corrugated pattern finished surface. Most suitable for mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.



# CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

HSN : 39173100



## DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS

Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	-0.1	7.0
16	16	-0.3	10.7
20	20	-0.3	14.1
25	25	-0.4	18.3
32	32	-0.4	24.3
40	40	-0.4	31.2
50	50	-0.5	39.6
63	63	-0.6	52.6

## DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1 1/4"	35.0	32.0	70
40	1 1/2"	42.0	38.0	80
50	2"	54.0	50.0	90

\*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

## DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1 1/4"	36.5	32.0	70
40	1 1/2"	44.0	38.0	80
50	2"	57.0	51.0	90

\*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

## (PP) POLY PROPYLENE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
658	PCFC 10	10	100	1000	8.00
659	PCFC 16	16	50	500	8.00
660	PCFC 20	20	50	500	11.00
661	PCFC 25	25	25	250	16.00
662	PCFC 32	32	25	250	27.00
663	PCFC 40	40	20	100	37.50
664	PCFC 50	50	15	75	56.00
665	PCFC 63	63	10	50	87.00



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
666	PCCL 10	10	100	1000	12.00
667	PCCL 16	16	50	500	13.00
668	PCCL 20	20	50	500	18.00
669	PCCL 25	25	25	250	24.50
670	PCCL 32	32	25	250	40.00
671	PCCL 40	40	20	100	47.50
672	PCCL 50	50	15	75	65.50
673	PCCL 63	63	10	50	102.00

# CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

## CORRUGATED FLEXIBLE CONDUIT GLAND

HSN : 39174000



## GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

HSN : 83071000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
674	PFAG 16	16	125	2250	6.00
675	PFAG 20	20	75	1350	8.00
676	PFAG 25	25	50	900	10.50
677	PFAG 32	32	30	540	12.50
678	PFAG 40	40	20	360	18.00
679	PFAG 50	50	5	150	23.50

SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
695	PGIFC 16	16	1/2"	15	210	38.50
696	PGIFC 20	20	3/4"	15	150	51.50
697	PGIFC 25	25	1"	15	105	78.50
698	PGIFC 32	32	1 1/4"	15	75	93.50
699	PGIFC 40	40	1 1/2"	15	75	105.00
700	PGIFC 50	50	2"	10	50	156.00

## STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE

HSN : 39172190



## GALVANIZED STEEL FLEXIBLE CONDUIT WITH PVC COATING

HSN : 83071000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		ID (mm)	Mtr./Coil	Mtr./Bag	(Mtr)
680	PCWR 10	10	30	300	51.50
681	PCWR 16	16	30	300	63.50
682	PCWR 20	20	30	240	87.00
683	PCWR 25	25	30	210	102.50
684	PCWR 30	30	30	150	132.50
685	PCWR 40	40	30	120	157.00
686	PCWR 50	50	30	90	179.00
687	PCWR 60	60	15	75	257.00

SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
701	PGIFCP 16	16	1/2"	50	250	59.00
702	PGIFCP20	20	3/4"	25	150	78.50
703	PGIFCP 25	25	1"	25	125	119.50
704	PGIFCP 32	32	1 1/4"	15	75	142.00
705	PGIFCP 40	40	1 1/2"	15	75	167.50
706	PGIFCP 50	50	2"	15	60	238.00

## STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT GLAND

HSN : 39174000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
688	PFRG 10	10	75	1350	10.50
689	PFRG 16	16	60	1080	11.50
690	PFRG 20	20	45	810	14.50
691	PFRG 25	25	30	540	19.50
692	PFRG 30	30	20	360	24.00
693	PFRG 40	40	15	270	31.50
694	PFRG 50	50	5	150	45.00



[electrical@precisionpipes.com](mailto:electrical@precisionpipes.com)  
[www.precisionpipes.com](http://www.precisionpipes.com)

---

**We Care +91 77150 00015**

---

**PRECISION PLASTIC INDUSTRIES PVT. LTD.**

19/D, Nand Jyot Industrial Estate, Safed Pool, Andheri - Kurla Road,  
Andheri East, Mumbai 400 072, Maharashtra, India.