



Jainson

SINCE 1971

NATIONAL PRICE LIST

MAY 2021

- CABLE TERMINAL ENDS
- CABLE GLANDS



Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1	2.5	5.2	319-05	5.98	1000
2	4	6.5	319-06	8.43	1000
3	6	6.5	319-07	9.19	1000
4	10	6.5	319-08	11.60	1000
5	16	6.5	319-09	15.45	500
6	25	6.5	319-10	26.28	300
7	35	6.5	319-11	29.28	300
8	35	8.2	319-12	29.28	300
9	50	6.5	319-13	37.45	200
10	50	8.2	319-14	37.45	200
11	50	10.2	319-15	37.45	200
12	70	8.2	319-16	67.05	100
13	70	10.2	319-17	67.05	100
14	70	12.7	319-18	67.05	100
15	95	10.2	319-19	93.27	100
16	95	12.7	319-20	93.27	100
17	120	10.2	319-21	129.36	50
18	120	12.7	319-22	129.36	50
19	120	16.2	319-23	129.36	50
20	150	10.2	319-24	178.82	50
21	150	12.7	319-25	178.82	50
22	150	16.2	319-26	178.82	50
23	185	12.7	319-27	264.82	25
24	185	16.2	319-28	264.82	25
25	225	16.2	319-231	362.66	25
26	240	16.2	319-29	371.50	20
27	240	20.3	319-30	371.50	20
28	300	16.2	319-31	536.79	15
29	300	20.3	319-32	536.79	15
30	400	20.3	319-33	746.63	10
31	500	20.3	319-34	1019.01	10
32	630	20.3	319-35	1409.59	5
33	800	-----	319-062	2328.88	4
34	1000	-----	319-076	4452.82	5

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
35	2.5	5.2	JEB-05	9.83	1000
36	4	6.5	JEB-06	13.35	1000
37	6	6.5	JEB-07	14.76	1000
38	10	6.5	JEB-08	18.40	1000
39	16	6.5	JEB-09	24.59	500
40	25	6.5	JEB-10	41.76	300

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
41	35	6.5	JEB-11	44.76	300
42	35	8.2	JEB-12	44.76	300
43	50	6.5	JEB-13	57.00	200
44	50	8.2	JEB-14	57.00	200
45	50	10.2	JEB-15	57.00	200
46	70	8.2	JEB-16	93.13	100
47	70	10.2	JEB-17	93.13	100
48	70	12.7	JEB-18	93.13	100
49	95	10.2	JEB-19	122.31	75
50	95	12.7	JEB-20	122.31	75
51	120	10.2	JEB-21	167.49	50
52	120	12.7	JEB-22	167.49	50
53	120	16.2	JEB-23	167.49	50
54	150	10.2	JEB-24	204.30	40
55	150	12.7	JEB-25	204.30	40
56	150	16.2	JEB-26	204.30	40
57	185	12.7	JEB-27	324.73	25
58	185	16.2	JEB-28	324.73	25
59	225	16.2	JEB-231	448.51	25
60	240	16.2	JEB-29	455.52	20
61	240	20.3	JEB-30	455.52	20
62	300	16.2	JEB-31	606.92	15
63	300	20.3	JEB-32	606.92	15
64	400	20.3	JEB-33	897.56	10
65	500	20.3	JEB-34	1248.00	8
66	630	20.3	JEB-35	1747.20	5
67	800	-----	JEB-62	2740.61	5
68	1000	-----	JEB-76	5172.46	4

Jainson
COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS
(HEAVY DUTY)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
69	25	8.2	319-282	38.68	300
70	35	8.2	319-283	60.41	200
71	50	8.2	319-284	97.35	100
72	70	10.2	319-285	153.26	75
73	95	12.7	319-286	229.14	50
74	120	12.7	319-287	320.87	40
75	150	12.7	319-288	396.61	25
76	185	12.7	319-289	574.77	25
77	240	16.2	319-290	806.60	15
78	300	16.2	319-291	1004.64	10
79	400	20.3	319-292	1468.54	8

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(I C F)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
80	11-17	319-106	35.93	300
81	11-17	319-145	35.93	300
82	11-17	319-146	35.93	300
83	11-17	319-109	37.79	300
84	17-23	319-107	60.41	200
85	17-23	319-147	60.41	200
86	17-23	319-148	60.41	200
87	17-23	319-108	66.65	200
88	23-29	319-110	88.24	150
89	23-29	319-149	86.85	150
90	23-29	319-150	86.85	100
91	23-29	319-151	88.37	100
92	23-29	319-111	83.53	50
93	29-45	319-116	118.01	40
94	29-45	319-152	122.56	150
95	29-45	319-153	122.56	20
96	29-45	319-154	122.56	50
97	29-45	319-113	118.01	25
98	45-57	319-112	197.44	20
99	45-57	319-155	197.44	15
100	45-57	319-156	197.44	10
101	45-57	319-157	197.44	5
102	57-75	319-114	250.84	200
103	57-75	319-158	256.31	150
104	57-75	319-159	256.31	150
105	57-75	319-160	256.31	150
106	75-90	319-137	283.58	150
107	75-90	319-161	283.58	150
108	75-90	319-162	283.58	100
109	75-90	319-163	283.58	100
110	90-110	319-115	347.07	100
111	90-110	319-164	347.07	50
112	90-110	319-165	347.07	50
113	90-110	319-166	347.07	50
114	110-146	319-138	509.03	50
115	110-146	319-167	509.03	50
116	110-146	319-168	509.03	50
117	110-146	319-169	509.03	40
118	146-183	319-128	694.13	40
119	146-183	319-170	694.13	40
120	146-183	319-171	694.13	25
121	183-225	319-139	792.35	25
122	183-225	319-172	792.35	25
123	183-225	319-173	792.35	20
124	183-225	319-174	792.35	20
125	225-299	319-140	1119.62	20
126	225-299	319-175	1146.61	20
127	225-299	319-176	1131.19	20
128	299-366	319-141	1508.84	15

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS



(I C F)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
129	299-366	319-177	1593.94	15
130	299-366	319-178	1593.94	10
131	366-437	319-142	2064.41	10
132	366-437	319-179	2187.82	5
133	366-437	319-180	2187.82	5

Jainson
COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS



(D L W)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
134	133	319-36	423.83	40
135	133	319-37	423.83	40
136	133	319-38	338.21	40
137	133	319-39	345.69	40
138	133	319-40	423.83	40
139	133	319-41	362.42	40
140	270	319-42	804.93	15
141	270	319-43	839.90	15
142	270	319-44	873.60	15
143	400	319-45	1283.70	10
144	400	319-46	1283.70	10
145	133	319-47	394.37	40
146	270	319-48	889.57	15
147	270	319-49	926.27	15
148	400	319-50	1570.48	10
149	133	319-51	564.10	15

Jainson
COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS



(C L W)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
150	150	319-54	567.84	40
151	120	319-55	438.05	50
152	25	319-56	47.43	200
153	3	319-65	10.92	500
154	3	319-66	10.92	500
155	3	319-67	10.92	500
156	10	319-68	38.18	200
157	10	319-69	38.18	200
158	120	319-70	434.06	50

Jainson
COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS



(CLW)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
159	225	319-71	729.83	20
160	270	319-72	1193.33	15
161	475	319-73	2016.77	8
162	475	319-74	2330.02	8
163	475	319-75	2011.78	8
164	50	319-87	122.31	150
165	35	319-187	82.31	200
166	3	319-209	10.57	500
167	3	319-210	10.57	500
168	3	319-211	27.20	500
169	25	319-212	49.55	200
170	225	319-213	723.84	20
171	225	319-214	868.85	10
172	270	319-215	1047.08	10
173	10	319-228	35.93	300
174	70	319-229	180.60	200
175	50	319-230	124.69	150

Jainson
COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS HEAVY DUTY



(XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
176	1.5	5.2	319-538	9.38	1000
177	1.5	6.5	319-539	9.38	1000
178	2.5	4.2	319-388	10.12	1000
179	2.5	5.2	319-540	10.12	1000
180	2.5	6.5	319-541	10.12	1000
181	4	5.2	319-389	11.52	1000
182	4	6.5	319-543	11.52	1000
183	6	5.2	319-390	14.81	1000
184	6	6.5	319-544	14.81	1000
185	6	8.4	319-545	14.81	1000
186	10	6.5	319-353	17.28	1000
187	10	8.4	319-547	17.28	1000
188	16	6.5	319-354	22.03	500
189	16	8.4	319-549	22.03	500
190	25	6.5	319-355	33.65	500
191	25	8.4	319-551	33.65	300
192	25	10.5	319-552	33.65	300
193	35	6.5	319-542	45.17	300
194	35	8.4	319-356	45.17	300
195	35	10.5	319-554	45.17	500
196	50	8.4	319-357	71.01	150
197	50	10.5	319-556	71.01	150

Jainson
COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS (HEAVY DUTY)



(XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
198	70	8.4	319-557	110.28	100
199	70	10.5	319-358	110.28	100
200	70	13	319-559	110.28	100
201	95	10.5	319-359	169.56	75
202	95	13	319-560	169.56	75
203	120	13	319-241	216.55	50
204	120	17	319-546	216.55	50
205	150	13	319-242	274.01	40
206	150	17	319-564	274.01	25
207	185	17	319-243	369.56	25
208	240	17	319-244	543.91	20
209	240	21	319-567	543.91	25
210	300	17	319-245	778.84	15
211	300	21	319-569	778.84	15
212	400	17	319-246	1253.30	10
213	400	21	319-571	1253.30	10
214	500	21	319-247	1585.78	8
215	550	21	319-573	1940.74	8
216	630	21	319-248	2244.62	4
217	800		319-599	3585.25	3
218	1000		319-590	5314.04	4

Jainson
COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS EXTENDED
PALM BLANKS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
219	50	319-466	115.44	150
220	70	319-467	175.35	100
221	95	319-468	250.35	75
222	120	319-469	329.10	50
223	150	319-470	429.94	40
224	185	319-471	550.36	25
225	240	319-472	809.70	20
226	300	319-473	1181.35	15
227	400	319-474	1853.28	10
228	500	319-475	2441.98	5
229	625	319-476	3491.16	5



Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL H. D.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
230	2.5	4.2	JCXL-1	11.29	1000
231	4	4.2	JCXL-2	13.21	1000
232	6	4.2	JCXL-3	18.02	1000
233	10	6.4	JCXL-4	23.33	1000
234	16	6.4	JCXL-5	27.57	500
235	25	6.4	JCXL-6	50.12	300
236	35	6.4	JCXL-7	65.10	300
237	50	7.8	JCXL-8	107.52	200
238	70	12.8	JCXL-9	153.98	100
239	95	12.8	JCXL-10	228.10	75
240	120	12.8	JCXL-11	269.38	50
241	150	13.0	JCXL-12	428.74	40
242	185	16.2	JCXL-13	508.80	25
243	240	16.2	JCXL-14	664.90	20
244	300	16.2	JCXL-15	970.57	15
245	400	16.2	JCXL-16	1392.77	10
246	500	21.0	JCXL-17	1707.85	5
247	630	21.0	JCXL-18	2288.64	5
248	800	-----	JCXL-19	3656.83	4
249	1000	-----	JCXL-20	5461.45	4

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(45° & 90°) BEND TYPE



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
250	95	10.5	319-827	175.78	50
251	95	13.5	319-828	175.78	50
252	150	13.0	319-831	285.20	40
253	150	17.0	319-832	285.20	40
254	185	13.0	319-833	388.02	25
255	185	17.0	319-833A	388.02	25
256	240	17.0	319-834	570.33	20
257	240	21.0	319-835	570.33	20
258	300	17.0	319-836	812.51	15
259	300	21.0	319-837	812.51	15
260	400	17.0	319-838	1266.83	10

Jainson
COPPER TUBULAR TERMINAL
SOCKETS FOR XLPE CABLES
(DOUBLE HOLE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
261	95	11.0	319-847	375.05	75
262	95	13.0	319-847A	367.17	75
263	120	11.0	319-848	445.72	50
264	120	13.0	319-848A	437.84	50
265	150	11.0	319-849	546.82	40
266	150	13.0	319-849A	538.92	40
267	185	13.0	319-850	641.83	25
268	185	17.0	319-850A	631.68	25
269	240	13.0	319-851	915.56	20
270	240	17.0	319-851A	906.06	20
271	300	13.0	319-852	941.61	15
272	300	17.0	319-852A	1324.57	15
273	400	13.0	319-853	2583.60	10
274	400	17.0	319-853A	2566.23	10
275	400	14.0	319-437	2739.95	10
276	50	11	319-466DH	189.00	100
277	70	13	319-467DH	287.46	100
278	95	13	319-468DH	411.26	50
279	120	13	319-469DH	540.06	50
280	150	13	319-470DH	675.07	40
281	185	13	319-471DH	847.64	25
282	240	13	319-472DH	1326.26	20
283	300	13	319-473DH	1890.36	15
284	400	13	319-474DH	2467.97	10
285	500	21	319-475DH	3255.55	5
286	400	14	134/RODH	2040.42	8
287	400	14	13213DH	1417.73	10
288	400	18	13374DH	1405.44	10
289	240	12	29271DH	892.72	15
290	300	12	29313DH	1012.68	15

Jainson
COPPER CRIMPING
CABLE SOCKETS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
291	400	33	13326	1152.00	10
292	120	6.5	319-469SP	419.33	50

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS LONG
BARREL (XLPE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
293	35	6.5	319-542EB	61.44	300
294	35	8.4	319-356EB	59.90	300
295	35	10.5	319-554EB	62.98	300
296	50	8.4	319-357EB	108.75	150
297	50	10.2	319-556EB	102.60	150
298	95	10.5	319-359EB	187.39	75
299	95	13.0	319-560EB	179.25	75
300	120	13.0	319-241EB	368.64	50
301	150	13.0	319-242EB	391.68	40
302	185	12.0	319-243EB	499.20	25

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS (XLPE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
303	70	17.0	319-559SP	175.95	75
304	400	13.0	319-436	1445.62	10
305	630	-----	319-438	4249.68	4

Jainson
SOLDERING TYPE COPPER
TUBULAR SOCKETS



ITEM NO.	AREA AMP	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
306	15	3.2	423-201	6.47	1000
307	30	5.1	423-202	9.38	1000
308	60	6.4	423-203	23.65	300
309	100	9.5	423-204	47.08	150
310	150	9.5	423-205	79.35	100
311	200	12.7	423-206	125.41	100
312	300	12.7	423-207	238.22	25
313	400	15.9	423-208	286.60	20
314	500	19.0	423-209	387.67	15
315	600	19.0	423-210	597.32	10
316	800	23.8	423-211	1089.22	8
317	1000	23.8	423-212	1611.57	4
318	1000	-----	423-295	2838.99	4



Jainson
SOLDERING TYPE COPPER
TUBULAR SOCKETS



HEAVY DUTY

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
319	15	5.1	219-6	11.41	1000
320	30	7.1	219-7	20.41	500
321	60	10.3	219-8	39.63	200
322	100	11.9	219-9	68.09	100
323	150	13.5	219-10	123.00	75
324	200	13.5	219-11	209.53	50
325	300	16.7	219-12	291.00	25
326	400	16.7	219-13	460.57	15
327	500	19.8	219-14	738.02	10

(AS PER TABLE 2-OF BS-91-1973)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
328	6	5.5	219-15	13.22	1000
329	16	6.6	219-16	26.47	500
330	25	9.0	219-17	45.33	200
331	35	9.0	219-18	60.98	200
332	70	11	219-23	178.68	75
333	95	14	219-24	251.75	50
334	120	14	219-25	429.67	25
335	185	14	219-26	716.70	20
336	240	18	219-27	865.87	20
337	300	18	219-28	1200.78	15
338	500	22	219-29	1758.72	10
339	625	26	219-30	2446.79	10

Jainson
COPPER TUBULAR
TERMINAL ENDS
(OVAL DOUBLE HOLE)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
340	42	319-81	281.30	200
341	100	319-82	494.27	25
342	133	319-83	535.65	25



Jainson
COPPER TUBULAR
CRIMPING
IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
343	1.5	58-450	4.27	1000
344	1.5	58-453	4.38	1000
345	2.5	58-451	4.65	1000
346	2.5	58-454	4.76	1000
347	4-6	58-452	6.57	1000
348	4-6	58-455	6.90	1000
349	10	58-456	9.62	1000
350	10	58-460	11.49	1000
351	16	58-461	23.50	400
352	25	58-484	31.46	500
353	25	58-486	68.41	300
354	35	58-485	41.06	500
355	35	58-487	84.00	200
356	50	58-480	124.80	100
357	70	58-478	92.41	75
358	70	58-481	184.80	75
359	95	58-482	261.60	50
360	2.5	58-466	4.52	1000
361	1.5	58-463 (I)	6.19	1000
362	2.5	58-464 (I)	7.37	1000
363	4-6	58-465 (I)	11.06	500
364	4-6	58-475 (I)	16.51	500
365	2.5	32-23	4.99	1000
366	4	32-3	6.65	1000
367	6	32-4	6.90	1000
368	16	32-6	11.04	500
369	25	32-7	26.56	400
370	35	32-8	34.33	300
371	50	32-9	52.88	150
372	70	32-10	80.16	150
373	95	32-11	108.36	100
374	120	32-12	150.97	50
375	150	32-13	194.40	50
376	185	32-14	243.61	40
377	225	32-20	334.82	25
378	240	32-15	352.57	25
379	300	32-16	527.05	15
380	400	32-17	802.08	15
381	500	32-18	1048.95	10
382	625	32-19	1432.57	5
383	800	32-21	2229.60	4
384	1000	32-22	3240.01	4
385	25	32-24	26.50	300
386	35	32-25	36.17	200
387	50	32-26	54.84	150
388	70	32-27	98.03	100
389	95	32-28	144.15	75
390	120	32-29	173.11	50
391	150	32-30	250.89	25
392	300	32-33	739.63	10

Jainson
COPPER TUBULAR
CRIMPING
IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
393	1.5	32-41	5.62	1000
394	800	32-42	2842.55	4
395	1000	32-43	4236.01	4
396	20	32-47	14.88	1000
397	70	32-51	88.07	100
398	95	32-52	130.85	75
399	120	32-53	156.50	50
400	150	32-54	221.75	40
401	185	32-55	299.64	25
402	240	32-56	458.51	20
403	300	32-57	631.27	15
404	400	32-58	851.76	10
405	500	32-59	1224.73	5
406	550	32-60	1330.56	5
407	630	32-61	1682.38	4
408	185	32-31	342.48	25
409	240	32-32	523.16	25
410	400	32-34	1021.73	10
411	500	32-35	1501.29	10

Jainson
COPPER TUBULAR IN-LINE
CONNECTORS



(LONG BARREL)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
412	1.5	JBL-453	7.11	1000
413	2.5	JBL-23	9.23	1000
414	4.0	JBL-3	12.73	1000
415	6.0	JBL-4	12.87	1000
416	10	JBL-460	21.43	500
417	16	JBL-6	19.32	500
418	25	JBL-7	46.43	300
419	35	JBL-8	60.84	200
420	50	JBL-9	92.28	150
421	70	JBL-10	136.44	100
422	95	JBL-11	188.25	75
423	120	JBL-12	264.13	50
424	150	JBL-13	337.66	50
425	185	JBL-14	409.41	25
426	225	JBL-20	577.54	25
427	240	JBL-15	602.70	20
428	300	JBL-16	910.17	15
429	400	JBL-17	1385.07	10
430	500	JBL-18	1798.26	8
431	630	JBL-19	2470.73	5
432	800	JBL-21	3955.68	4

jainson
COPPER TUBULAR IN-LINE
CONNECTORS (LONG BARREL)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
433	1000	JBL-22	5764.78	4
434	625	32-36	2050.18	5

jainson
COPPER CRIMPING INLINE
CONNECTORS



(HEAVY DUTY)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
435	1.5	JC-1.5	5.58	1000
436	2.5	JC-2.5	7.16	1000
437	4	JC-4	9.12	1000
438	6	JC-6	10.05	1000
439	10	JC-10	16.04	1000
440	16	JC-16	24.96	400
441	20	JC-20	35.40	200
442	25	JC-25	37.69	200
443	35	JC-35	44.45	150
444	50	JC-50	64.68	100
445	70	JC-70	93.33	75
446	95	JC-95	119.78	50
447	120	JC-120	205.52	40
448	150	JC-150	238.02	25
449	185	JC-185	327.37	25
450	240	JC-240	490.66	20
451	300	JC-300	739.63	10
452	400	JC-400	994.27	8
453	500	JC-500	1403.90	5
454	550	JC-550	1493.11	4
455	630	JC-630	1586.35	4
456	800	JC-800	2668.68	4
457	1000	JC-1000	3792.60	4

jainson
COPPER CRIMPING TYPE
IN-LINE CONNECTORS



(LONG BARREL)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
458	2.5	JCXL-21	6.11	1000
459	4	JCXL-22	7.53	1000
460	6	JCXL-23	9.03	1000
461	10	JCXL-24	13.75	1000
462	16	JCXL-25	25.27	400

jainson
COPPER CRIMPING TYPE
IN-LINE CONNECTORS



(LONG BARREL)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
463	25	JCXL-26	49.83	300
464	35	JCXL-27	63.74	200
465	50	JCXL-28	98.89	150
466	70	JCXL-29	125.77	100
467	95	JCXL-30	21.75	75
468	120	JCXL-31	249.98	50
469	150	JCXL-32	347.61	40
470	185	JCXL-33	466.22	25
471	240	JCXL-34	614.22	20
472	300	JCXL-35	903.37	15
473	400	JCXL-36	1268.94	10
474	500	JCXL-37	1655.62	5
475	630	JCXL-38	2294.40	5
476	800	JCXL-39	3830.40	4
477	1000	JCXL-40	5097.60	4

jainson
COPPER CONNECTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
478	35	32-25 J40	39.52	300
479	16	461-J32	28.80	400
480	25	32-24-J23	21.57	300
481	35	32-25-J25	23.70	300
482	150	JTC-150	601.34	40
483	2.5	58-001	3.66	1000
484	2.5	58-002	4.85	1000
485	6.0	58-003	5.93	1000
486	16.0	58-004	7.13	500
487	50.0	58-005	51.04	200

jainson
COPPER CONNECTOR



(T TYPE)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
488	150	JTC-150T	1857.15	25

jainson
COPPER TUBULAR CRIMPING
END SEALING FERRULES



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
489	0.5	58-508	0.91	5000
490	0.75	58-509	0.91	5000
491	1.0	58-510	0.91	2000
492	1.0	58-511	1.23	5000
493	1.5	58-512	1.23	5000
494	1.5	58-513	1.47	3000
495	2.5	58-514	1.23	2000
496	2.5	58-515	1.43	2000
497	4	58-516	1.23	1000
498	4	58-517	1.43	1000
499	6	58-518	1.43	1000
500	6	58-519	1.43	1000
501	6	58-520	1.61	1000
502	10	58-521	1.61	1000
503	10	58-522	1.77	1000
504	10	58-523	2.09	1000
505	16	58-524	1.89	1000
506	16	58-525	2.21	1000
507	16	58-526	2.53	1000

jainson
COPPER TUBULAR CRIMPING
IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
508	1.5	58-459	4.38	1000
509	4	58-495	3.81	1000
510	6	58-568	5.91	1000
511	10	58-569	7.13	1000
512	16	58-570	8.95	1000
513	25	58-571	11.26	500
514	35	58-500	12.12	400
515	50	58-572	16.87	300
516	70	58-497	17.63	150
517	95	58-573	22.63	150
518	120	58-574	28.00	100
519	150	58-575	30.55	100
520	185	58-496	69.47	50
521	240	58-578	242.61	25
522	16	58-457	12.90	1000
523	50	58-477	62.90	200
524	95	58-479	120.73	150
525	0.5	58-651	4.52	1000

jainson
Keeping Electricity Firmly in its Place
CABLE TERMINAL ENDS

S J METAL INDUSTRIES
AS ISO 9001-2015

jainson
COPPER TUBULAR END
SEALING FERRULES



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
526	0.5	58-467	1.23	1000
527	0.75	58-468	1.23	1000
528	1.0	58-469	1.23	1000
529	1.0	58-470	1.69	1000
530	1.5	58-471	1.69	1000
531	1.5	58-472	1.94	1000
532	2.5	58-499	1.69	1000
533	2.5	58-502	1.92	1000
534	4	58-503	1.69	1000
535	4	58-504	1.92	1000
536	6	58-505	1.92	1000
537	6	58-506	1.92	1000
538	6	58-507	2.14	1000
539	10	58-549	2.14	500
540	10	58-550	2.14	500
541	10	58-551	2.50	500
542	16	58-552	2.50	500
543	16	58-553	2.50	500
544	16	58-554	2.50	500

jainson
COPPER OPEN CLOSE TYPE
SOLDERING CABLE
TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
545	1.5	153-371	2.38	1000
546	1.5	153-345	1.92	1000
547	2.5	153-372	2.81	1000
548	2.5	153-344	2.53	1000
549	4	153-373	4.92	1000
550	6	153-374	6.14	1000
551	10	153-375	7.97	1000
552	16	153-376	13.69	500
553	25	153-377	25.82	300
554	35	153-378	32.16	200
555	50	153-379	56.65	150
556	70	153-380	88.21	75
557	95	153-381	158.88	50
558	120	153-382	203.90	50
559	150	153-383	272.89	40
560	185	153-384	408.01	25
561	225	153-385	500.04	20
562	240	153-386	605.40	15
563	300	153-387	772.81	10
564	400	153-388	1129.21	5
565	500	153-389	1326.01	5
566	625	153-390	1574.02	4

jainson
COPPER RING TONGUE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
567	1.5	3.7	170489	2.60	1000
568	1.5	4.2	170499	2.60	1000
569	1.5	2.6	170009	3.10	1000
570	1.5	3.2	170019	2.98	1000
571	1.5	3.7	170029	2.98	1000
572	1.5	4.2	170039	2.60	1000
573	1.5	4.2	171549	2.98	1000
574	1.5	4.2	170049	2.67	1000
575	1.5	5.2	170059	2.67	1000
576	1.5	5.2	170069	3.35	1000
577	1.5	6.4	170079	3.23	1000
578	1.5	6.4	171069	3.76	1000
579	2.5	3.2	171079	3.12	1000
580	2.5	3.7	170089	2.98	1000
581	2.5	3.7	171089	3.12	1000
582	2.5	4.2	170099	2.67	1000
583	2.5	5.2	170109	2.67	1000
584	2.5	5.2	171099	3.19	1000
585	2.5	6.4	170119	2.87	1000
586	2.5	5.2	171109	4.53	1000
587	2.5	6.4	170129	4.42	1000
588	2.5	8.2	170139	4.53	1000
589	2.5	8.2	170149	5.45	1000
590	2.5	10.2	171519	6.54	1000
591	4-6	4.2	171559	5.10	1000
592	4-6	5.2	170509	5.10	1000
593	4-6	5.2	171579	12.60	1000
594	4-6	5.2	170169	6.02	1000
595	4-6	6.4	170179	5.68	1000
596	4-6	8.2	170189	6.02	1000
597	4-6	6.4	170199	6.94	1000
598	4-6	6.4	171159	8.06	1000
599	4-6	8.2	170209	7.96	1000
600	4-6	8.2	171169	9.83	1000
601	4-6	10.2	170239	9.37	1000
602	4-6	12.7	170249	8.92	1000
603	10	5.2	170259	7.25	1000
604	10	4.2	171199	8.49	1000
605	10	5.2	170269	6.68	1000
606	10	6.4	171209	7.86	1000
607	10	8.2	171219	10.49	500
608	10	10.2	171239	16.05	500
609	10	12.7	170289	14.56	500
610	16	5.2	171249	11.90	500
611	16	6.4	170299	13.16	500
612	16	8.2	170309	15.74	500
613	16	10.2	171289	21.12	500
614	16	12.7	170339	20.89	500
615	25	6.4	171569	29.64	300

jainson
COPPER RING TONGUE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
616	25	8.2	170349	30.14	300
617	25	10.2	171319	39.69	300
618	25	10.2	171329	44.19	200
619	25	12.7	170379	43.73	200
620	35	6.4	171339	36.62	300
621	35	8.2	170389	34.31	300
622	35	8.2	171349	52.02	200
623	35	10.2	170399	48.02	200
624	35	10.2	171359	47.71	200
625	35	12.7	170409	46.42	200
626	50	8.2	171369	59.29	150
627	50	10.2	171379	65.83	150
628	50	12.7	170429	67.26	150
629	50	16.2	171399	75.49	100
630	70	10.2	171409	81.52	100
631	70	12.7	171419	80.21	100
632	70	16.2	171429	89.64	100
633	95	10.2	171449	111.02	75
634	95	12.7	170449	111.47	75
635	95	16.2	171459	126.87	75
636	120	12.7	171469	142.65	50
637	120	16.2	171479	158.28	50
638	120	20.3	171489	212.47	50
639	150	12.7	171499	310.27	25
640	150	16.2	170459	293.65	25
641	150	20.3	170469	314.50	25

jainson
COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
642	1.5	2.6	170539	5.21	1000
643	1.5	3.2	170549	4.04	1000
644	1.5	3.7	170559	4.04	1000
645	1.5	4.2	170569	3.76	1000
646	1.5	3.7	170589	3.76	1000
647	1.5	4.2	170599	3.76	1000
648	1.5	4.2	170619	4.06	1000
649	1.5	5.2	170629	4.06	1000
650	1.5	4.2	170639	4.13	1000
651	1.5	5.2	170659	4.52	1000
652	1.5	6.4	170669	4.35	1000
653	1.5	6.4	170679	4.76	1000
654	2.5	3.2	170689	4.07	1000
655	2.5	3.7	170699	4.07	1000

jainson
COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
656	2.5	3.7	170709	4.45	1000
657	2.5	4.2	170719	4.04	1000
658	2.5	5.2	170729	4.04	1000
659	2.5	5.2	170739	4.61	1000
660	2.5	6.4	170749	4.39	1000
661	2.5	5.2	170759	5.85	1000
662	2.5	6.4	170769	5.76	1000
663	0.75	4.2	175919	6.30	1000
664	2.5	8.2	170779	5.47	1000
665	2.5	8.2	170799	6.24	1000
666	2.5	10.2	170819	7.27	1000
667	4-6	4.2	170839	6.50	500
668	4-6	5.2	170849	6.34	500
669	4-6	5.2	170869	7.13	500
670	4-6	5.2	170879	14.27	500
671	4-6	6.4	170899	7.33	500
672	4-6	8.2	170909	7.54	500
673	4-6	6.4	170929	8.48	500
674	4-6	6.4	170939	9.55	500
675	4-6	8.2	170949	9.29	500
676	4-6	8.2	170969	11.06	500
677	4-6	10.2	170999	10.78	500
678	4-6	12.7	171009	10.34	500

jainson
COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
679	10	4.2	173899	13.62	500
680	10	5.2	173909	13.62	500
681	10	4.2	173919	12.90	500
682	10	5.2	173929	12.90	500
683	10	6.4	173939	14.71	500
684	10	8.2	173949	16.77	500
685	10	8.2	173959	24.12	500
686	10	10.2	173969	24.12	300
687	10	10.2	173979	21.55	300
688	10	12.7	173989	21.55	300
689	16	5.2	173999	20.64	300
690	16	5.2	174009	22.70	300
691	16	6.4	174019	22.70	300
692	16	6.4	174029	22.70	300
693	16	8.2	174039	22.70	300
694	16	9.7	174049	22.70	300
695	16	8.2	174059	32.90	200

jainson
COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
696	16	10.2	174069	32.90	200
697	16	10.2	174079	28.77	200
698	16	12.7	174089	28.77	200
699	25	6.4	174099	39.48	100
700	25	8.2	174109	39.48	100
701	25	6.4	174119	40.24	100
702	25	8.2	174129	40.24	100
703	25	10.2	174139	40.24	100
704	25	6.4	174149	53.67	100
705	25	8.2	174159	53.67	100
706	25	10.2	174169	58.18	100
707	25	10.2	174179	61.44	100
708	25	12.7	174189	57.80	100
709	35	6.4	174199	49.92	100
710	35	8.2	174209	50.32	100
711	35	8.2	174219	72.78	100
712	35	10.2	174229	72.78	100
713	35	10.2	174239	73.28	100
714	35	12.7	174249	73.28	100
715	50	8.2	174259	72.27	75
716	50	10.2	174269	72.27	75
717	50	10.2	174279	74.31	75
718	50	10.2	174289	84.63	75
719	50	12.7	174299	84.63	75
720	50	16.2	174309	101.41	75
721	70	10.2	174319	105.80	50
722	70	12.7	174329	108.64	50
723	70	12.7	174339	103.22	50
724	70	16.2	174349	103.22	50

jainson
COPPER RING TONGUE
TERMINAL ENDS
(M. R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
725	1.5	2.6	174369	7.07	1000
726	1.5	3.2	174379	4.88	1000
727	1.5	3.7	174389	4.88	1000
728	1.5	4.2	174399	4.88	1000
729	1.5	3.7	174419	4.88	1000
730	1.5	4.2	174429	4.88	1000
731	1.5	4.2	174449	5.07	1000
732	1.5	5.2	174459	5.07	1000
733	1.5	4.2	174469	5.15	1000
734	1.5	5.2	174489	5.76	1000
735	1.5	6.4	174499	5.84	1000

jainson
COPPER RING TONGUE
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
736	1.5	6.4	174509	6.01	1000
737	2.5	3.2	174519	5.76	1000
738	2.5	3.7	174529	5.50	1000
739	2.5	3.7	174539	5.96	1000
740	2.5	4.2	174549	5.27	1000
741	2.5	5.2	174559	5.27	1000
742	2.5	5.2	174569	5.67	1000
743	2.5	6.4	174579	5.53	1000
744	2.5	5.2	174589	7.31	1000
745	2.5	6.4	174599	7.20	1000
746	2.5	8.2	174609	7.31	1000
747	2.5	8.2	174629	7.14	1000
748	2.5	10.2	174649	9.03	1000
749	4-6	4.2	174669	9.00	500
750	4-6	5.2	174679	8.22	500
751	4-6	5.2	174699	9.11	500
752	4-6	5.2	174709	16.91	500
753	4-6	6.4	174729	9.03	500
754	4-6	8.2	174739	9.12	500
755	4-6	6.4	174759	10.43	500
756	4-6	6.4	174769	11.41	500
757	4-6	8.2	174779	11.41	500
758	4-6	8.2	174799	12.96	500
759	4-6	10.2	174829	13.32	500
760	4-6	12.7	174839	13.32	500
761	10	4.2	174849	18.43	300
762	10	5.2	174859	18.43	300
763	10	4.2	174869	17.57	300
764	10	5.2	174879	17.57	300
765	10	6.4	174889	19.78	300
766	10	8.2	174899	21.63	300
767	10	8.2	174909	29.74	300
768	10	10.2	174919	29.74	300
769	10	10.2	174929	26.93	300
770	10	12.7	174939	26.93	300
771	16	5.2	174949	26.93	200
772	16	5.2	174959	28.26	200
773	16	6.4	174969	28.26	200
774	16	6.4	174979	28.26	200
775	16	8.2	174989	28.26	200
776	16	9.7	174999	28.26	200
777	16	8.2	175009	39.57	200
778	16	10.2	175019	39.57	200
779	16	10.2	175029	34.91	200
780	16	12.7	175039	34.91	200

Jainson
COPPER RING TONGUE
TERMINAL ENDS



(NON-STANDARD ITEMS)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
781	1.5	3.2	171539	3.32	1000
782	1.5	2.2	171039	3.36	1000
783	1.5	3.2	171049	3.93	1000
784	1.5	4.2	171059	4.32	1000
785	2.5	6.4	171119	7.16	1000
786	2.5	10.2	170159	6.80	1000
787	2.5	12.7	170479	7.74	1000
788	4-6	4.2	171129	7.08	1000
789	4-6	5.2	171139	6.97	1000
790	4-6	5.2	171149	8.28	1000
791	4-6	9.7	170219	9.42	1000
792	4-6	10.2	170229	11.04	1000
793	4-6	8.2	171179	10.34	1000
794	10	4.2	171189	8.28	1000
795	10	8.2	171229	16.76	500
796	10	10.2	170279	16.57	500
797	16	5.2	171259	14.99	500
798	16	6.4	171269	16.10	500
799	16	9.7	170319	16.57	500
800	16	8.2	171279	22.56	500
801	16	10.2	170329	21.86	500
802	25	8.2	170519	26.27	300
803	25	6.4	171299	29.54	300
804	25	10.2	170359	27.72	300
805	25	6.2	171309	36.48	300
806	25	8.2	170369	35.50	300
807	50	10.2	170419	62.04	150
808	50	10.2	171389	71.13	150
809	70	12.7	170439	87.11	100
810	95	10.2	171439	110.45	100
811	150	16.2	171509	361.93	25

PRODUCT RANGE OF Jainson GROUP

- CABLE TERMINAL ENDS
- CRIMPING TOOLS
- CABLE GLANDS
- PLUG & SOCKET
- MAIN SWITCHES
- ROTARY SWITCHES
- CLIP ON TYPE TERMINALS
- BAKELITE STRIP CONNECTORS
- REVERSE FORWARD SWITCHES
- L.T. CONTROL SWITCHES
- LED LIGHTS
- WIRE STRIPPER WITH CUTTER
- BAKELITE FUSE FITTING
- ANTI-CORROSIVE COMPOUNDS
- LIMIT SWITCHES
- CAM SWITCHES

Jainson
COPPER RING TONGUE
TERMINAL ENDS
INSULATED
(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
812	1.5	2.2	170529	4.92	1000
813	1.5	3.2	170579	4.92	1000
814	1.5	3.2	170609	5.65	1000
815	1.5	4.2	170649	5.76	1000
816	2.5	6.4	170789	8.62	1000
817	2.5	10.2	170809	8.62	1000
818	2.5	12.7	170829	9.66	1000
819	4-6	4.2	170859	9.66	500
820	4-6	5.2	170889	10.81	500
821	4-6	5.2	170919	10.58	500
822	4-6	9.7	170959	13.64	500
823	4-6	10.2	170979	16.33	500
824	4-6	8.2	170989	15.13	500

Jainson
COPPER RING TONGUE
TERMINAL ENDS (M.R)
(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
825	1.5	2.2	174359	7.20	1000
826	1.5	3.2	174409	7.20	1000
827	1.5	3.2	174439	6.34	1000
828	1.5	4.2	174479	6.82	1000
829	2.5	6.4	174619	9.98	1000
830	2.5	10.2	174639	9.98	1000
831	2.5	12.7	174659	11.20	1000
832	4-6	4.2	174689	11.80	500
833	4-6	5.2	174719	13.21	500
834	4-6	5.2	174749	13.18	500
835	4-6	9.7	174789	14.13	500
836	4-6	10.2	174809	16.28	500
837	4-6	8.2	174819	17.73	500

Jainson
COPPER RING TONGUE
TERMINAL ENDS (M.R)
(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
838	4	8.3	180379	12.29	500
839	4	9.9	180389	12.29	500
840	2.5	4.0	180399	6.14	1000
841	4	8.3	180409	12.29	500

Jainson
COPPER RING TONGUE
TERMINAL ENDS (M.R)
(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
842	4	5.2	180419	10.23	500
843	4	6.7	180429	11.29	500
844	4	13.1	180439	14.96	500
845	2.5	8.3	180449	7.22	1000
846	4	4.4	180459	11.12	500
847	2.5	5.2	180469	6.84	1000
848	2.5	6.7	180479	7.39	1000
849	2.5	9.9	180489	7.20	1000
850	2.5	4.4	180499	6.53	1000
851	4-6	5.2	180509	11.15	500
852	4-6	5.2	180519	14.90	500
853	4-6	6.7	180529	13.21	500

Jainson
COPPER RING TONGUE
TERMINAL ENDS
(BEND TYPE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
854	1	5.0	JAB-1	9.45	1000
855	2.5	5.0	JAB-2.5	9.68	1000

Jainson
COPPER RING TONGUE
TERMINAL ENDS
(60° & 90° BEND)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
856	1.5	3.2	173559	9.42	1000
857	10	6.4	173889	20.86	500
858	10	8.4	171739	61.44	500
859	10	10.5	180219	75.57	500
860	16	8.2	180229	92.74	300



Jainson
COPPER RING TONGUE
SLOTTED LOCK HOLE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
861	25	19	JRL-504A	79.75	150
862	50	23	JRL-504B	143.51	100

Jainson
COPPER RING TONGUE
TERMINAL ENDS
(DOUBLE HOLE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
863	4-6	5.2	7157-DH	13.99	1000

Jainson
COPPER RING TONGUE
FORK TERMINAL ENDS
(“U” CUT)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
864	1.5	3.1	172359	3.92	1000
865	1.5	4.1	172369	4.30	1000
866	1.5	4.1	172379	4.30	1000
867	1.5	5.1	172389	4.68	1000
868	1.5	3.6	172409	3.92	1000
869	1.5	3.1	172419	3.92	1000
870	1.5	3.6	172449	3.92	1000
871	1.5	6.1	178619	4.68	1000
872	2.5	3.1	178629	4.30	1000
873	2.5	3.6	178639	4.30	1000
874	2.5	6.1	178649	4.61	1000
875	2.5	4.1	172399	4.70	1000
876	2.5	5.1	172429	4.70	1000
877	4-6	4.1	172439	7.16	1000
878	4-6	4.1	172459	8.36	1000
879	4-6	5.1	172469	8.36	1000
880	4-6	5.1	172479	9.68	1000
881	4-6	6.1	172489	9.68	1000
882	10	4.1	178659	9.68	1000
883	10	5.1	178669	9.66	1000
884	10	6.1	178679	10.72	1000
885	10	8.1	178689	12.53	1000
886	16	5.1	178699	15.22	500
887	16	6.1	178709	16.99	500
888	16	8.1	178719	16.99	500
889	16	8.1	178729	21.18	500

Jainson
COPPER RING TONGUE FORK
TERMINAL ENDS
(“U” CUT INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
890	1.5	3.1	178739	5.11	1000
891	1.5	3.6	178749	5.11	1000
892	1.5	3.1	178759	5.04	1000
893	1.5	3.6	178769	5.22	1000
894	1.5	4.1	178779	5.74	1000
895	1.5	4.1	178789	5.74	1000
896	1.5	5.1	178799	6.21	1000
897	1.5	6.1	178809	6.21	1000
898	2.5	3.1	178819	5.98	1000
899	2.5	3.6	178829	5.90	1000
900	2.5	4.1	178839	6.24	1000
901	2.5	5.1	178849	6.34	1000
902	2.5	6.1	178859	6.34	1000
903	4-6	4.1	178869	9.57	500
904	4-6	4.1	178879	11.58	500
905	4-6	5.1	178889	11.58	500
906	4-6	5.1	178899	12.56	500
907	4-6	6.1	178909	12.56	500
908	10	4.1	178919	13.69	500
909	10	5.1	178929	13.69	500
910	10	6.1	178939	14.76	500
911	10	8.1	178949	16.73	500
912	16	5.1	178959	19.65	300
913	16	6.1	178969	20.55	300
914	16	8.1	178979	20.55	300
915	16	8.1	178989	30.58	300

Jainson
COPPER RING TONGUE FORK
TERMINAL ENDS
(“U” CUT M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
916	1.5	3.1	178999	6.82	1000
917	1.5	3.6	179009	6.82	1000
918	1.5	3.1	179019	6.82	1000
919	1.5	3.6	179029	6.82	1000
920	1.5	4.1	179039	7.68	1000
921	1.5	4.1	179049	7.68	1000
922	1.5	5.1	179059	7.68	1000
923	1.5	6.1	179069	8.31	1000
924	2.5	3.1	179079	8.31	1000
925	2.5	3.6	179089	8.31	1000
926	2.5	4.1	179099	8.45	1000
927	2.5	5.1	179109	8.45	1000
928	2.5	6.1	179119	8.45	1000
929	4-6	4.1	179129	12.49	500

Jainson
COPPER RING TONGUE
FORK TERMINAL ENDS
(“U” CUT M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
930	4-6	4.1	179139	14.21	500
931	4-6	5.1	179149	14.21	500
932	4-6	5.1	179159	15.48	500
933	4-6	6.1	179169	15.48	500
934	10	4.1	179179	18.11	300
935	10	5.1	179189	18.11	300
936	10	6.1	179199	18.97	300
937	10	8.1	179209	21.49	300
938	16	5.1	179219	25.93	200
939	16	6.1	179229	45.37	200
940	16	8.1	179239	46.56	200
941	16	8.1	179249	48.77	200

Jainson
COPPER FORK TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
942	1.0	3.5	FT-SPL	3.01	1000
943	1.5	3.0	180559	3.84	1000
944	1.5	5.1	172149	5.62	1000
945	1.5	3.5	172499	2.10	1000
946	1.5	3.1	172509	3.32	1000
947	2.5	3.5	172519	2.38	1000
948	2.5	5.1	172809	6.44	1000
949	4-6	3.1	172529	4.32	1000
950	4-6	3.5	172539	4.22	1000
951	10	6.5	172549	12.38	500
952	10	8.5	172559	12.12	500
953	16	4.4	101319	15.19	500
954	1.5	2.8	JFT-900	3.03	1000
955	2.5	4.1	185159	6.47	1000



Jainson
COPPER FORK TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
956	1.0	3.5	FT-SPL(L)	4.07	1000
957	1.5	5.1	179259	6.70	1000
958	1.5	3.5	179269	3.00	1000
959	1.5	3.1	179279	4.45	1000
960	2.5	3.5	179289	3.52	1000
961	2.5	5.1	179299	7.16	1000
962	4-6	3.1	179309	5.88	500
963	4-6	3.5	179319	5.76	500
964	10	6.5	179329	14.71	300
965	10	8.2	179339	14.52	300

Jainson
COPPER FORK TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
966	1.0	3.5	FT-SPL(R)	4.81	1000
967	1.5	5.1	179349	8.16	1000
968	1.5	3.5	179359	4.18	1000
969	1.5	3.1	179369	5.35	1000
970	2.5	3.5	179379	4.49	1000
971	2.5	5.0	179389	7.93	1000
972	4-6	3.1	179399	7.45	500
973	4-6	3.5	179409	7.39	500
974	10	6.5	179419	19.68	200
975	10	8.2	179429	19.57	200

Jainson
COPPER FORK TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
976	1.5	3.2	JFT-911	3.67	1000
977	1.5	3.7	JFT-912	3.53	1000
978	2.5	3.7	JFT-922	4.13	1000
979	4-6	5.2	JFT-940	6.85	1000
980	10	4.2	JFT-958	10.89	1000
981	1.0	4.2	JFT-908	5.85	1000
982	1.5	5.2	JFT-919	5.15	1000
983	4-6	6.4	JFT-943	9.43	1000
984	1.5	2.2	JFT-909	5.16	1000
985	1.5	5.2	JFT-918	3.69	1000

Jainson
COPPER FORK TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
986	2.5	4.2	JFT-925	6.05	1000
987	2.5	5.2	JFT-926	6.05	1000
988	2.5	6.4	JFT-928	8.28	1000
989	2.5	12.7	JFT-938	10.29	1000
990	4-6	4.2	JFT-939	7.16	1000
991	4-6	8.2	JFT-948	10.32	1000
992	10	4.2	JFT-957	11.14	1000
993	10	5.2	JFT-959	10.75	1000
994	10	6.4	JFT-960	10.08	1000

Jainson
COPPER FORK TYPE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
995	1.5	2.2	JFT-1009	4.93	1000
996	1.5	3.2	JFT-1011	4.64	1000
997	1.5	3.7	JFT-1012	4.64	1000
998	1.5	5.2	JFT-1018	5.24	1000
999	1.5	5.2	JFT-1019	6.05	1000
1000	2.5	3.7	JFT-1022	6.05	1000
1001	2.5	4.2	JFT-1025	7.37	1000
1002	2.5	5.2	JFT-1026	7.37	1000
1003	2.5	6.4	JFT-1028	9.37	1000
1004	2.5	12.7	JFT-1038	12.41	1000
1005	4-6	4.2	JFT-1039	9.98	500
1006	4-6	5.2	JFT-1040	9.98	500
1007	4-6	6.4	JFT-1043	11.98	500
1008	4-6	8.2	JFT-1048	13.29	500
1009	10	4.2	JFT-1057	16.13	500
1010	10	4.2	JFT-1058	16.90	500
1011	10	5.2	JFT-1059	16.59	500
1012	10	6.4	JFT-1060	16.59	500

Jainson
COPPER FORK TYPE
TERMINAL ENDS (M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1013	1.5	2.2	JFT-1109	6.17	1000
1014	1.5	3.2	JFT-1111	6.07	1000
1015	1.5	3.7	JFT-1112	6.82	1000

Jainson
COPPER FORK TYPE
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1016	1.5	5.2	JFT-1118	7.56	1000
1017	1.5	5.2	JFT-1119	8.45	1000
1018	2.5	3.7	JFT-1122	6.99	1000
1019	2.5	4.2	JFT-1125	8.95	1000
1020	2.5	5.2	JFT-1126	10.57	1000
1021	2.5	6.4	JFT-1128	10.57	1000
1022	2.5	12.7	JFT-1138	14.24	1000
1023	4-6	4.2	JFT-1139	14.24	500
1024	4-6	5.2	JFT-1140	14.24	500
1025	4-6	6.4	JFT-1143	14.24	500
1026	4-6	8.2	JFT-1148	15.73	500
1027	10	4.2	JFT-1157	23.30	400
1028	10	4.2	JFT-1158	23.30	400
1029	10	5.2	JFT-1159	23.30	400
1030	10	6.4	JFT-1160	23.30	400

Jainson
COPPER FORK HOOK
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1031	0.75	172799	5.88	1000
1032	1.5	172789	4.96	1000
1033	1.5	172659	4.96	1000
1034	1.5	172669	5.62	1000
1035	1.5	172569	5.62	1000
1036	1.5	172579	6.01	1000
1037	1.5	172709	6.97	1000
1038	1.5	172719	6.97	1000
1039	2.5	172589	6.97	1000
1040	2.5	172599	5.99	1000
1041	2.5	172609	6.05	1000
1042	2.5	172729	8.16	1000
1043	2.5	172739	8.16	1000
1044	4	172749	13.35	1000
1045	4	172759	13.35	1000
1046	4	172769	13.35	1000
1047	4	172779	13.35	1000
1048	4-6	172619	10.92	1000
1049	4-6	172629	10.92	1000
1050	4-6	172639	10.92	1000
1051	4-6	172689	9.31	1000
1052	4-6	172699	9.05	1000
1053	6	172649	10.92	1000
1054	6	172679	11.90	1000

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1055	0.75	179439	6.73	1000
1056	1.5	179449	7.42	1000
1057	1.5	179459	6.44	1000
1058	1.5	179469	6.44	1000
1059	1.5	179479	6.44	1000
1060	1.5	179489	6.14	1000
1061	1.5	179499	7.88	1000
1062	1.5	179509	7.68	1000
1063	2.5	179519	8.06	1000
1064	2.5	179529	7.16	1000
1065	2.5	179539	7.16	1000
1066	2.5	179549	9.31	1000
1067	2.5	179559	9.31	1000
1068	4	179569	14.76	1000
1069	4-6	179609	12.18	500
1070	4-6	179639	11.97	500
1071	4-6	179649	10.52	500

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1072	4	5.1	179579	15.18	500
1073	4	8.1	179599	14.25	500
1074	4-6	5.1	179619	12.26	500
1075	4-6	5.1	179629	12.26	500
1076	6	4.1	179659	13.21	500
1077	6	4.1	179669	13.75	500

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1078	0.75	179679	8.76	1000
1079	1.5	179689	8.13	1000
1080	1.5	179699	8.13	1000
1081	1.5	179709	8.69	1000
1082	1.5	179719	8.69	1000
1083	1.5	179729	8.69	1000
1084	1.5	179739	9.98	1000

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1085	1.5	179749	9.98	1000
1086	2.5	179759	10.57	1000
1087	2.5	179769	9.75	1000
1088	2.5	179779	9.75	1000
1089	2.5	179789	11.90	1000
1090	2.5	179799	11.90	1000
1091	4	179809	19.17	500
1092	4.6	179849	15.71	500
1093	4.6	179859	15.71	500
1094	4.6	179879	13.44	500
1095	6	179889	13.44	500

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1096	4	5.1	179819	18.72	500
1097	4	8.1	179829	18.72	500
1098	4	8.1	179839	17.25	500
1099	4.6	5.1	179869	14.98	500
1100	6	4.1	179899	17.82	500
1101	6	4.1	179909	18.09	500

Jainson
COPPER PIN TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1102	1.0	316-0	2.86	1000
1103	1.5	316-9	2.26	1000
1104	1.5	316-35	2.69	1000
1105	1.5	316-38	6.50	1000
1106	2.5	316-1	2.41	1000
1107	2.5	316-2	2.33	1000
1108	4	316-3	5.27	1000
1109	4	316-4	8.66	1000
1110	6	316-5	5.47	1000
1111	6	316-6	8.89	1000
1112	10	316-7	8.69	1000
1113	16	316-8	14.85	500
1114	2.5	316-10	4.02	1000

Jainson
COPPER PIN TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1115	2.5	316-11	4.02	1000
1116	4	316-12	7.51	1000
1117	4	316-13	7.88	1000
1118	6	316-14	8.46	1000
1119	6	316-15	8.46	1000
1120	10	316-16	12.35	1000
1121	25	316-125	40.07	300
1122	35	316-135	52.81	300
1123	50	316-150	67.69	150
1124	70	316-170	93.24	100
1125	95	316-195	130.93	100
1126	0.75	316-54	3.27	1000

Jainson
COPPER PIN TYPE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1127	1.0	316-0 (I)	4.01	1000
1128	1.0	316-45 (I)	8.43	1000
1129	1.5	316-17	3.15	1000
1130	1.5	316-40	4.07	1000
1131	1.5	316-38 (I)	7.62	1000
1132	1.5	316-42 (I)	8.43	1000
1133	1.5	316-51 (I)	5.79	1000
1134	2.5	316-18	3.38	1000
1135	2.5	316-19	3.59	1000
1136	4	316-20	6.90	500
1137	4	316-21	13.87	500
1138	6	316-22	13.81	500
1139	6	316-23	13.87	500
1140	10	316-24	22.26	500
1141	16	316-25	29.74	400



Jainson
COPPER PIN TYPE
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1142	1.0	316-0 (R)	5.05	1000
1143	1.5	316-26	4.33	1000
1144	2.5	316-27	4.59	1000
1145	2.5	316-28	4.44	1000
1146	4	316-29	8.59	500
1147	4	316-30	18.72	500
1148	6	316-31	19.20	500
1149	6	316-32	19.20	500
1150	0.75	316-54	4.61	1000
1151	2.5	316-52	11.41	1000
1152	10	316-33	26.40	400
1153	16	316-34	36.85	300
1154	1.5	316-35(R)	5.53	1000

Jainson
COPPER PIN TYPE
TERMINAL ENDS




ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1155	2.5	316-101	9.74	1000
1156	2.5	316-102	11.78	1000
1157	6	316-103	19.94	1000
1158	6	316-104	16.59	1000

Jainson
COPPER PIN TYPE
TERMINAL ENDS
(SPECIAL)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1159	16	316-105	26.42	500
1160	2.5	316-106	10.14	1000
1161	2.5	316- 2P2	8.06	1000
1162	2.5	T TYPE	8.45	1000
1163	4-6	T TYPE	10.29	1000



Jainson
COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1164	0.75	JSP-01	2.63	1000
1165	0.75	JSF-02	2.49	1000
1166	0.75	JSR-03	2.55	1000
1167	0.75	JSP-04	2.83	1000
1168	1	JSP-05	3.03	1000
1169	1.5	JSP-06	3.29	1000
1170	1	JSR-07	3.15	1000
1171	1	JSR-08	3.15	1000
1172	1	JSR-09	3.23	1000
1173	1	JSR-10	3.03	1000
1174	1	JSR-11	3.32	1000
1175	1	JSR-12	3.23	1000
1176	1	JSR-13	3.53	1000
1177	1	JSR-14	3.53	1000
1178	1	JSR-15	3.79	1000

Jainson
COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1179	0.75	JSP-01 (I)	4.29	1000
1180	0.75	JSF-02 (I)	4.16	1000
1181	0.75	JSR-03 (I)	4.16	1000
1182	0.75	JSP-04 (I)	4.29	1000
1183	1	JSP-05 (I)	4.81	1000
1184	1.5	JSP-06 (I)	4.92	1000
1185	1	JSR-07 (I)	4.81	1000
1186	1	JSR-08 (I)	4.81	1000
1187	1	JSR-09 (I)	4.81	1000
1188	1	JSR-10 (I)	4.41	1000
1189	1	JSR-11 (I)	4.92	1000
1190	1	JSR-12 (I)	4.81	1000
1191	1	JSR-13 (I)	5.30	1000
1192	1	JSR-14 (I)	5.24	1000
1193	1	JSR-15 (I)	5.65	1000



Jainson
COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1194	0.75	JSP-01 (R)	4.81	1000
1195	0.75	JSF-02 (R)	4.65	1000
1196	0.75	JSR-03 (R)	4.81	1000
1197	0.75	JSP-04 (R)	5.54	1000
1198	1	JSP-05 (R)	5.81	1000
1199	1.5	JSP-06 (R)	6.05	1000
1200	1	JSR-07 (R)	6.05	1000
1201	1	JSR-08 (R)	6.05	1000
1202	1	JSR-09 (R)	6.11	1000
1203	1	JSR-10 (R)	6.05	1000
1204	1	JSR-11 (R)	6.17	1000
1205	1	JSR-12 (R)	6.11	1000
1206	1	JSR-13 (R)	6.54	1000
1207	1	JSR-14 (R)	6.51	1000
1208	1	JSR-15 (R)	6.93	1000

Jainson
COPPER REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1209	2.5	RPC-1	17.86	1000
1210	2.5	RPC-7	16.22	1000
1211	4	RPC-15	17.86	1000
1212	4	RPC-16	16.22	1000
1213	6	RPC-17	19.02	1000
1214	6	RPC-18	16.71	1000
1215	10	RPC-19	21.89	1000
1216	10	RPC-20	20.35	1000
1217	10	RPC-21	25.44	1000
1218	10	RPC-22	23.42	1000
1219	16	RPC-23	43.59	500
1220	16	RPC-24	43.59	500
1221	16	RPC-2	30.72	500
1222	25	RPC-25	48.97	400
1223	25	RPC-3	66.91	300
1224	35	RPC-4	65.19	300
1225	50	RPC-26	74.50	200
1226	50	RPC-5	162.25	100
1227	70	RPC-27	119.52	150
1228	70	RPC-6	149.96	100
1229	70	RPC-28	183.46	100
1230	95	RPC-29	174.43	75
1231	95	RPC-8	244.32	75
1232	95	RPC-31	162.72	100
1233	95	RPC-32	257.57	50

Jainson
COPPER REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1234	120	RPC-33	220.95	75
1235	120	RPC-34	219.25	50
1236	120	RPC-35	256.04	50
1237	120	RPC-36	342.71	50
1238	150	RPC-10	405.21	50
1239	150	RPC-37	314.50	50
1240	185	RPC-30	504.41	40
1241	185	RPC-38	419.33	50
1242	225	RPC-39	655.20	25
1243	225	RPC-46	820.32	25
1244	225	RPC-42	804.59	25
1245	240	RPC-44	838.66	25
1246	240	RPC-43	641.89	25
1247	300	RPC-45	807.20	20
1248	300	RPC-47	851.16	20

Jainson
COPPER REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1264	1.5	JP-36	25.16	1000
1265	2.5	JP-37	23.47	1000
1266	4	JP-38	23.47	1000
1267	6	JP-39	24.90	1000
1268	10	JP-40	35.39	500
1269	10	JP-41	48.75	500
1270	16	JP-42	61.33	500
1271	25	JP-43	68.80	300
1272	35	JP-44	77.98	300
1273	50	JP-45	110.22	200
1274	70	JP-46	149.11	100

Jainson
ALUMINIUM REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1294	6	RPA-17	9.98	1000
1295	6	RPA-18	8.27	1000
1296	10	RPA-19	10.85	1000
1297	10	RPA-20	9.98	1000
1298	10	RPA-21	12.19	1000
1299	10	RPA-22	11.81	1000
1300	16	RPA-23	22.86	500
1301	16	RPA-24	22.86	400
1302	16	RPA-2	15.26	500
1303	25	RPA-25	24.01	300
1304	25	RPA-3	31.58	300
1305	35	RPA-4	31.58	200
1306	50	RPA-26	36.38	150
1307	50	RPA-5	62.59	100
1308	70	RPA-27	54.98	100
1309	70	RPA-6	68.12	75
1310	70	RPA-28	84.24	75
1311	95	RPA-29	81.61	75
1312	95	RPA-8	109.51	75
1313	95	RPA-31	72.12	75
1314	95	RPA-32	118.94	75
1315	120	RPA-33	100.46	50
1316	120	RPA-34	100.46	50
1317	120	RPA-35	112.51	50
1318	120	RPA-36	154.57	50
1319	150	RPA-10	182.22	40
1320	150	RPA-37	145.92	50
1321	185	RPA-30	227.53	50
1322	185	RPA-38	184.32	40
1323	225	RPA-39	303.36	20
1324	225	RPA-46	430.56	20
1325	225	RPA-42	400.13	20
1326	240	RPA-44	391.12	20
1327	240	RPA-43	285.13	25
1328	300	RPA-45	364.80	15
1329	300	RPA-47	410.88	15

Jainson
COPPER REDUCER TYPE
TERMINAL ENDS
(SPECIAL ITEMS)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1249	4	RPC-51	28.03	1000
1250	10	RPC-52	37.31	500
1251	16	RPC-53	55.63	500
1252	25	RPC-54	75.10	300
1253	35	RPC-55	97.57	200
1254	50	RPC-56	105.23	150
1255	2.5	RPC-57	16.59	1000
1256	10	RPC-58	26.30	600
1257	25	RPC-59	70.15	400
1258	35	RPC-60	62.19	400
1259	50	RPC-61	72.70	200
1260	400	RPC-101	1467.80	10

Jainson
REDUCER TYPE SOLDERING
TERMINAL ENDS



(Brass)

ITEM NO.	AREA Amps./mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1275	15	JE-40	22.79	1000
1276	30	JE-41	44.65	500
1277	60	JE-42	112.80	500
1278	100	JE-43	180.03	100
1279	150	JE-44	277.20	40
1280	200	JE-45	363.10	25
1281	300	JE-46	449.77	20
1282	50	JE-47	106.44	200
1283	70	JE-48	129.48	200
1284	150	JE-49	277.20	50
1285	50	JE-50	302.41	200
1286	300	JE-51	419.54	20
1287	300	JE-52	503.99	20
1288	300	JE-53	419.54	20
1289	400	JE-54	551.38	15

Jainson
ALUMINIUM CABLE SOCKETS

(CENTRAL PALM)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1261	70	JADC-25	22.81	100
1262	70	JADC-33	37.86	100
1263	120	JADC-26	44.16	50

Jainson
ALUMINIUM REDUCER TYPE
TERMINAL ENDS



(SPECIAL)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1290	2.5	RPA-1	8.80	1000
1291	2.5	RPA-7	8.22	1000
1292	4	RPA-15	8.80	1000
1293	4	RPA-16	8.22	1000

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1330	6	RPA-51	13.98	1000
1331	10	RAP-52	14.53	1000
1332	25	RPA-53	19.42	400
1333	50	RPA-54	61.49	200

jainson
COPPER INSULATED FERRULES



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1334	0.5	58 - 508 L6 (I)	1.38	1000
1335	0.5	58 - 508 L8 (I)	1.63	1000
1336	0.5	58 - 508 L10 (I)	1.74	1000
1337	0.75	58 - 509 L6 (I)	1.63	1000
1338	0.75	58 - 509 L8 (I)	1.67	1000
1339	0.75	58 - 509 L10 (I)	1.89	1000
1340	0.75	58 - 509 L12 (I)	1.98	1000
1341	1.0	58 - 510 L6 (I)	1.74	1000
1342	1.0	58 - 510 L8 (I)	1.77	1000
1343	1.0	58 - 511 L10 (I)	1.89	1000
1344	1.0	58 - 511 L12 (I)	2.17	1000
1345	1.5	58 - 512 L8 (I)	1.77	1000
1346	1.5	58 - 513 L10 (I)	1.83	1000
1347	1.5	58 - 513 L18 (I)	3.16	1000
1348	2.5	58 - 514 L8 (I)	2.14	1000
1349	2.5	58 - 515 L12 (I)	2.40	1000
1350	2.5	58 - 515 L18 (I)	3.16	1000
1351	4	58 - 516 L10 (I)	2.40	1000
1352	4	58 - 517 L12 (I)	2.78	1000
1353	4	58 - 517 L18 (I)	3.70	1000
1354	6	58 - 518 L10 (I)	2.69	1000
1355	6	58 - 519 L12 (I)	3.07	1000
1356	6	58 - 520 L15 (I)	3.66	1000
1357	6	58 - 520 L18 (I)	3.93	1000
1358	10	58 - 521 L12 (I)	4.52	500
1359	10	58 - 522 L15 (I)	4.90	500
1360	10	58 - 523 L18 (I)	6.14	500
1361	16	58 - 524 L12 (I)	5.76	500
1362	16	58 - 525 L15 (I)	6.14	500
1363	16	58 - 526 L18 (I)	6.62	500
1364	25	58 - 527 L12 (I)	12.06	200
1365	25	58 - 527 L16 (I)	13.44	200
1366	25	58 - 527 L22 (I)	16.14	200
1367	35	58 - 528 L16 (I)	16.20	200
1368	35	58 - 528 L22 (I)	18.17	200
1369	35	58 - 528 L25 (I)	20.40	200
1370	50	58 - 529 L12 (I)	22.96	100
1371	50	58 - 529 L20 (I)	26.77	100
1372	50	58 - 529 L25 (I)	28.80	100
1373	70	58 - 530 L20 (I)	32.41	100
1374	70	58 - 530 L25 (I)	34.81	100
1375	95	58 - 531 L20 (I)	38.40	100
1376	95	58 - 531 L25 (I)	41.41	100



jainson
COPPER TWIN INSULATED FERRULES



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1377	0.5	TW-508L8	4.21	1000
1378	0.75	TW-509L8	4.53	1000
1379	0.75	TW-509L10	4.85	1000
1380	1.0	TW-510L8	6.42	1000
1381	1.0	TW-511L10	6.62	1000
1382	1.5	TW-512L8	7.39	1000
1383	1.5	TW-513L12	7.68	1000
1384	2.5	TW-514L10	9.60	1000
1385	2.5	TW-515L12	9.95	1000
1386	4.0	TW-517L12	12.81	1000
1387	6.0	TW-520L14	14.25	500
1388	10.0	TW-522L14	15.68	500
1389	16.0	TW-525L14	17.66	500

jainson
SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1390	1.0	183689	4.58	1000
1391	183699	4.58	1000
1392	183709	4.58	1000
1393	1.5	183609	7.27	1000
1394	1.5	183619	9.11	1000
1395	1.5	183519	5.42	1000
1396	1.5	183519(I)	6.91	1000
1397	1.5	183529	7.60	1000
1398	1.5	183589	4.58	1000
1399	1.5	183599	6.22	1000
1400	1.5	183249	4.24	1000
1401	1.5	183259	5.65	1000
1402	1.5	183549	4.58	1000
1403	1.5	183559	5.76	1000
1404	1.5	181979	5.15	1000
1405	1.5	183369	4.47	1000
1406	1.5	183539	6.53	1000
1407	1.5	183569	4.58	1000
1408	1.5	183579	5.76	1000
1409	1.5	183629	6.11	1000
1410	1.5	183649	4.04	1000
1411	1.5	183679	15.10	1000
1412	1.5	186619	7.50	1000
1413	2.5	181789	8.29	1000
1414	1.5	182459	7.13	1000
1415	1.5	183319	7.68	1000
1416	2.5	183479	5.74	1000

jainson
SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1417	2.5	183479(I)	7.37	1000
1418	2.5	183489	8.26	1000
1419	2.5	183499	5.74	1000
1420	2.5	183509	8.26	1000
1421	2.5	183639	6.91	1000
1422	2.5	183659	9.68	1000
1423	2.5	183669	9.68	1000
1424	2.5	184739	10.95	1000
1425	2.5	184749	13.59	500
1426	2.5	184759	13.59	500
1427	2.5	184779	17.86	500
1428	182149	8.76	1000
1429	183469	9.80	1000
1430	1.2	186939	4.15	1000
1431	1.2	186949	3.23	1000
1432	1.2	186959	2.92	1000
1433	1.2	186979	1.97	1000
1434	4	184769(R)	10.83	1000

jainson
SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG	
1435	2.5	189609	5.76	1000	
1436	2.5	189619	7.08	1000	
1437	4	189629	15.05	1000	
1438	1-2.5	6.3 X 0.8	119609	4.24	1000
1439	4-6	6.3 X 0.8	110119	5.88	1000
1440	0.5-1.25	6.3 X 0.8	119619	3.43	1000
1441	0.5-2	4.8 X 0.5	119659	2.61	1000
1442	0.5-2	4.8 X 0.5	119689	3.27	1000
1443	0.5-1.0	4.8 X 0.5	118609	3.27	1000
1444	0.5-1.5	6.3 X 0.8	119679	4.07	1000
1445	2.6	6.3 X 0.8	110129	4.96	1000
1446	0.5-2	4.8 X 0.5	119759	2.43	1000
1447	0.5-2	4.8 X 0.8	119789	2.89	1000
1448	0.25	2.8 X 0.5	118069	2.43	1000
1449	1.0	2.8 X 0.5	116969	4.27	1000
1450	1.0	2.8 X 0.8	116989	5.42	1000

jainson
SNAP ON TABS




ITEM NO.	TAB SIZE	Jainson CAT. No.	PRICE EACH	STD PKG
1451	6.3	T- TOP I	7.77	1000
1452	C- CLIP II	1.86	1000

Jainson SNAP ON TYPE TABS




ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1453	1.5	150849 (VI)	7.34	1000
1454	2.5	150859 (VI)	7.51	1000
1455	6	150249 (VI)	8.80	1000
1456	...	150449 (IV)	4.92	1000
1457	...	150459 (IV)	5.53	1000
1458	1.2	150689 (I)	6.53	1000
1459	1.2	150729 (I)	6.53	1000
1460	1.5	150659 (VI)	7.03	1000
1461	2.0	150669 (VI)	7.03	1000
1462	2.0	150739 (I)	7.16	1000
1463	2.0	150769 (I)	9.14	1000
1464	150479 (IV)	5.73	1000
1465	150499 (II)	6.53	1000
1466	150509 (IV)	5.21	1000
1467	150799 (IV)	5.73	1000
1468	150819 (V)	4.50	1000
1469	2.5	151219 (I)	8.80	1000
1470	6	151059 (I)	10.03	1000
1471	1.2	150679 (I)	8.76	1000
1472	100019 (VI)	3.19	1000
1473	100029 (III)	3.19	1000
1474	100039 (VII)	3.92	1000
1475	100049 (V)	5.88	1000
1476	100059 (VI)	6.36	1000
1477	100069	6.53	1000
1478	150239	8.42	1000
1479	151019	10.37	1000
1480	150619	3.90	1000
1481	150519	5.21	1000
1482	150229	8.97	1000
1483	150349	7.68	1000
1484	6.3 X 0.8	100079	8.49	1000
1485	6.3 X 0.8	100089 IV	3.96	1000
1486	6.3 X 0.8	100099 IV	4.38	1000
1487	6.3 X 0.8	100109 IV	4.38	1000
1488	6.3 X 0.8	100119 II	5.53	1000
1489	6.3 X 0.8	110129 V	4.96	1000



SNAP ON TYPE TABS

Jainson
BI-METAL CABLE LUGS
SUITABLE FOR 1.1 KV &
ABOVE FOR R. CORE
XLPE ALUMINIUM
LT /HT CABLE



ITEM NO.	AL-CABLE SIZE Sq.mm-øE stud size	ALUMINIUM DIMENSIONS			COPPER DIMENSIONS			Jainson CAT. No.	PRICE EACH	STD PKG
		øAL-ID ±0.50	øAL-OD ±0.50	AL-BL ±0.50	D ±1.00	F ±0.50	TL ±3.00			
1490	16Sq mm-M8	5.50	14.00	33.00	21.00	4.00	75.00	JBI-16M 8	299.52	200
	16Sq mm-M10							JBI-16M 10		
1491	25Sq mm-M8	7.20	14.00	33.00	21.00	4.00	75.00	JBI-25M 8	322.56	200
	25Sq mm-M10							JBI-25M 10		
1492	35Sq mm-M8	8.20	14.00	33.00	21.00	4.00	75.00	JBI-35M 8	322.56	200
	35Sq mm-M10							JBI-35M 10		
1493	50Sq mm-M8	10.30	20.00	41.00	25.00	5.00	87.00	JBI-50M 8	345.60	100
	50Sq mm-M10							JBI-50M 10		
	50Sq mm-M12							JBI-50M 12		
1494	70Sq mm-M8	11.30	20.00	41.00	25.00	5.00	87.00	JBI-70M 8	353.28	100
	70Sq mm-M10							JBI-70M 10		
	70Sq mm-M12							JBI-70M 12		
1495	95Sq mm-M8	13.30	20.00	41.00	25.00	5.00	87.00	JBI-95M 8	353.28	75
	95Sq mm-M10							JBI-95M 10		
	95Sq mm-M12							JBI-95M 12		
1496	120Sq mm-M10	15.00	25.00	60.00	26.00	5.50	105.00	JBI-120M 10	552.96	50
	120Sq mm-M12							JBI-120M 12		
1497	150Sq mm-M10	16.50	25.00	60.00	26.00	5.50	105.00	JBI-150M 10	568.32	50
	150Sq mm-M12							JBI-150M 12		
1498	185Sq mm-M10	18.70	32.00	60.00	31	7.20	118.00	JBI-185M 10	875.52	25
	185Sq mm-M12				31	7.20	118.00	JBI-185M 12		
	185Sq mm-M16				35	6.50	122.00	JBI-185M 16		
1499	240Sq mm-M10	20.00	32.00	60.00	31	7.20	118.00	JBI-240M 10	898.56	25
	240Sq mm-M12				31	7.20	118.00	JBI-240M 12		
	240Sq mm-M16				35	6.50	122.00	JBI-240M 16		
1500	300Sq mm-M10	22.00	32.00	73.00	31	7.20	135.00	JBI-300M 10	929.28	25
	300Sq mm-M12				31	7.20	135.00	JBI-300M 12		
	300Sq mm-M16				35	6.50	140.00	JBI-300M 16		
1501	400Sq mm-M12	25.50	36.00	73.00	36.00	7.30	145.00	JBI-400M 12	1082.88	20
	400Sq mm-M14							JBI-400M 14		
	400Sq mm-M16							JBI-400M 16		
1502	500Sq mm-M12	30.00	47.00	90.00	60x60	10.00	185.00	JBI-500M 12	4285.44	15
	500Sq mm-M16							JBI-500M 16		
	500Sq mm-M20							JBI-500M 20		
1503	630Sq mm-M12	34.00	47.00	90.00	60x60	10.00	185.00	JBI-630M 12	4439.04	15
	630Sq mm-M16							JBI-630M 16		
	630Sq mm-M20							JBI-630M 20		

Jainson
COMPRESSION TYPE
ALUMINIUM TUBULAR
TERMINAL FOR
ALUMINIUM
CONDUCTORS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1504	2.5	3.2	119-151	2.53	2000
1505	2.5	3.7	119-309	2.53	2000
1506	4	4.2	119-155	2.53	2000
1507	4	5.2	119-317	2.75	2000
1508	6	5.2	119-158	2.75	2000
1509	6	6.5	119-313	2.75	2000
1510	10	4.2	119-159	3.52	1000
1511	10	6.4	119-214	3.74	1000
1512	10	8.2	119-215	3.74	1000
1513	16	6.4	119-252	4.40	1000
1514	16	8.2	119-216	4.40	1000
1515	16	10.2	119-217	4.40	1000
1516	25	6.4	119-253	5.67	500
1517	25	8.2	119-218	5.67	500
1518	25	10.2	119-219	5.67	500
1519	25	12.7	119-220	5.67	500
1520	35	6.4	119-254	7.48	500
1521	35	8.2	119-221	7.48	500
1522	35	10.2	119-222	7.48	500
1523	50	8.2	119-255	11.11	250
1524	50	10.2	119-312	11.11	250
1525	50	12.7	119-224	11.11	250
1526	70	8.2	119-256	16.39	200
1527	70	10.2	119-225	16.39	200
1528	70	12.7	119-226	16.39	200
1529	95	10.2	119-227	18.54	150
1530	95	12.7	119-228	18.54	150
1531	95	16.2	119-229	18.54	150
1532	120	10.2	119-257	25.74	100
1533	120	12.7	119-230	25.74	100
1534	120	16.2	119-231	25.74	100
1535	150	10.2	119-258	33.22	80
1536	150	12.7	119-232	33.22	80
1537	150	16.2	119-233	33.22	80
1538	185	10.2	119-311	41.80	75
1539	185	12.7	119-234	41.80	75
1540	185	16.2	119-235	41.80	75
1541	225	12.7	119-320	59.40	40
1542	240	12.7	119-236	71.50	40
1543	240	16.2	119-237	71.50	40
1544	300	16.2	119-300	100.10	30
1545	300	20.3	119-259	100.10	30
1546	400	20.3	119-260	144.10	20
1547	500	20.3	119-296	209.00	15
1548	630	20.3	119-261	273.90	10
1549	800	W/E	119-318	423.50	4
1550	1000	W/E	119-319	869.00	4

Jainson
ALUMINIUM TUBULAR
TERMINAL ENDS WITH
LONG BARREL FOR
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1551	2.5	3.2	119-551	3.19	2000
1552	2.5	3.7	119-509	3.19	2000
1553	4	4.2	119-555	3.19	2000
1554	4	5.1	119-517	3.58	2000
1555	6	5.2	119-558	3.58	2000
1556	6	6.4	119-513	3.58	2000
1557	10	4.2	119-514	4.51	800
1558	10	6.4	119-515	4.51	800
1559	16	6.4	119-552	5.50	800
1560	16	8.2	119-516	5.50	800
1561	16	10.2	119-617	5.50	800
1562	25	8.2	119-518	6.60	500
1563	25	10.2	119-519	6.60	500
1564	25	12.7	119-520	6.60	500
1565	35	8.2	119-521	9.24	400
1566	35	10.2	119-522	9.24	400
1567	50	8.2	119-655	13.92	200
1568	50	10.2	119-512	13.92	200
1569	50	12.7	119-524	13.92	200
1570	70	8.2	119-556	21.34	125
1571	70	10.2	119-525	21.34	125
1572	70	12.7	119-526	21.34	125
1573	95	10.2	119-527	23.43	100
1574	95	12.7	119-528	23.43	100
1575	95	16.2	119-529	23.43	100
1576	120	10.2	119-557	32.67	80
1577	120	12.7	119-530	32.67	80
1578	120	16.2	119-531	32.67	80
1579	150	10.2	119-658	42.46	60
1580	150	12.7	119-532	42.46	60
1581	150	16.2	119-533	42.46	60
1582	185	10.2	119-511	51.70	50
1583	185	12.7	119-534	51.70	50
1584	185	16.2	119-535	51.70	50
1585	225	12.7	119-620	72.60	30
1586	240	12.7	119-536	90.20	30
1587	240	16.2	119-537	90.20	30
1588	300	16.2	119-500	125.40	25
1589	300	20.3	119-559	125.40	25
1590	400	20.3	119-560	182.60	12
1591	500	20.3	119-596	270.60	10
1592	630	20.3	119-561	397.10	8
1593	800	119-618	495.00	4
1594	1000	119-619	1089.00	4

G. J METAL INDUSTRIES
MUMBAI -400 064
OFF.- 022- 28440464

Jainson
COMPRESSION TYPE
ALUMINIUM TUBULAR
IN-LINE CONNECTORS FOR
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1595	2.5	119-145	1.93	2000
1596	2.5	119-6	1.93	2000
1597	4	119-5	1.93	2000
1598	6	119-13	1.93	2000
1599	10	119-146	2.20	1000
1600	10	119-14	2.48	1000
1601	16	119-4	3.30	1000
1602	25	119-3	4.62	500
1603	35	119-2	5.83	500
1604	50	119-12	8.64	250
1605	70	119-1	14.63	200
1606	95	119-15	16.28	150
1607	120	119-9	22.00	100
1608	150	119-10	29.70	80
1609	185	119-11	38.50	75
1610	225	119-147	58.30	40
1611	240	119-16	63.80	40
1612	300	119-17	91.30	30
1613	400	119-18	132.00	20
1614	500	119-19	193.60	15
1615	625	119-20	257.40	10
1616	800	119-148	324.50	4
1617	1000	119-149	682.00	4

ALUMINIUM SOCKET **Jainson**



Specification of Raw Material

ALUMINIUM

RAW MATERIAL GRADE	: Electrolytic Aluminium as per IS 5082
CONDUCTIVITY	: 60 % IACS at 20°C
CHEMICAL COMPOSITION	: Aluminium - 99.5% Silicon - 0.15% Iron max - 0.003% Copper max - 0.4% Titanium - 0.02% Zirconium - 0.2%
TENSILE STRENGTH	: 60 Mpa Min
RESISTIVITY	: 0.02874 Ohm.mm/mm ²

- PRICES ARE EXCLUSIVE OF ALL TAXES
- ALL PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.
- ALL DISPUTES ARE SUBJECT TO MUMBAI JURISDICTION

PRICE-LIST 2021



jainson

CABLE GLANDS

jainson

SINGLE COMPRESSION SIEMENS TYPE BRASS CABLE GLAND



ITEM NO.	Core Size		Jainson CAT. No.	PRICE EACH	STD PKG
	sq. mm	mm Inch			
1	1.5 X 2	10 3/8"	JC-3/8"	44.07	200
2	1.5 X 3	12 1/2"	JC-1/2"L	42.21	150
3	1.5 X 3	12 1/2"	JC-1/2"M	50.19	150
4	1.5 X 3	12 1/2"	JC-1/2"H	59.40	100
5	2.5 X 3	16 5/8"	JC-5/8"L	42.14	150
6	1.5 X 4		JC-5/8"M	55.76	150
7			JC-5/8"H	68.48	100
8	1.5 X 5,6,7		JC-3/4"L	51.43	100
9	2.5 X 4	19 3/4"	JC-3/4"M	63.59	100
10			JC-3/4"H	87.38	100
11	4 X 6		JC-7/8"L	64.49	100
12	6 X 4	22 7/8"	JC-7/8"M	74.39	100
13			JC-7/8"H	94.05	100
14	2.5 X 7,10,12		JC-1"L	80.03	50
15	10 X 4	25 1"	JC-1"M	93.16	50
16			JC-1"H	125.19	50
17			JC-1"SP	133.44	40
18	16 X 3,4	28 1.1/8"	JC-1.1/8"	168.71	50
19			JC-1.1/8"L	129.94	50
20	25 X 3.5,4		JC-1.1/4"	201.37	30
21	35 X 3.5,4	32 1.1/4"	JC-1.1/4"L	163.97	30
22	50 X 3.5,4	35 1.3/8"	JC-1.3/8"	255.06	35
23			JC-1.3/8"L	204.74	40
24	70 X 3,3.5		JC-1.1/2"	285.04	25
25	95 X 3	38 1.1/2"	JC-1.1/2"L	238.01	25
26	95 X 3.5		JC-1 3/4"	358.81	16
27	120 X 3.5	45 1.3/4"	JC-1 3/4"L	275.96	20
28	150 X 3.5		JC-2"	460.35	12
29	185 X 3	50 2"	JC-2"L	420.89	14
30	185 X 3.5	57 2.1/4"	JC-2 1/4"	531.23	12
31			JC-2 1/4"L	443.99	12
32	240 X 3,3.5	63 2.1/2"	JC-2 1/2"	637.45	7
33			JC-2 1/2"L	486.06	8
34	300 X 3,3.5	70 2.3/4"	JC-2 3/4"	731.78	6
35			JC-2 3/4"L	632.64	7
36	400 X 3	75 3"	JC-3"	888.32	6
37			JC-3"L	746.49	6
38	400 X 3.5	82 3.1/4"	JC-3 1/4"	984.09	5
39			JC-3.1/4"L	828.09	5
40	500 X 3.5	88 3.1/2"	JC-3.1/2"	1534.36	3
41			JC-3.1/2L	1299.79	3
42	625 X 3.5	100 4"	JC-4"	1881.55	1
43	625 X 3.5	115 4.1/2"	JC-4.1/2"	2859.11	1

jainson

SINGLE COMPRESSION SIEMENS TYPE BRASS CABLE GLAND SIBG (HEAVY DUTY)



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			Jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
44	9.0	12.0	1/2"	1612	76.38	150
45	9.0	16.0	5/8"	1616	106.91	100
46	10.0	16.0	3/4"	1619	116.39	100
47	14.0	20.0	3/4"	2119	138.60	60
48	14.0	20.0	1"	2125	149.67	40
49	20.0	26.0	1"	2925	218.63	30
50	24.0	29.0	1-1/4"	2932	252.38	30
51	24.0	29.0	1-1/2"	2938	252.38	20
52	31.0	37.0	1-1/2"	3638	392.22	12
53	42.0	45.0	2"	4251	609.74	12
54	44.0	50.0	2"	5451	693.28	8
55	44.0	50.0	2-1/2"	5463	712.80	8
56	54.0	60.0	2-1/2"	6063	941.05	8
57	60.0	66.0	3"	6675	1070.51	4
58	70.0	77.0	3-1/4"	7882	1418.93	4
59	79.0	84.0	3-1/2"	8490	2047.38	2

jainson

SINGLE COMPRESSION SIEMENS TYPE BRASS CABLE GLAND (LONG NIPPLE)



ITEM NO.	Core Size		Jainson CAT. No.	PRICE EACH	STD PKG
	sq. mm	mm			
60	1.5 X 3	12	JC-1/2"L.N.	64.49	150
61	2.5 X 3	1.5X4 16	JC-5/8"L.N.	66.69	150
62	1.5 X 5,6,7	2.5X4 16	JC-3/4"L.N.	90.06	100
63	4.0 X 6	6X4 22	JC-7/8"L.N.	96.80	100
64	2.5 X 7,10,12		JC-1"L.N.	128.43	50
65	10 X 4	25	JC-1"SP L.N.	144.79	75
66	16 X 3,4	28	JC-1.1/8"L.N.	184.53	50
67	25-35 X 3.5,4	32	JC-1.1/4"L.N.	226.46	30
68	50 X 3.5,4	35	JC-1.3/8"L.N.	289.58	30
69	70 X 3,3.5	38	JC-1.1/2"L.N.	358.05	25
70	95 X 3.5 120 X 3.5	45	JC-1.3/4"L.N.	378.81	16
71	150 X 3.5	50	JC-2"L.N.	473.89	12



YASH TRADING CO. MUMBAI -64

This Price-List cancels all our previous Price Lists.

Be Passionate & Bold, Always keep learning. You stop doing useful things if you don't learn. - SATYA NADELLA

jainson
DOUBLE COMPRESSION FLAME
PROOF TYPE BRASS CABLE GLAND
(LIGHT DUTY)



ITEM NO.	Core Size		mm	jainson CAT. No.	PRICE EACH	STD PKG
	sq. mm					
72	1.5	X 2	10	JPFL-3/8"	189.06	50
73	1.5	X 3	12	JPFL-1/2"	189.06	50
74	2.5	X 2 1.5 X 4	16	JPFL-5/8"	199.65	40
75	1.5	X 5,6,7 2.5 X 4	19	JPFL-3/4"	222.61	40
76	4	X 6 1.5 X 10	22	JPFL-7/8"	283.66	30
77	2.5	X 10,12 10 X 4	25	JPFL-1"	357.09	20
78	25	X 3.5 1.5 X 24	28	JPFL-1.1/8"	444.26	12
79	50-35	X 3.5	32	JPFL-1.1/4"	570.49	12
80	50	X 3.5,4	35	JPFL-1.3/8"	672.10	12
81	70-95	X 3	38	JPFL-1.1/2"	833.11	9
82	95-120	X 3.5	45	JPFL-1.3/4"	974.60	7
83	150	X 3.5 185 X 3	50	JPFL-2"	1242.18	7
84	185	X 3.5	57	JPFL-2.1/4"	1386.28	6
85	240	X 3.5	63	JPFL-2.1/2"	1921.15	2
86	300	X 3.5	70	JPFL-2.3/4"	2177.73	2
87	400	X 3,3.5	75	JPFL-3"	2822.46	2
88				JPFL-3.1/4"	3938.69	2
89	500	X 3.5	88	JPFL-3.1/2"	5095.34	2
90	625	X 3.5	100	JPFL-4"	7124.29	1

jainson
DOUBLE COMPRESSION FLAME PROOF
BRASS CABLE GLAND



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
91	10.5	15.0	3/4"	JPF-01S	297.21	30
92	13.5	18.5	3/4"	JPF-01	331.51	25
93	13.5	18.5	1"	JPF-01A	377.44	25
94	14.0	20.0	1"	JPF-02	424.27	20
95	14.0	20.0	3/4"	JPF-02A	464.96	20
96	17.0	23.0	1"	JPF-03	469.84	20
97	20.0	26.0	1"	JPF-04	588.98	12
98	20.0	26.0	1.1/4"	JPF-04A	673.54	12
99	24.0	30.0	1.1/4"	JPF-05	728.27	12
100	24.0	30.0	1.1/2"	JPF-05A	827.06	12
101	27.0	33.0	1.1/2"	JPF-06	1017.02	12
102	27.0	33.0	1.1/4"	JPF-06A	1118.84	12
103	30.0	37.0	1.1/2"	JPF-07	1175.28	10
104	35.0	41.0	2"	JPF-08	1453.99	7
105	40.0	46.0	2"	JPF-09	1654.13	7
106	46.0	52.0	2"	JPF-010	1903.00	6
107	46.0	52.0	2.1/2"	JPF-010A	2188.52	5
108	54.0	60.0	2.1/2"	JPF-011	2620.06	2
109	60.0	67.0	3"	JPF-012	3278.69	2
110	72.0	78.0	3.1/4"	JPF-013	4132.08	2
111	66.0	72.0	3"	JPF-013A	4751.86	2
112	78.0	84.0	3.1/2"	JPF-014	4878.91	2
113	88.0	94.0	4"	JPF-015	7163.48	1
114	98.0	105.0	4.1/2"	JPF-016	8139.73	1

jainson
DOUBLE COMPRESSION WEATHER
PROOF BRASS CABLE GLAND
(HEAVY DUTY)



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
115	8.0	14.0	3/4"	JPW-001	191.88	50
116	10.5	15.0	3/4"	JPW-01S	261.80	30
117	13.5	18.5	3/4"	JPW-01	282.15	30
118	13.5	18.5	1"	JPW-01A	312.40	25
119	14.0	20.0	1"	JPW-02	374.69	20
120	14.0	20.0	3/4"	JPW-02A	382.80	20
121	17.0	23.0	1"	JPW-03	402.33	20
122	20.0	26.0	1"	JPW-04	513.98	12
123	20.0	26.0	1.1/4"	JPW-04A	591.25	12
124	24.0	30.0	1.1/4"	JPW-05	674.16	12
125	24.0	30.0	1.1/2"	JPW-05A	755.43	12
126	27.0	33.0	1.1/2"	JPW-06	888.11	12
127	27.0	33.0	1.1/4"	JPW-06A	931.77	12
128	30.0	37.0	1.1/2"	JPW-07	1059.03	10
129	35.0	41.0	2"	JPW-08	1241.56	7
130	40.0	46.0	2"	JPW-09	1382.29	7
131	46.0	52.0	2"	JPW-010	1654.81	6
132	46.0	52.0	2.1/2"	JPW-010A	1986.05	5
133	54.0	60.0	2.1/2"	JPW-011	2380.26	2
134	60.0	67.0	3"	JPW-012	2874.16	2
135	72.0	78.0	3.1/4"	JPW-013	3686.93	2
136	66.0	72.0	3"	JPW-013A	3860.04	2
137	78.0	84.0	3.1/2"	JPW-014	4104.10	2
138	88.0	94.0	4"	JPW-015	5991.15	1
139	98.0	105.0	4.1/2"	JPW-016	7236.08	1
140	88.0	105.0	4"	JPW-017	7488.53	1

jainson
FLANGE TYPE BRASS CABLE GLAND



ITEM NO.	Core Size		mm	jainson CAT. No.	PRICE EACH	STD PKG
	sq. mm					
141	1.5	X 2,3,4 2.5 X 2,3	16	JF 5	116.94	75
142	2.5	X 4 4-6 X 2,3,4	19	JF 4	160.74	50
143	10	X 2,3 6 X 4	22	JF 3	186.18	50
144	16	X 2,3,4 10 X 4	25	JF 2	253.14	40
145	25	X 2,3,3.5	28	JF 1SP	355.03	35
146	35	X 2,3,3.5	32	JF 1	333.64	35
147	50	X 3,3.5	35	JF 11	381.15	20
148	70	X 3.5 95 X 3	38	JF 0	388.16	20
149	70	X 3.5	38	JF 00	400.26	20
150	95	X 3.5 120 X 3	45	JF 38	488.40	16
151	150	X 3,3.5 120 X 3.5	45	JF 001	604.31	12
152	185	X 3,3.5	50	JF 002	648.79	12
153	225	X 3,3.5	57	JF 003	795.50	8
154	300	X 3,3.5 240 X 3.5	63	JF 0033	931.01	6
155	400	X 3.5	75	JF 004	1288.38	6
156	500	X 3.5	100	JF 005	1934.08	2

Jainson CABLE GLAND SELECTION CHART



CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYY (ARMOURED & UNARMOURED SINGLE CORE POWER CABLES) 650/1100V

Core size	Armoured Overall Dia	Unarmoured Overall Dia	DOUBLE COMPRESSION TYPE		FLANGE TYPE	SINGLE COMPRESSION TYPE		Armoured Overall Dia	Unarmoured Overall Dia	Armoured Overall Dia	Unarmoured Overall Dia	Armoured Overall Dia	Unarmoured Overall Dia
			JPW	JPF		JC	SIBG						
1 x 4	12.3	9.5	JPW-001	JPF-01S	JF-5	JC-1/2"	1616	1616	1613	1609			
1 x 6	12.8	10.0	JPW-001	JPF-01S	JF-5	JC-5/8"	1616	1616	1613	1611			
1 x 10	13.5	11.0	JPW-001	JPF-01S	JF-5	JC-3/4"	1616,1619,1619	1616,1619,1619	1613	1611			
1 x 16	15.5	12.5	JPW-01S	JPF-01S	JF-5	JC-3/4"	1616,1619,1619	1616,1619,1619	1615	1613			
1 x 25	16.5	14.0	JPW-01S	JPF-01S	JF-5	JC-7/8"	2119	1619	2116	1613			
1 x 35	17.0	15.0	JPW-01	JPF-01	JF-5	JC-7/8"	2119	1619	2118	1615			
1 x 50	18.5	16.5	JPW-01	JPF-01	JF-4	JC-1"	2125	1619	2118	1615			
1 x 70	21.0	19.0	JPW-02	JPF-02	JF-3	JC-1"	2125	2125	2120	2118			
1 x 95	23.0	21.0	JPW-03	JPF-03	JF-2	JC-1.1/8"	2925,2932	2125	2923	2120			
1 x 120	25.0	23.0	JPW-04	JPF-04	JF-2	JC-1.1/8"	2925,2932	2925	2925	2923			
1 x 150	26.0	24.5	JPW-04	JPF-04	JF-1	JC-1.1/8"	2925,2932	2925,2932	2925	2925			
1 x 185	29.0	27.0	JPW-05	JPF-05	JF-1	JC-1.1/4"	2932	2925,2932	2929	2927			
1 x 225	31.5	29.5	JPW-06	JPF-06	JF-11	JC-1.3/8"	3638	2932,2938	3631	2929			
1 x 240	33.5	32.0	JPW-06	JPF-06	JF-11	JC-1.3/8"	3638	3638	3633	3633			
1 x 300	36.0	39.0	JPW-07	JPF-07	JF-00	JC-1.1/2"	3638	3638	3637	3637			
1 x 400	41.0	39.0	JPW-08	JPF-08	JF-38	JC-1.3/4"	4251	4251	4240	4240			
1 x 500	43.0	42.0	JPW-09	JPF-09	JF-001	JC-2"	4251	4251	4242	4242			
1 x 625	49.0	47.0	JPW-10	JPF-10	JF-002	JC-2.1/4"	5451	5451,5463	5448	5448			
1 x 800	54.0	52.0	JPW-11	JPF-11	JF-003	JC-2.1/4"	6063	5463	6055	5450			
1 x 1000	59.0	57.0	JPW-11	JPF-11	JF-003	JC-2.1/2"	6063	6063	6060	6060			

AYWY (ARMOURED TWIN CORE POWER CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF-01S	JF-5	JC-1/2"	1616	1615		
2 x 2.5	16.0	9.0	JPW-01S	JPF-01S	JF-5	JC-5/8"	1616,1619	1615		
2 x 4	17.5	10.5	JPW-01	JPF-01	JF-4	JC-3/4"	1616,1619,	1615		
2 x 6	18.5	11.5	JPW-01	JPF-01	JF-4	JC-7/8"	2119,2125	2118		
2 x 10	20.5	14.0	JPW-02	JPF-02	JF-3	JC-1"	2119,2125	2120		
2 x 16	22.5	16.5	JPW-03	JPF-03	JF-2	JC-1"	2125	2120		
2 x 25	25.0	19.0	JPW-04	JPF-04	JF-1	JC-1.1/8"	2925,2932	2925		
2 x 35	27.5	22.0	JPW-05	JPF-05	JF-1	JC-1.1/4"	2932,2938	2927		
2 x 50	29.0	23.5	JPW-05	JPF-05	JF-11	JC-1.1/4"	2932,2938	2927		
2 x 70	31.0	25.0	JPW-06	JPF-06	JF-11	JC-1.1/4"	2938	2929		
2 x 95	33.0	27.0	JPW-06	JPF-06	JF-11	JC-1.3/8"	2938	2929		
2 x 120	34.0	28.0	JPW-07	JPF-07	JF-11	JC-1.3/8"	3638	3633		
2 x 150	38.0	32.0	JPW-08	JPF-08	JF-00	JC-1.1/2"	3638	3637		
2 x 185	41.0	35.0	JPW-08	JPF-08	JF-001	JC-1.3/4"	4251	4242		
2 x 240	46.0	40.0	JPW-09	JPF-09	JF-002	JC-2"	5451	5446		
2 x 300	51.0	43.0	JPW-10	JPF-10	JF-003	JC-2.1/4"	5463	5450		
2 x 400	57.0	50.0	JPW-11	JPF-11	JF-003	JC-2.1/2"	6063	6060		

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMOURED THREE CORE POWER CABLES) 650/1100V

3 X 1.5	15.5	8.5	JPW-01S	JPF-01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 X 2.5	17.0	10.5	JPW-01S	JPF-01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
3 X 4	18.0	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2116
3 X 6	19.5	12.5	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
3 X 10	20.5	14.5	JPW-03	JPF-03	JPFL-1"	JF-3	JC-1"	2119, 2125	2120
3 X 16	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2925, 2932	2923
3 X 25	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2932, 2938	2923
3 X 35	25.5	20.0	JPW-04	JPF-04	JPFL-1-1/4"	JF-1	JC-1-1/8"	2932, 2938	2925
3 X 50	29.0	23.0	JPW-05	JPF-05	JPFL-1-3/8"	JF-1	JC-1-1/4"	2932, 2938	2929
3 X 70	33.0	27.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-0	JC-1-3/8"	3638	3633
3 X 95	37.0	31.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
3 X 120	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3 X 150	44.0	38.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3 X 185	49.0	42.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5448
3 X 225	54.0	47.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/4"	6063	6053
3 X 240	56.0	49.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/2"	6063	6055
3 X 300	62.0	54.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-3/4"	6063	6060
3 X 400	68.0	60.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-004	JC-3"	7882	7868
3 X 500	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

AYFY (ARMOURED MULTI CORE POWER CABLES) 650/1100V

3.5 X 25/16	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2925, 2932	2925
3.5 X 35/16	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
3.5 X 50/25	32.0	26.0	JPW-06	JPF-06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
3.5 X 70/35	35.0	29.0	JPW-07	JPF-07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3635
3.5 X 95/50	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3.5 X 120/70	43.0	37.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3.5 X 150/70	48.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3.5 X 185/95	52.0	45.0	JPW-010	JPF-010	JPFL-2-1/4"	JF-002	JC-2-1/4"	5463	5450
3.5 X 225/120	58.0	50.0	JPW-011	JPF-011	JPFL-2-1/2"	JF-003	JC-2-1/2"	6063	6058
3.5 X 240/120	61.0	53.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-1/2"	6063	6060
3.5 X 300/150	66.0	58.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-0033	JC-2-3/4"	6675	6664
3.5 X 400/185	74.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874
3.5 X 500/240	82.0	72.0	JPW-014	JPF-014	JPFL-3-1/2"	JF-005	JC-3-1/2"	8490	8482

AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 1.5	16.5	10.0	JPW-01S	JPF-01S	JPFL-5/8"	JF-5	JC-3/4"	1616, 1619	1615
4 X 2.5	17.5	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
4 X 4	19.5	13.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
4 X 6	20.0	14.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2125	2120
4 X 10	21.5	16.0	JPW-03	JPF-03	JPFL-1"	JF-2	JC-1"	2125	2120
4 X 16	25.5	20.0	JPW-04	JPF-04	JPFL-1"	JF-1	JC-1-1/8"	2925, 2932	2925
4 X 25	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
4 X 35	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/8"	JF-1	JC-1-3/8"	2938	2927
4 X 50	33.0	26.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-11	JC-1-3/8"	2938	2929

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 70	37.0	30.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
4 X 95	42.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4242
4 X 120	45.0	36.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	5451	5446
4 X 150	50.0	43.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5463	5450
4 X 185	55.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2-1/4"	5463	5450
4 X 240	62.0	54.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2-1/2"	6063	6060
4 X 300	68.0	60.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-004	JC-2-3/4"	6675	6664
4 X 400	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF -01S	JPFL-3/8"	JF-5	JC-1/2"	1616	1613
3 x 1.5	15.5	8.5	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-1/2"	1616, 1619	1615
4 x 1.5	16.5	9.5	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
5 x 1.5	17.0	10.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
6 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
7 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
10 x 1.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
12 x 1.5	20.5	14.0	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
14 x 1.5	21.0	15.0	JPW-03	JPF -03	JPFL-7/8"	JF-2	JC-1"	2125	2120
16 X 1.5	21.5	15.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
19 x 1.5	22.5	16.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
24 x 1.5	25.5	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
27 x 1.5	26.0	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
30 x 1.5	27.0	21.5	JPW-05	JPF -05	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
37 x 1.5	29.0	23.0	JPW-05	JPF -05	JPFL-1.1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
44 x 1.5	33.0	26.0	JPW-06	JPF -06	JPFL-1.3/8"	JF-11	JC-1-3/8"	3638	3631
52 x 1.5	34.0	27.0	JPW-07	JPF -07	JPFL-1.3/8"	JF-0	JC-1-1/2"	3638	3633
61 x 1.5	36.0	29.0	JPW-07	JPF -07	JPFL-1.1/2"	JF-00	JC-1-1/2"	3638	3635

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 2.5	16.0	10.0	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 x 2.5	17.0	11.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
4 x 2.5	17.5	11.5	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
5 x 2.5	19.0	12.5	JPW-02	JPF -02	JPFL-7/8"	JF-4	JC-7/8"	2119, 2125	2118
6 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
7 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
10 x 2.5	22.0	16.5	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
12 x 2.5	22.5	17.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
14 x 2.5	23.5	17.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925	2923
16 X 2.5	24.5	18.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925, 2932	2923
19 x 2.5	25.5	19.0	JPW-04	JPF -04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
24 x 2.5	29.5	22.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
27 x 2.5	30.0	23.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2929
30 x 2.5	32.0	25.0	JPW-06	JPF -06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
37 x 2.5	34.0	28.0	JPW-07	JPF -07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3633
44 x 2.5	38.0	31.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
52 x 2.5	39.0	32.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-38	JC-1-3/4"	4251	4238
61 x 2.5	42.0	35.0	JPW-09	JPF -09	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMoured THREE CORE POWER CABLES) 1900 /3300V

3 X 25	29.0	21.0	JPW-05	JPF-05	JPFL-1.1/4"	JF-1	JC-1.1/4"	2932, 2938	2927
3 X 35	31.0	24.0	JPW-06	JPF-06	JPFL-1.1/4"	JF-11	JC-1.3/8"	2932, 2938	2929
3 X 50	34.0	26.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-11	JC-1.1/2"	3638	3633
3 X 70	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 95	41.0	33.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4238
3 X 120	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 150	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 185	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 225	55.0	46.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 240	56.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6055
3 X 300	62.0	52.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6063	6060
3 X 400	69.0	59.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-3"	7882	7868
3 X 500	77.0	66.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMoured THREE CORE POWER CABLES) 3800/6600V

3 X 25	35.0	27.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-0	JC-1.1/2"	3638	3635
3 X 35	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 50	40.0	32.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4240
3 X 70	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 95	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 120	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 150	54.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 185	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 225	61.0	51.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6060
3 X 240	63.0	53.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 300	67.0	57.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	7882	7870
3 X 400	73.0	63.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	79.0	68.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMoured THREE CORE POWER CABLES) 6600V(UE GRADE)

3 X 25	38.0	30.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3637
3 X 35	40.0	32.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-38	JC-1.3/4"	4251	4240
3 X 50	43.0	34.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4240
3 X 70	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 95	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 120	52.0	43.0	JPW-010	JPF-010	JPFL-2.1/4"	JF-002	JC-2.1/4"	6063	6053
3 X 150	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 185	60.0	50.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6058
3 X 225	64.0	54.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 240	66.0	56.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	6675	6664
3 X 300	71.0	61.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-2.3/4"	7882	7870
3 X 400	76.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	83.0	71.0	JPW-014	JPF-014	JPFL-3.1/2"	JF-005	JC-3.1/2"	8490	8482

PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

NOTE : For selection of Cable Glands please ask for our glands Dimensional catalogue. Entire range of PVC shrouds, earth tag & reducer available. WE MAKE SPECIAL TYPE OF GLANDS AS PER SAMPLE OR DRAWING.

PRODUCT RANGE OF **Jainson** GROUP



S. J. METAL INDUSTRIES
Cable Terminal Ends



YASH TRADING COMPANY
Cable Glands

Jain Estate, Jakeria Road, Malad (West) Mumbai-400 064. INDIA
Tel.: 2880 7581, 2881 3169, 288202426.
E-mail : jainsongroup@hotmail.com
web: www.jainsongroup.co.in