



C&S ELECTRIC LIMITED

REGISTERED OFFICE: 210, 211 & 212, 2nd Floor, Salcon Aurora Building, Plot No. 4, Jasola District Centre, New Delhi-110 025 (INDIA)

Ph: (+91-11) 6922 5600 E-mail: info@cselectric.co.in

CENTRAL MARKETING OFFICE: C-60, Wing-A, Phase-II, Noida, District Gautam Budh Nagar, Uttar Pradesh - 201305 (INDIA)

Ph: (+91-120) 3874800/01 E-mail: cmo@cselectric.com

Visit us at: www.cselectric.co.in

elusio
SWITCHES
Born Green





Busio Green

**Nature is pristine,
let's keep it that way.**



Champagne

**Respect nature,
respect divine.**





**We call nature mother
for a reason.**



Dark Grey



**Nature is our provider.
We must be its guardians.**



**The environment we get
is the environment we deserve.**





Presenting



A style statement. A pro-environment statement.

Available in White, Elusio Green, Champagne,
Dark Grey, Charcoal Black

Elusio is a range of modern switches, that is both green. Environment friendly and made out of recyclable materials, the switches are also RoHS compliant. Available in five striking colors, they add a dash of contemporary style to your decor and give you the joy of doing your bit for the environment.


**30% more switch.
3 times more switching.**



Broader switch base and better product depth

- Product durability
- No need to worry for years to come
- Brass terminals for long life
- Easy big gripping knob for control devices

T&C apply



The 'Barn Green' philosophy of C&S Electric is committed to reduce the carbon footprint and combat global warming across all its operations and procedures. The Restriction of Hazardous Substances (RoHS) regulations set limits for the use of following substances:


- Lead (Pb)
- Cadmium (Cd)
- Mercury (Hg)
- Hexivalent Chromium (Cr+6)
- Specified Brominated Flame Retardants (PBB, PBDE)
- Phthalates - Four kinds: (DEHP, BBP, DBP)

Switch - Anti Weld Moving Contact

"AgCdO" bimetal rivets increase resistance to welding and erosion. Brass moving terminal prevents rusting and better dimensional stability for longer.

Arc Shield Design

Arc Shield Design for suppressing the arc visibility with minimal contact gap.




Low Operational Sound

Switches operate with low noise



Flame Retardant

Made of materials that prevent the start or spread of fire



Shock-proof




Safety Shutter

Minimises the risk of electric shocks.

Smooth insertion and extraction of plugs.



Luxurious & Sleek Design




Made to blend in with a contemporary lifestyle.



Robust Plate

Robust + Flexible
Firm mounting with snap fit design
Dust covers for protection during construction and painting



Removal and Mounting Indication



Ease of Installation

Facilitate easy mounting & removal of accessories without detaching the inner frame from the metal box.







Adjustable Mounting System



Secure Lock




Hospitality Range

The Elusio collection is available in sizes ranging from 1M to 18M. The range goes amazingly well with all themes of interiors.



Power protection range

While these switches enhances the decor, you can rest assured they are safe too.



Price Schedule

| Switches | Product Code | HSN Code | Description | Rating | Module | MRP (₹) | | | Std. Pkg. (Nos.) | |
|---|--------------|-------------------------------|-------------------------------------|--------|--------|---------|-------|----------------|------------------|----|
| | | | | | | White | Color | Electric Green | | |
|  | CE20113 | 85361010 | 6AX Switch SP 1 way | 6AX | 1M | 125 | 164 | 189 | 20 | |
| | CE20114 | 85361010 | 6AX Switch SP 1 way with Indicator | 6AX | 1M | 162 | 186 | 214 | | |
| | CE20123 | 85361010 | 6AX Switch SP 2 way | 6AX | 1M | 178 | 202 | 232 | | |
| | CE20569 | 85361010 | 10AX Switch SP 1 way | 10AX | 1M | 144 | 199 | 217 | | |
| | CE20569 | 85361010 | 10AX Switch SP 1 way with Indicator | 10AX | 1M | 188 | 214 | 246 | | |
| | CE20571 | 85361010 | 10AX Switch SP 2 way | 10AX | 1M | 205 | 232 | 267 | | |
| | CE20573 | 85361020 | 16AX Switch SP 1 way | 16AX | 1M | 170 | 194 | 223 | | |
| | CE20574 | 85361020 | 16AX Switch SP 1 way with Indicator | 16AX | 1M | 224 | 240 | 276 | | |
| | CE20578 | 85361020 | 16AX Switch SP 2 way | 16AX | 1M | 250 | 274 | 316 | | |
| | CE20580 | 85361020 | 20AX Switch SP 1 way | 20AX | 1M | 196 | 223 | 256 | | |
| | CE20581 | 85361020 | 20AX Switch SP 2 way | 20AX | 1M | 238 | 315 | 362 | | |
| | CE20584 | 85361020 | 20AX Switch SP 1 way with Indicator | 20AX | 1M | 258 | 276 | 317 | | |
| | CE20115 | 85361010 | 6AX Switch SP 1 way with Indicator | 6AX | 2M | 210 | 225 | 259 | | 10 |
| | CE20124 | 85361010 | 6AX Switch SP 2 way | 6AX | 2M | 203 | 243 | 280 | | |
| | CE20570 | 85361010 | 10AX Switch SP 1 way with Indicator | 10AX | 2M | 242 | 269 | 296 | | |
| | CE20572 | 85361010 | 10AX Switch SP 2 way | 10AX | 2M | 233 | 279 | 322 | | |
| | CE20575 | 85361020 | 16AX Switch SP 1 way with Indicator | 16AX | 2M | 221 | 291 | 300 | | |
| | CE20579 | 85361020 | 16AX Switch SP 2 way | 16AX | 2M | 258 | 298 | 343 | | |
| | CE20582 | 85361020 | 20AX Switch SP 1 way | 20AX | 2M | 240 | 270 | 340 | | |
| CE20583 | 85361020 | 20AX Switch SP 2 way | 20AX | 2M | 297 | 340 | 394 | | | |
| CE20121 | 85361020 | 32 A DP Switch with Indicator | 32A | 2M | 615 | 797 | 916 | | | |

| Bellpush Switches | Product Code | HSN Code | Description | Rating | Module | MRP (₹) | | | Std. Pkg. (Nos.) |
|---|--------------|----------|------------------------------------|--------|--------|---------|-------|----------------|------------------|
| | | | | | | White | Color | Electric Green | |
|  | CE20509 | 85361010 | 6A Bell Push Switch | 6A | 1M | 137 | 160 | 184 | 20 |
| | CE20503 | 85361010 | 6A Bell Push Switch with Indicator | 6A | 1M | 164 | 188 | 218 | |
| | CE20510 | 85361010 | 6A Bell Push Switch | 6A | 2M | 160 | 199 | 229 | 10 |
| | CE20511 | 85361010 | 6A Bell Push Switch with Indicator | 6A | 2M | 188 | 227 | 261 | |

| Blanking / Phase Indicator | Product Code | HSN Code | Description | Rating | Module | MRP (₹) | | | Std. Pkg. (Nos.) |
|---|--------------|----------|---------------------|--------|--------|---------|-------|----------------|------------------|
| | | | | | | White | Color | Electric Green | |
|  | CE20056 | 85361010 | Blanking plate | | 1M | 44 | 54 | 62 | 40 |
| | CE20631 | 85361010 | Phase Indicator Red | | 1M | 298 | - | - | |


| Fan Regulator / Dimmer | Product Code | HSN Code | Description | Rating | Module | MRP (₹) | | | Std. Pkg. (Nos.) |
|---|--------------|----------|----------------------|--------|--------|---------|-------|----------------|------------------|
| | | | | | | White | Color | Electric Green | |
|  | CE20627 | 85361010 | 4 step Fan Regulator | 100W | 1M | 449 | 466 | 536 | 20 |
| | CE20628 | 85361010 | 5 Step Fan Regulator | 120W | 2M | 749 | 794 | 887 | |
| | CE20629 | 85361010 | 5 step Fan Regulator | 100W | 2M | 670 | 615 | 708 | 20 |
| | CE20604 | 85361010 | Rotary Dimmer | 300W | 1M | 618 | 664 | 763 | |
| | CE20601 | 85361010 | Rotary Dimmer | 500W | 2M | 716 | 796 | 916 | |

| Sockets | Product Code | HSN Code | Description | Rating | Module | MRP (₹) | | | Std. Pkg. (Nos.) |
|---|--------------|----------|--------------------------|--------|--------|---------|-------|----------------|------------------|
| | | | | | | White | Color | Electric Green | |
|  | CE20270 | 85361020 | 6A 3 Pin Socket | 6A | 2M | 175 | 287 | 330 | 10 |
| | CE20262 | 85361020 | 6/16A Socket - Flanged | 6/16A | 2M | 299 | 345 | 396 | |
| | CE20264 | 85361020 | 6/16A Socket - Projected | 6/16A | 2M | 305 | 362 | 416 | |
| | *CE20268 | 85361020 | 10A Universal Socket | 10A | 2M | 175 | 287 | 330 | |


| TV / Tel. / Com. / HDMI / VGA / USB / Night Lamp / Skirt Light | Product Code | HSN Code | Description | Rating | Module | MRP (₹) | | | Std. Pkg. (Nos.) |
|---|--------------|----------|---|--------------|--------|---------|-------|----------------|------------------|
| | | | | | | White | Color | Electric Green | |
|  | CE20228 | 85361010 | TV Socket | | 1M | 107 | 129 | 148 | 20 |
| | CE20251 | 85361010 | RJ 11 Telephone Socket | | 1M | 101 | 124 | 142 | |
| | CE20272 | 85361010 | RJ 45 Cat 6 Computer Socket | Cat 6 | 1M | 1021 | 1095 | 1219 | |
| | CE20273 | 85361010 | RJ 45 Cat 6a Computer Socket | Cat 6a | 1M | 2005 | 2039 | 2245 | 10 |
| | CE20276 | 85361010 | HDMI socket | | 1M | 1228 | 1410 | 1622 | |
| | CE20277 | 85361010 | VGA socket | | 1M | 1223 | 1390 | 1553 | 20 |
| | CE20275 | 85044030 | USB charger socket 2.1A (Fast charging) | 2.1A, A type | 1M | 1108 | 1404 | 1616 | |
| | CE20620 | 94051090 | Night Lamp | | 2M | 450 | 480 | 564 | 10 |
| | CE20632 | 94051090 | Skirt light with LED | | 2M | 623 | 680 | 782 | |

Note: *Material available till stock last.

| Single Phase Motor Starter | Product Code | HSN Code | Description | Rating | Module | MRP (₹) | | | Std. Pkg. (Nos.) |
|---|--------------|----------|-------------------|--------|--------|---------|-------|----------------|------------------|
| | | | | | | White | Color | Electric Green | |
|  | GE20384 | 85381020 | Motor Starter 16A | 16A | 2M | 671 | 726 | 835 | 10 |
| | GE20386 | 85381020 | Motor Starter 25A | 25A | 2M | 671 | 726 | 835 | |

| Hospitality | Product Code | HSN Code | Description | Module | MRP (₹) | | | Std. Pkg. (Nos.) |
|---|--------------|----------|--------------------------------|--------|---------|-------|----------------|------------------|
| | | | | | White | Color | Electric Green | |
|  | GE20611 | 85381010 | DND/CMR internal unit | 1M | 366 | 390 | 449 | 10 |
| | GE20610 | 85381010 | DND/CMR external unit | 1M | 586 | 590 | 669 | |
| | GE20609 | 85381010 | DND/MMR Indicator | 1M | 419 | 450 | 518 | 20 |
| | GE20118 | 85381010 | 6AX Switch SP 1 way MMR | 1M | 160 | 165 | 190 | |
| | GE20125 | 85381010 | 6AX Switch SP 2 way DND | 1M | 210 | 215 | 247 | |
| | GE20608 | 85381010 | Buzzer | 1M | 605 | 660 | 762 | |
| | GE20625 | 85381010 | 16A Electronic Key Card Switch | 2M | 12750 | 14500 | 16675 | 3 |

| MCB'S | Product Code | HSN Code | Description | Rating | Module | MRP (₹) | | | Std. Pkg. (Nos.) |
|--|--------------|----------|---------------------------|--------------|--------|---------|-------|----------------|------------------|
| | | | | | | White | Color | Electric Green | |
|  | GE20431 | 85381010 | MCB 6A Single Pole 4.5kA | 6A, C Curve | 1M | 396 | 433 | 499 | 12 |
| | GE20432 | 85381010 | MCB 10A Single Pole 4.5kA | 10A, C Curve | 1M | 396 | 433 | 499 | |
| | GE20433 | 85381010 | MCB 16A Single Pole 4.5kA | 16A, C Curve | 1M | 396 | 433 | 499 | |
| | GE20437 | 85381010 | MCB 20A Single Pole 4.5kA | 20A, C Curve | 1M | 396 | 433 | 499 | |
| | GE20435 | 85381010 | MCB 25A Single Pole 4.5kA | 25A, C Curve | 1M | 396 | 433 | 499 | |
| | GE20436 | 85381010 | MCB 32A Single Pole 4.5kA | 32A, C Curve | 1M | 396 | 433 | 499 | |
| | GE20438 | 85381010 | MCB 6A Double Pole 4.5kA | 6A, C Curve | 2M | 819 | 875 | 1006 | 6 |
| | GE20439 | 85381010 | MCB 10A Double Pole 4.5kA | 10A, C Curve | 2M | 819 | 875 | 1006 | |
| | GE20440 | 85381010 | MCB 16A Double Pole 4.5kA | 16A, C Curve | 2M | 819 | 875 | 1006 | |
| | GE20441 | 85381010 | MCB 20A Double Pole 4.5kA | 20A, C Curve | 2M | 819 | 875 | 1006 | |
| | GE20442 | 85381010 | MCB 25A Double Pole 4.5kA | 25A, C Curve | 2M | 819 | 875 | 1006 | |
| | GE20443 | 85381010 | MCB 32A Double Pole 4.5kA | 32A, C Curve | 2M | 819 | 875 | 1006 | |

| Cover Plate with Support Plate | Product Code | HSN Code | Description | Module | MRP (₹) | | | Std. Pkg. (Nos.) |
|---|--------------|----------|----------------------------------|--------|---------|-------|----------------|------------------|
| | | | | | White | Color | Electric Green | |
|  | GE25801WH | 85381010 | Cover & Support Plate | 1M | 119 | 209 | 275 | 10 |
| | GE25802WH | 85381010 | Cover & Support Plate | 2M | 123 | 234 | 269 | |
| | GE25803WH | 85381010 | Cover & Support Plate | 3M | 133 | 285 | 330 | |
| | GE25804WH | 85381010 | Cover & Support Plate | 4M | 181 | 352 | 405 | |
| | GE25806WH | 85381010 | Cover & Support Plate | 6M | 251 | 553 | 635 | |
| | GE25808WH | 85381010 | Cover & Support Plate-Horizontal | 6M | 307 | 621 | 714 | 5 |
| | GE25809WH | 85381010 | Cover & Support Plate-Vertical | 6M | 316 | 630 | 725 | |
| | GE25812WH | 85381010 | Cover & Support Plate | 12M | 528 | 1125 | 1294 | |
| | GE25816WH | 85381010 | Cover & Support Plate | 16M | 540 | 1212 | 1394 | |
| | GE25818WH | 85381010 | Cover & Support Plate | 18M | 682 | 1284 | 1477 | |

Note: For ordering color accessories suffix CB for Charcoal Black, DG for Dark Grey, CZ for Champagne, JG for Electric Green e.g. for ordering one module Charcoal Black plate, the code would be GE25801CB
Phase Indicator Item code is the same for all colors. (Code is GE26633)

General Terms & Conditions

- Price are subject to revision without prior notice and will be applicable as prevailing at the time of dispatch.
- Maximum Retail Price (MRP) mentioned are maximum recommended selling prices inclusive of GST.
- All prices are in Indian Rupees.