

Suraksha, Behtar **ElectriKAL** ke liye!

Finolex
Cables Limited

**LEADERS IN QUALITY
LEADERS IN DEPENDABILITY**



RESIDENTIAL & COMMERCIAL:

- Flame Retardant (FR) PVC Insulated Industrial Cables
- Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
- Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
- Flexible Cables Single Core

COMMUNICATION CABLES:

- Co-Axial Cables
- Telephone Cables
- CCTV Cables
- Speaker Cables
- Lan Cables
- Optic Fiber Cables (HSN-9001)

AGRICULTURE:

- 3 Core Flat Cables
- PVC Insulated Winding Wires

AUTOMOBILE / SOLAR POWER:

- Auto Cables
- Solar Cables

List Price wef. 22nd May 2021

HSN CODE: 8544

RESIDENTIAL & COMMERCIAL




High grade 99.97% pure bare copper conductor

Abrasion resistant grade sheath material

Long life & highly durable cables

List Price

wef. 22nd May 2021



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS: 694

GOLD PACK

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,110	20
10303	1.00	1,525	20
10304	1.50	2,205	12
10305	2.50	3,525	12
10306	4.00	5,110	8
10307	6.00	7,645	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP Per 180M Coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.00	2,762	8
10314	1.50	3,996	6
10315	2.50	6,418	4
10306016	4.00	9,866	4
10307016	6.00	14,752	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm)	LP Per 45M Coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.00	690	30
10314	1.50	999	24
10315	2.50	1,604	24
10316	4.00	2,466	12
10317	6.00	3,688	8

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10312	0.75	1,080	20
10313	1.00	1,415	20
10314	1.50	2,035	12
10315	2.50	3,252	12
10316	4.00	4,990	8
10317	6.00	7,460	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FLAMEGARD FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES



List Price wef. 22nd May 2021

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10113	1.00	1,424	20
10114	1.50	2,055	12
10115	2.50	3,284	12
10106	4.00	5,039	8
10107	6.00	7,534	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP Per 180M Coil (Rs.)	No. of Coils packed in a Master Carton
10113016	1.00	2,789	8
10114016	1.50	4,035	6
10115016	2.50	6,482	4
10106016	4.00	9,964	4
10107016	6.00	14,899	4

Product Code	Conductor Area (sq.mm)	LP Per 45M Coil (Rs.)	No. of Coils packed in a Master Carton
10113	1.00	697	30
10114	1.50	1,008	24
10115	2.50	1,620	24
10106	4.00	2,491	12
10107	6.00	3,724	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green-ø

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES



List Price wef. 22nd May 2021

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10403	1.00	1,545	20
10404	1.50	2,225	12
10405	2.50	3,620	12

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	5,279	8
10407	6.00	7,665	4

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP. per coil (Rs.)	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	4,610	270	8
10404010	1.50	6,640	270	6
10405010	2.50	10,805	270	4
10406016	4.00	10,505	180	4
10407016	6.00	15,255	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FLEXIBLE CABLES



FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/1990 UPTO 50 SQMM AND GENERALLY CONFORMING TO IS:694/1990 FROM 70 SQMM AND ABOVE.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14001	0.50	800
14002	0.75	1,158
14003	1.00	1,522

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14104	1.50	2,204
14105	2.50	3,547
14206	4.00	5,459

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14207	6	8,159
14208	10	14,414
14209	16	22,440
14210	25	35,080
14211	35	48,925
14212	50	69,360

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14513	70	1,00,700
14514	95*	1,33,260
14515	120*	1,70,995
14516	150*	2,11,825
14517	185*	2,61,600
14518	240*	3,43,875

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS:694/1990

TWO CORE: Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17002	0.50	2,380
17002	0.75	3,190
17002	1.00	3,940

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17102	1.50	5,195
17102	2.50	8,400
17202	4.00	13,050

THREE CORE: The single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17003	0.50	3,110
17003	0.75	4,225
17003	1.00	5,305

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17103	1.50	7,240
17103	2.50	11,630
17203	4.00	18,300

FOUR CORE: Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17004	0.50	3,900
17004	0.75	5,320
17004	1.00	6,785

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17104	1.50	9,465
17104	2.50	15,320
17204	4.00	23,995

Packging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Ylw/Green is for earthing. Colour of sheath - Black.

SIX CORE* [There will be one dummy core in the centre]

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17006	0.50	5,790
17006	0.75	8,170
17006	1.00	10,200

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17106	1.50	14,210
17106	2.50	22,810
17206	4.00	36,000

SEVEN CORES (1 + 6) *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17007	0.50	6,730
17007	0.75	9,290
17007	1.00	11,765

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17107	1.50	16,480
17107	2.50	26,450
17207	4.00	41,510

EIGHT CORES *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17008	0.50	7,550
17008	0.75	10,485
17008	1.00	13,225

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17108	1.50	18,710
17108	2.50	30,150
17208	4.00	47,210

TEN CORES: (2+8)*

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17010	0.50	9,095
17010	0.75	12,900
17010	1.00	16,325

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17110	1.50	22,940
17110	2.50	37,058
17210	4.00	58,400

TWELVE CORES: (3+9)*

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17012	0.50	10,705
17012	0.75	15,255
17012	1.00	19,340

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17112	1.50	27,200
17112	2.50	44,370
17212	4.00	69,640

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17014	0.50	12,510
17014	0.75	17,620
17014	1.00	22,390

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17114	1.50	31,810
17114	2.50	51,680
17214	4.00	80,735

SIXTEEN CORES (5 + 11) *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17016	0.50	14,140
17016	0.75	20,170
17016	1.00	25,620

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17116	1.50	36,140
17116	2.50	58,820
17216	4.00	92,390

NINETEEN CORES (1 + 6 + 12) *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17019	0.50	16,500
17019	0.75	23,585
17019	1.00	30,270

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17119	1.50	42,675
17119	2.50	68,960
17219	4.00	1,08,900

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Packing : Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V GENERALLY CONFORMING TO IS:694/1990.

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17203074	6	26,730
17203084	10	45,675
17203094	16*	70,470
17203104	25*	1,08,565
17203114	35*	1,52,060

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17203124	50*	2,18,265
17503134	70*	3,06,765
17503144	95*	4,04,935
17503154	120*	5,41,185

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17204074	6	34,950
17204084	10	59,455
17204094	16*	91,425
17204104	25*	1,43,400
17204114	35*	2,00,065

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17204124	50*	2,84,965
17504134	70*	4,04,725
17504144	95*	5,35,510
17504154	120*	6,99,255

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Packing : Cables shall be supplied in Standard length of 100 M

COMMUNICATION CABLES



High grade 99.97% pure bare copper conductor



Abrasion Resistant grade sheath material




Long life & highly durable cables

List Price

wef. 22nd May 2021

COAXIAL CABLES - JELLY



List Price wef. 22nd May 2021

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,670	5,094
RG 6 CU	2,315	7,061
RG 11 CU	5,255	16,028

Finolex Coaxial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethylene Foam Insulation, With Laminated aluminium Tape And Al. Wire Braid, Jelly Flooded And Pvc Jacketing in Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,435	4,377
RG 11 CCS	2,855	8,708

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethylene foam insulation, with laminated aluminium tape and Al. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,020	9,211

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethylene foam insulation, with laminated aluminium tape and Al. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV CABLE



Product Code	Product Description	Unit	List Price (Rs.)
65913013	Rg59 JF X1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,000
65913018	RG59 JF X1+3X0.15 SQMM CCTV WHITE 305M	305 Mtr	10,167
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,270
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11,082
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,800
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,878
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,000
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,950
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,240
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,415

TELEPHONE CABLE

List Price wef. 22nd May 2021

TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	770
31050023	2 pair	1,345
31050033	3 pair	1,980
31050043	4 pair	2,600
31050053	5 pair	3,230

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,290
31050203	20 pair	11,960
31050503	50 pair	29,225
31051001	100 pair	57,125

Standard length of the coil is 90 Mtrs. | Standard length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped and sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	540
31040023	2 pair	950
31040033	3 pair	1,390
31040043	4 pair	1,780
31040053	5 pair	2,185

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,405
31040203	20 pair	8,265
31040503	50 pair	19,890
31041001	100 pair	38,190

Standard length of coil is 90 M trs. | Standard length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN CABLE

Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP - 4 Pair Cat 5 Enhanced Lan Cable	305 Mtr	8,245
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	10,250
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	10,250
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	10,250
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	10,250
32925048	0.5 x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	3,920
32105028	0.5 x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,265

SPEAKER CABLE



List Price wef. 22nd May 2021

Product Code	Product Description	No of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	1,745
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,525
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,130
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	4,575
60328024	Speaker Cable 2.0 SQMM (Transperant)	6	100 Mtr	7,055
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	7,280
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	436
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	631
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	782
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,143

PACKING : Available in 100 M coils AND 25 M coil

OPTIC FIBRE CABLE



HSN - 9001

List Price wef. 22nd May 2021

OPTIC FIBRE CABLE

FINOLEX SINGLE MODE / MULTI MODE OPTICAL FIBRE CABLES IN UNARMoured / ARMoured FOR UNITUBE OR MULTITUBE TYPE

UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101105002	DMAX-E	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	9860	COIL
8101105004	DMAX-E	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	11,460	COIL
8101105006	DMAX-E	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	13,005	COIL
8101105008	DMAX-E	8F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	15,265	COIL
8101105302	DMAX-ER	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	11,695	COIL
8101105304	DMAX-ER	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	13,285	COIL
8101105306	DMAX-ER	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	14,860	COIL
8101105308	DMAX-ER	8F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	17,290	COIL
8101103812	DMAX	12F Single Mode Uni Tube Un-Armd (2FRP) OFC	7.2 +/-0.3	23,300	COIL
8101104124	DDBX	24F Single Mode Uni Tube Un-Armd (2FRP) OFC	9.30 +/-0.2	42,340	DRUM

ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101104002	MMAX	2F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	19,575	DRUM
8101104004	MMAX	4F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	21,160	DRUM
8101104006	MMAX	6F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	22,695	DRUM
8101104008	MMAX	8F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	24,300	DRUM
8101102412	MLM	12F Single Mode Uni Tube (2SW) Armd OFC	8.8 +/-0.3	30,340	DRUM
8101102624	MLX	24F Single Mode Uni Tube (2SW) Armd OFC	10 +/-0.5	45,855	DRUM
8108104002	MMAX OM1	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29,060	DRUM
8108104004	MMAX OM1	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	37,900	DRUM
8108104006	MMAX OM1	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	46,965	DRUM
8108104008	MMAX OM1	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	55,830	DRUM
8108104012	MMAX OM1	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	73,795	DRUM
8107104002	MMAX OM2	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	24,305	DRUM
8107104004	MMAX OM2	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29,430	DRUM
8107104006	MMAX OM2	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	34,690	DRUM
8107104008	MMAX OM2	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	39,885	DRUM
8107104012	MMAX OM2	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	50,430	DRUM
8105104002	MMAX OM3	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29,232	DRUM
8105104004	MMAX OM3	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	41,380	DRUM
8105104006	MMAX OM3	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	53,975	DRUM
8105104008	MMAX OM3	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	66,460	DRUM
8105104012	MMAX Om3	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	91,535	DRUM

MULTI TUBE UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8400200004	Multi Tube	04F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	26,240	DRUM
8400200006	Multi Tube	06F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	28,350	DRUM
8400200012	Multi Tube	12F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	32,795	DRUM
8400200024	Multi Tube	24F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	43,670	DRUM
8400200048	Multi Tube	48F Single Mode Multi Tube (Un-Armd) OFC	10.2 +/-0.3	65,350	DRUM
8400200072	Multi Tube	72F Single Mode Multi Tube (Un-Armd) OFC	10.6 +/-0.3	85,545	DRUM
8400200096	Multi Tube	96F Single Mode Multi Tube (Un-Armd) OFC	11.9 +/-0.3	111,390	DRUM

MULTI TUBE ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8402200004	Multi Tube	04F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	31,285	DRUM
8402200006	Multi Tube	06F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	33,290	DRUM
8402200012	Multi Tube	12F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	34,260	DRUM
8402200024	Multi Tube	24F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	47,785	DRUM
8402200048	Multi Tube	48F Single Mode Multi Tube (Single sheath-Armd) OFC	10.6 +/-0.3	69,010	DRUM
8402200072	Multi Tube	72F Single Mode Multi Tube (Single sheath-Armd) OFC	11 +/-0.3	88,470	DRUM
8402200096	Multi Tube	96F Single Mode Multi Tube (Single sheath-Armd) OFC	12.3 +/-0.3	114,375	DRUM



FTTH CABLE

1 or 2 fibres are placed in LSZH/PVC sheath in between two ARP / FRP rods which can be taken out easily

FTTH G652D

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8404500001	FTTH	01ED4 - 01F G652D FTTH 2ARP PVC CABLE	3.0+/-0.3	8,067	Spool/cartoon
8404500002	FTTH	02ED4 - 02F G652D FTTH 2ARP PVC CABLE	3.0+/-0.3	8,829	Spool/cartoon
8405500001	FTTH	01ED5 - 01F G652D FTTH 2ARP LSZH CABLE	3.0+/-0.3	8,950	Spool/cartoon
8405500002	FTTH	02ED5 - 02F G652D FTTH 2ARP LSZH CABLE	3.0+/-0.3	9,711	Spool/cartoon
8403500001	FTTH	01ED3 - 01F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	6,430	Spool/cartoon
8403500002	FTTH	02ED3 - 02F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	7,175	Spool/cartoon
8402500001	FTTH	01ED2 - 01F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	5,770	Spool/cartoon
8402500002	FTTH	02ED2 - 02F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	6,515	Spool/cartoon

FTTH G657A1

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8441502001	FTTH	01ED11 - 01F G657A1 FTTH 2ARP LSZH CABLE	3.0+/-0.3	9,005	Spool/cartoon
8441502002	FTTH	02ED11 - 02F G657A1 FTTH 2ARP LSZH CABLE	3.0+/-0.3	9,770	Spool/cartoon
8440502001	FTTH	01ED10 - 01F G657A1 FTTH 2ARP PVC CABLE	3.0+/-0.3	8,125	Spool/cartoon
8440502002	FTTH	02ED10 - 02F G657A1 FTTH 2ARP PVC CABLE	3.0+/-0.3	8,890	Spool/cartoon
8449500001	FTTH	01ED9 - 01F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	6,450	Spool/cartoon
8449500002	FTTH	02ED9 - 02F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	7,210	Spool/cartoon
8448500001	FTTH	01ED8 - 01F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	5,685	Spool/cartoon
8448500002	FTTH	02ED8 - 02F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	6,550	Spool/cartoon

COST ECONOMICAL DESIGN

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8411015002	Economical	2LOC5- 2F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.8+/-0.5	8,500	COIL
8411015004	Economical	04LOC5-4F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.3+/-0.3	9,900	COIL
8411016004	Economical	4LOC6-4F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	10,535	COIL
8411017004	Economical	04LOC7-4F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	10,730	COIL
8101105404	Economical	4F Unitube CE design Un-Armd UOFC	5.8+/-0.5	10,590	COIL
8411017006	Economical	06LOC7-6F Uni Tube 2FRP 0.8 Un-Armd BLK HDPOFC	5.3+/-0.3	11,300	COIL
8411018006	Economical	06LOC8-06F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	11,930	COIL
8411011006	Economical	06LOC10-06F Uni Tube 2SW 0.8 Un-Armd UA OFC	5.8+/-0.5	12,130	COIL
8101105406	Economical	6F CE design Un-Armd UOFC	5.8+/-0.5	12,010	COIL
8411018012	Economical	12LOC8-12F Uni Tube 2FRP08 Un-Armd OFC	5.8+/-0.5	16,250	COIL
8400101112	Economical	12CTV0 - 12F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	16,445	COIL

AGRICULTURE

Also available
in XLPE
insulation

High grade 99.97% pure
bare copper conductor

Abrasion resistant
grade sheath material

Long life & highly
durable cables

[List Price](#)

wef. 22nd May 2021

3 CORE FLAT CABLE



List Price wef. 22nd May 2021

3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS 694:1990

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13703041	1.50	22/.3	7,765
13703051	2.50	36/.3	12,540

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13703061	4.00	56/.3	18,295

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR INSULATED WITH PVC AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS GENERALLY CONFORMING TO IS 694:1990

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13803071	6.00	84/.3	26,940
13803081	10.00	140/.3	45,590
13803091	16.00	226/.3	70,810
13803101	25.00	354/.3	1,10,860

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13803111	35.00	495/.3	1,52,940
13803121*	50.00	703/.3	Prices for these sizes can be given on request.
13803131*	70.00	360/.5	
13803141*	95.00	475/.5	

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823059	2.50	36/.3	13165

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823069	4.00	56/.3	19210

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823079	6.00	84/.3	28285
13823089	10.00	140/.3	47870
13823099	16.00	226/.3	74350

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823109	25.00	354/.3	116405
13823119	35.00	495/.3	160585

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area (sqmm)	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13853079	8	84/.36	16,235
13853089	14	140/.36	26,755
13853099	23	226/.36	41,720

Product Code	Conductor Area (sqmm)	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13853109	36	354/.36	61,120
13853119	50	594/.36	83,780

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC INSULATED WINDING WIRES



List Price wef. 22nd May 2021

PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1 : 1995

Product Code	Conductor Nominal (mm)	List Price Per100Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No.of Mono Cartons Packed Per Master Carton
13000601	0.60	480	1000	6
13000602	0.60	480	500	6
13000701	0.70	650	1000	6
13000702	0.70	650	500	6
13000801	0.80	840	1000	6
13000802	0.80	840	500	6
13000901	0.90	1,050	1000	5
13000902	0.90	1,050	500	6
13001001	1.00	1,285	1000	5
13001002	1.00	1,285	500	6
13001101	1.10	1,545	1000	4
13001102	1.10	1,545	500	6
13001201	1.20	1,830	1000	4
13001202	1.20	1,830	500	6
13001301	1.30	2,135	1000	3
13001302	1.30	2,135	500	6
13001402	1.40	2,485	500	5
13001502	1.50	2,845	500	5
13001602	1.60	3,220	500	4
13001702	1.70	3,630	500	4
13001802	1.80	4,070	500	4
13001902	1.90	4,525	500	3
13002002	2.00	5,055	500	3
13002102	2.10	5,560	500	3
13002202	2.20	6,085	500	2
13002302	2.30	6,640	500	2
13002402	2.40	7,240	500	2
13002502	2.50	7,845	500	2
13002602	2.60	8,475	500	2
13002702	2.70	9,115	500	2
13002804	2.80*	9,830	250	3
13003004	3.00*	11,250	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
 PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

AUTOMOBILE / SOLAR POWER



High thermal rating to withstand extreme temperatures



Excellent resistance to heat pressure



Long life & highly durable cables

List Price

wef. 22nd May 2021



AUTO (BATTERY) CABLES

List Price wef. 22nd May 2021

AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	5,610	22,440
22210	354/.3	25	8,760	35,080
22211	495/.3	35	12,230	48,925
22212	703/.3	50	17,325	69,360
22513	360/.5	70	25,160	1,00,700
22514	475/.5 *	95	33,340	1,33,260
22515	608/.5 *	120	42,780	1,70,995
22516	750/.5 *	150	52,970	2,11,825
22517	925/.5 *	185	65,435	2,61,600
22518	1221/.5 *	240	85,955	3,43,875

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	890	3,555

105 DEGREE CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	195	775
2302	24/.21	0.75	290	1,160
2303	32/.21	1.00	390	1,540
2304	30/.26	1.50	565	2,250
2305	50/.26	2.50	935	3,710
2306	56/.31	4.00	1,540	6,160
2307	84/.31	6.00	2,285	9,110

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.



List Price wef. 22nd May 2021

SOLAR DC CABLE

FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007

**Product Code	Conductor Area (sq mm)	List Price per 100 Mtr Rs.	Packing
16906011	4	7,800	STANDARD LENGTH OF 500 MTR
16907011	6	10,830	STANDARD LENGTH OF 300 MTR

Notes	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	The full product code is of 8 digits. For example : 22209014 = Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 = Auto Cable 0.5 conductor 70 sqmm Red 25m. a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor. b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm. c) Next two digits are for colour i.e. 01=Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel. d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

[f /Finolexcables](#) | [t /Finolexcables](#) | [i /Finolex.cables](#)



Finolex
Cables Limited

AN IS/ISO 9001 CERTIFIED COMPANY

26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India
Tel: 020-27506200 | Fax: 020-27472239


Visit us at: www.finolex.com | Email: sales@finolex.com
CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: Tel: 079-26584637, 26575639 | **Bangalore:** Tel: 080 25320176 |
Bhubaneswar: Tel: 0674-2530053 | **Chennai:** Tel: 044-28231514, 28284142 |
Chandigarh: Tel: 0172-5076631, 2637334 | **Cochin:** Tel: 0484-2408930, 2408492 |
Coimbatore: Tel: 0422-2333939/40 | **Dharwad:** Tel: 0836-2746440 | **Goa:** Tel: 0832-2782003, 2782065 | **Gurgaon:** Tel: 0124-4382304 | **Guwahati:** Tel: 0361-2490067 |
Indore: Tel: 0731-2802646 | **Jaipur:** Tel : 0141-2332526/29 | **Kolkata:** Tel: 033-24192494, 24192495 | **Lucknow:** Tel: 0522-2439815, 4035031 | **Ludhiana:** Tel: 0161-2804005 | **Mumbai:** Tel: 022-22873252, 22820062 | **New Delhi:** Tel: 011-23324748, 23353160 | **Patna:** Tel: 0612-2589835 | **Pune:** Tel: 020-27475963, 27506200 | **Raipur:** Tel: 0771-2885595 | **Ranchi:** Tel: 0651-2284758 | **Roorkee:** Tel: 01332-224068 |
Secunderabad: Tel: 040-27721224, 27811161 | **Vadodara:** Tel: 9099775559 |
Vijayawada: Tel: 9397889670 | **Pondicherry:**

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any of the above specifications without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.