



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

LT Power Cables - Aluminium conductor

PRICE LIST Dated: 2nd September 2020

HAVELLS BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm & balance stranded conductor, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Aluminium wire for single core up to 70 sqmm & balance Aluminium strip, Galvanised wire for cables upto 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip) extruded PVC Type ST2 Outer sheathed, 650/1100V grade as per IS 7098(Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
4		46	54		64		78	86		99
6		56	67		78		91	100		113
10		77	91		108		108	126		141
16	41	80	107		130	73	124	134		161
25	62	112	154	186	199	94	139	181	203	220
35	71	147	197	229	255	106	165	215	249	277
50	94	180	245	300	330	129	205	272	323	357
70	124	247	348	401	460	165	275	377	427	484
95	168	308	438	498	558	185	353	468	530	590
120	200	372	535	638	659	222	419	560	663	723
150	243	447	660	767	835	265	506	690	785	890
185	299	558	809	932	1037	323	630	843	965	1106
240	340	739	1016	1150	1351	396	820	1060	1215	1410
300	420	905	1234	1427	1642	485	1000	1295	1485	1700
400	525	1147	1585	1810	2095	605	1250	1656	1885	2180
500	754	1394	2159	2506	2806	830	1650	2244	2625	2950
630	898	1775	2890	3386	3841	970	2080	2970	3560	4000
800	1260					1330				
1000	1481					1540				

EXTRAS FOR SPECIAL CONSTRUCTION:

	Cable Size (Sq.mm)	FRLS Loading Factor		LSZH Loading		
		Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
a) Round Wire Armouring			Armd.	Unarmd.		
- 2 x 16 & above	25.00%					
- 3 x 16 & 3.5CX25 & above	25.00%	Power (Al.)				
- 4 x 10 & above	25.00%	Upto 16	10.0%	7.5%	7.5%	15%
- For Single core 95 & above	25.00%	25 - 50	7.5%	7.5%	7.5%	12.5%
b) Stranding 10 sq.mm and below	10.00%	70 & above	5.0%	5.0%	5.0%	15%
c) Extruded PVC Innersheath Up 50	5.00%	Power Single Core (Al.)				
Extruded PVC Innersheath 70 & Above	2.50%	Upto 16	-N.A-	10.0%	10.0%	-N.A-
d) HR PVC Insulation	10.00%	25 - 50	-N.A-	10.0%	10.0%	-N.A-
e) HR PVC Inner Sheath	5.00%	70 & above	-N.A-	7.5%	7.5%	-N.A-
f) HR PVC Outer Sheath	5.00%					
g) Oxygen Index (FR)	2.50%					
h) PVC Insulated Cables	8.00%					

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

LT Power and Control Cables - Copper conductor

PRICE LIST Dated: 2nd September 2020

HAVELLS BRAND Power/Control Copper Cables, Solid Copper conductor upto 6 sqmm & balance Stranded Copper, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 10x1.5 sqmm, 8x2.5 sqmm, 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip), extruded PVC Type ST2 Outer Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XWaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		131	183		237		155	204		260
6		183	259		334		210	282		366
10		312	437		474		326	450		570
16	247	425	647		816	290	452	640		830
25	388	652	957	1112	1217	437	687	994	1180	1287
35	525	1008	1344	1543	1794	586	1040	1392	1598	1850
50	733	1377	1845	2191	2429	805	1405	1900	2288	2539
70	1028	1846	2652	3176	3558	1119	1958	2700	3225	3600
95	1392	2493	3637	4263	4810	1443	2615	3722	4350	4918
120	1758	3140	4330	5457	5928	1809	3212	4558	5562	6070
150	2203	3926	5539	6802	7460	2257	4018	5707	7068	7610
185	2719	4827	6956	8133	9506	2780	5005	7158	8370	9600
240	3544	6250	9136	10607	12279	3583	6521	9316	10730	12400
300	4465	7798	11244	12959	15180	4534	8271	11650	13395	15645
400	5847	10367	14218	16246	19200	6058	11207	15000	17000	20000
500	7387					7437				
630	9298					9348				
800	11549					11602				
1000	14437					14583				

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured		ARMoured -		No. of Cores	UN ARMoured		ARMoured -	
	2XY		2XWY/2XFY			2XY		2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	62	92	86	118	14	325	503	345	524
3	81	122	106	146	16	367	583	390	600
4	102	160	128	182	19	433	686	456	705
5	130	199	158	222	24	542	864	565	880
6	153	225	185	262	27	601	957	625	980
7	174	268	205	295	30	684	1041	700	1100
8	211	337	238	366	37	825	1283	855	1344
10	252	360	276	393	44	977	1539	1040	1661
12	290	440	310	457	61	1374	2100	1415	2263

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

A) Tinning	3.00%	E) OXYGEN INDEX (FR)	2.50%
B) Stranding (Upto 6 SQ.MM)	4.00%	F) HR PVC INSULATION	7.00
C) Extruded Innersheath	2.50%	G) HR PVC I.SH/O.SH.	5.00% (Each)
D) Round Wire Armouring		H) FRLS Loading-Power Cable (upto 6 sq.mm)	7.50%
1C x 95 sq. mm & above	7.50%	I) FRLS Loading-Power Cable(10sq.mm & above)	4.00%
1.5 sq.mm - 12 core & above	15.00%	J) PVC Insulated Cables	5%
2.5 sq.mm - 9 core & above	15.00%		
10 sq.mm - 4 core & above	15.00%		
16 sq.mm - 2 core & above	15.00%		
16 sq.mm - 3 core & above	15.00%		

FRLS Loading Factor- Control Cable				LSZH Loading	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	5.0%	6.0%	6.0%	15.0%	15.0%
5 - 10	5.0%	4.0%	4.0%	15.0%	15.0%
12 & Above	5.0%	4.0%	4.0%	12.5%	12.5%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

HT Single Core Power Cables - Aluminium conductor

PRICE LIST Dated: 2nd September 2020

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL ROUND WIRE ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	A2XWαY						
	3.3 KV UE	6.6 KV (E)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
240	597	597	657	765	784	917	1125
300	698	698	769	862	883	1075	1239
400	847	847	918	1021	1043	1228	1417
500	1075	1075	1112	1275	1275	1509	1637
630	1293	1293	1327	1513	1513	1768	1915
800	1588	1588	1610	1769	1769	2024	2301
1000	1907	1907	2097	2301	2301	2461	2644

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

HT Single Core Power Cables - Aluminium conductor

PRICE LIST Dated: 2nd September 2020

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL FLAT STRIP ARMOURED** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	A2XFaY						
	3.3 KV UE	6.6 KV (E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
240	569	569	625	727	746	871	1068
300	662	662	729	820	837	1021	1177
400	805	805	873	970	993	1167	1347
500	1021	1021	1058	1213	1213	1433	1554
630	1228	1228	1260	1440	1440	1679	1820
800	1510	1510	1529	1680	1680	1923	2188
1000	1812	1812	1990	2188	2188	2345	2511

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,

HT Three Core Power Cables - ALuminium conductor

PRICE LIST Dated: 2nd September 2020

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, CORES LAID UP, INNERSHEATH OF PVC, **GALVANISED STEEL FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART-2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	A2XFY						
	3.3 KV (UE)	6.6 KV(E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			575				
50			649				
70	725	725	770				
95	863	863	890	1174	1230	1645	
120	1010	1010	1050	1365	1410	1822	
150	1135	1135	1175	1509	1550	1985	2400
185	1310	1310	1335	1686	1740	2190	2660
240	1585	1585	1640	1984	2040	2500	3020
300	1890	1890	1900	2281	2340	2737	3360
400	2365	2365	2400	2682	2750	3260	3870

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5.0%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.