

LED LIGHTING SOLUTIONS

COMMERCIAL LIGHTING CATALOGUE
PRODUCT GUIDE



 ***Global Headquarters***
Net Zero Energy Building spread over 48,000 sq. mtrs.

Conceived back in 1960, the Jaquar Group has been built on the platform of the highest quality standards, aesthetics and the intent of providing world-class products. Today, the Jaquar Group caters to luxury, premium and value bathroom segments with Artize, Jaquar & Essco brands, respectively, for residential and commercial sectors across the globe. The group's lighting division, Jaquar Lighting too, has been setting new parameters of excellence while witnessing unprecedented success.

Artize

It pays tribute to the fine traditions of exquisite craftsmanship and precision where design, technology and talent combine to deliver a masterpiece. Artize products are crafted for luxurious bath spaces. Perfect harmony is the very essence of Artize- together as coordinates or even as individual pieces. Artize's exquisite craftsmanship is so stunning that it can inspire the design principles of not just your bath spaces but of your entire living spaces.



A leading global super brand known for its excellence in innovation and technology. The highest build standards combine with the most beautifully designed aesthetics to provide world-class products for tough conditions. With a superb blend of ergonomic shapes, contemporary styles and meticulous finish, Jaquar continues to enthrall millions of hearts across the world with its wide range of concepts and products.



For over 6 decades, 'Essco' the bathroom brand has been the benchmark for the organised bath industry in India. Essco defines base quality standards in India. A great value-for-money bath brand, Essco pioneered the concept of branded bath fittings in India, and is today one of the most respected names in the market, fulfilling a common man's ambition of a better quality of life through true quality, better hygiene, affordable pricing, trusted customer service & a 10-year warranty promise.





LED lighting solutions

Jaquar lighting gives you LED lighting solutions – for residential, commercial and outdoor use. Choose for varied budgets without compromising on quality and reliability.

They are designed to complement and co-ordinate the most exclusive interior and exterior lifestyles and decors, from classic to contemporary.

In fact, Jaquar lighting carries forward the legacy of Jaquar Group where the thrust has always been on creating new parameters of design, quality and customer satisfaction.



JAQUAR LIGHTING

The torchbearer for innovation in lighting

Innovative, energy-efficient lighting solutions, for an array of places and purposes. From home to office, decorative to landscaping, from gorgeous chandeliers to unique LEDs, you name it, we have it. All, illuminating with the highest quality, fascinating designs and immaculate perfection.

What makes Jaquar lighting stand apart:


- LED lighting solutions
- Futuristic manufacturing facility
- Global certifications
- Unique customisation option for chandeliers
- Best in the world lighting, best for the Indian conditions
- Smart new products
- Trusted for prestigious projects
- Jaquar orientation centres
- Pro-active customer care



Futuristic manufacturing facility

One of the flag-bearers of the government's 'Make in India' initiative, Jaquar's advanced LED plant produces a wide range of world-class lighting products under one roof.

- A fully automated state-of-the-art manufacturing facility sprawling over 68,000 sq. m. of covered area
- Fully automated facility with in-house ROHS-compliant LED driver manufacturing capability
- NABL-accredited lab with in-house testing of CCT upto 100,000 K
- LED module manufacturing unit with high-precision optical inspection equipment that can mount 160,000 LEDs per hour as well as 120,000 electronic components per hour simultaneously
- Powder coating machine to make 22,000 LED housing units a day
- In-house pressure die-casting machines of 250 tons and 350 tons for making housings
- With many firsts to its credit and with sustained investment in enhancing capabilities, Jaquar has been setting new benchmarks for the lighting industry



BIS Certificate

 बिसेटि एमएस ईपी BUREAU OF INDUSTRIAL STANDARDS भारतीय प्रमाणन एवं प्रमाणन बोर्ड 100, NEW DELHI ROAD, DELHI-110002 INDIA Tel: 011-23734001-022 Fax: 011-23734007	INDUSTRIAL STANDARDS CERTIFICATE Date: 21/05/2019
Subject: Industrial Standard	
Manufacturing Unit: <u>INDIAN AIR CONDITIONERS LTD.</u> Plot No. 1, Sector-10, Industrial Area, Gurgaon, Haryana - 122001 INDIA	
Part A:	
1. This reference is your Registration, and you should inform your client that their products have been certified to your client through registration based on self-declaration of compliance with the Indian Standard specified.	
Product: <u>Domestic Air Conditioner</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Model: <u>1.5 TON INVERTER SPLIT AC, 2019</u>	Serial: <u>INDIAN AIR CONDITIONERS LTD.</u>
Batch: <u>INDIAN AIR CONDITIONERS LTD.</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Model: <u>1.5 TON INVERTER SPLIT AC, 2019</u>	Serial: <u>INDIAN AIR CONDITIONERS LTD.</u>
Batch: <u>INDIAN AIR CONDITIONERS LTD.</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Manufacturing Unit: <u>INDIAN AIR CONDITIONERS LTD.</u>	Address: <u>Plot No. 1, Sector-10, Industrial Area, Gurgaon - 122001, Haryana, India</u>
2. The Bureau being pleased with the manner in which you have complied with the Indian Standard mentioned in Part A above.	
3. The number assigned to this certificate is IS 16802:2019 which has been made operative from 01/06/2019 under the provisions of IS 16802:2019 . The Bureau hereby deems compliance to extend to all your future productions.	
4. The rights and privileges under this certificate shall not be exercised by any other factory or organization in any other manner and in the event of shifting of the manufacturing facilities, the registration certificate in this case shall stand as if the Bureau has not been requested to issue this certificate.	
5. The Bureau shall monitor and dissemination of this and other BIS registration based on the self-declaration from your client.	
6. The Bureau shall follow the guidelines for the continued issue of certification requirements as per Annexure 1.	
7. The Bureau shall issue the Stamp to the manner which conforms the provisions of this Indian Standard Registration Certificate and also as provided from time to time.	
8. In case of any change in compliance or non-compliance of terms, conditions and other requirements, the self-declaration or certificate in this regard shall be cancelled and certificate will be cancelled and certificate will be cancelled and certificate will be cancelled.	
9. In the event of issue, the Bureau shall have to apply all the provisions of this certificate in the event of the issue and application form for issuance available at www.bis.gov.in .	
(ii) The terms and conditions:	
Thank you,	
 Secretary, Bureau of Industrial Standards, New Delhi-110002 E-mail: registration@bis.gov.in	

 बिसेटि एमएस ईपी BUREAU OF INDUSTRIAL STANDARDS भारतीय प्रमाणन एवं प्रमाणन बोर्ड 100, NEW DELHI ROAD, DELHI-110002 INDIA Tel: 011-23734001-022 Fax: 011-23734007	INDUSTRIAL STANDARDS CERTIFICATE Date: 21/05/2019
Subject: Industrial Standard	
Manufacturing Unit: <u>INDIAN AIR CONDITIONERS LTD.</u> Plot No. 1, Sector-10, Industrial Area, Gurgaon, Haryana - 122001 INDIA	
Part B:	
1. This reference is your Registration, and you should inform your client that their products have been certified to your client through registration based on self-declaration of compliance with the Indian Standard specified.	
Product: <u>Domestic Air Conditioner</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Model: <u>1.5 TON INVERTER SPLIT AC, 2019</u>	Serial: <u>INDIAN AIR CONDITIONERS LTD.</u>
Batch: <u>INDIAN AIR CONDITIONERS LTD.</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Model: <u>1.5 TON INVERTER SPLIT AC, 2019</u>	Serial: <u>INDIAN AIR CONDITIONERS LTD.</u>
Batch: <u>INDIAN AIR CONDITIONERS LTD.</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Manufacturing Unit: <u>INDIAN AIR CONDITIONERS LTD.</u>	Address: <u>Plot No. 1, Sector-10, Industrial Area, Gurgaon - 122001, Haryana, India</u>
2. The Bureau being pleased with the manner in which you have complied with the Indian Standard mentioned in Part A above.	
3. The number assigned to this certificate is IS 16802:2019 which has been made operative from 01/06/2019 under the provisions of IS 16802:2019 . The Bureau hereby deems compliance to extend to all your future productions.	
4. The rights and privileges under this certificate shall not be exercised by any other factory or organization in any other manner and in the event of shifting of the manufacturing facilities, the registration certificate in this case shall stand as if the Bureau has not been requested to issue this certificate.	
5. The Bureau shall monitor and dissemination of this and other BIS registration based on the self-declaration from your client.	
6. The Bureau shall follow the guidelines for the continued issue of certification requirements as per Annexure 1.	
7. The Bureau shall issue the Stamp to the manner which conforms the provisions of this Indian Standard Registration Certificate and also as provided from time to time.	
8. In case of any change in compliance or non-compliance of terms, conditions and other requirements, the self-declaration or certificate in this regard shall be cancelled and certificate will be cancelled and certificate will be cancelled.	
9. In the event of issue, the Bureau shall have to apply all the provisions of this certificate in the event of the issue and application form for issuance available at www.bis.gov.in .	
(ii) The terms and conditions:	
Thank you,	
 Secretary, Bureau of Industrial Standards, New Delhi-110002 E-mail: registration@bis.gov.in	

 बिसेटि एमएस ईपी BUREAU OF INDUSTRIAL STANDARDS भारतीय प्रमाणन एवं प्रमाणन बोर्ड 100, NEW DELHI ROAD, DELHI-110002 INDIA Tel: 011-23734001-022 Fax: 011-23734007	INDUSTRIAL STANDARDS CERTIFICATE Date: 21/05/2019
Subject: Industrial Standard	
Manufacturing Unit: <u>INDIAN AIR CONDITIONERS LTD.</u> Plot No. 1, Sector-10, Industrial Area, Gurgaon, Haryana - 122001 INDIA	
Part A:	
1. This reference is your Registration, and you should inform your client that their products have been certified to your client through registration based on self-declaration of compliance with the Indian Standard specified.	
Product: <u>Domestic Air Conditioner</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Model: <u>1.5 TON INVERTER SPLIT AC, 2019</u>	Serial: <u>INDIAN AIR CONDITIONERS LTD.</u>
Batch: <u>INDIAN AIR CONDITIONERS LTD.</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Model: <u>1.5 TON INVERTER SPLIT AC, 2019</u>	Serial: <u>INDIAN AIR CONDITIONERS LTD.</u>
Batch: <u>INDIAN AIR CONDITIONERS LTD.</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Manufacturing Unit: <u>INDIAN AIR CONDITIONERS LTD.</u>	Address: <u>Plot No. 1, Sector-10, Industrial Area, Gurgaon - 122001, Haryana, India</u>
2. The Bureau being pleased with the manner in which you have complied with the Indian Standard mentioned in Part A above.	
3. The number assigned to this certificate is IS 16802:2019 which has been made operative from 01/06/2019 under the provisions of IS 16802:2019 . The Bureau hereby deems compliance to extend to all your future productions.	
4. The rights and privileges under this certificate shall not be exercised by any other factory or organization in any other manner and in the event of shifting of the manufacturing facilities, the registration certificate in this case shall stand as if the Bureau has not been requested to issue this certificate.	
5. The Bureau shall monitor and dissemination of this and other BIS registration based on the self-declaration from your client.	
6. The Bureau shall follow the guidelines for the continued issue of certification requirements as per Annexure 1.	
7. The Bureau shall issue the Stamp to the manner which conforms the provisions of this Indian Standard Registration Certificate and also as provided from time to time.	
8. In case of any change in compliance or non-compliance of terms, conditions and other requirements, the self-declaration or certificate in this regard shall be cancelled and certificate will be cancelled and certificate will be cancelled.	
9. In the event of issue, the Bureau shall have to apply all the provisions of this certificate in the event of the issue and application form for issuance available at www.bis.gov.in .	
(ii) The terms and conditions:	
Thank you,	
 Secretary, Bureau of Industrial Standards, New Delhi-110002 E-mail: registration@bis.gov.in	

 बिसेटि एमएस ईपी BUREAU OF INDUSTRIAL STANDARDS भारतीय प्रमाणन एवं प्रमाणन बोर्ड 100, NEW DELHI ROAD, DELHI-110002 INDIA Tel: 011-23734001-022 Fax: 011-23734007	INDUSTRIAL STANDARDS CERTIFICATE Date: 21/05/2019
Subject: Industrial Standard	
Manufacturing Unit: <u>INDIAN AIR CONDITIONERS LTD.</u> Plot No. 1, Sector-10, Industrial Area, Gurgaon, Haryana - 122001 INDIA	
Part B:	
1. This reference is your Registration, and you should inform your client that their products have been certified to your client through registration based on self-declaration of compliance with the Indian Standard specified.	
Product: <u>Domestic Air Conditioner</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Model: <u>1.5 TON INVERTER SPLIT AC, 2019</u>	Serial: <u>INDIAN AIR CONDITIONERS LTD.</u>
Batch: <u>INDIAN AIR CONDITIONERS LTD.</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Model: <u>1.5 TON INVERTER SPLIT AC, 2019</u>	Serial: <u>INDIAN AIR CONDITIONERS LTD.</u>
Batch: <u>INDIAN AIR CONDITIONERS LTD.</u>	Mark: <u>INDIAN AIR CONDITIONERS LTD.</u>
Manufacturing Unit: <u>INDIAN AIR CONDITIONERS LTD.</u>	Address: <u>Plot No. 1, Sector-10, Industrial Area, Gurgaon - 122001, Haryana, India</u>
2. The Bureau being pleased with the manner in which you have complied with the Indian Standard mentioned in Part A above.	
3. The number assigned to this certificate is IS 16802:2019 which has been made operative from 01/06/2019 under the provisions of IS 16802:2019 . The Bureau hereby deems compliance to extend to all your future productions.	
4. The rights and privileges under this certificate shall not be exercised by any other factory or organization in any other manner and in the event of shifting of the manufacturing facilities, the registration certificate in this case shall stand as if the Bureau has not been requested to issue this certificate.	
5. The Bureau shall monitor and dissemination of this and other BIS registration based on the self-declaration from your client.	
6. The Bureau shall follow the guidelines for the continued issue of certification requirements as per Annexure 1.	
7. The Bureau shall issue the Stamp to the manner which conforms the provisions of this Indian Standard Registration Certificate and also as provided from time to time.	
8. In case of any change in compliance or non-compliance of terms, conditions and other requirements, the self-declaration or certificate in this regard shall be cancelled and certificate will be cancelled and certificate will be cancelled.	
9. In the event of issue, the Bureau shall have to apply all the provisions of this certificate in the event of the issue and application form for issuance available at www.bis.gov.in .	
(ii) The terms and conditions:	
Thank you,	
 Secretary, Bureau of Industrial Standards, New Delhi-110002 E-mail: registration@bis.gov.in	

ISO Certificate

CERTIFICATE • CERTIFICADO • CERTIFICAT • CERTIFICATE • CERTIFICADO • CERTIFICAT



CERTIFICATE

The Certification Body
of TÜV SÜD South Asia Private Limited
certifies that



Jaquar & Company Pvt. Ltd. (Lighting Division)
Plot No-A 111 to 114, RIICO Industrial Area,
Bhiwadi, Alwar – 301019, Rajasthan, India

has implemented Quality Management System
in accordance with **ISO 9001:2015**
for the scope of

**Design and Manufacture of Indoor & Outdoor LED Lights and
Chandeliers for Domestic & Overseas Markets**

The certificate is valid in conjunction
with the main certificate from **2022-05-15** until **2025-05-14**
Subject to successful completion of annual periodic audits

The present status of this certificate can be obtained through TUV SUD website by scanning below QR code and by entering the certificate number (without spaces) on web page. Further clarifications regarding the status & scope of this certificate may be obtained by consulting the certification body at info.in@tuv-sud.com

Certificate Registration No. **99 100 16868/07**
Date of Initial certification: **2019-05-15**
Issue Date: **2022-05-20** Rev. 01



Rahul Kale
Head of Certification Body
of TÜV SÜD South Asia Private Limited,
Mumbai
Member of TÜV SÜD Group



TÜV SÜD South Asia Pvt. Ltd. TÜV SÜD House Saki Naka Andheri (East) Mumbai – 400072 Maharashtra India

Global certifications

They say, excellence begets rewards and laurels. Jaquar Lighting's NABL-accredited lab has enabled the company to come up with the best lighting products. Certifications followed along the way:

- System certifications like ISO 9001:2015, BIS and BEE
- BIS certification for its LED Lamps, Drivers, Panels, LED Streetlights and Floodlights, as per the latest applicable Indian standards



ROHS COMPLIANT



UL



ECAS



EC



Unique customisation option for Chandeliers

Jaquar Lighting has the first chandelier manufacturing plant in India with in-house facilities for designing, fabrication, plating and assembly, to provide unique customised solutions.

As a chandelier manufacturer, Jaquar is also the first and only one in India to offer 24K gold plating in Antique Gold, as well as Chrome plating with some of the world's best crystals.



Best in the world lighting, best for Indian conditions

Jaquar lighting products are built keeping in mind the tough, ever-changing Indian weather conditions. These products pass through a wide range of tests to ensure their endurance, reliability and durability.

Jaquar lighting products follow the philosophy of sustained development. That is precisely why all these products are eco-friendly and energy-efficient.

Jaquar lighting LED products:

- Save up to 90% of the energy required for similar levels of illumination by conventional, non-LED products
- Designed to be glare-free and provide uniform illumination
- Built to be high-efficiency products that provide approximately 100 Lm/W-higher than most competing products

Trusted for prestigious projects

Jaquar lighting has been entrusted to light up an array of prestigious premises for its expertise in coming up with the best lighting solutions. Have a look:

- Central Hall, Parliament of India
- Supreme Court, Delhi
- Jammu & Kashmir Assembly, Srinagar
- Governor House, Dehradun
- Air Force Headquarters, Delhi
- National Defence Academy (NDA), Pune
- ISRO
- Royal Orchid hotels in Bangalore, Hyderabad and Jaipur
- Hotel Mount View, Chandigarh
- Hotel Westin, Hyderabad
- Hotel India Awadh, Lucknow
- Amber Conventional Centre, Indore
- Hindustan Club, Kolkata
- Hotel Crown, Bhubaneswar

- IIM Shillong
- IIT Mandi & IIT Guwahati
- Bangur House, Kolkata
- Holiday Inn, Kolkata
- Mahagun, Noida
- Supertech, Noida
- MG Motors, Delhi
- Jeep Showroom, Haryana
- Hotel Hyatt, Gurgaon
- Hotel Marriott, Nasik
- HP (Hewlett Packard)

Jaquar lighting also has corporate tie-ups with Sayaji Group, Lemontree, and Jaypee, among others.



Good lighting takes good planning

Give your property's lighting design the benefit of professional advice. With Jaquar's Light Planning Service you get expert guidance to achieve the right effect using the key features of your building's architecture, as well as evoke the right mood in your interior spaces.

Jaquar uses the latest professional design software to develop and present the entire solution to you – from AutoCAD drawings of the layouts to the analysis of the plan, to creating simulations, designs, renders and culminating in the documentation, right down to details like the BoQ.



Jaquar's Luxstudio



Imagine a space where the boundaries between architecture and light are blurred. The Luxstudio by Jaquar, in New Delhi, is a first-of-its-kind light studio where a wide range of architectural lighting solutions is showcased in an applied scenario.

The designers of the studio, Harmeet Singh Issar and Nivedita Sehrawat of Design Matrix, say we took *"...took the three constructs of space, time and light and merged them together to create an experience that is unpretentious, unexpected, fluid in form and program, and dignified yet engaging."*

Unlike the usual design of experience centres for lighting that typically tends to fall into two categories - white, matte minimalism driven by surface textures, or a dark, edgier aesthetic emphasizing contrasts- the design of Luxstudio amalgamates and represents both these approaches.

Dark, solid, charcoal grey walls of the Studio, contrast with luminous, textural 'light' partitions. Both sit side by side in an amorphous, flowing plan. Designed to be flexible, the space is both a blank canvas for lighting experiments - making allowance for tests and trials, as well as evaluating space for light/light quality - in the Dark Room. The setting of the Luxstudio itself is a display of Jaquar's lighting capability and possibilities.

To discover how Jaquar's lighting range carries forward the legacy of the brand's commitment to excellence in bathroom fixtures, quality and customer satisfaction, the Luxstudio is a perfect showcase of possibilities and ideas for everyone who's planning to create buildings and spaces that are illuminated brilliantly.





Jaquar orientation centres

Jaquar orientation centres are spread across the length & breadth of the nation and even abroad.

You can discover the whole gamut of Jaquar lighting products under one roof. Offering a one-stop solution to the discovery and selection process, the orientation centre is manned by trained experts who can help you find the perfect match even for your most unique lighting requirements.

So drop into a Jaquar orientation centre today. And bring home the glow of happiness!

For more information, visit any of our 21 orientation centres in the following cities:

Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Cochin, Guwahati, Hyderabad, Jaipur, Jammu, Kolkata, Lucknow, Ludhiana, Mumbai, Nagpur, New Delhi, Pune, Raipur, Siliguri and Surat





Pro-active customer care

Even peers vouch for Jaquar's enviable customer care.

Backed by over 1,000 trained technicians and a warranty on its products, Jaquar lighting provides India's most reliable service to its customers with a fully integrated service network across the country.

Toll-free customer care no: 1800 212 6808

E-mail: ccare.lighting@jaquar.com

Category Content

Professional Lighting



Chandeliers & Decorative Lights

The best of global lighting designs and craftsmanship in a large range of chandeliers and decorative lighting designs



Commercial Indoor Lights

The latest options in LED lighting solutions for indoor spaces in offices, malls, and commercial areas



Commercial Outdoor Lights

The most comprehensive range of high-quality products for landscape and outdoor lighting



Landscape Lights Choice Series

Affordable yet efficient Landscape lighting products to light up your spaces


Smart Lighting



Smart Lights


The world is getting smarter and so are the Jaquar Lighting Products

Consumer Lighting



Consumer Lights

Cutting-edge, energy-efficient LED lighting solutions for an array of residential requirements



Professional Lighting

Discover the best of global lighting designs and craftsmanship in our comprehensive range of technologically advanced professional lighting products. Designed keeping your space in mind, our lighting solutions are essential in creating aesthetically pleasing urban & professional environments.

Our range of professional lighting includes:

- Chandeliers & Decorative Lights
- Commercial Indoor Lights
- Commercial Outdoor Lights
- Landscape Lights



Chandeliers

There are a few bigger statements of luxury in an indoor space than a sparkling chandelier. Discover a grand centrepiece for your indoor space in Jaquar's range of chandeliers.

- Our chandeliers, a fusion of class and quality, are made with lead-free Asfour Almaaza crystals of high-precision cut, clarity, colour, and shape, from some of the world's best crystal manufacturers.
- We use mainly brass in the frame of our chandeliers, which come with a 7 year to 10 year warranty on the plating – ranging from 24K Gold to Chrome, Antique Brass and Copper.
- With the fabrication and plating of chandeliers being done in-house, Jaquar is one of the leading brands of India with its own production facility for crystal chandeliers.
- Available in classic and contemporary styles, reflecting traditional grace or modern elegance, our chandeliers range from 3-head to 24-head designs, with suspended or ceiling-mounted options.
- In fact, apart from the extensive choice, Jaquar Lighting also offers a unique customisation option in Crystal chandeliers - you can redesign, mix and match, and even ask to increase or reduce the crystals used in the chandeliers you select.

But no matter which chandelier you choose from Jaquar, it'll definitely have the power to be the cynosure of all eyes in the room.

Content

CHANDELIERS WITH SHADES

Carina	032
Octans	033
Ara	034
Ursa	035

TIERED CANDLE CHANDELIERS

Grandiose	038
Meridian	039
Gondola	040
Celeste	041
Orion	042
Etheria	043
Mensa	044
Pictor	045
Antlia	046
Apus	047
Vela	048
Pollux	049
Celosia	050
Trillium	051
Centaurus	052
Circinus	053
Cassia	054
Wisteria	055
Pegasus	056
Bergenia	057
Phoenix	058
Selene	059
Lantana	060

CONCEALED LIGHT CHANDELIERS

Sirius	064
Nobella	065
Grapewine	066
Honey comb	067
Lancia	068
Lancia	069
Galaxy	070
Cosmos	071
Liner	072
Supernova	073
Starling	074
Starling	074

MODERN CHANDELIERS

Lepus	078
Gemini	079
Nebula	080
Arcturus	081
Nova	082
Umbra	083
Norma	084
Capella	085
Canis	086
Lynx	087
Auriga	088

MINIMALISTIC CHANDELIERS

Tortile	092
Saggita	093

WALL LAMPS

Arena	096
Trident	096
Tulipz	097
Exalta	097
Trident Gold	098
Celestia Pearl	098
Volans	099
Gloria	099





Chandeliers with Shades

Perfect for making the light source in the room discrete, a chandelier with shades works even better when paired with drapery that matches the colour and texture of the shades in the chandelier.



Carina

Asfour Almaaza

Product code: DTD-SKG-ASCARL0095436C

Color:	SK gold
Material:	Zinc alloy and fabric shade
No. of heads:	6+12+18
Cap type:	E14
Wattage:	36 x 4.5 W LED
Dimension (mm):	Ø 1530 x H 2300
Weight (Kg):	177
No. of boxes for one product:	9



Octans

Asfour Almaaza

Product code: DTD-ABR-ASOCT0095430C

Color:	Bronze
Material:	Zinc alloy and fabric shade
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1500 x H 1850
Weight (Kg):	115
No. of boxes for one product:	6



Ara

Asfour Almaaza

Product code: DCS-ABR-CHL00954005

Color:	Bronze
Material:	Copper, bronze and fabric
No. of heads:	4+8+12
Cap type:	E14
Wattage:	24 x 4.5 W LED
Dimension (mm):	Ø 1260 x H 1400
Weight (Kg):	59
No. of boxes for one product:	6
Premium fabric shade	



Ursa

Product code: DCS-SKG-14844X15C

Color:	Gold finish
Material:	Zinc alloy and fabric shade
No. of heads:	15
Cap type:	E14
Wattage:	15 x 4.5 W LED
Dimension (mm):	Ø 1000 x H 600
Weight (Kg):	20
No. of boxes for one product:	1



Tiered Candle Chandeliers

A tiered candle chandelier like this one is the perfect way to accentuate a room's traditional elegance. Reminiscent of real candle chandeliers from many centuries ago, that were lowered, lit and then pulled up by a rope, the unmasked light source allows the crystals underneath to sparkle with greater intensity.



Grandiose

Asfour Almaaza

Gold

Product code: DTD-GLD-AS110212

Chrome

Product code: DTD-CHR-AS110212

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	12
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 850 x H 560
Weight (Kg):	18
No. of boxes for one product:	1



Meridian

Asfour Almaaza

Gold

Product code: DTD-GLD-AS20918B

Chrome

Product code: DTD-CHR-AS20918B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	18
Cap type:	E14
Wattage:	18 x 4.5 W LED
Dimension (mm):	Ø 1050 x H 560
Weight (Kg):	20
No. of boxes for one product:	1



Gondola

Asfour Almaaza

Gold

Product code: DTD-GLD-AS2028A

Chrome

Product code: DTD-CHR-AS2028A

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4 W LED
Dimension (mm):	Ø 700 x H 430
Weight (Kg):	12
No. of boxes for one product:	1



Celeste

Asfour Almaaza

Gold

Product code: DTD-GLD-AS93112A

Chrome

Product code: DTD-CHR-AS93112A

Color:	Gold and chrome
Material:	Brass
No. of heads:	6+6
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 630 x H 930
Weight (Kg):	21
No. of boxes for one product:	2



Orion

Asfour Almaaza

Product code: DTD-GLD-AS2038BCAG

Color:	Gold/Black powder
Material:	Brass/Asfour Crystal/MS
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4.5 W LED
Dimension (mm):	D 660 x H 1200
Weight (Kg):	10
No. of boxes for one product:	2



NEW
ARRIVAL

Etheria

Asfour Almaaza

Product code: DTD-GLD-AS20918X1500

Color:	Gold
Material:	Brass/Glass/Asfour Crystal
No. of heads:	36
Cap type:	E14
Wattage:	36 x 4.5 W
Dimension (mm):	D 1500 x H 1800
Weight (Kg):	38
No. of boxes for one product:	5



Mensa

Asfour Almaaza

Product code: DTD-GLD-ASMEN0095456C

Color:	Gold
Material:	Copper with natural pink jade
No. of heads:	8+12+16+20
Cap type:	E14
Wattage:	56 x 4.5 W LED
Dimension (mm):	Ø 2260 x H 3000
Weight (Kg):	450
No. of boxes for one product:	13
24K gold used for perfect finish	



Pictor

Asfour Almaaza

Product code: DTD-SKG-ASPIC0095430C

Color:	SK gold
Material:	Zinc alloy with jade
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1450 x H 2100
Weight (Kg):	110
No. of boxes for one product:	13



Antlia

Asfour Almaaza

Product code: DTD-SLV-ASANT0095424C

Color:	Silver
Material:	Copper and glass
No. of heads:	8+16
Cap type:	E14
Wattage:	24 x 4.5 W LED
Dimension (mm):	Ø 1230 x H 1100
Weight (Kg):	115
No. of boxes for one product:	3



Apus

Asfour Almaaza

Product code: DTD-GLD-ASAPU0095451C

Color:	Bronze
Material:	Copper with natural jade
No. of heads:	6+10+15+20
Cap type:	E14
Wattage:	51 x 4.5 W LED
Dimension (mm):	Ø 1900 x H 2800
Weight (Kg):	340
No. of boxes for one product:	16



Vela

Asfour Almaaza

Product code: DTD-SKG-ASVEL09540636C

Color:	SK gold
Material:	Zinc alloy with natural pink jade
No. of heads:	6+12+18
Cap type:	E14
Wattage:	36 x 4.5 W LED
Dimension (mm):	Ø 1550 x H 2110
Weight (Kg):	166
No. of boxes for one product:	8



Pollux

Asfour Almaaza

Product code: DTD-ABR-ASPOL0095443C

Color:	Bronze
Material:	Zinc alloy and bobèche glass
No. of heads:	6+8+10+19+5
Cap type:	E14
Wattage:	48 x 4.5 W LED
Dimension (mm):	Ø 1600 x H 2300
Weight (Kg):	212
No. of boxes for one product:	6



Celosia

Asfour Almaaza

Product code: DTD-SLV-ASCEL716510C

Color:	Silver (Real)
Material:	Copper and bobèche glass
No. of heads:	10
Cap type:	E14
Wattage:	10 x 4.5 W LED
Dimension (mm):	Ø 1000 x H 885
Weight (Kg):	60
No. of boxes for one product:	1
Real silver used for perfect finish	



Trillium

Asfour Almaaza

Product code: DTD-GLD-ASTRISYY15730C

Color:	Gold
Material:	Copper and bobèche glass
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1500 x H 2120
Weight (Kg):	175
No. of boxes for one product:	6
24K gold used for perfect finish	



Centaurus

Asfour Almaaza

Product code: DTD-GLD-ASCEL1771230C

Colour:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	15+10+5
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1470 x H 1900
Weight (Kg):	160
No. of boxes for one product:	7



Circinus

Asfour Almaaza

Product code: DTD-GLD-ASCIR1780218C

Color:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	12+6
Cap type:	E14
Wattage:	18 x 4.5 W LED
Dimension (mm):	Ø 1150 x H 1000
Weight (Kg):	65
No. of boxes for one product:	3



Cassia

Asfour Almaaza

Product code: DTD-GLD-ASCAS178027C

Color:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	70
Cap type:	E14
Wattage:	70 x 4.5 W LED
Dimension (mm):	Ø 2000 x H 3100
Weight (Kg):	350
No. of boxes for one product:	15



Wisteria

Asfour Almaaza

Product code: DTD-BRS-ASWISSYY0170C

Color:	Bronze
Material:	Zinc alloy and marble
No. of heads:	6+12+18+12+24+8
Cap type:	E14
Wattage:	80 x 4.5 W LED
Dimension (mm):	Ø 2330 x H 3300
Weight (Kg):	300
No. of boxes for one product:	17



Pegasus

Asfour Almaaza

Product code: DTD-GLD-ASPEG173918C

Color:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	12+6
Cap type:	E14
Wattage:	18 x 4.5 W LED
Dimension (mm):	Ø 1160 x H 690
Weight (Kg):	50
No. of boxes for one product:	3



Bergenia

Asfour Almaaza

Product code: DTD-GLD-ASBER1739536C

Color:	Gold
Material:	Zinc alloy and glass
No. of heads:	6+15+10+5
Cap type:	E14
Wattage:	36 x 4.5 W LED
Dimension (mm):	Ø 1500 x H 2350
Weight (Kg):	118
No. of boxes for one product:	6



Phoenix

Asfour Almaaza

Product code: DTD-GLD-ASPHOSYA65032C

Color:	Gold
Material:	Copper with natural jade
No. of heads:	6+10+16
Cap type:	E14
Wattage:	32 x 4.5 W LED
Dimension (mm):	Ø 1550 x H 1920
Weight (Kg):	205
No. of boxes for one product:	9
18K gold used for perfect finish	



Selene

Asfour Almaaza

Product code: DTD-SLV-ASSEL716530C

Color:	Silver (Real)
Material:	Copper and bobèche glass
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1460 x H 1900
Weight (Kg):	198
No. of boxes for one product:	4
Real silver used for perfect finish	



Lantana

Asfour Almaaza

Product code: DTD-GLD-ASLANSY66031C

Color:	Gold
Material:	Copper with natural jade
No. of heads:	15+10+6
Cap type:	E14
Wattage:	31 x 4.5 W LED
Dimension (mm):	Ø 1460 x H 2290
Weight (Kg):	180
No. of boxes for one product:	7
18K gold used for perfect finish	





Concealed Light Chandeliers

A complete creation in crystal, the opulence of chandeliers like these demand décor that's no less magnificent. Concealing the light source within allows the crystals to appear as if they are the light source themselves – a multitude of little suns scattering beautiful rays around the room.



Sirius

Asfour Almaaza

Gold

Product code: DCO-GLD-AS11063XB

Chrome

Product code: DCO-CHR-AS11063XB

Color:	Gold and chrome
Material:	Brass
No. of heads:	27
Cap type:	E14
Wattage:	27 x 4.5 W LED
Dimension (mm):	Ø 1066 x H 2743
Weight (Kg):	55
No. of boxes for one product:	2



Nobella

Asfour Almaaza

Gold

Product code: DCO-GLD-AS1009

Chrome

Product code: DCO-CHR-AS1009

Color:	Gold and chrome
Material:	Brass
No. of heads:	12
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 610 x H 920
Weight (Kg):	20.5
No. of boxes for one product:	2



Grapewine

Asfour Almaaza

Gold

Product code: DCO-GLD-AS4032

Chrome

Product code: DCO-CHR-AS4032

Color:	Gold and chrome
Material:	Brass
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4.5 W LED
Dimension (mm):	Ø 600 x H 380
Weight (Kg):	16
No. of boxes for one product:	1



Honey Comb

Asfour Almaaza

Gold

Product code: DCO-GLD-AS4031A

Chrome

Product code: DCO-CHR-AS4031A

Color:	Gold and chrome
Material:	Brass
No. of heads:	6
Cap type:	E14
Wattage:	6 x 4.5 W LED
Dimension (mm):	Ø 550 x H 510
Weight (Kg):	17
No. of boxes for one product:	1



Lancia

Asfour Almaaza

Gold

Product code: DCO-GLD-AS8051B

Chrome

Product code: DCO-CHR-AS8051B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	4
Cap type:	E14
Wattage:	4 x 4.5 W LED
Dimension (mm):	Ø 400 x H 180
Weight (Kg):	4.5
No. of boxes for one product:	1



Lancia

Asfour Almaaza

Gold

Product code: DCO-GLD-AS8051D25

Chrome

Product code: DCO-CHR-AS8051D25

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	3
Cap type:	E14
Wattage:	3 x 4.5 W LED
Dimension (mm):	Ø 300 x H 200
Weight (Kg):	2
No. of boxes for one product:	1



Galaxy

Asfour Almaaza

Gold

Product code: DCO-GLD-AS11025

Chrome

Product code: DCO-CHR-AS11025

Color:	Chrome and gold
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	120 W LED
Dimension (mm):	Ø 914 x H 330
Weight (Kg):	25
No. of boxes for one product:	1



Cosmos

Asfour Almaaza

Gold

Product code: DCO-GLD-AS11021

Chrome

Product code: DCO-CHR-AS11021

Color:	Chrome and gold
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	60 W LED
Dimension (mm):	Ø 600 x H 90
Weight (Kg):	12
No. of boxes for one product:	1



**NEW
ARRIVAL**

Liner

Asfour Almaaza

Gold

Product code: DCO-GLD-AS11025X700MM

Color:	Gold
Material:	Brass/Asfour Crystal
No. of heads:	N/A
Cap type:	LED
Wattage:	30W
Dimension (mm):	D 700 x H 1100
Weight (Kg):	15
No. of boxes for one product:	1



Supernova

Asfour Almaaza

Gold

Product code: DCO-GLD-AS11028

Chrome

Product code: DCO-CHR-AS11028

Color:	Chrome and gold
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	105 W LED
Dimension (mm):	L 533 x W 533 x H 450
Weight (Kg):	18
No. of boxes for one product:	1



Starling

Asfour Almaaza

Gold

Product code: DCO-GLD-AS80881B

Chrome

Product code: DCO-CHR-AS80881B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	4
Cap type:	E14
Wattage:	4 x 4.5 W LED
Dimension (mm):	Ø 500 x H 180
Weight (Kg):	6
No. of boxes for one product:	1

The actual product may slightly vary from the above pic attached



Starling

Asfour Almaaza

Gold

Product code: DCO-GLD-AS8088B

Chrome

Product code: DCO-CHR-AS8088B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	3
Cap type:	E14
Wattage:	3 x 4.5 W LED
Dimension (mm):	Ø 330 x H 140
Weight (Kg):	4.5
No. of boxes for one product:	1

The actual product may slightly vary from the above pic attached



Modern Chandeliers

Representing the evolution of chandeliers, rectilinear and curved forms of chandeliers question traditional outlines and pay tribute to the more functional forms seen in the architecture of the 20th century. Ideal for interiors where modern lines and newer, man-made materials are chosen.



Lepus

Asfour Almaaza

Gold

Product code: DMO-GLD-AS40510X2

Chrome

Product code: DMO-CHR-AS40510X2

Color:	Gold and chrome
Material:	SS
No. of heads:	8
Cap type:	G9
Wattage:	8 x 5 W LED
Dimension (mm):	L 1066 x W 381 x H 304
Weight (Kg):	20
No. of boxes for one product:	1



NEW
ARRIVAL

Gemini

Asfour Almaaza

Product code: DMO-GLD-AS12032X1500

Color:	Gold
Material:	S.S/Asfour Crystal
No. of heads:	N/A
Cap type:	LED
Wattage:	200 W
Dimension (mm):	D 1500 x H 2400
Weight (Kg):	45
No. of boxes for one product:	2



Nebula

Asfour Almaaza

Gold

Product code: DMO-GLD-AS11058/3

Chrome

Product code: DMO-CHR-AS11058/3

Color:	Gold and chrome
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	225 W LED
Dimension (mm):	L 1500 x W 457 x H 457
Weight (Kg):	30
No. of boxes for one product:	1



Arcturus

Asfour Almaaza

Gold

Product code: DMO-GLD-AS11065

Chrome

Product code: DMO-CHR-AS11065

Color:	Gold and chrome
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	150 W LED
Dimension (mm):	L 1053 x W 600 x H 600
Weight (Kg):	28
No. of boxes for one product:	1



Nova

Gold

Product code: DMO-GLD-DROP11066

Chrome

Product code: DMO-CHR-DROP11066

Color:	Gold and chrome
Material:	SS and glass
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4.5 W LED
Dimension (mm):	L 1210 x W 457 x H 395
Weight (Kg):	20
No. of boxes for one product:	1
Available in mouth blown drop glass only	



Umbra

Asfour Almaaza

Gold

Product code: DMO-GLD-AS9111

Chrome

Product code: DMO-CHR-AS9111

Color:	Gold and chrome
Material:	Brass
No. of heads:	1
Cap type:	E14
Wattage:	1 x 4.5 W LED
Dimension (mm):	Ø 250 x H 260
Weight (Kg):	1.5
No. of boxes for one product:	1



Norma

Product code: DMO-GLD-MD177218009

Color:	Gold
Material:	SS/Brass
No. of heads:	9
Cap type:	E14
Wattage:	10 x 4.5 W LED
Dimension (mm):	Ø 800 x H 375
Weight (Kg):	30
No. of boxes for one product:	1
Available in K9 crystals only	



NEW
ARRIVAL

Capella

Asfour Almaaza

Product code: DMO-BRS-SL12024X6L

Color:	Brass
Material:	Brass/Solid Glass Rod
No. of heads:	6
Cap type:	E14
Wattage:	6 x 4.5 W LED
Dimension (mm):	D 650 x H 1320
Weight (Kg):	8
No. of boxes for one product:	1



Canis

Asfour Almaaza

Gold

Product code: DMO-GLD-AS11003

Chrome

Product code: DMO-CHR-AS11003

Color:

Chrome and gold

Material:

Brass

No. of heads:

7

Cap type:

G9

Wattage:

7 x 5 W LED


Dimension (mm):

Ø 457 x H 225

Weight (Kg):

8

No. of boxes for one product: 1



Lynx

Asfour Almaaza

Product code: DMO-BLK-GLS11042X70CM

Color:	Black chrome
Material:	Brass/Rock glass
No. of heads:	N/A
Cap type:	N/A
Wattage:	15 W LED
Dimension (mm):	Ø 700 x H 195
Weight (Kg):	12
No. of boxes for one product:	1



Auriga

Asfour Almaaza

Product code: DMO-BLK-K9CUBE10X10

Color:	Black nickel finished
Material:	Brass and K9 crystals
No. of heads:	N/A
Cap type:	N/A
Wattage:	45 W LED
Dimension (mm):	L 360 x H 450
Weight (Kg):	13.800
No. of boxes for one product:	1





Minimalistic Chandeliers

Pushing the boundaries of the definition of chandeliers, iconic pieces like these are carefully designed to achieve the maximum effect with a minimum of elements. Accepting the challenge of today's minimalistic design aesthetic, pieces like this embody the concept of 'less is more'.



Tortile

Asfour Almaaza

Gold

Product code: DMN-GLD-AS11037

Chrome

Product code: DMN-CHR-AS11037

Color:

Chrome and gold

Material:

Brass

No. of heads:

5

Cap type:

Spot light

Wattage:

5 x 2 W LED

Dimension (mm):

Ø 360 x H 800

Weight (Kg):

8

No. of boxes for one product: 1



Saggita

Asfour Almaaza

Product code: DMN-CHR-AS600X335X2

Color:	Chrome
Material:	Brass/Asfour crystal
No. of heads:	N/A
Cap type:	N/A
Wattage:	60 W LED
Dimension (mm):	D 600 x H 600
Weight (Kg):	18
No. of boxes for one product:	1



Wall Lamps

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky designs and artful expressions there's a wall light for every need here.



Arena

Asfour Almaaza

Gold

Product code: DCW-GLD-AS20SW

Chrome

Product code: DCW-CHR-AS20SW

Color:	Chrome and gold
Material:	Brass and bobèche glass
No. of heads:	2
Cap type:	E14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 270 x W 190 x H 250
Weight (Kg):	1.3
No. of boxes for one product:	1



Trident

Asfour Almaaza

Gold

Product code: DCW-GLD-AS9118

Chrome

Product code: DCW-CHR-AS9118

Color:	Chrome and gold
Material:	Brass and bobèche glass
No. of heads:	2
Cap type:	E14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 250 x W 160 x H 270
Weight (Kg):	1.5
No. of boxes for one product:	1



Tulipz

Asfour Almaaza

Gold

Product code: DCW-GLD-AS7771

Chrome

Product code: DCW-CHR-AS7771

Color:	Chrome and gold
Material:	Brass
No. of heads:	1
Cap type:	LED
Wattage:	3 W
Dimension (mm):	L 130 x W 140 x H 500
Weight (Kg):	1.5
No. of boxes for one product:	1



Exalta

Asfour Almaaza

Gold

Product code: DCW-GLD-AS98181

Chrome

Product code: DCW-CHR-AS98181

Color:	Chrome and gold
Material:	Brass and bobèche glass
No. of heads:	1
Cap type:	E14
Wattage:	1 x 4.5 W LED
Dimension (mm):	L 100 x W 180 x H 280
Weight (Kg):	1
No. of boxes for one product:	1



Trident Gold

Asfour Almaaza

Gold

Product code: DCW-GLD-AS98182

Chrome

Product code: DCW-CHR-AS98182

Color:	Gold and chrome
Material:	Brass
No. of heads:	2
Cap type:	E14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 280 x W 180 x H 300
Weight (Kg):	1.5
No. of boxes for one product:	1



Celestia Pearl

Asfour Almaaza

Gold

Product code: DCW-GLD-AS96069

Chrome

Product code: DCW-CHR-AS96069

Color:	Gold and chrome
Material:	Brass
No. of heads:	2
Cap type:	E 14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 260 x W 130 x H 240
Weight (Kg):	1.5
No. of boxes for one product:	1



Volans

Gold

Product code: DCW-GLD-5057

Chrome

Product code: DCW-CHR-5057

Color:	Chrome and gold
Material:	Brass
No. of heads:	NA
Cap type:	LED strip
Wattage:	9 W
Dimension (mm):	L 110 x W 75 x H 290
Weight (Kg):	2.5
No. of boxes for one product:	1
Available in twist glass tube	



**NEW
ARRIVAL**


Gloria

Asfour Almaaza

Gold

Product code: DCW-COP-5057XRC

Color:	Copper
Material:	Brass
No. of heads:	N/A
Cap type:	LED
Wattage:	10 W
Dimension (mm):	L100 x W 120 x H 350
Weight (Kg):	1.8
No. of boxes for one product:	1



Decorative Lights

Jaquar decorative lighting collection combines the very best of global design and craftsmanship in an impressively large range of designs and shapes. Jaquar range of products in the Decorative category includes Chandeliers, Pendant lights, Wall and Ceiling mounted lights, Table lamps and Floor lamps, and even Aqua lights for use in bathrooms.

Within each type of light too, there's one for every preference. Pendant lights are available in single or multiple heads with suspended or ceiling-mounted options. Ceiling lights are available in standalone, single-tier, 2-tier and 3-tier variants with Chrome, White, or Rose Gold finishes with Metal and Glass options. Our innovative range of LED wall lights are available in standalone, single-head, 2-head and 3-head variants with matching chandeliers.

For enhancing the ambience of interiors, choose from our trendsetting table lamps that are available in Chrome, Glass, Wood and Metallic finishes with fabric or PVC shades. Similar options are available in our Floor lamps too, which are distinctive and contemporary.

For use in moist environments like bathrooms, Jaquar Aqua lights feature a Chrome finish and Ingress Protection (IP) 44 rating.

Unless otherwise specified, all Jaquar lighting products are built with the flexibility to be compatible with not just LED lamps but CFL and GLS lamps too.

Content

DECORATIVE LIGHTS

Ceiling Lights	102
Floor Lamps	144
Table Lamps	150
Wall Lights	164
Bath (Aqua) Lights	186





Ceiling Lights

To meet the sophisticated design requirements of ceiling lighting, Jaquar offers a vast repertoire to choose from. Discover some of the most alluring models from our latest collection.



DCH-CHR-MD80473A

Description: 3 Light cone shaped with chrome finish ceiling light

Fixture Height: 1000

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 3

L	W	D	H
600	1000		

DCH-CHR-MD80476A

Description: 6 Light cone shaped with chrome finish ceiling light

Fixture Height: 1000

Standard Packaging Box: 1

Net Weight (Kg): 2.6

Lamp: E14 LED 4.5 W x 6

L	W	D	H
650	1000		



Ceiling Lights



DCL-CHR-MX81364B

Description: 4 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 5.5

Lamp: G9 LED 5 W x 4

L	W	D	H
350			225



DCL-CHR-MX81366B

Description: 6 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 9.2

Lamp: G9 LED 5 W x 6

L	W	D	H
450			225



DCL-CHR-MX81364A

Description: 4 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 7

Lamp: G9 LED 5 W x 4

L	W	D	H
330	330		225



DCL-CHR-MX81368A

Description: 8 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 11

Lamp: G9 LED 5 W x 8

L	W	D	H
430	430		225

Height Adjustable

DPN-COP-MD501001512C

Description: 12 Light aluminium curved strips with copper finish pendant

Fixture Height: 560

Standard Packaging Box: 1

Net Weight (Kg): 5.2

Lamp: G9 LED 5 W x 12

L	W	D	H
560	1200		



Height Adjustable



DPN-BCH-MD501001512B

Description: 12 Light aluminium curved strips with black finish pendant

Fixture Height: 650

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: G9 LED 5 W x 12

L	W	D	H
650			1300



DCH-BLK-MX809812A

Description: 12 Light meta swan with black finish ceiling light
Available in: Black / Matt Gold / Nickel
Fixture Height: 620
Standard Packaging Box: 1
Net Weight (Kg): 9.5
Lamp: G4 Bulb 5 W x 12

L	W	D	H
710	620		



DCH-BLK-MD809812A

Description: 12 Light meta swan with black finish ceiling light with chain
Available in: Black / Matt Gold / Nickel
Fixture Height: 620
Standard Packaging Box: 1
Net Weight (Kg): 9.5
Lamp: G4 Bulb 5 W x 12

L	W	D	H
710	620		



DCH-GLD-MX809818A

Description: 18 Light meta swan with gold finish ceiling light
Available in: Black / Matt Gold / Nickel
Fixture Height: 780
Standard Packaging Box: 1
Net Weight (Kg): 18
Lamp: G4 Bulb 5 W x 18

L	W	D	H
860	780		



DCH-GLD-MD809818A

Description: 18 Light meta swan with gold finish ceiling light with chain
Available in: Black / Matt Gold / Nickel
Fixture Height: 780
Standard Packaging Box: 1
Net Weight (Kg): 18
Lamp: G4 Bulb 5 W x 18

L	W	D	H
860	780		



DPN-BLK-SL1027S400

Description: 1 Light black hemp rope ball pendant

Fixture Height: 400

Available in: Black

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
400	1200		



DPN-BLK-SL1027S600

Description: 1 Light black hemp rope ball pendant

Fixture Height: 600

Available in: Black

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E27 LED 7 W x 1

L	W	D	H
600	1200		



DCH-CHR-MD150330026A

Description: 6 Light champagne opal glass with chrome finish chandelier

Fixture Height: 620

Standard Packaging Box: 1

Net Weight (Kg): 7

Lamp: E14 LED 4.5 W x 6

L	W	D	H
600		1200	



DCH-CHR-MD1503300212

Description: 12 Light champagne opal glass with chrome finish chandelier

Fixture Height: 620

Standard Packaging Box: 1

Net Weight (Kg): 15

Lamp: E14 LED 4.5 W x 12

L	W	D	H
830		1200	



DCH-WTC-MX150300086A

Description: 6 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 5

Lamp: E14 LED 4.5 W x 6

L	W	D	H
		430	600



DCH-WTC-MD150300088A

Description: 8 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 6

Lamp: E14 LED 4.5 W x 8

L	W	D	H
		760	1200



DCH-WTC-MX1503000812

Description: 12 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 10

Lamp: E14 LED 4.5 W x 12

L	W	D	H
		870	490



DCH-WTC-MD1503000818

Description: 18 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: E14 LED 4.5 W x 18

L	W	D	H
		1050	1200



DCH-CHR-MD160275216A

Description: 6 Light frosted glass with chrome finish chandelier

Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 5

Lamp: E27 LED 7 W x 6

L	W	D	H
800	1000		



DCH-CHR-MD160275218A

Description: 8 Light frosted glass with chrome finish chandelier

Fixture Height: 540

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: E27 LED 7 W x 8

L	W	D	H
800	1000		



DPN-BLK-SL1174S

Description: 3 Light frosted glass, aluminium with black and gold finish pendant

Fixture Height: 50

Standard Packaging Box: 1

Net Weight (Kg): 4.02

Lamp: E14 LED 4.5 W x 3

L	W	D	H
350	1100		

Ceiling Lights



DPN-COP-MD150031251C

Description: 1 Light copper glass with copper finish pendant

Fixture Height: 270

Standard Packaging Box: 8

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

L	W	D	H
100	1200		



DPN-COP-MD150031251B

Description: 1 Light copper glass with copper finish pendant

Fixture Height: 280

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
130	1200		



DPN-COP-MD150031251A

Description: 1 Light copper glass with copper finish pendant

Fixture Height: 220

Standard Packaging Box: 8

Net Weight (Kg): 0.6

Lamp: E27 LED 7 W x 1

L	W	D	H
170	1200		



DPN-CHR-MD140030571C

Description: 1 Light PC globe diffuser with rose gold finish pendant

Available in: Nickel / Chrome / Antique brass

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 1.4

Lamp: E27 LED 7 W x 1

L	W	D	H
200	1500		

Bulb included



DPN-CHR-MD150031291A

Description: 1 Light smoky glass with chrome finish pendant

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
280			1200



DPN-CHR-MD150031291B

Description: 1 Light smoky glass with chrome finish pendant

Fixture Height: 220

Standard Packaging Box: 8

Net Weight (Kg): 1

Lamp: E27 LED 7 W x 1

L	W	D	H
200			1200



DPN-CHR-MD160020053B

Description: 3 Light clear glass, rose gold mesh with chrome finish pendant

Fixture Height: 260-750

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: G9 LED 5 W x 3

L	W	D	H
375			1200

Bulb included



DPN-CHR-MD160020051C

Description: 1 Light clear glass, rose gold mesh with chrome finish pendant

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: G9 LED 5 W x 1

L	W	D	H
190			1200

DPN-CHR-MD160030111A

Description: 1 Light clear globe glass with chrome finish pendant


Fixture Height: 210

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

L	W	D	H
		130	1200



DPN-RDG-MD160030111A

Description: 1 Light clear globe glass with rose gold finish pendant

Fixture Height: 210

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

L	W	D	H
		130	1200

Ceiling Lights



DPN-CHR-MD150031271A

Description: 1 Light smoky glass with chrome finish pendant

Fixture Height: 436

Standard Packaging Box: 1

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

L	W	D	H
150	1200		



DPN-CHR-MD150031271B

Description: 1 Light smoky glass with chrome finish pendant

Fixture Height: 180

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
220	1200		



DPN-BLK-SL00WCNIE27

Description: 1 Light bar with black finish conical pendant


Fixture Height: 380

Standard Packaging Box: 4

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

L	W	D	H
300	120		



**NEW
ARRIVAL**

DPN-BLK-SL6003MESH

Description: 1 Light mild steel fabric with metal finish pendant

Fixture Height: 530

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E27 LED 8 W x 1

L	W	D	H
300	1530		

Ceiling Lights



**NEW
ARRIVAL**

DPN-BLK-SL6001MESH

Description: 1 Light mild steel fabric with metal finish pendant

Fixture Height: 360

Standard Packaging Box: 1

Net Weight (Kg): 1.8

Lamp: E27 LED 8 W x 1

L	W	D	H
490	1360		



**NEW
ARRIVAL**

DPN-BLK-SL6002MESH

Description: 1 Light mild steel fabric with metal finish pendant

Fixture Height: 295

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E27 LED 8 W x 1

L	W	D	H
395	1295		



**NEW
ARRIVAL**

DPN-BLK-SL6004MESH

Description: 1 Light mild steel fabric with metal finish pendant

Fixture Height: 270

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E27 LED 8 W x 1

L	W	D	H
260	1270		

DPN-RDG-SL00FRD3E27

Description: 3 Light frosted glass with rose gold finish pendant

Fixture Height: 340

Standard Packaging Box: 4

Net Weight (Kg): 2.9

Lamp: E27 LED 7 W x 3

L	W	D	H
		300	1200



DPN-RDG-SL00FRD1E27

Description: 1 Light frosted glass with rose gold finish pendant

Fixture Height: 260

Standard Packaging Box: 8

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

L	W	D	H
		120	1200





DPN-COP-SL180461A

Description: 1 Light mesh shade with copper finish pendant

Fixture Height: 235

Standard Packaging Box: 4

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
100	1200		



DPN-BRS-MD150273871B

Description: 1 Light clear glass with brass finish pendant

Fixture Height: 270

Standard Packaging Box: 1

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

L	W	D	H
200	1200		



DPN-COG-SL1216S

Description: 1 Light cognac glass with copper finish pendant

Fixture Height: 460

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: E14 LED 4.5 W x 1

L	W	D	H
			130 2000



DPN-GRY-SLSM2329S

Description: 1 Light smoked glass with chrome finish pendant

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: G9 LED 5 W x 1

L	W	D	H
80			1200



DPN-ABS-SL1217S2

Description: 1 Light glass with antique brass finish pendant

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: E27 LED 7 W x 1

L	W	D	H
350			2000



DPN-COP-SLPEA089AE27

Description: 1 Light aluminium globe shape with copper finish pendant

Available in: Copper / Black

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 1.7

Lamp: E27 LED 7 W x 1

L	W	D	H
		400	1200



DPN-COP-SLPEA031BE27

Description: 1 Light aluminium, white wood with copper finish pendant

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
		300	1200



DPN-BLK-11086X3

Description: 3 Light black powder coated pendant

Fixture Height: 305

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: LED 3 W x 3 (In-built)

L	W	D	H
510	65		1200



DPN-BLK-11086X5

Description: 3 Light black powder coated pendant

Fixture Height: 305

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: LED 3 W x 3 (In-built)

L	W	D	H
510	65		1200



DPN-BLK-11086

Description: 1 Light black powder coated pendant
Fixture Height: 300
Standard Packaging Box: 12
Net Weight (Kg): 0.6
Lamp: LED 3 W x 1 (In-built)

L	W	D	H
25			1200



DPN-GLD-SLKS2450S

Description: 1 Light clear glass with gold finish pendant
Fixture Height: 425
Standard Packaging Box: 1
Net Weight (Kg): 6.5
Lamp: E27 LED 7 W x 1

L	W	D	H
450			1200



DPN-GLD-SLKS2450S1

Description: 1 Light clear glass with gold finish pendant
Fixture Height: 290
Standard Packaging Box: 1
Net Weight (Kg): 4.6
Lamp: E27 LED 7 W x 1

L	W	D	H
300			1200



DPN-BRS-SLPEA020BE27

Description: 1 Light aluminium with shiny brass paint finish pendant

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
		250	1200

DPN-BLK-SLHPP0414E27

Description: 1 Light aluminium industrial style with sanded black finish pendant

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 2.8

Lamp: E27 LED 7 W x 1

L	W	D	H
		380	1200



DPN-BRN-SLPEA299E27

Description: 1 Light aluminum with coffee paint finish pendant

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: E27 LED 7 W x 1

L	W	D	H
		320	1200



DPN-BLK-SLPEA138E27

Description: 1 Light aluminum with sanded black paint finish pendant

Fixture Height: 370

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
		350	1200



DPN-NKL-SLPEAW15833E27

Description: 1 Light aluminum, brown wood with satin nickel finish pendant

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 1

L	W	D	H
330			1200



DPN-COP-SLHPPA0414DE27

Description: 1 Light aluminium industrial style, frosted glass with copper finish pendant

Fixture Height: 430

Standard Packaging Box: 1

Net Weight (Kg): 2.4

Lamp: E27 LED 7 W x 1

L	W	D	H
400			1200



DPN-WHT-SLPEA034AE27

Description: 1 Light aluminium with white powder finish pendant

Fixture Height: 260

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
		350	1200



DPN-WHT-SLWAVEGLS200E27

Description: 1 Light globe shaped SS finish ceiling light

Fixture Height: 200

Standard Packaging Box: 2

Net Weight (Kg): 0.85

Lamp: E27 LED 7 W x 1

L	W	D	H
200	1200		



DPN-YEL-SLWAVEGLS200E27

Description: 1 Light globe shaped SS finish ceiling light

Fixture Height: 200

Standard Packaging Box: 2

Net Weight (Kg): 0.85

Lamp: E27 LED 7 W x 1

L	W	D	H
200	1200		



DPN-AMB-SLGLS250E27

Description: 1 Light apple shape amber glass pendant with nickel finish

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
		250	1200



DPN-GLD-SLCONE200E27

Description: 1 Light bell shaped aluminium finish ceiling light

Fixture Height: 285

Standard Packaging Box: 2

Net Weight (Kg): 0.6

Lamp: E27 LED 7 W x 1

L	W	D	H
		200	1200



DPN-GRY-SL275GLWCE27

Description: 1 Light bell shaped aluminium finish ceiling light

Fixture Height: 220

Standard Packaging Box: 4

Net Weight (Kg): 0.75

Lamp: E27 LED 7 W x 1

L	W	D	H
		170	1200



DPN-GRN-SLCONE300E27

Description: 1 Light bell shaped aluminium finish ceiling light

Fixture Height: 215

Standard Packaging Box: 1

Net Weight (Kg): 0.7

Lamp: E14 LED 4.5 W x 6

L	W	D	H
		300	1200

Ceiling Lights



DPN-WNE-SLHALFRDL305E27

Description: 1 Light bell shaped aluminium finish ceiling light

Fixture Height: 280

Standard Packaging Box: 1

Net Weight (Kg): 1.1

Lamp: E27 LED 7 W x 1

L	W	D	H
290	1200		



DPN-WNE-SLDL200E27

Description: 1 Light bell shaped aluminium/ MS finish ceiling light

Fixture Height: 260

Standard Packaging Box: 2

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
200	1200		



DPN-GRY-SL270GLWCE27

Description: 1 Light bell shaped aluminium finish ceiling light


Fixture Height: 275

Standard Packaging Box: 1

Net Weight (Kg): 1.25

Lamp: E27 LED 7 W x 1

L	W	D	H
260	1200		



DPN-WHT-SLCON107E27

Description: 1 Light cone shaped aluminium finish ceiling light

Fixture Height: 330

Standard Packaging Box: 4

Net Weight (Kg): 0.75

Lamp: E27 LED 7 W x 1

L	W	D	H
105	1200		



DPN-GRY-SLCON107X3E27

Description: 3 Light cone shaped aluminium finish ceiling light

Fixture Height: 330

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E27 LED 7 W x 3

L	W	D	H
550	105		1200



DPN-ACR-SL11086X6W

Description: 1 Light cylindrical brass finish ceiling light

Fixture Height: 305

Standard Packaging Box: 1

Net Weight (Kg): 0.5

Lamp: LED 6 W (In-built)

L	W	D	H
42			1200



DCH-BLK-CHL0006PRE14

Description: 6 Light black glass with black crystal chandelier

Fixture Height: 900

Standard Packaging Box: 1

Net Weight (Kg): 6.1

Lamp: E14 LED 4.5 W x 6

L	W	D	H
580	1200		



DCH-AMB-CHL0006SYE14

Description: 6 Light honey glass with gold finish chandelier

Fixture Height: 900

Standard Packaging Box: 1

Net Weight (Kg): 5

Lamp: E14 LED 4.5 W x 6

L	W	D	H
770	1200		



DCH-WHT-CHL0006TAE14

Description: 6 Light clear glass
with gold finish chandelier

Fixture Height: 1100

Standard Packaging Box: 1

Net Weight (Kg): 10.5

Lamp: E27 LED 7 W x 6

L	W	D	H
755	1400		

DCL-CHR-MD400500618C

Description: 1 Tier metal string with chrome finish ceiling light


Fixture Height: 1500

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: G9 LED 4 W x 8

L	W	D	H
680		1500	



DCL-CHR-MD400500636C

Description: 2 Tier metal string with chrome finish ceiling light

Fixture Height: 1700

Standard Packaging Box: 1

Net Weight (Kg): 32

Lamp: G9 LED 4 W x 16

L	W	D	H
680		1700	



DCL-CHR-MD400500654C

Description: 3 Tier metal string with chrome finish ceiling light


Fixture Height: 2500

Standard Packaging Box: 1

Net Weight (Kg): 38

Lamp: G9 LED 4 W x 24

L	W	D	H
680		2500	



DCL-RDG-MD400500618C

Description: 1 Tier metal string with rose gold finish ceiling light

Fixture Height: 1500

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: G9 LED 4 W x 8

L	W	D	H
680			1500



DCL-RDG-MD400500636C

Description: 2 Tier metal string with rose gold finish ceiling light


Fixture Height: 1700

Standard Packaging Box: 1

Net Weight (Kg): 32

Lamp: G9 LED 4 W x 16

L	W	D	H
680			1700



DCL-RDG-MD400500654C

Description: 3 Tier metal string with rose gold finish ceiling light

Fixture Height: 2500


Standard Packaging Box: 1

Net Weight (Kg): 38

Lamp: G9 LED 4 W x 24

L	W	D	H
680			2500





DCH-COP-SL1162S2

Description: 14 Light aluminium pipe with copper finish pendant

Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 33.2

Lamp: E14 LED 4.5 W x 14

L	W	D	H
1720	300		2000



DCH-COP-SL1162S1

Description: 12 Light aluminium pipe with copper finish pendant

Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 26

Lamp: E14 LED 4.5 W x 12

L	W	D	H
		950	2000



DCH-COP-SL1162S3

Description: 37 Light aluminium pipe with copper finish pendant

Fixture Height: 750

Standard Packaging Box: 1

Net Weight (Kg): 44

Lamp: E14 LED 4.5 W x 37

L	W	D	H
		1050	2000-3000



DCH-COP-SL1162S7

Description: 89 Light aluminium pipe with copper finish pendant

Fixture Height: 1250

Standard Packaging Box: 1

Net Weight (Kg): 164

Lamp: E14 LED 4.5 W x 89

L	W	D	H
		1950	2000-3000

Ceiling Lights



**NEW
ARRIVAL**

DPN-ABR-SL5010ST

Description: 1 Light frosted glass with brass finish ceiling light

Fixture Height: 648

Standard Packaging Box: 1

Net Weight (Kg): 0.75

Lamp: G9 LED 5 W x 1

L	W	D	H
		170	648



**NEW
ARRIVAL**

DPN-ABR-SL5010S

Description: 1 Light frosted glass with brass finish ceiling light

Fixture Height: 880

Standard Packaging Box: 1

Net Weight (Kg): 0.900

Lamp: G9 LED 5 W x 1

L	W	D	H
		300	880



**NEW
ARRIVAL**

DPN-BRS-SL1600030111A

Description: 1 Light hammer glass with brass finish ceiling light

Fixture Height: 200

Standard Packaging Box: 1

Net Weight (Kg): 0.7

Lamp: G9 LED 5 W x 1

L	W	D	H
		200	1200

DPN-GRY-SL966S3

Description: 2 Light dark gold carbon steel pendant

Fixture Height: 820

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E27 LED 9 W x 2

L	W	D	H
		750	1200



Available in Grey also

DPN-CHR-SL1128S

Description: 9 Light black fabric shade with chrome finish pendant

Fixture Height: 970

Standard Packaging Box: 1

Net Weight (Kg): 23

Lamp: E27 LED 7 W x 9

L	W	D	H
		1030	1750



DPN-BRS-SL1260S200

Description: 1 Light clear glass with brushed brass finish pendant

Fixture Height: 420

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: G4 LED 5 W x 1

L	W	D	H
200	420	2000	



DPN-BRS-SL1260S250

Description: 1 Light clear glass with brushed brass finish pendant

Fixture Height: 500

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: G4 LED 5 W x 1

L	W	D	H
250	520	2000	



DPN-ABS-SLSF9001S1

Description: 1 Light diamond cut style glass with antique brass finish pendant

Fixture Height: 500

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: G4 LED 5 W x 1

L	W	D	H
100	100	1200	

Ceiling Lights



DCH-BRS-SL1260SX3

Description: 3 Light clear glass with brushed brass finish pendant

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: G4 LED 5 W x 3

L	W	D	H
780	700-2000		



DCH-BRS-SL1260S1

Description: 6 Light clear glass with brushed brass finish pendant

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 6.43

Lamp: G4 LED 5 W x 6

L	W	D	H
960	650		900-1800



DCH-BRS-SL1260S3

Description: 8 Light clear glass with brushed brass finish pendant

Fixture Height: 1000

Standard Packaging Box: 1

Net Weight (Kg): 11.40

Lamp: G4 LED 5 W x 8

L	W	D	H
2000	1140		950-1900

All dimensions are in mm



**NEW
ARRIVAL**

DPN-BLK-SL5010S9

Description: 9 Light frosted glass with black finish ceiling light

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: G9 LED 5 W x 9

L	W	D	H
1000	300		1300

DPN-COP-SL1204S3

Description: 3 Light aluminium hexagon style with antique copper finish pendant

Available in: Copper / ABS


Fixture Height: 200

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: E14 LED 4.5 W x 3

L	W	D	H
		500	210-2000



DPN-COP-SL1204S5

Description: 5 Light aluminium hexagon style with antique copper finish pendant

Available in: Copper / ABS

Fixture Height: 200

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: E14 LED 4.5 W x 3

L	W	D	H
		500	210-2000








Floor Lamps

Add a unique touch to your décor with our exciting range of floor lights that not only add functional elegance to the room, but also become conversation pieces for your visitors.

Floor Lamps



DFL-WHT-FL306F

Description: 1 Light aluminium shade with white paint finish floor lamp

Fixture Height: 1765

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E27 LED 7 W x 1

L	W	D	H
500			1765



DFL-BLK-FL306F

Description: 1 Light aluminium shade with black paint finish floor lamp

Fixture Height: 1765

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E27 LED 7 W x 1

L	W	D	H
500			1765



DFL-CHR-FL12021192B

Description: 1 Light brass fabric with chrome finish floor lamp

Fixture Height: 550


Standard Packaging Box: 2

Net Weight (Kg): 6.5

Lamp: E27 LED 7 W x 1

L	W	D	H
350	350		1550

**NEW
ARRIVAL**



DFL-CHR-FL12021192A

Description: 1 Light brass fabric with chrome finish floor lamp

Fixture Height: 550

Standard Packaging Box: 2

Net Weight (Kg): 6.5

Lamp: E27 LED 7 W x 1

L	W	D	H
380			1550

**NEW
ARRIVAL**

Floor Lamps



DFL-BLK-FL1174F

Description: 3 Light frosted glass with black and gold finish floor lamp

Fixture Height: 1400

Standard Packaging Box: 1

Net Weight (Kg): 16.2

Lamp: E14 LED 4.5 W x 3

L	W	D	H
610	350		1400



DFL-CHR-ML49061A

Description: 1 Light opal glass shade with marble base and chrome finish floor lamp

Fixture Height: 1900

Standard Packaging Box: 1

Net Weight (Kg): 20

Lamp: E27 LED 7 W x 1

L	W	D	H
1250		300	1900



DFL-WHT-FL1213F

Description: 3 Light metal half dome with antique white finish floor lamp

Fixture Height: 1680

Standard Packaging Box: 1

Net Weight (Kg): 30

Lamp: G9 LED 4 W x 3

L	W	D	H
		455	1680



DFL-BRS-FL1260F

Description: 2 Light clear glass with brushed brass finish floor lamp

Fixture Height: 1880

Standard Packaging Box: 1

Net Weight (Kg): 8

Lamp: G4 LED 5 W x 2

L	W	D	H
1100	250		1220-1880



**NEW
ARRIVAL**

DFL-ABR-FL5010F

Description: 6 Light frosted glass with antique brass finish floor lamp

Fixture Height: 625

Standard Packaging Box: 1

Net Weight (Kg): 9

Lamp: G9 LED 5 W x 6

L	W	D	H
		580	1625



DFL-GRY-FL737F

Description: 1 Light grey fabric shade pattern with black powder coated finish floor lamp

Fixture Height: 1900-2400

Standard Packaging Box: 1

Net Weight (Kg): 8.4

Lamp: E27 LED 9 W x 1

L	W	D	H
935	860		1900-2400



DFL-WNG-FL1092FB

Description: 1 Light fabric shade with wood, alloy zinc floor lamp

Fixture Height: 1850

Standard Packaging Box: 1

Net Weight (Kg): 16

Lamp: E27 LED 14 W x 1

L	W	D	H
850	800		1850



DFL-CHR-FL1128F

Description: 3 Light black fabric shade with chrome finish floor lamp

Fixture Height: 1750

Standard Packaging Box: 1

Net Weight (Kg): 19

Lamp: E27 LED 7 W x 3

L	W	D	H
		490	1750



DFL-WNG-FL1092FA

Description: 1 Light diffuser glass with wood, alloy zinc floor lamp

Fixture Height: 1850

Standard Packaging Box: 1

Net Weight (Kg): 35

Lamp: E27 LED 14 W x 1

L	W	D	H
850	800		1850



DFL-BLK-FL1029F

Description: 1 Light PVC shade cheval with black finish floor lamp

Fixture Height: 2550

Standard Packaging Box: 1

Net Weight (Kg): 52

Lamp: E27 LED 14 W x 1

L	W	D	H
2400	550		2550



DFL-WNT-FLWD400E27

Description: 1 Light wooden tripod with black fabric shade floor lamp


Fixture Height: 945

Standard Packaging Box: 2

Net Weight (Kg): 9

Lamp: E27 LED 7 W x 1

L	W	D	H
		400	1500



DFL-GRY-FL737F

Description: 1 Light black fabric shade with black powder coated finish floor lamp

Fixture Height: 1900-2400

Standard Packaging Box: 1

Net Weight (Kg): 14

Height: Adjustable

Lamp: E27 LED 7 W x 1

L	W	D	H
935	860		1900-2400



Table Lamps

For the demanding needs of task lighting around your workspaces and your bedside, Jaquar Lighting's table lamps span a wide range of design influences – from the classic to the ultra contemporary.



DTL-BLK-TL1018T2

Description: 1 Light black fabric shade with black finish table lamp

Fixture Height: 750

Standard Packaging Box: 1

Net Weight (Kg): 3.26

Lamp: E27 LED 7 W x 1

L	W	D	H
		230	750



DTL-BLK-TL1174T

Description: 3 Light frosted glass, aluminium with black and gold finish table lamp

Fixture Height: 430

Standard Packaging Box: 1

Net Weight (Kg): 3.18

Lamp: E14 LED 4.5 W x 3

L	W	D	H
		350	430



DTL-BLK-TL306T

Description: 1 Light aluminium shade with black paint finish table lamp

Fixture Height: 575

Standard Packaging Box: 1

Net Weight (Kg): 3.1

Lamp: E27 LED 7 W x 1

L	W	D	H
		390	575



DTL-CHR-MT49061A

Description: 1 Light opal glass, marble base with chrome finish frame table lamp

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
425	130		520



DTL-BRS-TL1300H

Description: 1 Light fabric shade with hammered pattern base with brush finish table lamp

Fixture Height: 460

Standard Packaging Box: 4

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

L	W	D	H
		350	460



DTL-WNT-TLVPWODE27

Description: 1 Light fabric shade with wooden vertical pyramid base table lamp

Fixture Height: 650

Standard Packaging Box: 4

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

L	W	D	H
		300	650



DTL-NKL-TL400WOS

Description: 1 Light fabric shade with nickel finish base table lamp

Fixture Height: 470

Standard Packaging Box: 4

Net Weight (Kg): 0.75

Lamp: E27 LED 7 W x 1

L	W	D	H
		300	470



DTL-CHR-MT160275451B

Description: 1 Light fabric shade with chrome finish base table lamp

Fixture Height: 610

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 1

L	W	D	H
		350	610



DTL-CHR-MT160275451A

Description: 1 Light fabric shade with chrome finish base table lamp

Fixture Height: 680

Standard Packaging Box: 1

Net Weight (Kg): 2.65

Lamp: E27 LED 7 W x 1

L	W	D	H
380			680



DTL-CHR-MT170275021L

Description: 1 Light fabric shade, red leather with chrome finish base table lamp

Fixture Height: 950

Standard Packaging Box: 1

Net Weight (Kg): 2.6

Lamp: E27 LED 7 W x 1

L	W	D	H
355			950



DTL-CHR-MT170275041C

Description: 1 Light PVC shade, red leather with chrome finish base table lamp

Fixture Height: 880

Standard Packaging Box: 1

Net Weight (Kg): 3.2

Lamp: E27 LED 7 W x 1

L	W	D	H
355			880



DTL-CHR-MT170275071I

Description: 1 Light fabric shade, crystal with chrome finish base table lamp

Fixture Height: 670

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 1

L	W	D	H
410			670



DTL-ABR-MT170275071J

Description: 1 Light fabric shade, crystal with antique brass finish base table lamp

Fixture Height: 710

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 1

L	W	D	H
		380	710



DTL-ABR-MT170275071J

Description: 1 Light fabric shade, crystal with chrome finish base table lamp

Fixture Height: 670

Standard Packaging Box: 1

Net Weight (Kg): 2.75

Lamp: E27 LED 7 W x 1

L	W	D	H
		410	670



DTL-WHT-TL1213T

Description: 3 Light metal half dome with antique white finish table lamp

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 9.9

Lamp: G9 LED 5 W x 3

L	W	D	H
		305	600



DTL-GRY-TL1187T1

Description: 1 Light smoky grey glass with chrome finish table lamp

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 3.25

Lamp: E27 LED 7 W x 1

L	W	D	H
		285	400



DTL-GLD-TLCYLND260E27

Description: 1 Light fabric shade with gold finish table lamp

Fixture Height: 450

Standard Packaging Box: 1

Net Weight (Kg): 2.4

Available in: Chrome / Gold

Lamp: E27 LED 7 W x 1

L	W	D	H
		280	450



DTL-ABR-TL5010T

Description: 1 Light frosted glass with antique brass finish table lamp

Fixture Height: 465

Standard Packaging Box: 1

Net Weight (Kg): 2.2

Lamp: G9 LED 5 W x 1

L	W	D	H
		210	465

**NEW
ARRIVAL**



**NEW
ARRIVAL**

DTL-ABR-TL954006

Description: 1 Light antique brass finish table lamp

Fixture Height: 530

Standard Packaging Box: 2

Net Weight (Kg): 3.3

Lamp: E27 LED 7 W x 1

L	W	D	H
		265	530



DTL-GLD-TLWAVE550E27

Description: 1 Light fabric shade with gold finish table lamp

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Available in: Chrome / Gold

Lamp: E27 LED 7 W x 1

L	W	D	H
		280	520



**NEW
ARRIVAL**

DTL-ACR-TL951001X265MM

Description: 1 Light antique copper finish table lamp

Fixture Height: 490

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
		280	490



**NEW
ARRIVAL**

DTL-ACR-TL951003X150MM

Description: 1 Light antique copper finish table lamp

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: G9 LED 5 W x 1

L	W	D	H
		170	250



**NEW
ARRIVAL**

DTL-CHR-TL951002X265MM

Description: 1 Light chrome finish table lamp

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 1.4

Lamp: E27 LED 7 W x 1

L	W	D	H
265	520		



DTL-BRS-TL1260T

Description: 2 Light clear glass with brushed brass finish base table lamp

Fixture Height: 510

Standard Packaging Box: 1

Net Weight (Kg): 3

Lamp: G4 LED 5 W x 2

L	W	D	H
400	200	360	510



DTL-WHT-TL765T

Description: 1 Light strip fabric shade with chrome finish table lamp

Available in: White

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: E27 LED 14 W x 1

L	W	D	H
		370	850

Available in Red also



DTL-CHR-TL1128T

Description: 3 Light black fabric shade with chrome finish table lamp

Fixture Height: 875

Standard Packaging Box: 1

Net Weight (Kg): 13

Lamp: E27 LED 5 W x 3

L	W	D	H
		490	875



DTL-RED-TL11872

Description: 1 Light smoky grey glass with chrome finish table lamp

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 8.5

Lamp: E27 LED 14 W x 1

L	W	D	H
		509	850



DTL-COG-TL1149T

Description: 1 Light cognac glass table lamp

Fixture Height: 835

Standard Packaging Box: 1

Net Weight (Kg): 6.4

Lamp: G9 LED 5 W x 1

L	W	D	H
		380	835





Wall Lights

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky designs and artful expressions, there's a wall light for every need.



DWL-CHR-MB80471A

Description: 1 Light cone shape with chrome finish wall lamp

Fixture Height: 310

Standard Packaging Box: 6

Net Weight (Kg): 0.8

Lamp: E14 LED 4.5 W x 1

L	W	D	H
280	110		310



DWL-NKL-MB80985A

Description: 5 Light meta swan shape with chrome finish wall lamp

Available in: Black / Gold / Nickel

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 3

Lamp: G4 Bulb 5 W x 5

L	W	D	H
230	460		850



DWL-NKL-MB80983A

Description: 3 Light meta swan shape with red finish wall lamp

Available in: Black / Gold / Nickel

Fixture Height: 470

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: G4 Bulb 5 W x 3

L	W	D	H
228	425		470



DWL-CHR-MB12021201A

Description: 1 Light ivory fabric shade with chrome finish base wall lamp

Fixture Height: 205

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
155	280		205



DWL-CHR-MB11002351B

Description: 1 Light aluminium mesh with clear glass and chrome finish base wall lamp

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: G9 Bulb 5 W x 1

L	W	D	H
150	160		160



DWL-WTC-MB150300081A

Description: 1 Light white pitcher glass with white finish base wall lamp

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: E14 LED 4.5 W x 1

L	W	D	H
150	305		290



DWL-WTC-MB150300082A

Description: 2 Light white pitcher glass with white finish base wall lamp

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E14 LED 4.5 W x 2

L	W	D	H
440	250		290

Wall Lights



DWL-BLK-WL1174W

Description: 3 Light frosted glass, aluminium with black and gold finish wall lamp

Fixture Height: 360

Standard Packaging Box: 1

Net Weight (Kg): 3.9

Lamp: E14 LED 4.5 W x 3

L	W	D	H
590	350		360



DWL-GRY-WL91301

Description: 1 Light mesh/ ceramic with rust finish wall lamp


Fixture Height: 340

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: E27 LED 7 W x 1

L	W	D	H
210	150		340



DWL-GLD-WL1153W2

Description: 2 Light frosted glass with matt gold finish base wall lamp

Fixture Height: 860

Standard Packaging Box: 1

Net Weight (Kg): 1.8

Lamp: G9 LED 5 W x 2

L	W	D	H
760	160		95



DWL-GRY-WL92931

Description: 1 Light cage type, antique green marble with antique finish wall lamp

Fixture Height: 310

Standard Packaging Box: 4

Net Weight (Kg): 2.3

Lamp: E27 LED 7 W x 1

L	W	D	H
130	170		310



DWL-GRY-WL92932

Description: 2 Light cage type, antique green marble with antique finish base wall lamp

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: E27 LED 7 W x 2

L	W	D	H
340	160		310



DWL-CHR-MB160275211A

Description: 1 Light frosted glass with chrome finish base wall lamp


Fixture Height: 200

Standard Packaging Box: 8

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

L	W	D	H
130	180		200



DWL-CHR-MB160275212A

Description: 2 Light frosted glass with chrome finish base wall lamp

Fixture Height: 195

Standard Packaging Box: 4

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 2

L	W	D	H
300	180		195



DWL-CHR-MB150330021A

Description: 1 Light champagne opal glass with chrome finish wall lamp

Fixture Height: 355

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
210	330		355



DWL-CHR-MB150330022A

Description: 2 Light champagne opal glass with chrome finish wall lamp


Fixture Height: 355

Standard Packaging Box: 1

Net Weight (Kg): 2.2

Lamp: E14 LED 4.5 W x 2

L	W	D	H
480	260		355



DWL-CHR-MB160275531B

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 215

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: E14 LED 4.5 W x 1

L	W	D	H
120	130		215



DWL-CHR-MB160275532B

Description: 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 215

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: E14 LED 4.5 W x 2

L	W	D	H
270	130		215



DWL-AGR-WL89872

Description: 2 Light tap style with antique green finish base wall lamp

Fixture Height: 200

Standard Packaging Box: 4

Net Weight (Kg): 1.6

Lamp: E27 LED 7 W x 2

L	W	D	H
310	150		200



DWL-AGR-WL89871

Description: 1 Light tap style with antique green finish base wall lamp

Fixture Height: 200

Standard Packaging Box: 8

Net Weight (Kg): 0.6

Lamp: E27 LED 7 W x 1

L	W	D	H
130	150		200



DWL-CHR-MB14048T1E27

Description: 1 Light opal glass with chrome finish SS wall lamp

Fixture Height: 310

Standard Packaging Box: 8

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
165	130		310



DWL-CHR-MB14048T2E27

Description: 2 Light opal glass aluminium finish wall light

Fixture Height: 265

Standard Packaging Box: 4

Net Weight (Kg): 1.5

Lamp: E27 LED 7 W x 2

L	W	D	H
275	165		265



DWL-CHR-MB160275542A

Description: 2 Light opal glass with chrome finish wall lamp

Fixture Height: 230

Standard Packaging Box: 4

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 2

L	W	D	H
270	150		230



DWL-CHR-MB160275541A

Description: 1 Light frosted glass with chrome finish wall lamp

Fixture Height: 230

Standard Packaging Box: 8

Net Weight (Kg): 0.65

Lamp: E27 LED 7 W x 1

L	W	D	H
120	150		230



DWL-NKL-WLRB0480SE27

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 235

Standard Packaging Box: 8

Net Weight (Kg): 0.58

Lamp: E27 LED 7 W x 1

L	W	D	H
100	140		235



DWL-NKL-WLSL55004E27

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 295

Standard Packaging Box: 8

Net Weight (Kg): 0.65

Lamp: E27 LED 7 W x 1

L	W	D	H
125	220		295



DWL-NKL-WLBPGG001E27

Description: 1 Light opal globe glass with nickel finish base wall lamp

Fixture Height: 315

Standard Packaging Box: 8

Net Weight (Kg): 0.7

Lamp: E27 LED 7 W x 1

L	W	D	H
120	225		315



DWL-NKL-WLBPGG002E27

Description: 2 Light opal globe glass with nickel finish base wall lamp

Fixture Height: 315

Standard Packaging Box: 4

Net Weight (Kg): 1.45

Lamp: E27 LED 7 W x 2

L	W	D	H
275	225		315



DWL-COP-WL180461B

Description: 1 Light mesh with rust finish base wall lamp

Fixture Height: 350

Standard Packaging Box: 8

Net Weight (Kg): 1.5

Lamp: E27 LED 7 W x 1

L	W	D	H
120	140		350



DWL-CHR-MB140048C1E

Description: 1 Light opal glass with nickel finish base wall lamp


Fixture Height: 310

Standard Packaging Box: 8

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
120	150		310



DWL-BRG-WLCONESIE14

Description: 1 Light cone opal glass wall lamp

Fixture Height: 280

Standard Packaging Box: 8

Net Weight (Kg): 0.7

Lamp: E14 LED 4.5 W x 1

L	W	D	H
100	140		300



DWL-BRG-WLCYLNDIE14

Description: 1 Light cylindrical opal glass wall lamp

Fixture Height: 300

Standard Packaging Box: 8

Net Weight (Kg): 0.6

Lamp: E14 LED 4.5 W x 1

L	W	D	H
100	140		300



DWL-CHR-MB12021191B

Description: 1 Light black fabric shade with chrome finish base wall lamp

Fixture Height: 205

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
240	280		205



DWL-CHR-MB12021192B

Description: 1 Light black fabric shade with chrome finish base wall lamp with 3 W reading lamp

Fixture Height: 405

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

and LED 3 W (In-built)

L	W	D	H
240	280		405



DWL-CHR-MB12021192A

Description: 1 Light ivory fabric shade with chrome finish base wall lamp (bulb included)


Fixture Height: 405

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1 and LED 3 W (In-built)

L	W	D	H
155	280		405



DWL-AMB-WL00002SYE14

Description: 2 Light honey glass wall lamp

Fixture Height: 225

Standard Packaging Box: 4

Net Weight (Kg): 1.9

Lamp: E14 LED 4.5 W x 2

L	W	D	H
590	200		225



DWL-SNS-5048X2

Description: 2 Light SS finish with double neck wall lamp

Fixture Height: 80

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: LED 3 W x 2 (In-built)

L	W	D	H
228	100		110



DWL-SNS-5048

Description: 1 Light SS finish with single neck wall lamp


Fixture Height: 125

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: LED 3 W x 1 (In-built)

L	W	D	H
77	100		125



DWL-CHR-WL5007X315

Description: 1 Light flute with chrome finish wall lamp


Fixture Height: 345

Standard Packaging Box: 4

Net Weight (Kg): 2.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
110	100		345



DWL-CHR-WLLED5006

Description: 2 Light strip with chrome finish wall lamp

Fixture Height: 195

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E14 LED 4.5 W x 2

L	W	D	H
185	95		195



DWL-COG-WL1216W

Description: 1 Light copper glass with cognac finish wall lamp

Fixture Height: 550

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
130	210		550



DCW-ABR-FBCRYS155

Description: 1 Light fabric shade with crystal plate base wall lamp


Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
230	160		310



DWL-BRS-WL5009

Description: 1 Light with brass finish wall lamp

Fixture Height: 350

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
120	110		350



NEW ARRIVAL

DWL-BRS-WL5009X2L

Description: 2 Light wall lamp with brass finish

Fixture Height: 595

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: E14 LED 4.5 W x 2

L	W	D	H
115	115		595



DWL-CHR-WLRDFAB150

Description: 1 Light fabric shade with chrome finish base wall lamp

Available in: Antique brass

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1 and LED 3 W (In-built)

L	W	D	H
210	160		310



DWL-ABR-BELLFAB255

Description: 1 Light bell shape fabric shade with antique brass finish base wall lamp

Available in: Chrome

Fixture Height: 315

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1 and LED 3 W (In-built)

L	W	D	H
260	220		315



DWL-BCH-5048XBC

Description: 1 Light spot light with black chrome finish wall lamp

Fixture Height: 100

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: LED 3 W x 1 (In-built)

L	W	D	H
80	90		100



DWL-CHR-LBED01R003XW

Description: 1 Light with chrome finish wall lamp

Fixture Height: 220

Standard Packaging Box: 1

Net Weight (Kg): 0.30

Lamp: LED 3 W x 1 (In-built)

L	W	D	H
200	80		220



DWL-CHR-WL5048X6W

Description: 1 Light cylindrical shaped brass finish wall light

Fixture Height: 120

Standard Packaging Box: 1

Net Weight (Kg): 0.4

Lamp: LED 6 W (In-built)

L	W	D	H
42	140		120



DCW-ACR-WLG5012

Description: 1 Light bell shaped brass finish wall light

Fixture Height: 325

Standard Packaging Box: 1

Net Weight (Kg): 0.85

Lamp: E14 LED 4 W x 1

L	W	D	H
125	220		325



DWL-CHR-WL160020051C

Description: 1 Light bell shaped aluminium finish wall light

Fixture Height: 210

Standard Packaging Box: 2

Net Weight (Kg): 0.8

Lamp: G9 LED 5 W x 1

L	W	D	H
140	240		210



DWL-BRS-WL1260W1

Description: 1 Light clear glass with brushed brass wall lamp

Fixture Height: 370

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: G9 LED 5 W x 3

L	W	D	H
150	215		370



**NEW
ARRIVAL**

DWL-ABR-WL5010W

Description: 1 Light frosted glass wall lamp with antique brass finish

Fixture Height: 280

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

L	W	D	H
100	175		280



DCW-ABR-WL9601G9

Description: 1 Light clear glass brass finish wall light

Fixture Height: 230

Standard Packaging Box: 1

Net Weight (Kg): 0.65

Lamp: G9 LED 5 W x 1

L	W	D	H
120	190		230



DCW-ACR-WLC9602XK9

Description: 1 Light clear glass brass finish wall light

Fixture Height: 260

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: G9 LED 5 W x 1

L	W	D	H
190	255		260



DCW-ABR-WLC9603XK9

Description: 1 Light clear glass brass finish wall light

Fixture Height: 220

Standard Packaging Box: 1

Net Weight (Kg): 1.6

Lamp: E14 LED 4 W x 1

L	W	D	H
165	255		220



DWL-BLK-WL00002PRE14

Description: 2 Light black base with black crystal wall lamp

Fixture Height: 300

Standard Packaging Box: 4

Net Weight (Kg): 2.9

Lamp: E14 LED 4.5 W x 2

L	W	D	H
500	170		300



DWL-GLD-WL00002TAE27

Description: 2 Light clear glass with crystal wall lamp

Fixture Height: 360

Standard Packaging Box: 4

Net Weight (Kg): 2.1

Lamp: E27 LED 7 W x 2

L	W	D	H
440	160		360



DWL-CHR-WL1128W

Description: 2 Light black fabric shade with chrome finish base wall lamp

Fixture Height: 785


Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 5 W x 2

L	W	D	H
470	360		785

Available in Antique Brass also



DWL-COP-WL1204W1

Description: 1 Light aluminium hexagon style with antique copper finish wall lamp

Available in: Antique brass / Copper

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
230	160		160

DWL-COP-WL1162W

Description: 1 Light aluminium pipe with copper finish wall lamp


Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
145	120		300



DWL-COP-WL1162W3

Description: 5 Light aluminium pipe with copper finish wall lamp

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 4

Lamp: E14 LED 4.5 W x 1

L	W	D	H
420	210		600





Bath (Aqua) Lights

Take bath décor beyond the ordinary with Jaquar's Aqualite range. Created especially for the bathroom, these are the perfect choice for withstanding the rigours of the bath environment.



DBL-CHR-MB12021341A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 181

Standard Packaging Box: 12

Net Weight (Kg): 1.5

Lamp: G9 LED 5 W x 1

L	W	D	H
130	156		181



DBL-CHR-MB12021151A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 166

Standard Packaging Box: 12

Net Weight (Kg): 0.9

Lamp: G9 LED 5 W x 1

L	W	D	H
120	160		166



DBL-CHR-MB12021161A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 156

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

L	W	D	H
110	145		156



DBL-CHR-MB48012A

Description: 2 Light opal glass with nickel finish wall lamp

Fixture Height: 95

Standard Packaging Box: 12

Net Weight (Kg): 0.9

Lamp: G9 LED 4W x 2

L	W	D	H
400	74		95



DBL-CHR-MB12021321A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 270

Standard Packaging Box: 12

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
107	80		270



DBL-CHR-MB48011A

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 212

Standard Packaging Box: 12

Net Weight (Kg): 0.8

Lamp: G9 LED 5 W x 1

L	W	D	H
74	95		212

DBL-CHR-MB48021A

Description: 1 Light matt opal glass with nickel finish base wall lamp

Fixture Height: 290

Standard Packaging Box: 12

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
74	100		290



DBL-CHR-MB12021121A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 290

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

L	W	D	H
70	137		290



DBL-CHR-MB48022A

Description: 2 Light opal glass with nickel finish base wall lamp

Fixture Height: 74

Standard Packaging Box: 12

Net Weight (Kg): 1

Lamp: E14 LED 4.5 W x 2

L	W	D	H
500	100		74



DBL-CHR-MB12021172A

Description: 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 80

Standard Packaging Box: 12

Net Weight (Kg): 1.3

Lamp: E14 LED 4.5 W x 2

L	W	D	H
485	85		80



DBL-CHR-MB48012D

Description: 2 Light clear glass with chrome finish base wall lamp and inside frosted glass


Fixture Height: 130

Standard Packaging Box: 12

Net Weight (Kg): 1.3

Lamp: G9 LED 5 W x 2

L	W	D	H
400	100		130



DBL-CHR-MB12021262A

Description: 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 60

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 2

L	W	D	H
330	55		60



50 000 hrs


FREE
Mercury

IP20

Commercial Lights

Jaquar Lighting pushes the boundaries of commercial lighting to provide you with some of the most advanced, high-performance, energy-saving lighting systems for the workplace. Choose from a wide variety of products to suit every application and meet the lighting needs of all kinds of commercial spaces, from workstations to conference rooms, reception areas to cabins, and small and large showrooms, workshops and factories.

APPLICATIONS



Content

COMMERCIAL INDOOR LIGHTS

DOWNLIGHTS

Lucent	197
Areva Prime	197
Nero Surface (Round)	198
Nero Surface (Square)	198
Ensave Plus	199
Microwave Sensor	199

COB-DOWNLIGHTS

Eris (Low border deep-recessed)	200
Estus Swivel (Round)	201
Eris Swivel (Round)	202
Eris Reflecto	202
Eris Fixed	203

RETAIL LIGHTS

Zoom Light	206
Multiple Zoom Light	206
Track Light	207

Accessories for Track Light

3 Line Track	207
3 Line Track Connector	207
Epito	208
Cyno	208
Empha	208
Emina	209

Emina Tilttable	209
Rene	209
IP20 Strip Light (24 V DC)	210
IP65 Strip Light (24 V DC)	210
Power Supply for Indoor Strip Light (IP20)	211
Power Supply for Outdoor Strip Light (IP65 rated)	211

MAGNETIC LIGHTS

Orelli Slim	214
Instaray Slim Linear- with Lens	214
Instaray Slim Linear	215
Instaray Round Slim	215
Orelli Slim Hanging	215
Instaray Slim Linear Diffused	216
Instaray Slim Tilttable & diffused	216
Magnetic Track Light Accessories	217

PANELS

Ultima Slim (1'x1')	220
Ultima Slim (2'x2')	220
Accessories for Ultima Slim	220
Ultima Ultra Slim (1'x4')	220
Ultima Ultra Pro (2'x2')	221
Ultima Multi-colour (2'x2')	221

BATTENS / TUBES

Glaze	222
Glaze Ultra (PC)	222
T8 Retro Tube	222
T8 Retro Accessories	223
Glaze Ultra Aluminium	223

INDUSTRIAL LIGHTS

Kubik Ultra HD	226
Pride (Weather-proof IP65 rated)	226
Bulk Head	227
Well Glass	227
Highbay	228
Ultralite Highbay	228

COMMERCIAL OUTDOOR LIGHTS

PCR	232
Trump	232
Street Light (45 W)	232
Street Light (25 & 30 W)	233
Street Light (45, 60, 70 & 72 W)	233
Street Light (90, 120, 150 & 200 W)	233
Faro (Low wattage floodlight)	234
Ledstar	234





Commercial Indoor Lights

Jaquar's lighting solutions for indoor commercial spaces include a wide range of high quality Downlights, COB Downlights, Battens and Panel lights. The choice makes it easy to find the perfect solution for every décor and lighting need.

- **Downlights**
Choose from as many as 10 different design ranges with sleek profiles, and multiple shapes and specifications.
- **COB Downlights**
Jaquar's recess-mounted COB downlights are available in 3 extensive design ranges with multiple choices of illumination power.
- **Designer Lights**
Jaquar's stunning offering in its Designer Lighting series brings state-of-the-art lighting solutions for commercial indoor spaces.
- **Retail Lights**
Jaquar offers a complete range of recess-mounted and surface-mounted spotlights, strip lights, and accessories for innovative and attractive commercial indoor spaces.
- **Panels**
Available in recess-mounted, surface-mounted or pendant applications, Jaquar's LED panels are first among the equals.
- **Battens and Tubes**
Jaquar offers Battens in 2 designs, a variety of outputs, and 3 different colour temperatures. Also available are a wide range of Tubes.
- **Industrial Lights**
Jaquar offers high-powered, long-lasting tube lights, bulk heads, and COB highbay lights for heavy-duty lighting requirements of industrial plants, factories and shop floors.



Downlights

Recess-mounted, sleek, round downlight with die cast aluminium housing and polycarbonate diffuser for dazzle-free soft light.

Lucent



Efficacy 100Lm/W
in 6 W and above

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LLCN01R003XC	3	6500	20
IDL-WHT-LLCN01R003XN	3	4000	20
IDL-WHT-LLCN01R003XW	3	3000	20
IDL-WHT-LLCN01R006XC	6	6500	20
IDL-WHT-LLCN01R006XN	6	4000	20
IDL-WHT-LLCN01R006XW	6	3000	20
IDL-WHT-LLCN01R009XC	9	6500	20
IDL-WHT-LLCN01R009XN	9	4000	20
IDL-WHT-LLCN01R009XW	9	3000	20
IDL-WHT-LLCN01R012XC	12	6500	10
IDL-WHT-LLCN01R012XN	12	4000	10
IDL-WHT-LLCN01R012XW	12	3000	10
IDL-WHT-LLCN01R015XC	15	6500	10
IDL-WHT-LLCN01R015XN	15	4000	10
IDL-WHT-LLCN01R015XW	15	3000	10
IDL-WHT-LLCN01R018XC	18	6500	10
IDL-WHT-LLCN01R018XN	18	4000	10
IDL-WHT-LLCN01R018XW	18	3000	10
IDL-WHT-LLCN01R022XC	22	6500	10
IDL-WHT-LLCN01R022XN	22	4000	10
IDL-WHT-LLCN01R022XW	22	3000	10

3 W Cutout: Ø70 mm
(DxH): Ø82x17 mm

6 W Cutout: Ø105 mm
(DxH): Ø116x17 mm

9 W Cutout: Ø105 mm
(DxH): Ø116x17 mm

12 W Cutout: Ø132 mm
(DxH): Ø144x17 mm

15 W Cutout: Ø155 mm
(DxH): Ø166x17 mm

18 W Cutout: Ø155 mm
(DxH): Ø166x17 mm

22 W Cutout: Ø175 mm
(DxH): Ø184x17 mm

Recess-mounted, maintenance-free, round downlight with die cast aluminium housing and sleek backlit design suitable for low height ceiling.

Areva Prime



Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LARP01R006XC	6	6500	20
IDL-WHT-LARP01R006XN	6	4000	20
IDL-WHT-LARP01R006XW	6	3000	20
IDL-WHT-LARP01R009XC	9	6500	20
IDL-WHT-LARP01R009XN	9	4000	20
IDL-WHT-LARP01R009XW	9	3000	20
IDL-WHT-LARP01R012XC	12	6500	10
IDL-WHT-LARP01R012XN	12	4000	10
IDL-WHT-LARP01R012XW	12	3000	10
IDL-WHT-LARP01R015XC	15	6500	10
IDL-WHT-LARP01R015XN	15	4000	10
IDL-WHT-LARP01R015XW	15	3000	10
IDL-WHT-LARP01R018XC	18	6500	10
IDL-WHT-LARP01R018XN	18	4000	10
IDL-WHT-LARP01R018XW	18	3000	10
IDL-WHT-LARP01R024XC	24	6500	10
IDL-WHT-LARP01R024XN	24	4000	10
IDL-WHT-LARP01R024XW	24	3000	10

6 W Cutout: Ø80 mm
(DxH): Ø90x28 mm

9 W Cutout: Ø80 mm
(DxH): Ø90x28 mm

12 W Cutout: Ø105 mm
(DxH): Ø120x28 mm

15 W Cutout: Ø105 mm
(DxH): Ø120x28 mm


18 W Cutout: Ø152 mm
(DxH): Ø171x28 mm

24 W Cutout: Ø207 mm
(DxH): Ø225x28 mm

*Also available in black housing

Downlights

Surface-mounted round panel with die cast aluminium housing.



Nero Surface (Round)


Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LNRO02R006SC	6	6500	20
IDL-WHT-LNRO02R006SN	6	4000	20
IDL-WHT-LNRO02R006SW	6	3000	20
IDL-WHT-LNRO02R012SC	12	6500	12
IDL-WHT-LNRO02R012SN	12	4000	12
IDL-WHT-LNRO02R012SW	12	3000	12
IDL-WHT-LNRO02R018SC	18	6500	12
IDL-WHT-LNRO02R018SN	18	4000	12
IDL-WHT-LNRO02R018SW	18	3000	12

6 W Dia: Ø125 mm
Height: 35 mm

12 W Dia: Ø175 mm
Height: 35 mm

18 W Dia: Ø225 mm
Height: 35 mm

Surface-mounted square panel with die cast aluminium housing.



Nero Surface (Square)

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LNRO02S006SC	6	6500	20
IDL-WHT-LNRO02S006SN	6	4000	20
IDL-WHT-LNRO02S006SW	6	3000	20
IDL-WHT-LNRO02S012SC	12	6500	12
IDL-WHT-LNRO02S012SN	12	4000	12
IDL-WHT-LNRO02S012SW	12	3000	12
IDL-WHT-LNRO02S018SC	18	6500	12
IDL-WHT-LNRO02S018SN	18	4000	12
IDL-WHT-LNRO02S018SW	18	3000	12


6 W Length: 125 mm
Width: 125 mm
Height: 35 mm

12 W Length: 175 mm
Width: 175 mm
Height: 35 mm

18 W Length: 225 mm
Width: 225 mm
Height: 35 mm

Downlights

Recess-mounted round downlight with die cast aluminium housing.



Ensave Plus

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LESP01R009XC	9	6500	20
IDL-WHT-LESP01R009XN	9	4000	20
IDL-WHT-LESP01R009XW	9	3000	20
IDL-WHT-LESP01R015XC	15	6500	10
IDL-WHT-LESP01R015XN	15	4000	10
IDL-WHT-LESP01R015XW	15	3000	10
IDL-WHT-LESP01R025XC	25	6500	10
IDL-WHT-LESP01R025XN	25	4000	10
IDL-WHT-LESP01R025XW	25	3000	10

9 W Cutout: Ø100 mm
Height: 60 mm

15 W Cutout: Ø160 mm
Height: 85 mm

25 W Cutout: Ø160 mm
Height: 85 mm

Recess/ Surface mounted round microwave sensor with die cast aluminium housing.



2 in 1
Microwave Sensor




Microwave Sensor

Item Code	Cutout (MM)	Dimension (MM)	Case No.
AHL-WHT-MOTSENMW2IN1	Ø85	Ø85	5

COB-Downlights

Deep recess-mounted, COB-based, round, fixed downlight with die cast aluminium housing and 24° beam angle.



Eris (Low border deep recess)

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS02R005XC	5	6500	20
ICO-WHT-LERS02R005XN	5	4000	20
ICO-WHT-LERS02R005XW	5	3000	20
ICO-WHT-LERS02R010XC	10	6500	20
ICO-WHT-LERS02R010XN	10	4000	20
ICO-WHT-LERS02R010XW	10	3000	20
ICO-WHT-LERS02R015XC	15	6500	10
ICO-WHT-LERS02R015XN	15	4000	10
ICO-WHT-LERS02R015XW	15	3000	10
ICO-WHT-LERS02R020XC	20	6500	10
ICO-WHT-LERS02R020XN	20	4000	10
ICO-WHT-LERS02R020XW	20	3000	10

5 W Cutout: Ø47 mm
Height: 100 mm

10 W Cutout: Ø69 mm
Height: 110 mm

15 W Cutout: Ø80 mm
Height: 120 mm


20 W Cutout: Ø115 mm
Height: 130 mm

*THD <10%, *CRI >90

*Also available in black housing in 10 & 15 W

COB-Downlights

Recess-mounted, COB-based, round, tiltable downlight with die cast aluminium housing and 36° beam angle.



Estus Swivel (Round)

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LETS36R003XC	3	6500	20
ICO-WHT-LETS36R003XN	3	4000	20
ICO-WHT-LETS36R003XW	3	3000	20
ICO-WHT-LETS36R006XC	6	6500	20
ICO-WHT-LETS36R006XN	6	4000	20
ICO-WHT-LETS36R006XW	6	3000	20
ICO-WHT-LETS36R009XC	9	6500	20
ICO-WHT-LETS36R009XN	9	4000	20
ICO-WHT-LETS36R009XW	9	3000	20
ICO-WHT-LETS36R012XC	12	6500	20
ICO-WHT-LETS36R012XN	12	4000	20
ICO-WHT-LETS36R012XW	12	3000	20
ICO-WHT-LETS36R015XC	15	6500	20
ICO-WHT-LETS36R015XN	15	4000	20
ICO-WHT-LETS36R015XW	15	3000	20
ICO-WHT-LETS36R018XC	18	6500	10
ICO-WHT-LETS36R018XN	18	4000	10
ICO-WHT-LETS36R018XW	18	3000	10
ICO-WHT-LETS36R024XC	24	6500	10
ICO-WHT-LETS36R024XN	24	4000	10
ICO-WHT-LETS36R024XW	24	3000	10
ICO-WHT-LETS36R030XC	30	6500	10
ICO-WHT-LETS36R030XN	30	4000	10
ICO-WHT-LETS36R030XW	30	3000	10

3 W Cutout: Ø58 mm
Height: 50 mm

6 W Cutout: Ø74 mm
Height: 65 mm

9 W Cutout: Ø74 mm
Height: 65 mm

12 W Cutout: Ø95 mm
Height: 85 mm

15 W Cutout: Ø95 mm
Height: 85 mm

18 W Cutout: Ø118 mm
Height: 85 mm

24 W Cutout: Ø118 mm
Height: 85 mm

30 W Cutout: Ø118 mm
Height: 100 mm

*THD <10% for wattage ≥6 W.
*Also available in black housing

COB-Downlights

Deep recess-mounted, COB-based swivel downlight with 38° beam angle.



Eris Swivel (Round)

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS03R007XC	7	6500	20
ICO-WHT-LERS03R007XN	7	4000	20
ICO-WHT-LERS03R007XW	7	3000	20
ICO-WHT-LERS03R012XC	12	6500	10
ICO-WHT-LERS03R012XN	12	4000	10
ICO-WHT-LERS03R012XW	12	3000	10
ICO-WHT-LERS03R020XC	20	6500	20
ICO-WHT-LERS03R020XN	20	4000	20
ICO-WHT-LERS03R020XW	20	3000	20
ICO-WHT-LERS03R030XC	30	6500	10
ICO-WHT-LERS03R030XN	30	4000	10
ICO-WHT-LERS03R030XW	30	3000	10

7 W Cutout: Ø78 mm
Height: 73 mm

12 W Cutout: Ø92 mm
Height: 90 mm

20 W Cutout: Ø117 mm
Height: 90 mm

30 W Cutout: Ø148 mm
Height: 98 mm

*THD <10%, CRI >90

*Also available in black housing

Recess-mounted, COB-based downlight with die cast aluminium housing and anodized reflector.



Eris Reflecto

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS04R007XC	7	6500	50
ICO-WHT-LERS04R007XN	7	4000	50
ICO-WHT-LERS04R007XW	7	3000	50
ICO-WHT-LERS04R012XC	12	6500	10
ICO-WHT-LERS04R012XN	12	4000	10
ICO-WHT-LERS04R012XW	12	3000	10
ICO-WHT-LERS04R020XC	20	6500	20
ICO-WHT-LERS04R020XN	20	4000	20
ICO-WHT-LERS04R020XW	20	3000	20
ICO-WHT-LERS04R030XC	30	6500	20
ICO-WHT-LERS04R030XN	30	4000	20
ICO-WHT-LERS04R030XW	30	3000	20

7 W Cutout: Ø75 mm
Height: 43 mm
Beam angle: 38°


12 W Cutout: Ø97 mm
Height: 53 mm
Beam angle: 43°

20 W Cutout: Ø115 mm
Height: 65 mm
Beam angle: 52°

30 W Cutout: Ø140 mm
Height: 75 mm
Beam angle: 52°

COB-Downlights

Recess-mounted, COB-based downlight with die cast aluminium housing and clear glass.



Eris Fixed

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS05R007XC	7	6500	50
ICO-WHT-LERS05R007XN	7	4000	50
ICO-WHT-LERS05R007XW	7	3000	50
ICO-WHT-LERS05R012XC	12	6500	40
ICO-WHT-LERS05R012XN	12	4000	40
ICO-WHT-LERS05R012XW	12	3000	40
ICO-WHT-LERS05R020XC	20	6500	10
ICO-WHT-LERS05R020XN	20	4000	10
ICO-WHT-LERS05R020XW	20	3000	10
ICO-WHT-LERS05R035XC	35	6500	10
ICO-WHT-LERS05R035XN	35	4000	10
ICO-WHT-LERS05R035XW	35	3000	10

7 W Cutout: Ø80 mm
Height: 60 mm
Beam angle: 33°

12 W Cutout: Ø100 mm
Height: 65 mm
Beam angle: 45°

20 W Cutout: Ø130 mm
Height: 75 mm
Beam angle: 45°

35 W Cutout: Ø185 mm
Height: 95 mm
Beam angle: 50°



Retail Lights

For the specialised needs of the retail industry, Jaquar offers a complete range of recess-mounted and surface-mounted spot lights, strip lights and accessories, which make innovative and highly attractive product lighting possible.

Recess-mounted zoom light with powder coated die cast aluminium housing and anodized aluminium reflector. 38° beam angle.




Zoom Light

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LZOM01R015XC	15	6500	1
IRL-WHT-LZOM01R015XN	15	4000	1
IRL-WHT-LZOM01R015XW	15	3000	1
IRL-WHT-LZOM01R025XC	25	6500	1
IRL-WHT-LZOM01R025XN	25	4000	1
IRL-WHT-LZOM01R025XW	25	3000	1

15 W Cutout: Ø85 mm
Height: 72 mm

25 W Cutout: Ø140 mm
Height: 121 mm

*THD <10%




Recess-mounted, COB based multiple zoom light with die cast aluminium housing, anodized reflector and tempered transparent glass diffuser. 40° beam angle.




Multiple Zoom Light

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LZOMMLR215XC	2x15	6500	20
IRL-WHT-LZOMMLR215XN	2x15	4000	20
IRL-WHT-LZOMMLR215XW	2x15	3000	20

2 x 15 W Length: 192 mm
Width: 92 mm
Height: 86 mm



Track-mounted round focus light with moveable base. Fully adjustable with aluminium housing (including driver casing). 40° beam angle.



Track Light

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LTRLW1R010XC	10	5000	1
IRL-WHT-LTRLW1R010XN	10	4000	1
IRL-WHT-LTRLW1R010XW	10	3000	1
IRL-WHT-LTRLW1R020XC	20	5000	1
IRL-WHT-LTRLW1R020XN	20	4000	1
IRL-WHT-LTRLW1R020XW	20	3000	1
IRL-WHT-LTRLW1R030XC	30	5000	1
IRL-WHT-LTRLW1R030XN	30	4000	1
IRL-WHT-LTRLW1R030XW	30	3000	1
IRL-BLK-LTRLB1R010XC	10	5000	1
IRL-BLK-LTRLB1R010XN	10	4000	1
IRL-BLK-LTRLB1R010XW	10	3000	1
IRL-BLK-LTRLB1R020XC	20	5000	1
IRL-BLK-LTRLB1R020XN	20	4000	1
IRL-BLK-LTRLB1R020XW	20	3000	1
IRL-BLK-LTRLB1R030XC	30	5000	1
IRL-BLK-LTRLB1R030XN	30	4000	1
IRL-BLK-LTRLB1R030XW	30	3000	1

10 W Dia: Ø78 mm
Length: 205 mm
Width: 192 mm
Height: 106 mm

20 W Dia: Ø110 mm
Length: 268 mm
Width: 240 mm
Height: 131 mm

30 W Dia: Ø110 mm
Length: 268 mm
Width: 240 mm
Height: 131 mm

Accessories for Track Light

3 Line Track

Item Code	Length	Colour
ACI-WHT-LTRK3L1MTRBL	1 Meter	Black
ACI-WHT-LTRK3L1MTRWH	1 Meter	White
ACI-WHT-LTRK3L2MTRBL	2 Meter	Black
ACI-WHT-LTRK3L2MTRWH	2 Meter	White

3 Line Track Connector

Item Code	Shape	Colour
ACI-BLK-LTRCBL3LISHP	I	Black
ACI-WHT-LTRCWH3LISHP	I	White
ACI-BLK-LTRCBL3LLSHP	L	Black
ACI-WHT-LTRCWH3LLSHP	L	White
ACI-BLK-LTRCBL3LXSHP	X	Black
ACI-WHT-LTRCWH3LXSHP	X	White
ACI-BLK-LTRCBL3LTSHP	T	Black
ACI-WHT-LTRCWH3LTSHP	T	White

Retail Lights

Recessed, directional COB downlight with die cast aluminium housing.




Epito

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEPO01R012XC	12	6500	10
IRL-WHT-LEPO01R012XN	12	4000	10
IRL-WHT-LEPO01R012XW	12	3000	10
IRL-WHT-LEPO01R020XC	20	6500	10
IRL-WHT-LEPO01R020XN	20	4000	10
IRL-WHT-LEPO01R020XW	20	3000	10

12 W Cutout: Ø75 mm
Dia: Ø85 mm
Height: 70 mm

20 W Cutout: Ø95 mm
Dia: Ø108 mm
Height: 85 mm

Deep recessed, surface mounted focus light with die cast aluminium housing.



Cyno

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LCYN01R010SC	10	6500	20
IRL-BLK-LCYN01R010SN	10	4000	20
IRL-BLK-LCYN01R010SW	10	3000	20

10 W Dia: Ø50 mm
Height: 165 mm

Deep recessed, extended COB focus light with die cast aluminium housing.



Empha

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEMP01R007XC	7	6500	20
IRL-WHT-LEMP01R007XN	7	4000	20
IRL-WHT-LEMP01R007XW	7	3000	20
IRL-WHT-LEMP01R015XC	15	6500	10
IRL-WHT-LEMP01R015XN	15	4000	10
IRL-WHT-LEMP01R015XW	15	3000	10

7 W Cutout: Ø62 mm
Dia: Ø72 mm
Height: 98 mm

15 W Cutout: Ø90 mm
Dia: Ø103 mm
Height: 99 mm

Retail Lights

Deep recessed downlight with die cast aluminium housing.



Emina

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEMA01R008XC	8	6500	20
IRL-WHT-LEMA01R008XN	8	4000	20
IRL-WHT-LEMA01R008XW	8	3000	20
IRL-WHT-LEMA01R015XC	15	6500	20
IRL-WHT-LEMA01R015XN	15	4000	20
IRL-WHT-LEMA01R015XW	15	3000	20

8 W Cutout: Ø55 mm
Dia: Ø65 mm
Height: 65 mm

15 W Cutout: Ø75 mm
Dia: Ø85 mm
Height: 80 mm

*CRI >90, THD <10% | *Also available in black housing

Deep recessed downlight with die cast aluminium housing.



Emina Tiltable


Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEMAT1R008XC	8	6500	20
IRL-WHT-LEMAT1R008XN	8	4000	20
IRL-WHT-LEMAT1R008XW	8	3000	20
IRL-WHT-LEMAT1R015XC	15	6500	20
IRL-WHT-LEMAT1R015XN	15	4000	20
IRL-WHT-LEMAT1R015XW	15	3000	20

8 W Cutout: Ø55 mm
Dia: Ø65 mm
Height: 65 mm

15 W Cutout: Ø75 mm
Dia: Ø85 mm
Height: 80 mm

*CRI >90, THD <10%

Recess-mounted, COB based tiltable linear spot light with die cast aluminium housing and 30° beam angle.



Rene

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LRNE01S002XC	2	6500	60
IRL-WHT-LRNE01S002XN	2	4000	60
IRL-WHT-LRNE01S002XW	2	3000	60
IRL-WHT-LRNE01S006XC	6	6500	48
IRL-WHT-LRNE01S006XN	6	4000	48
IRL-WHT-LRNE01S006XW	6	3000	48
IRL-WHT-LRNE01S010XC	10	6500	40
IRL-WHT-LRNE01S010XN	10	4000	40
IRL-WHT-LRNE01S010XW	10	3000	40
IRL-WHT-LRNE01S020XC	20	6500	25
IRL-WHT-LRNE01S020XN	20	4000	25
IRL-WHT-LRNE01S020XW	20	3000	25
IRL-WHT-LRNE01S030XC	30	6500	20
IRL-WHT-LRNE01S030XN	30	4000	20
IRL-WHT-LRNE01S030XW	30	3000	20

2 W Cutout: Ø50 x 47 mm
Length: 55 mm
Width: 55 mm
Height: 47 mm

6 W Cutout: Ø111 x 47 mm
Length: 116 mm
Width: 55 mm
Height: 47 mm

10 W Cutout: Ø153 x 47 mm
Length: 158 mm
Width: 55 mm
Height: 47 mm

20 W Cutout: Ø286 x 47 mm
Length: 290 mm
Width: 55 mm
Height: 47 mm

30 W Cutout: Ø419 x 47 mm
Length: 423 mm
Width: 55 mm
Height: 47 mm

*Also available in black housing

Retail Lights

This strip light is suitable for indoor applications with different colours and wattages. Standard 5.0 meter roll.



IP20 Strip Light (24 V DC)

Item Code	Wattage (W)	CCT (K)	Case No.
STI-WHT-LSTP03X005XC	25	6000	5
STI-WHT-LSTP03X005XN	25	4000	5
STI-WHT-LSTP03X005XW	25	3000	5
STI-WHT-LSTP03X008XC	40	6000	5
STI-WHT-LSTP03X008XW	40	3000	5
STI-WHT-LSTP03X015XC	75	6000	5
STI-WHT-LSTP03X015XW	75	3000	5

25 W Width: 8 mm
Height: 2.5 mm

40 W Width: 8 mm
Height: 2.5 mm

75 W Width: 8 mm
Height: 2.5 mm

This strip light is suitable for outdoor applications with different colours and wattages. Standard 5.0 meter roll.





IP65 Strip Light (24 V DC)

Item Code	Wattage (W)	CCT (K)	Case No.
STI-WHT-LSTP04X005XC	25	6000	5
STI-WHT-LSTP04X005XW	25	3000	5
STI-WHT-LSTP04X008XC	40	6000	5
STI-WHT-LSTP04X008XW	40	3000	5
STI-WHT-LSTP04X015XC	75	6000	5
STI-WHT-LSTP04X015XW	75	3000	5

25 W Width: 10 mm
Height: 4.5 mm


40 W Width: 10 mm
Height: 4.5 mm

75 W Width: 10 mm
Height: 4.5 mm



Power Supply for Indoor Strip Light (IP20)

Item Code	Wattage (W)
ZCI-WHT-LDRV01S030XX	30
ZCI-WHT-LDRV01S048XX	48
ZCI-WHT-LDRV01S060XX	60
ZCI-WHT-LDRV01S072XX	72
ZCI-WHT-LDRV01S096XX	96



Power Supply for Outdoor Strip Light (IP65)

Item Code	Wattage (W)
ZCI-WHT-LDRV02S030XX	30
ZCI-WHT-LDRV02S048XX	48
ZCI-WHT-LDRV02S060XX	60
ZCI-WHT-LDRV02S072XX	72
ZCI-WHT-LDRV02S096XX	96



Magnetic Lights

Adorn your space with modern, stylish, and innovative Magnetic Lights by Jaquar. Create vertical and horizontal styles to suit many creative lighting designs. These lights are perfect for accentuating a particular spot, object, painting or more – just stick them on and let your spaces shine!

Magnetic Lights

Slim magnetic track light with die cast aluminium housing, 48 V DC operated.



Orelli Slim

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LORLS24R07XC	7	6500	24
IRL-BLK-LORLS24R07XN	7	4000	24
IRL-BLK-LORLS24R07XW	7	3000	24
IRL-BLK-LORLS24R12XC	12	6500	24
IRL-BLK-LORLS24R12XN	12	4000	24
IRL-BLK-LORLS24R12XW	12	3000	24
IRL-BLK-LORLS24R18XC	18	6500	24
IRL-BLK-LORLS24R18XN	18	4000	24
IRL-BLK-LORLS24R18XW	18	3000	24
IRL-BLK-LORLS24R24XC	24	6500	24
IRL-BLK-LORLS24R24XN	24	4000	24
IRL-BLK-LORLS24R24XW	24	3000	24

7 W Length: 118 mm
Width: 80 mm
Height: 125 mm

12 W Length: 118 mm
Width: 100 mm
Height: 135 mm

18 W Length: 118 mm
Width: 125 mm
Height: 150 mm

24 W Length: 118 mm
Width: 160 mm
Height: 185 mm

Slim magnetic linear track light with die cast aluminium housing, 48 V DC operated.



Instaray Slim Linear- with Lens

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL1F06XC	6	6500	36
IRL-BLK-LINRSL1F06XN	6	4000	36
IRL-BLK-LINRSL1F06XW	6	3000	36
IRL-BLK-LINRSL1F12XC	12	6500	36
IRL-BLK-LINRSL1F12XN	12	4000	36
IRL-BLK-LINRSL1F12XW	12	3000	36
IRL-BLK-LINRSL1F18XC	18	6500	36
IRL-BLK-LINRSL1F18XN	18	4000	36
IRL-BLK-LINRSL1F18XW	18	3000	36
IRL-BLK-LINRSL1F24XC	24	6500	36
IRL-BLK-LINRSL1F24XN	24	4000	36
IRL-BLK-LINRSL1F24XW	24	3000	36
IRL-BLK-LINRSL1F30XC	30	6500	36
IRL-BLK-LINRSL1F30XN	30	4000	36
IRL-BLK-LINRSL1F30XW	30	3000	36

6 W Length: 112 mm
Width: 22 mm
Height: 45 mm

12 W Length: 220 mm
Width: 22 mm
Height: 45 mm


18 W Length: 328 mm
Width: 22 mm
Height: 45 mm

24 W Length: 436 mm
Width: 22 mm
Height: 45 mm

30 W Length: 544 mm
Width: 22 mm
Height: 45 mm

Magnetic Lights

Slim magnetic linear tiltable track light with die cast aluminium housing, 48 V DC operated.



Instaray Slim Linear

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL2T12XC	12	6500	36
IRL-BLK-LINRSL2T12XN	12	4000	36
IRL-BLK-LINRSL2T12XW	12	3000	36
IRL-BLK-LINRSL2T24XC	24	6500	36
IRL-BLK-LINRSL2T24XN	24	4000	36
IRL-BLK-LINRSL2T24XW	24	3000	36

12 W Length: 135 mm
Width: 35 mm
Height: 150 mm

24 W Length: 270 mm
Width: 35 mm
Height: 150 mm

Slim magnetic round track light with die cast aluminium housing, 48 V DC operated.



Instaray Round Slim

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL2R09XC	9	6500	24
IRL-BLK-LINRSL2R09XN	9	4000	24
IRL-BLK-LINRSL2R09XW	9	3000	24
IRL-BLK-LINRSD2R12XC	12	6500	120
IRL-BLK-LINRSD2R12XN	12	4000	120
IRL-BLK-LINRSD2R12XW	12	3000	120

9 W Length: 118 mm
Width: 30 mm
Height: 135 mm

12 W Length: 135 mm
Width: 35 mm
Height: 150 mm

Slim magnetic linear hanging light with die cast aluminium housing, 48 V DC operated.




Orelli Slim Hanging

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LORLS24R12HN	12	6500/4000/3000	10

12 W Length: 36 mm
Width: 27.5 mm
Height: 38 mm

Magnetic Lights

Slim magnetic linear diffused light with die cast aluminium housing, 48 V DC operated.



Instaray Slim Linear Diffused

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSD1F10XC	10	6500	20
IRL-BLK-LINRSD1F10XN	10	4000	20
IRL-BLK-LINRSD1F10XW	10	3000	20
IRL-BLK-LINRSD1F20XC	20	6500	20
IRL-BLK-LINRSD1F20XN	20	4000	20
IRL-BLK-LINRSD1F20XW	20	3000	20
IRL-BLK-LINRSD1F30XC	30	6500	10
IRL-BLK-LINRSD1F30XN	30	4000	10
IRL-BLK-LINRSD1F30XW	30	3000	10
IRL-BLK-LINRSD1F40XC	40	6500	10
IRL-BLK-LINRSD1F40XN	40	4000	10
IRL-BLK-LINRSD1F40XW	40	3000	10

10 W Length: 300 mm
Width: 22 mm
Height: 45 mm

20 W Length: 600 mm
Width: 22 mm
Height: 45 mm

30 W Length: 900 mm
Width: 22 mm
Height: 45 mm

40 W Length: 1200 mm
Width: 22 mm
Height: 45 mm

Slim magnetic linear tiltable & diffused light with die cast aluminium housing, 48 V DC operated.



Instaray Slim Tiltable & diffused

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL1T06XC	6	6500	20
IRL-BLK-LINRSL1T06XN	6	4000	20
IRL-BLK-LINRSL1T06XW	6	3000	20
IRL-BLK-LINRSL1T12XC	12	6500	10
IRL-BLK-LINRSL1T12XN	12	4000	10
IRL-BLK-LINRSL1T12XW	12	3000	10
IRL-BLK-LINRSD1T06XC	6	6500	20
IRL-BLK-LINRSD1T06XN	6	4000	20
IRL-BLK-LINRSD1T06XW	6	3000	20
IRL-BLK-LINRSD1T12XC	12	6500	10
IRL-BLK-LINRSD1T12XN	12	4000	10
IRL-BLK-LINRSD1T12XW	12	3000	10

6 W Length: 118 mm
Width: 35 mm
Height: 110 mm

12 W Length: 220 mm
Width: 35 mm
Height: 110 mm

Magnetic Track Light Accessories



Item Code	Description
-----------	-------------

ACI-BLK-LTRKSM1MTRXX Magnetic track slim 1 meter recess mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRKSM2MTRXX Magnetic track slim 2 meter recess mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRKSM1MTRXS Magnetic track slim 1 meter surface/ hanging mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRKSM2MTRXS Magnetic track slim 2 meter surface/ hanging mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMLSHPVXS Magnetic track connector L shape vertical surface mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMLSHPHXS Magnetic track connector L shape horizontal surface mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMLSHPVXX Magnetic track connector L shape vertical recess mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMLSHPHXX Magnetic track connector L shape horizontal recess mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMFJOINTR Magnetic track channel fixed jointer

Magnetic Track Light Accessories



Item Code	Description
-----------	-------------

ACI-BLK-LTRCMBINLINE Magnetic track bendable input line connector

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMBLOOPIN Magnetic track bendable loop in jointer

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMISHPXXX Magnetic track I shape connector

Item Code	Description
-----------	-------------

ZCI-WHT-LDRVM48V30W LED magnetic track driver 48 V 30 W

Item Code	Description
-----------	-------------

ZCI-WHT-LDRVM48V50W LED magnetic track driver 48 V 50 W

Item Code	Description
-----------	-------------

ZCI-BLK-LDRVM48V100W LED magnetic track driver 48 V 100 W

Item Code	Description
-----------	-------------

ZCI-BLK-LDRVM48V200W LED magnetic track driver 48 V 200 W


Item Code	Description
-----------	-------------

ACI-BLK-HANGWIREMAGT Hanging wire for surface mounted magnetic track



Panels

Recess-mounted 1'x1' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



Ultima Slim (1'x1')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULTSLS018XC	18	6500	2
IPN-WHT-LULTSLS018XN	18	5000	2
IPN-WHT-LULTSLS018XW	18	4000	2

18 W Length: 294 mm
Width: 294 mm
Height: 35 mm

THD <15%, CRI >80,
Efficacy: 100 Lm/W
Beam angle: 120°

Recess-mounted 2'x2' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



Ultima Slim (2'x2')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULTSLS036XC	36	6500	2
IPN-WHT-LULTSLS036XN	36	4000	2
IPN-WHT-LULTSLS036XW	36	3000	2
IPN-WHT-LULTSLSN36XC*	36	6500	2


36 W Length: 580 mm
Width: 580 mm
Height: 30 mm

*With motion Sensor

Accessories for Ultima Slim

Item Code	Description
ZCI-WHT-L2X2SLCLIPXX	Recess-mounted clip for Ultima Slim 2'x2' and 1'x4' panel
ACI-WHT-LTMPULTSL36S	Surface-mount template for Ultima Slim 2'x2' panel
ACI-WHT-HANGWIREYSHP	Y Shape wiring system for hanging

Recess-mounted 1'x4' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



Ultima Ultra Slim (1'x4')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULU4SL033XC	33	6500	2
IPN-WHT-LULU4SL033XN	33	4000	2
IPN-WHT-LULU4SL033XW	33	3000	2

33 W Length: 1185 mm
Width: 285 mm
Height: 34 mm

Efficacy: 120 Lm/W (for 6500K)

Panels

High efficacy, recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2'), 140 Lm / W for 36 W



Ultima Ultra Pro (2'x2')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULPU2SL36XC	36	6500	2

36 W Length: 595 mm
Width: 595 mm
Height: 35 mm

Multi-colour changeable recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2').



Ultima Multi-colour (2'x2')


Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULTSLA032XM	32	6500/4000/3000	5
IPN-WHT-ULTSLAREMOTE*			

32 W Length: 595 mm
Width: 595 mm
Height: 35 mm

THD <10%, CRI >80
Colour changes through switching
*Remote

Battens / Tubes

High quality batten with extruded aluminium housing and decorative end caps.



Glaze


Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LGLZ01X010XC	10	6500	20
BTI-WHT-LGLZ01X010XN	10	4000	20
BTI-WHT-LGLZ01X010XW	10	3000	20
BTI-WHT-LGLZ01X020XC	20	6500	20
BTI-WHT-LGLZ01X020XN	20	4000	20
BTI-WHT-LGLZ01X020XW	20	3000	20
BTI-WHT-LGLZ01X024XC	24	6500	20
BTI-WHT-LGLZ01X024XN	24	4000	20
BTI-WHT-LGLZ01X024XW	24	3000	20

10 W Length: 570 mm
Width: 22 mm
Height: 37 mm

20 W Length: 1135 mm
Width: 22 mm
Height: 37 mm

24 W Length: 1185 mm
Width: 22 mm
Height: 37 mm

High quality batten with polycarbonate housing and decorative end caps.




Glaze Ultra (PC)

Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LGLZPCX022XC	22	6500	20
BTI-WHT-LGLZPCX022XW	22	3000	20

22 W Length: 1145 mm
Width: 30 mm
Height: 40 mm

Indoor tubelight with aluminium housing and polycarbonate diffuser.



T8 Retro Tube

Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LTBL01X020XC	20	6000	10
BTI-WHT-LTBL01X020XW	20	3000	10

20 W Length: 1200 mm
Height: 30 mm



T8 Retro Accessories

Item Code	Description
ACI-WHT-LBOXFTG020XX	Box fitting for 4 FT T8 Retro
ACI-WHT-LBOXFTG040XX	Box fitting for 40 W T8 Retro

High quality batten with extruded aluminium housing and decorative end caps.



*22 W - 2650 Lumen

Glaze Ultra Aluminium

Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LGLZU1X022XC	22	6500	20
BTI-WHT-LGLZU1X022XN	22	4000	20
BTI-WHT-LGLZU1X022XW	22	3000	20

22 W Length: 1135 mm
Width: 20 mm
Height: 35 mm






Industrial Lights

For the heavy-duty lighting requirements of industrial plants, factories and shop floors, Jaquar has high-powered, long-lasting solutions. Choose from weather-proof, corrosion-resistant lights, twin-tube lights, bulk heads, and suspended, industrial COB highbay lights in a wide range of options.

Industrial Lights

High quality batten with extruded aluminium housing and decorative end caps.




Kubik Ultra HD

Item Code	Wattage (W)	CCT (K)	Case No.
HBT-WHT-LKBU4KU535XC	35	6500	20

35 W Length: 1135 mm
Width: 24 mm
Height: 37 mm

Corrosion and impact resistant batten with polycarbonate housing. Dust and water-proof.



Pride (Weather-proof IP65 rated)

Item Code	Wattage (W)	CCT (K)	Case No.
IIL-WHT-LPRD01X020XC	20	6000	1
IIL-WHT-LPRD01X020XW	20	3000	1
IIL-WHT-LPRD01X040XC	40	6000	1
IIL-WHT-LPRD01X040XW	40	3000	1
ISB-WHT-LPRD01S040XC*	40	6500	1


20 W Length: 590 mm
Width: 86 mm
Height: 67 mm

40 W Length: 1180 mm
Width: 86 mm
Height: 67 mm

*With motion sensor

Industrial Lights

Bulk head with pressure die cast aluminium housing and acrylic diffuser (IP65 protection).



Bulk Head

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-BLK-LBLK02X010XC	10	6500	1
ILO-BLK-LBLK02X010XN	10	4000	1
ILO-BLK-LBLK02X010XW	10	3000	1
ILO-BLK-LBLK03X010XC	10	6500	1
ILO-BLK-LBLK03X010XN	10	4000	1
ILO-BLK-LBLK03X010XW	10	3000	1

10 W Length: 216 mm
 Width: 132 mm
 Height: 58 mm
 CRI >80

Well glass light with die cast aluminium housing and polycarbonate diffuser (IP65 rating).



Well Glass

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-GRY-LWGL02X035XC	35	6500	4
ILO-GRY-LWGL02X040XC	40	6500	4
ILO-GRY-LWGL02X070XC	70	5700	4

35 W Dia: Ø158 mm
 Height: 215 mm

40 W Dia: Ø158 mm
 Height: 215 mm

70 W Dia: Ø200 mm
 Height: 195 mm


*THD <10%, CRI >70

Industrial Lights

Discrete highbay light with die cast aluminium housing offering lumen intensity ≥ 100 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).



With external SPD 10KV*



Highbay

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-BLK-LHBLD1R070XC	70	5700	1
ILO-BLK-LHBLD1R100XC	100	5700	1
ILO-BLK-LHBLD1R120XC	120	5700	1
ILO-BLK-LHBLD1R150XC	150	5700	1
ILO-BLK-LHBLD1R200XC	200	5700	1

70 W Dia: Ø244 mm
Height: 135 mm

100 W Dia: Ø244 mm
Height: 135 mm

120 W Dia: Ø244 mm
Height: 135 mm

150 W Dia: Ø276 mm
Height: 135 mm

200 W Dia: Ø276 mm
Height: 135 mm

*THD <10%, CRI >70

Discrete highbay light with die cast aluminium housing offering lumen intensity ≥ 130 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).



With external SPD 10KV*

Ultralite Highbay

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-BLK-LHBLDUR070XC	70	5700	1
ILO-BLK-LHBLDUR100XC	100	5700	1
ILO-BLK-LHBLDUR120XC	120	5700	1
ILO-BLK-LHBLDUR150XC	150	5700	1
ILO-BLK-LHBLDUR200XC	200	5700	1

70 W Dia: Ø244 mm
Height: 135 mm


100 W Dia: Ø244 mm
Height: 135 mm

120 W Dia: Ø244 mm
Height: 135 mm

150 W Dia: Ø276 mm
Height: 135 mm

200 W Dia: Ø276 mm
Height: 135 mm

*THD <10%, CRI >70








Commercial Outdoor Lights

Reducing energy consumption and increasing road safety can now go hand-in-hand with commercial outdoor lighting solutions from Jaquar. Choose from a wide range of durable and weather-resistant street light and flood light options in a choice of outputs to suit every road's requirement.

Roadway Lights

IP66 rated street light with pressure die cast aluminium housing, glass cover and lens**.




PCR

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LPCRSRT25WLC	25	5700	1
OSL-GRY-LPCRSRT25WLW	25	3000	1
OSL-GRY-LPCRSRT30WXC	30	5700	1
OSL-GRY-LPCRSRT30WXW	30	3000	1
OSL-GRY-LPCRSRT36WXC	36	5700	1
OSL-GRY-LPCRSRT36WXW	36	3000	1

25, 30 & 36 W Mounting dia: Ø42 mm
 Length: 330 mm
 Width: 117 mm
 Height: 67 mm

**T&C apply

IP66 rated street light with pressure die cast aluminium housing and polycarbonate cover.



Trump

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LTRUMP0025XC	25	5700	1
OSL-GRY-LTRUMP0025XW	25	3000	1
OSL-WHT-LTRUMP0030XC	30	5700	1
OSL-WHT-LTRUMP0030XW	30	3000	1

25 & 30 W Mounting dia: Ø41 mm
 Length: 365 mm
 Width: 105 mm
 Height: 75 mm

LED street light with pressure die cast aluminium housing with toughened glass cover.



Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRT015045XC	45	5700	10

45 W Mounting dia: Ø42 mm
 Length: 330 mm
 Width: 117 mm
 Height: 67 mm

*THD <10%, CRI >70

Roadway Lights

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and polycarbonate cover.



Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRT04S025XC	25	5700	10
OSL-GRY-LSRT04S025XW	25	3000	10
OSL-GRY-LSRTT0S025XC*	25	5700	10
OSL-GRY-LSRT015030XC	30	5700	10
OSL-GRY-LSRT015030XW	30	3000	10
OSL-GRY-LSRTT0S030XC*	30	5700	10

25 & 30 W Mounting dia: Ø26 mm
 Length: 180 mm
 Width: 115 mm
 Height: 60 mm

*System lumen efficacy 120 Lm / W

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRTTOS045XC*	45	5700	1
OSL-GRY-LSRT015060XC	60	5700	1
OSL-GRY-LSRT015060XW	60	3000	1
OSL-GRY-LSRTTOS060XC*	60	5700	1
OSL-GRY-LSRT015070XC	70	5700	1
OSL-GRY-LSRT015070XW	70	3000	1
OSL-GRY-LSRTTOS072XC*	72	5700	1

45, 60, 70 & 72 W Mounting dia: Ø53 mm
 Length: 320 mm
 Width: 190 mm
 Height: 80 mm

*System lumen efficacy 120 Lm / W

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRT015090XC	90	5700	1
OSL-GRY-LSRT015090XW	90	3000	1
OSL-GRY-LSRTTOS090XC*	90	5700	1
OSL-GRY-LSRT015120XC	120	5700	1
OSL-GRY-LSRT015120XW	120	3000	1
OSL-GRY-LSRTTOS120XC*	120	5700	1
OSL-GRY-LSRT015150XC	150	5700	1
OSL-GRY-LSRT015150XW	150	3000	1
OSL-GRY-LSRTTOS150XC*	150	5700	1
OSL-GRY-LSRT015200XC	200	5700	1
OSL-GRY-LSRT015200XW	200	3000	1
OSL-GRY-LSRTTOS200XC*	200	5700	1

90 & 120 W Mounting dia: Ø62 mm
 Length: 400 mm
 Width: 200 mm
 Height: 108 mm

150 & 200 W Mounting dia: Ø62 mm
 Length: 520 mm
 Width: 200 mm
 Height: 75 mm



*System lumen efficacy 120 Lm / W

Roadway Lights

IP65 rated floodlight with high pressure die cast aluminium housing and impact resistant polycarbonate lens.



With external SPD 10KV*



Faro (Low wattage floodlight)

Item Code	Wattage (W)	CCT (K)	Case No.
HFL-GRY-LFRO01S030XC	30	5700	1
HFL-GRY-LFRO01S050XC	50	5700	1

30 W Length: 198 mm
Width: 188 mm
Height: 36 mm

50 W Length: 238 mm
Width: 228 mm
Height: 36 mm

*Efficacy is ≥ 100 Lm / W

IP66 rated floodlight with high pressure die cast aluminium housing, lens and toughened glass cover offering lumen intensity >110 Lm / W.

Ledstar

Item Code	Wattage (W)	CCT (K)	Case No.
OFL-GRY-LFLDLSL070XC	70	5700	1
OFL-GRY-LFLDLSL070XW	70	3000	1
OFL-GRY-LFLDLSL100XC	100	5700	1
OFL-GRY-LFLDLSL100XW	100	3000	1
OFL-GRY-LFLDLSL120XC	120	5700	1
OFL-GRY-LFLDLSL120XW	120	3000	1
OFL-GRY-LFLDLSL150XC	150	5700	1
OFL-GRY-LFLDLSL150XW	150	3000	1
OFL-GRY-LFLDLSL200XC	200	5700	1
OFL-GRY-LFLDLSL200XW	200	3000	1
OFL-GRY-LFLDLSL240XC	240	5700	1
OFL-GRY-LFLDLSL240XW	240	3000	1
OFL-GRY-LFLDLSL300XC	300	5700	1
OFL-GRY-LFLDLSL300XW	300	3000	1
OFL-GRY-LFLDLSL350XC	350	5700	1
OFL-GRY-LFLDLSL400XC	400	5700	1

70 W Length: 230 mm
Width: 195 mm
Height: 53 mm

100 & 120 W Length: 290 mm
Width: 240 mm
Height: 60 mm

150 W Length: 360 mm
Width: 295 mm
Height: 74 mm

200 W Length: 387 mm
Width: 287 mm
Height: 50 mm

240 W Length: 332 mm
Width: 245 mm
Height: 120 mm

300 W Length: 383 mm
Width: 295 mm
Height: 125 mm

350 W Length: 485 mm
Width: 350 mm
Height: 135 mm

400 W Length: 485 mm
Width: 350 mm
Height: 135 mm



With external SPD 10KV*





Landscape Lighting Choice Series

Choose the best of Choice Landscape Lighting products for your spaces. Affordable yet classy, the Jaquar Choice Series offers a wide range of Projector Lights, Ground Burials, Gate Tops, Bollards, and Wall Lights to light up your spaces. Carefully crafted to perfection to illuminate your spaces, the Choice Landscape Lighting products are unparalleled and beyond comparison.

Content

PROJECTOR LIGHTS

Luminz	240
Electra	240
Sparklz	241
Splash	241
Illumine	242
Rigel	242
Ossum	243
Garnet	243

GROUND BURIAL LIGHTS

Castor	246
Hydrus	246
Polaris	247
Ikon	247

GATE TOP LIGHTS

Capella	250
Irena	250
Reneva	251
Avior	251
Turais	252
Lex	252
Vimio	253
Navis	253
Sentinel	254
Ring Post Top	254

BOLLARD LIGHTS

Miram	258
Visio	259
Cone Bollard	259
Cylinder Bollard	260
Disc Bollard	260
Orbarix	261
Elumx	261
Mushroom	262

WALL LIGHTS

Lupus	266
Carina	266
Xcellent	266
Octan	267
Alfie	267
Preston	267
Woody	268
Lima	268
Cooper	268
Kira	269
Foot Light	269
Robo Light	269






Projector Lights

APPLICATIONS:

- Façade lighting
- Accent lighting
- Atriums and columns
- Architectural lighting
- Varied beam angle applications



Luminz

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

OSK-BLK-LSPK03R104XW

Wattage

4 x 1 W LED



Electra

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

OSK-BLK-LSPK04R108XW

Wattage

1 x 8 W COB LED



Sparklz

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

OSK-BLK-LSPK04R112XW

Wattage

1 x 12 W COB LED



Splash

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

OSK-BLK-LSPK05R112SW

Wattage

1 x 12 W COB LED



Illumine

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

OSK-BLK-LSPK05R112XW

Wattage

1 x 12 W COB LED



Rigel

Features


Die cast aluminium housing
Clear glass diffuser
90 V - 260 V AC
Warm white
IP65

Product Code

OSK-BLK-LSPK06R103SW

Wattage

1 x 3 W LED



Ossum

Features

304 stainless steel housing
Tempered glass diffuser
12 V AC
Warm white
IP68


Product Code

OSK-WHT-LSPK68R103SW

Wattage

3 x 1 W LED

Note: Product has to be used with 12 V AC/DC power supply at the site, not to be used under water



Garnet

Features

304 stainless steel housing
Tempered glass diffuser
12 V AC
Warm white
IP68

Product Code

OSK-WHT-LSPK68R108SW

Wattage

8 x 1 W LED


Note: Product has to be used with 12 V AC/DC power supply at the site, not to be used under water



Ground Burial Lights

APPLICATIONS:

- Outdoor façade lighting
- Landscape lighting
- Accent lighting



Castor

Features


304 stainless steel ring
Transparent tempered glass diffuser
Stainless steel finish
90 V - 260 V AC
Warm white
IP67

Product Code

OGB-BLK-LGBL04R301XW

Wattage

3 x 1 W LED



Hydrus

Features


Die cast aluminium housing
304 stainless steel ring
Transparent tempered glass diffuser
90 V - 260 V AC
Warm white
IP67

Product Code

OGB-BLK-LGBL06R601XW

Wattage

6 x 1 W LED



Polaris

Features


- Die cast aluminium housing
- 304 stainless steel ring
- Transparent tempered glass diffuser
- Stainless steel finish
- 90 V - 260 V AC
- Warm white
- IP67

Product Code

OGB-BLK-LGBL05R101XW

Wattage

10 x 1 W LED



Ikon

Features

- Die cast aluminium housing
- 304 stainless steel ring
- Transparent tempered glass diffuser
- 90 V - 260 V AC
- Warm white
- IP67

Product Code

OGB-BLK-LGBL07R181XW

Wattage


18 x 1 W LED



Gate Top Lights

APPLICATIONS:

- Bungalows
- Villas
- Pavement lighting
- Landscape lighting



Capella

Features


Die cast aluminium housing
Clear polycarbonate diffuser
Matt grey finish
140 V - 270 V AC
Warm white
IP66

Product Code

OGL-GRY-LGTP03X012XW

Wattage

1 x 12 W COB LED



Irena

Features


Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
140 V - 270 V AC
Warm white
IP66

Product Code

OGL-GRY-LGTP02X006XW

Wattage

1 x 6 W LED



Reneva

Features


MS housing with PU paint
Top canopy made of spun aluminium
140 V - 270 V AC
IP65
IK10

Product Code

OGL-GRY-LGTP01X030XW

Wattage

30 W LED COB



Avior

Features


Die cast aluminium housing
Heat resistant toughened bell shaped acrylic diffuser
MS housing with PU paint
Top canopy made of spun aluminium
140 V - 270 V AC
IP65

Product Code

OGL-GRY-LGTP04X028XW

Wattage

28 W LED



Turais

Features


Die cast aluminium housing
Heat resistant toughened glass
(clear diffuser)
140 V - 270 V AC
IP65

Product Code

OGL-GRY-LGTP02X030XW

Wattage

30 W mid power LED



Lex

Features


Heavy spun aluminium housing
PU paint
Heavy duty heat resistance /
toughened acrylic diffuser
140 V - 270 V AC
IP65

Product Code

OGL-GRY-LWLL01X045XW

Wattage

45 W LED



Vimio

Features


Die cast aluminium housing
Heat resistant toughened glass diffuser
140 V - 270 V AC
IP65

Product Code

OGL-GRY-LGTP05X030XW

Wattage

30 W LED



Navis

Features


Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

Product Code

OGL-GRY-LGTP06R040XC
OGL-GRY-LGTP06R040XN
OGL-GRY-LGTP06R040XW

Wattage

40 W LED



Sentinel

Features


Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

Product Code

OGL-BLK-LGTP08X060XC
OGL-BLK-LGTP08X060XW
OGL-BLK-LGTP08X120XC
OGL-GRY-LGTP08X120XW
OGL-BLK-LGTP08X150XC
OGL-GRY-LGTP08X150XW

Wattage

60 W LED
120 W LED
150 W LED



Ring Post Top

Features

Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

Product Code

OGL-GRY-LGTP07X040XW
OGL-GRY-LGTP07X060XW

Wattage

40 W LED
60 W LED






Bollard Lights

APPLICATIONS:

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls



Miram

Features


Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

OBL-GRY-LBLD01R305XW

Wattage

3 x 10 x 0.5 W LED



Visio

Features

Die cast aluminium housing
Tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54


Product Code

OBL-GRY-LBLD06R108XW

Wattage

8 W COB LED

All dimensions are in mm



Cone Bollard

Features

Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

Product Code

OBL-GRY-LBLDCON010XW

Wattage

10 W LED



Cylinder Bollard

Features

Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

Product Code

OBL-GRY-LBLDCYL010XW

Wattage

10 W LED



Disc Bollard

Features

Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

Product Code

OBL-GRY-LBLDDSC010XW

Wattage

10 W LED



Orbarix

Features

Die cast aluminium housing
Tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

OBL-GRY-LBLD02R108XW

Wattage

8 W COB LED



Elumx

Features


Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

OBL-GRY-LBLD05R601XW

Wattage

6 W LED



Mushroom

Features

Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

Product Code

OBL-GRY-LBLDMSH009XW

Wattage

9 W LED






Wall Lights

APPLICATIONS:

- Residential
- Offices
- Hotels
- Banquet Halls
- Malls



Lupus

Features

Die cast aluminium housing
 Transparent tempered glass diffuser
 Matt grey finish
 90 V - 260 V AC
 Up and down light
 Warm white
 IP54

Product Code

OWA-BLK-LWWL03X203XW

Wattage

2 x 3 W COB LED

Carina

Features



Die cast aluminium housing
 Transparent tempered glass diffuser
 Matt grey finish
 90 V - 260 V AC
 Warm white
 IP54

Product Code

OWA-BLK-LWWL03X103XW

Wattage

1 x 3 W COB LED



Xcellent

Features


Die cast aluminium housing
 Opal polycarbonate diffuser
 Matt grey finish
 90 V - 260 V AC
 Up and down light
 Warm white
 IP54

Product Code

OWA-BLK-LWWL02R206XW

Wattage

2 x 6 W COB LED



Octan

Features

Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

OWA-BLK-LWWL02R108XW

Wattage

1 x 8 W COB LED

Alfie

Features



Die cast aluminium housing
SUS304 ring
Frosted polycarbonate diffuser
Anti-glare
90 V - 260 V AC
Warm white
IP65

Product Code

OWA-GRY-LBRK01S105XW

Wattage

10 x 0.5 W LED



Preston

Features

Die cast aluminium housing
Tempered glass diffuser
Grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

Product Code

OWA-BLK-LWWL02X203XW

Wattage

2 x 3 W LED

Woody

Features



Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

OWA-GRY-LWLL01X108XW

Wattage

1 x 8 W COB LED



Lima

Features

Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
170 V - 260 V AC
Warm white
Wall washer light
IP54

Product Code

OWA-GRY-LWWL03X012XW

Wattage

1 x 12 W COB LED

Cooper

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54


Product Code

OWA-BLK-LWWL04X206XW

Wattage

2 x 6 W COB LED





Kira

Features

Die cast aluminium housing
 Transparent tempered glass diffuser
 Matt grey finish
 90 V - 260 V AC
 Warm white
 Wall washer light
 IP54

Product Code

OWA-GRY-LWWL04X012XW

Wattage

1 x 12 W COB LED

Foot Light

Features

Die cast aluminium housing
 Polycarbonate diffuser
 White and grey finish
 150 V - 300 V AC
 IP54


Product Code

OWA-BLK-LFTL01S003XW*
 OWA-WHT-LFTLW1S003XW#

Wattage

3 W LED


*Grey housing | #White housing



4 WAY



2 WAY



Robo Light

Features

Die cast aluminium housing
 Black powder coated
 Warm white
 140 V - 270 V AC
 IP65

Product Code

OWA-BLK-LWWL05S401XW
 OWA-BLK-LWWL05S201XW

Wattage

4 x 1 W
 2 x 1 W



Smart Lights

The world of devices is getting smarter and so are Jaquar Lighting products.

For your daily lighting requirements, our in-house R&D has come up with several next-generation products.

From a bulb which can be operated using Bluetooth and Wi-Fi, to an emergency bulb with an in-built battery to stay lit during power cuts, and motion-sensing battens, downlights and panels which get switched on automatically as you approach.

All these products are designed to need minimal human touch to allow better hygiene, as well as provide ease of operation and save time, effort and energy.

Content

SMART LIGHTS

Smart Pole	272
Strella Tri-color	273
Strella Smart	274
Kubik Smart	274
Starlite Alka (with remote)	275
Starlite	275







FUTURE PRODUCT

Smart Pole

Next-generation street light LED poles with multiple applications, like:

- HI-DEF 360° camera for surveillance
- LED display board for traffic alerts, public announcements, weather reports and general advertising
- Electric vehicle charger
- Fully customized Wi-Fi
- Weather station, which can measure air temperature, noise, air humidity, pressure, wind speed and direction



Strella Tri-color

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HDL-WHT-LSTA3IN1R15X	15	CW/ NW/ WW	Φ 155	Φ 162 x 35



Long life



CRI>80



Beam angle
>120°



*3-in-1
color option
CW-NW-WW

Technical & Commercial Data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Light turns on
in presence
of motion and
will turn off
after 2 minutes
if there is
no motion



Strella* SMART /// SQUARE / ROUND

Motion sensor based downlights

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (LXWXH / DXH)
SDL-WHT-LSTS01S008XC	8	CW	105 x 105	116 x 116 x 35
SDL-WHT-LSTS01S015XC	15	CW	155 x 155	162 x 162 x 35
SDL-WHT-LSTS01S022XC	22	CW	205 x 205	220 x 220 x 35
SDL-WHT-LSTS01S015XW	15	WW	155 x 155	162 x 162 x 35
SDL-WHT-LSTS01S022XW	22	WW	205 x 205	220 x 220 x 35
SDL-WHT-LSTS01R008XC	8	CW	Φ 105	116 x 35
SDL-WHT-LSTS01R015XC	15	CW	Φ 155	165 x 35
SDL-WHT-LSTS01R022XC	22	CW	Φ 205	220 x 35
SDL-WHT-LSTS01R008XW	8	WW	Φ 105	116 x 35
SDL-WHT-LSTS01R015XW	15	WW	Φ 155	165 x 35
SDL-WHT-LSTS01R022XW	22	WW	Φ 205	220 x 35




Long life



CRI>80



Beam angle >120°



Technical Data:

- Input voltage range: 110 - 300 V AC
- Luminous efficacy: >80 Lm/W for 8 W >90 Lm/W for 15 W & 22 W
- Power factor: >0.95
- Sensor coverage range: 5-7 meters
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate

Kubik* SMART ///

Motion sensor based battens

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
SSB-WHT-LKBS01S020XC	20	CW	1135 x 22 x 37



Long life



CRI>80



Beam angle >120°

Technical Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Sensor coverage range: 5-7 meters
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate



*Make to order



Starlite Alike (with remote)

SMART

Remote control operated batten with tunable colors & dimming

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
SSB-WHT-LSRA01S020DM*	20	CW/ NW/ WW	1170 x 20 x 40



Long life



CRI > 80



Beam angle > 120°



*3-in-1 color option CW-NW-WW

BENEFITS:

- 80% energy saving
- Compact and sleek design
- 2000 lumen output
- Single batten with tunable colors & dimming

*Single remote can control 30 battens

Technical & Commercial Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate



*Remote control operation



*Dimmable (100% - 20%)

Starlite

SMART

Single batten with tunable colours

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
HBT-WHT-LSRE01S020X	20	CW/ NW/ WW	1170 x 20 x 40



Long life



CRI > 80



Beam angle > 120°




*3-in-1 color option CW-NW-WW

Changing tri-color from CW to NW to WW in manual switching

Technical & Commercial Data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate





Consumer Lights

Reflect your story to the world and let your spaces shine at their best with the right lighting solutions from Jaquar Lighting.

Choose from an array of options in varied sizes, shapes, and budgets, and enhance the indoor and outdoor spaces that will uplift the ambience invariably.

Our range of lighting includes: Smart Lights

- Downlights
- Spot Lights
- Batters
- Lamps
- Strip Lights
- Street Lights

BENEFITS:



ENERGY SAVINGS
UP TO 90%



LONG LIFE
50,000 hrs



NO UV / IR
RADIATION



SLEEK AND COMPACT
DESIGN



GREEN LIGHTING
SOLUTIONS



MAINTENANCE-
FREE



UNIFORM
ILLUMINATION



GLARE-FREE
LIGHTING

Content

DOWNLIGHTS

Strella HD	280
Strella Accessories	280
Volga Prime Smart	281
Kriza Emergency	281
Pearl Plus	282
Striker	282
Eris Surface Round	283
Microwave Sensor	283
Lucent	284
Gem Surface	284

SPOTLIGHTS

Gem Blaze	288
Gem Star	288
Jasper Prime	288

BATTENS

Kubik Ultra	292
Kubik Plus	293

LAMPS

Kriza Emergency Bulb	296
Illuminator	296
Prima HD	297
Night Lamps (0.5 W)	297

STRIP LIGHTS

Janus	300
Strip Driver	300
Rope Light	300

STREET LIGHTS

Hummer	304
Kriza Emergency Street Light	304
PCR	304
Street Light	305

FLOOD LIGHTS

Faro	308
------	-----





Downlights

Create an enchanting ambience with Jaquar's high-performance LED downlights in different wattages. Not only do these downlights uplift the entire mood & the ambience of the place, but they also make a great addition to your entire home décor.

- Recessed Downlights
- Surface Mounted Downlights
- Fixed Downlights
- Trimless Downlights
- Round Downlights
- Square Downlights

APPLICATIONS



Living rooms



Kitchens



Lobbies



Staircases



Corridors

Strella HD



Long life



CRI > 80



Beam angle
> 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (L X W X H / DXH)
HDL-WHT-LSTA4KVR05XC	5	CW	Ø 70	Ø 80 x 35
HDL-WHT-LSTA4KVR05XN	5	NW	Ø 70	Ø 80 x 35
HDL-WHT-LSTA4KVR05XW	5	WW	Ø 70	Ø 80 x 35
HDL-WHT-LSTA4KVS08XC	8	CW	105 x 105	116 x 116 x 35
HDL-WHT-LSTA4KVS08XN	8	NW	105 x 105	116 x 116 x 35
HDL-WHT-LSTA4KVS08XW	8	WW	105 x 105	116 x 116 x 35
HDL-WHT-LSTA4KVR08XC	8	CW	Ø 105	Ø 116 x 35
HDL-WHT-LSTA4KVR08XN	8	NW	Ø 105	Ø 116 x 35
HDL-WHT-LSTA4KVR08XW	8	WW	Ø 105	Ø 116 x 35
HDL-WHT-LSTA4KVS12XC	12	CW	125 x 125	132 x 132 x 35
HDL-WHT-LSTA4KVS12XN	12	NW	125 x 125	132 x 132 x 35
HDL-WHT-LSTA4KVS12XW	12	WW	125 x 125	132 x 132 x 35
HDL-WHT-LSTA4KVR12XC	12	CW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA4KVR12XN	12	NW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA4KVR12XW	12	WW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01S015XC	15	CW	155 x 155	162 x 162 x 35
HDL-WHT-LSTA01S015XN	15	NW	155 x 155	162 x 162 x 35
HDL-WHT-LSTA01S015XW	15	WW	155 x 155	162 x 162 x 35
HDL-WHT-LSTA01R015XC	15	CW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01R015XN	15	NW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01R015XW	15	WW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01S022XC	22	CW	205 x 205	220 x 220 x 35
HDL-WHT-LSTA01S022XN	22	NW	205 x 205	220 x 220 x 35
HDL-WHT-LSTA01S022XW	22	WW	205 x 205	220 x 220 x 35
HDL-WHT-LSTA01R022XC	22	CW	Ø 205	Ø 220 x 35
HDL-WHT-LSTA01R022XN	22	NW	Ø 205	Ø 220 x 35
HDL-WHT-LSTA01R022XW	22	WW	Ø 205	Ø 220 x 35



Strella Accessories

Item Code	Wattage (W)	Dimension in MM (L X W X H / DXH)
HDL-WHT-LSTA01SMS008	8	105 x 105
HDL-WHT-LSTA01SMR008	8	Ø 105
HDL-WHT-LSTA01SMS015	15	155 x 155
HDL-WHT-LSTA01SMR015	15	Ø 155
HDL-WHT-LSTA01SMS022	22	205 x 205
HDL-WHT-LSTA01SMR022	22	Ø 205



Long life



CRI > 80



Beam angle > 120°

Technical data:

- Input voltage range: 220 V - 240 V AC
- Luminous efficacy: 55 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate
- Dazzle free soft light & no dark patches
- IP65- Protected against dust & splashing water
- PC diffuser - Uniform distribution of light



Volga Prime Smart

Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
SDL-WHT-LVOLPS2R18SC	18	CW	280 x 70
SDL-WHT-LVOLPS2R18SN	18	NW	280 x 70
SDL-WHT-LVOLPS2R18SW	18	WW	280 x 70



Long life



CRI > 80



Beam angle > 120°

Technical data:

- Housing material: Thermally conductive polycarbonate
- Easy & safe installation
- Dazzle free soft light & no dark patches
- AC/DC Downlight - Perfect for power cuts and emergency situations



BATTERY BACKUP

KRIZA EMERGENCY DOWNLIGHT

Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HEL-WHT-KRZ01DLR15SC	15	6500	Ø 146 x 48


Pearl Plus



Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 3 W, >80 Lm/W for 6 W, >90 Lm/W for 15 W
- Power factor: >0.9
- Housing material: Thermally conductive polycarbonate
- Suitable for junction box fitment

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HDL-WHT-LPPS01R003XC	3	CW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XN	3	NW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XW	3	WW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XR	3	RED	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XG	3	GREEN	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XB	3	BLUE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XP	3	PINK	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XV	3	VIOLET / PURPLE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XC	6	CW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XN	6	NW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XW	6	WW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XR	6	RED	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XG	6	GREEN	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XB	6	BLUE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XP	6	PINK	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XV	6	VIOLET / PURPLE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R015XC	15	CW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R015XN	15	NW	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XW	15	WW	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XR	15	RED	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XG	15	GREEN	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XB	15	BLUE	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XP	15	PINK	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XV	15	VIOLET / PURPLE	Ø 45	Ø 140 x 65



Striker



Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate with aluminium heat sink
- Suitable for junction box fitment

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HDL-WHT-LSTK01R006XC	6	CW	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XN	6	NW	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XW	6	WW	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XR	6	RED	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XG	6	GREEN	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XB	6	BLUE	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XP	6	PINK	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XV	6	VIOLET / PURPLE	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R008XC	8	CW	Ø 83	Ø 110 x 50
HDL-WHT-LSTK01R008XN	8	NW	Ø 83	Ø 110 x 50
HDL-WHT-LSTK01R008XW	8	WW	Ø 83	Ø 110 x 50



Long life



CRI > 80



Beam angle > 26°

Technical data:

- Input voltage range: 220-240 V AC
- Luminous efficacy: >70 Lm/W
- Power factor: >0.90
- Housing material: Die cast aluminium housing with black powder coating

Eris Surface Round

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HCO-BLK-LERSBRGR05SC	5	CW	Ø 53	Ø 53 x 70
HCO-BLK-LERSBRGR05SN	5	NW	Ø 53	Ø 53 x 70
HCO-BLK-LERSBRGR05SW	5	WW	Ø 53	Ø 53 x 70
HCO-BLK-LERSBRGR10SC	10	CW	Ø 72	Ø 72 x 90
HCO-BLK-LERSBRGR10SN	10	NW	Ø 72	Ø 72 x 90
HCO-BLK-LERSBRGR10SW	10	WW	Ø 72	Ø 72 x 90
HCO-BLK-LERSBRGR15SC	15	CW	Ø 95	Ø 95 x 95
HCO-BLK-LERSBRGR15SN	15	NW	Ø 95	Ø 95 x 95
HCO-BLK-LERSBRGR15SW	15	WW	Ø 95	Ø 95 x 95

2-in-1
Microwave Sensor



Technical data:

- Input voltage: 220 to 240 V AC
- Input frequency: 50/60 Hz
- Wiring input: 2 Wire/single phase
- Power consumption: < 1W
- Power on delay: 0-5 sec
- Size diameter (mm): 93 mm +/- 2 mm
- Type of mounting: Surface/recessed
- Hold time: 10 sec - 15 min (Adjustable)
- Detection distance: 6 meter
- HF System: 5.8 GHz

Microwave Sensor

Item Code	Cutout (MM)	Dimension in MM (D)
AHL-WHT-MOTSENMW2IN1	Ø 85	Ø 93

Lucent



Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 6 W, >95 Lm/W for 22 W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
IDL-WHT-LLCN01R003XC	3	6500	Ø 70	Ø 82 x 17
IDL-WHT-LLCN01R003XN	3	4000	Ø 70	Ø 82 x 17
IDL-WHT-LLCN01R003XW	3	3000	Ø 70	Ø 82 x 17
IDL-WHT-LLCN01R006XC	6	6500	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R006XN	6	4000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R006XW	6	3000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R009XC	9	6500	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R009XN	9	4000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R009XW	9	3000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R012XC	12	6500	Ø 132	Ø 144 x 17
IDL-WHT-LLCN01R012XN	12	4000	Ø 132	Ø 144 x 17
IDL-WHT-LLCN01R012XW	12	3000	Ø 132	Ø 144 x 17
IDL-WHT-LLCN01R015XC	15	6500	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R015XN	15	4000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R015XW	15	3000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R018XC	18	6500	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R018XN	18	4000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R018XW	18	3000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R022XC	22	6500	Ø 175	Ø 184 x 17
IDL-WHT-LLCN01R022XN	22	4000	Ø 175	Ø 184 x 17
IDL-WHT-LLCN01R022XW	22	3000	Ø 175	Ø 184 x 17



Gem Surface

Technical data:

- Input voltage range: 100 V - 230 V AC
- Luminous efficacy: For 6 & 12 W (65 Lm/W) For 18 W (60 Lm/W)
- Power factor: >0.9
- Housing material: PC body & diffuser with metal mounting plate

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (WXH)
HDL-WHT-LGEM01R006SC	6	6500	Ø90	90 x 27
HDL-WHT-LGEM01R006SW	6	4000	Ø90	90 x 27
HDL-WHT-LGEM01R006SN	6	3000	Ø90	90 x 27
HDL-WHT-LGEM01R012SC	12	6500	Ø121	121 x 27
HDL-WHT-LGEM01R012SW	12	4000	Ø121	121 x 27
HDL-WHT-LGEM01R012SN	12	3000	Ø121	121 x 27
HDL-WHT-LGEM01R018SC	18	6500	Ø156	156 x 27
HDL-WHT-LGEM01R018SW	18	4000	Ø156	156 x 27
HDL-WHT-LGEM01R018SN	18	3000	Ø156	156 x 27





Spotlights

Highlight the little details when you bring home Jaquar's energy-efficient LED spotlights. The different colour temperatures lend your home décor a vibrant and new look every time.

APPLICATIONS



Living rooms



Kitchens



Decorations



Shelves



Focus




Cabinets



Technical data:

- Input voltage range: 220-240 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Polycarbonate body with aluminum heat sink & lens



Gem Blaze

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HCO-WHT-LGEMB01R03XC	3	6500	Ø 55.5	Ø 74.5 x 42
HCO-WHT-LGEMB01R03XN	3	4000	Ø 55.5	Ø 74.5 x 42
HCO-WHT-LGEMB01R03XW	3	3000	Ø 55.5	Ø 74.5 x 42
HCO-WHT-LGEMB01R06XC	6	6500	Ø 67.5	Ø 94.5 x 46
HCO-WHT-LGEMB01R06XN	6	4000	Ø 67.5	Ø 94.5 x 46
HCO-WHT-LGEMB01R06XW	6	3000	Ø 67.5	Ø 94.5 x 46
HCO-WHT-LGEMB01R09XC	9	6500	Ø 87	Ø 116 x 53
HCO-WHT-LGEMB01R09XN	9	4000	Ø 87	Ø 116 x 53
HCO-WHT-LGEMB01R09XW	9	3000	Ø 87	Ø 116 x 53

Technical data:

- Surge protection upto 4KV
- Sustain voltage upto 400V
- Input voltage range: 220-240 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.90
- CRI: >80
- Polycarbonate housing




Gem Star

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HDL-WHT-LGEMS01R03XC	3	6500	Ø 60	70 x 35
HDL-WHT-LGEMS01R03XN	3	4000	Ø 60	70 x 35
HDL-WHT-LGEMS01R03XW	3	3000	Ø 60	70 x 35



Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >50 Lm/W
- Housing material: Thermally conductive polycarbonate



Jasper Prime

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HCO-WHT-LJPM01R002XC	2	CW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XG	2	GW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XW	2	WW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XR	2	RW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XB	2	BW	Ø 35	Ø 43 x 105





Battens

Brighten up your space with Jaquar's range of environment-friendly LED battens. Available in different lumen intensity and colour temperatures, our battens are perfect for your home décor.

APPLICATIONS



Bedrooms



Living rooms



Kitchens



Study rooms




Terraces



Balconies



Pooja rooms



Long life



CRI>80



Beam angle
>120° for 35 W
>180° for 25 W



117 Lm/W
for 35 W
130 Lm/W
for 25 W

Technical data:

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- *Housing material: Extruded aluminium

Kubik Ultra

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
HBT-WHT-LKBU4KVS22XC	22	CW	1135 x 31 x 40
HBT-WHT-LGLZU1X025XC*	25	CW	1135 x 31 x 40
HBT-WHT-LKBU4KVS35XC*	35	CW	1135 x 22 x 37



Long life



CRI>80



Beam angle
>120°



100 Lm/W
for 6 W - 20 W

Technical data:

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Kubik Plus

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
HBT-WHT-LKBP01S006XC	6	CW	300 x 22 x 37
HBT-WHT-LKBP01S006XN	6	NW	300 x 22 x 37
HBT-WHT-LKBP01S006XW	6	WW	300 x 22 x 37
HBT-WHT-LKBP4KV010XC	10	CW	575 x 22 x 37
HBT-WHT-LKBP4KV010XN	10	NW	575 x 22 x 37
HBT-WHT-LKBP4KV010XW	10	WW	575 x 22 x 37
HBT-WHT-LKBP4KV020XC	20	CW	1090 x 22 x 37
HBT-WHT-LKBP4KV020XN	20	NW	1090 x 22 x 37
HBT-WHT-LKBP4KV020XW	20	WW	1090 x 22 x 37



Lamps

Welcome home holistic lighting solutions from Jaquar. Want to light up a small space or illuminate an entire room? Here is our range of LED lamps, from low-wattage night bulbs to high-wattage LED lamps, for you. Enjoy the extra brightness of happiness that fits every budget and requirement.

APPLICATIONS



Bedrooms



Living rooms



Kitchens



Study rooms



Terraces



Balconies



Pooja rooms



Long life



CRI>80



Beam angle
>120°

Technical data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >80 Lm/W @ Normal Supply
- Power factor: >0.95
- Charging time: Minimum 6 Hours
- Housing materials: Thermally conductive polycarbonate

KRIZA EMERGENCY BULB

Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HEL-WHT-LKRZ009B22CW	9	6500 K	Ø 70 x 146



Long life



CRI>80



Wide beam angle
>180°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 100 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium

Illuminator

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HLB-WHT-LILM030B22CW	B22	30	CW	Ø 100 x 180
HLB-WHT-LILM040B22CW	B22	40	CW	Ø 115 x 198
HLB-WHT-LILM050B22CW	B22	50	CW	Ø 125 x 220



Long life



CRI > 80

Wide
beam angle
>240°**Technical data:**

- Full globe diffuser for wide distribution of light
- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 105 Lm/W
- Power factor: >0.95
- Housing material: Overmoulded PC

Prima HD

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HLB-WHT-LPRM4KV03B2C	B22	3	CW	Ø 50 x 92
HLB-WHT-LPRM4KV03B2W	B22	3	WW	Ø 50 x 92
HLB-WHT-LPRM4KV03E2C	E27	3	CW	Ø 50 x 92
HLB-WHT-LPRM4KV03E2W	E27	3	WW	Ø 50 x 92
HLB-WHT-LPRMD4K05B2C	B22	5	CW	Ø 60 x 112
HLB-WHT-LPRMD4K05B2W	B22	5	WW	Ø 60 x 112
HLB-WHT-LPRMD4K05E2C	E27	5	CW	Ø 60 x 112
HLB-WHT-LPRMD4K05E2W	E27	5	WW	Ø 60 x 112
HLB-WHT-LPRMD4K07B2C	B22	7	CW	Ø 60 x 112
HLB-WHT-LPRMD4K07B2W	B22	7	WW	Ø 60 x 112
HLB-WHT-LPRMD4K07E2C	E27	7	CW	Ø 60 x 112
HLB-WHT-LPRMD4K07E2W	E27	7	WW	Ø 60 x 112
HLB-WHT-LPRM5KV09B2C	B22	9	CW	Ø 60 x 112
HLB-WHT-LPRMD4K09B2W	B22	9	WW	Ø 60 x 112
HLB-WHT-LPRMD4K09E2C	E27	9	CW	Ø 60 x 112
HLB-WHT-LPRMD4K09E2W	E27	9	WW	Ø 60 x 112
HLB-WHT-LPRMD4K12B2C	B22	12	CW	Ø 65 x 118
HLB-WHT-LPRMD4K12B2W	B22	12	WW	Ø 65 x 118
HLB-WHT-LPRMD4K12E2C	E27	12	CW	Ø 65 x 118
HLB-WHT-LPRMD4K12E2W	E27	12	WW	Ø 65 x 118
HLB-WHT-LPRMD4K14B2C	B22	14	CW	Ø 65 x 126
HLB-WHT-LPRMD4K14B2W	B22	14	WW	Ø 65 x 126
HLB-WHT-LPRMD4K14E2C	E27	14	CW	Ø 65 x 126
HLB-WHT-LPRMD4K14E2W	E27	14	WW	Ø 65 x 126
HLB-WHT-LPRMD4K20B2C	B22	20	CW	Ø 80 x 152
HLB-WHT-LPRMD4K20B2W	B22	20	WW	Ø 80 x 152
HLB-WHT-LPRMD4K20E2C	E27	20	CW	Ø 80 x 152
HLB-WHT-LPRMD4K20E2W	E27	20	WW	Ø 80 x 152



Long life




CRI > 80

Beam angle
>180°**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >40 Lm/W
- Housing material: Polycarbonate

Night Lamps (0.5 W)

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HLB-WHT-LPRM01R001XC	B22	0.5	CW	Ø 45 x 70
HLB-WHT-LPRM01R001XY	B22	0.5	YELLOW	Ø 45 x 70
HLB-WHT-LPRM01R001XR	B22	0.5	RED	Ø 45 x 70
HLB-WHT-LPRM01R001XG	B22	0.5	GREEN	Ø 45 x 70
HLB-WHT-LPRM01R001XB	B22	0.5	BLUE	Ø 45 x 70
HLB-WHT-LPRM01R001XO	B22	0.5	ORANGE	Ø 45 x 70
HLB-WHT-LPRM01R001XP	B22	0.5	PINK	Ø 45 x 70



Strip Lights

Give your home a festive makeover or create awe-inspiring spaces within your home with our LED strip lights in blue, white, and other pleasing colours. Our strip lights come in a 5-meter roll with specific cut points.

APPLICATIONS



Living rooms



Kitchens



Decorations



Shelves



Focus



Cabinets

Janus

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
STH-WHT-LJNS02S012XC	24	CW	8 x 2.25
STH-WHT-LJNS02S012XN	24	NW	8 x 2.25
STH-WHT-LJNS02S012XW	24	WW	8 x 2.25
STH-WHT-LJNS02S012XR	24	Red	8 x 2.25
STH-WHT-LJNS02S012XG	24	Green	8 x 2.25
STH-WHT-LJNS02S012XB	24	Blue	8 x 2.25

Technical data:

- Input voltage range: 12 V DC (with adapter)
- Luminous efficacy: >90 Lm / W
- Roll: 5 meter with cut points
- No. of LEDs: 60 LEDs / meter



Strip Driver

Item Code	Voltage (V)	Current (A)
AHL-WHT-LSTD02A012X	12 DC	2



Technical data:

- Easy to install
- IP65 LED Rope Light
- Long lasting and bright light to make your home, factory, and office bright and stylish
- Can be used in POP Cove
- Rated input voltage-220-240 V AC
- Dazzle-free soft light
- Very easy to decorate patterns, designs and characters
- Low power consumption, safe and reliable

Product specifications:

- Options: 60 LED/meter & 120 LED/meter
- Length: 45 meter/roll
- CRI: ≥80
- Available Colours: CW / WW / Red / Green
Blue / Ice Blue / Amber

Rope Light

Item Code	LED/Meter	CCT (K)	Dimension
STH-WHT-LJNP01S060XC	60	CW	45m/Roll
STH-WHT-LJNP01S060XW	60	WW	45m/Roll
STH-WHT-LJNP01S060XR	60	RED	45m/Roll
STH-WHT-LJNP01S060XG	60	GREEN	45m/Roll
STH-WHT-LJNP01S060XB	60	BLUE	45m/Roll
STH-WHT-LJNP01S060XI	60	ICE BLUE	45m/Roll
STH-WHT-LJNP01S060XA	60	AMBER	45m/Roll
STH-WHT-LJNP01S120XC	120	CW	45m/Roll
STH-WHT-LJNP01S120XW	120	WW	45m/Roll
STH-WHT-LJNP01S120XR	120	RED	45m/Roll
STH-WHT-LJNP01S120XG	120	GREEN	45m/Roll
STH-WHT-LJNP01S120XB	120	BLUE	45m/Roll
STH-WHT-LJNP01S120XI	120	ICE BLUE	45m/Roll
STH-WHT-LJNP01S120XA	120	AMBER	45m/Roll
STH-WHT-LJNP01S120XT	120	TRI-COLOUR	18m/Roll
STH-WHT-LJNP01S120XW	120	WW	18m/Roll
STH-WHT-LJPMACD01S45			





Street Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.

APPLICATIONS



Parkings



Walkways



Long life



CRI > 80



Beam angle
> 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



Hummer

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
HSL-GRY-LHMR01SL020C	20	CW	Ø 40	320 x 75 x 60
HSL-GRY-LHMR01SL030C	30	CW	Ø 40	320 x 75 x 60



Long life



CRI > 80



Beam angle
> 120°

Technical data:

- Input voltage range: 220 to 240 V AV
- Battery voltage: 3.7V Li-ION
- Battery capacity: 2600 mAh
- Luminous flux on AC mode: 1800 Lm
- Luminous flux on battery mode: 500 Lm
- Power factor: >0.95
- Full battery charging time: 9 Hours
- IP66



BATTERY BACKUP

KRIZA EMERGENCY STREET LIGHT

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
HSL-WHT-LKRZ01SL018C	18	CW	40 (Tol.±5)	355 x 105 x 75



Long life



CRI > 70



Beam angle
> 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP66
- Housing material: Die cast aluminium



PCR

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
OSL-GRY-LPCRST25WLC	25	CW	Ø 42	330 x 117 x 67



Long life




CRI > 80



Beam angle
> 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



Street Light

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
HSL-WHT-LSRT01F025XC	25 W	CW	Ø 42	325 x 145 x 65



Flood Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.

APPLICATIONS



Parkings



Walkways



Long life



CRI>80



Beam angle
>60°

Technical data:

- Operating voltage range: 140 - 270V
- Luminous efficacy: >100 Lm/W
- Power factor: ≥ 0.95
- THD: <10%
- IP66
- Lens: PMMA lens for proper distribution of light
- No harmful UV & IR radiations
- Housing material: Die cast aluminum housing for superior heat dissipation



30 W



50 W

Faro

Item Code	Wattage (W)	CCT (K)	Dimension (MM)
HFL-GRY-LFRO01S030XC	30	CW	198 x 188 x 36
HFL-GRY-LFRO01S030XN	30	NW	198 x 188 x 36
HFL-GRY-LFRO01S030XW	30	WW	198 x 188 x 36
HFL-GRY-LFRO01S050XC	50	CW	238 x 228 x 36
HFL-GRY-LFRO01S050XN	50	NW	238 x 228 x 36
HFL-GRY-LFRO01S050XW	50	WW	238 x 228 x 36

JAQUAR GROUP

Global Headquarters,
Plot No. 3, Sector-11, IMT Manesar, Gurugram-122050 India
For more information: Visit any of our 21 Orientation Centres
or log on to www.jaquar.com, e-mail: ccare.lighting@jaquar.com
For any query call: 18002126808 (Toll Free)

ORIENTATION CENTRES:

AHMEDABAD: Ground Floor,
Commerce House-4, B/S Shell Petrol
Pump, Near Anand Nagar Cross
Roads, 100 Ft. Road, Prahlad Nagar,
Satellite, Ahmedabad
Ph.: 079-30452600
Email: ahmedabad@jaquar.com

BANGALORE: No. 10, V.N. Street,
Next to Hotel Ramada, Shivaji Nagar,
Tasker Town, Bangalore-560051
Email: bangalore@jaquar.com

BHOPAL: T- 7, 8, 3rd Floor, City
Center, Above Lotus Electronics,
1 Press Complex, M. P. Nagar,
Zone-1, Bhopal- 462011
Ph.: 0755-6550888
Email: bhopal@jaquar.com

BHUBANESWAR: Plot No. 853/1671,
2nd Floor, Jharpada, Cuttack Road,
Bhubaneswar-751006
Ph.: 0674-2575501
Email: bhubaneswar@jaquar.com

CHANDIGARH: S.C.O. 52-53, Sector
17-A, Opp. Hotel Park Plaza, Adjacent
to Fab India,
Chandigarh-160017
Ph.: 0172-4071727
Email: chandigarhoc@jaquar.com

CHENNAI: Ground Floor, KGN Towers,
#62, Ethiraj Salai, Egmore,
Chennai- 600008
Phone: 044-42693001
Email: chennai@jaquar.com

COCHIN: No. 35/563, Opposite
International Stadium, Palarivattom
P.O., Cochin-682025
Email: cochin@jaquar.com

GUWAHATI: "Swagota Envision"
Ground Floor, G.S. Road, Sixmile,
Khanapara (Opp. Directorate of
Agriculture, Assam)
Guwahati-781022
Email: guwahati@jaquar.com

HYDERABAD: Unit No. 202,
Reliance Classic, Banjara Hills,
Road No.1, Hyderabad-500034
Email: hyderabad@jaquar.co

JAIPUR: Neelkanth, 1 Bhawani
Singh Road, Opp. Nehru Sehkar
Bhawan, C-Scheme,
Jaipur-302001
Ph.: 0141-5115609
Email: jaipur@jaquar.com

JAMMU: Bonny Square, NH
Bypass, Near Vishal Mega Mart,
Kunjwani, Jammu-180010
Ph.: 0191-2484876
Email: jammu@jaquar.com

KOLKATA: 2nd Floor, 55,
Chowringhee Road,
Kolkata-700071
Ph.: 033-40054891
Email: kolkata@jaquar.com

LUCKNOW: Asha Bhawan, 27/II A,
Gokhle Marg, Lucknow
Ph.: 0522-4001434
Email: lucknow@jaquar.com

LUDHIANA: 2nd Floor, Lodhi
Complex, Mall Road,
Ludhiana-141001
Ph.: 0161-5094974
Email: ludhiana@jaquar.com

MUMBAI: 101,102,103, Kamla
Spaces, Above Kohinoor
Electronics, S.V. Road, Santacruz
West, Mumbai-400054
Ph.: 022-26613279
Email: mumbai@jaquar.com

NAGPUR: Kala Bhavan, 103/A,
South Ambazari Road,
Shradhanand Peth Square,
Laxmi Nagar, Nagpur-440022
Ph.: 0712-2223395
Email: nagpur@jaquar.com

NEW DELHI: D-56, Defence Colony,
New Delhi-110024
Ph.: 011-24636807
Email: delhincr@jaquar.com

PUNE: DSK Gandharva Heights,
5th Floor, Office No. 501,
Near Hotel Pride Executive,
Ganeshkhind Road,
Shivajinagar, Pune-411005
Email: pune@jaquar.com

RAIPUR: M K Planet, Ring Road
No. 1, New Rajendra Nagar,
Raipur-492001.
Ph.: 0771-6556789
Email: raipur@jaquar.com

SILIGURI: 1st Floor, M-Square
Building, Opp. Hotel Sachitra,
2½ Mile, Sevoke Road,
Siliguri-734002
Email: siliguri@jaquar.com

SURAT: 23, Siddhi Shopping
Centre, Near Agrasen
Bhavan Char Rasta,
City Light Road, Surat
Email: suratcare@jaquar.com



Looking for
Jaquar Lighting Products?

CALL
PURCHASE ASSISTANCE
1800-120-332222
(Toll Free)

And we'll make it easy!

Speak to our Lighting Experts, who will suggest the right product that you should go in for and where to buy it from.



KNOW MORE