



# KEI INDUSTRIES LIMITED ( MUMBAI )

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093.  
Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : manoj.kakkar@kei-ind.com



HSN CODE : 8544

## PRICE LIST MAY 2021

ALUMINUM UN ARMoured / ARMoured

W.E.F : 01.05.2021

**"KEI" BRAND** Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour(Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		75.00	95.00		112.00		122.00	141.00		162.00
10		105.00	129.00		144.00		148.00	177.00		191.00
16		107.00	145.00		181.00		168.00	183.00		226.00
25	86.00	154.00	213.00	267.00	281.00	131.00	196.00	246.00	285.00	304.00
35	105.00	212.00	291.00	321.00	348.00	155.00	242.00	320.00	352.00	388.00
50	135.00	259.00	365.00	417.00	465.00	188.00	299.00	419.00	455.00	517.00
70	179.00	357.00	501.00	573.00	658.00	240.00	400.00	539.00	611.00	694.00
95	223.00	441.00	626.00	722.00	786.00	252.00	512.00	678.00	769.00	852.00
120	274.00	539.00	765.00	926.00	942.00	314.00	612.00	808.00	957.00	1048.00
150	330.00	644.00	938.00	1090.00	1187.00	370.00	737.00	998.00	1114.00	1268.00
185	405.00	777.00	1152.00	1374.00	1461.00	452.00	890.00	1223.00	1410.00	1594.00
240	464.00	1033.00	1474.00	1661.00	1901.00	558.00	1156.00	1546.00	1795.00	1996.00
300	579.00	1262.00	1776.00	2111.00	2276.00	687.00	1409.00	1880.00	2170.00	2476.00
400	726.00	1574.00	2260.00	2683.00	3079.00	866.00	1733.00	2473.00	2766.00	3210.00
500	1004.00					1118.00				
630	1193.00					1303.00				
800	1601.00					1715.00				
1000	2059.00					2167.00				

### EXTRAS FOR SPECIAL CONSTRUCTION:

Cable Size (Sq.mm)	Inner Sheath	FRLS Loading Factor		LSZH	
		Outer Sheath	Outer Sheath	Inner Sheath	Outer Sheath
a) Round Wire Armouring					
- 2 x 16 & above	25.00%		Armd.	Unarmd.	
- 3 x 16 & 3.5CX25 & above	25.00%	Power (Al.)			
- 4 x 10 & above	25.00%	Upto 16	10.0%	7.5%	15.0%
- For Single core 95 & above	25.00%	25 - 50	7.5%	7.5%	10.0%
b) Stranding 10 sq.mm and below	10.00%	70 & above	5.0%	5.0%	7.5%
c) Extruded PVC Innersheath Up 50	5.00%	Power Single Core (Al.)			
Extruded PVC Innersheath 70 & Above	2.50%	Upto 16	-N.A-	10.0%	20.0%
d) HR PVC Insulation	10.00%	25 - 70	-N.A-	10.0%	15.0%
e) HR PVC Inner Sheath	5.00%	95 & above	-N.A-	7.5%	12.5%
f) HR PVC Outer Sheath	5.00%				-N.A-
g) Oxygen Index (FR)	2.50%				17.5%
h) PVC Cables	8.00%				

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED ( MUMBAI )

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : manoj.kakkar@kei-ind.com



## PRICE LIST MAY 2021

CU UNARMoured / ARMoured

W.E.F : 01.05.2021

"KEI" BRAND Power/Control Copper Cables,Solid Copper conductor,XLPE Insulated,cores laid up, PVC tape innersheathed,Unarmoured/Armour(Glavanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm,2x16 sqmm, 3x10 sqmm,4x10 sqmm balance all galvanised steel strip),extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		194.00	271.00		340.00		229.00	301.00		390.00
6		277.00	389.00		496.00		314.00	421.00		568.00
10		479.00	656.00		775.00		497.00	679.00		855.00
16	370.00	629.00	925.00		1180.00	442.00	688.00	965.00		1265.00
25	556.00	1054.00	1451.00	1570.00	1854.00	638.00	1089.00	1536.00	1788.00	1974.00
35	740.00	1410.00	1939.00	2242.00	2776.00	842.00	1484.00	2073.00	2377.00	2926.00
50	1019.00	1898.00	2702.00	3123.00	3562.00	1139.00	1972.00	2872.00	3260.00	3810.00
70	1427.00	2544.00	3869.00	4538.00	5318.00	1584.00	2752.00	4077.00	4718.00	5558.00
95	1953.00	3471.00	5643.00	6493.00	7291.00	2045.00	3678.00	5763.00	6525.00	7548.00
120	2463.00	4367.00	6895.00	8586.00	9332.00	2558.00	4510.00	7375.00	8725.00	9760.00
150	3090.00	5465.00	8095.00	9851.00	11157.00	3198.00	5648.00	8457.00	10211.00	11393.00
185	3828.00	6742.00	10247.00	12369.00	14160.00	3911.00	6992.00	10877.00	13087.00	14235.00
240	4931.00	8632.00	13897.00	15848.00	18718.00	4986.00	9007.00	14450.00	16400.00	18903.00
300	6202.00	10755.00	16820.00	19480.00	22527.00	6298.00	11407.00	17775.00	20500.00	23668.00
400	8155.00	14356.00	22047.00	25697.00	30797.00	8449.00	15519.00	24006.00	27954.00	32881.00
500	10380.00					10450.00				
630	13067.00					13136.00				
800	16552.00					16628.00				
1000	20692.00					20901.00				

### CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
	2	92.00	136.00	125.00		176.00	12	383.00	641.00
3	121.00	182.00	159.00	218.00	14	426.00	760.00	515.00	799.00
4	155.00	238.00	193.00	272.00	16	507.00	864.00	572.00	901.00
5	192.00	293.00	234.00	327.00	19	599.00	995.00	670.00	1032.00
6	216.00	332.00	262.00	387.00	24	760.00	1259.00	839.00	1295.00
7	247.00	398.00	290.00	438.00	27	838.00	1393.00	931.00	1447.00
8	296.00	458.00	336.00	503.00	30	981.00	1507.00	1024.00	1624.00
10	367.00	521.00	406.00	574.00	37	1182.00	1862.00	1246.00	1990.00

### EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

- A) Tinning 3.00%
- B) Stranding (Upto 6 SQ.MM ) 4.00%
- C) Extruded Innersheath 2.50%
- D) Round Wire Armouring
  - 1C x 95 sq. mm & above 7.50%
  - 1.5 sq.mm - 16 core & above 15.00%
  - 2.5 sq.mm - 10 core & above 15.00%
  - 16 sq.mm - 4 core & above 15.00%
  - 25 sq.mm - 2 core & above 15.00%
  - 16 sq.mm - 3 core & above 15.00%

- E) HR PVC INSULATION 7.00%
- F) OXYGEN INDEX (FR) 2.50%
- G) HR PVC INSU/I.SH/O.SH. 5.00% ( Each )
- H) FRLS Loading-**Power Cable** upto 6sq mm - 7.50%
- FRLS Loading-**Power Cable** 10 sq mm and above - 4.00%
- I) PVC Cables 5%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	5.0%	6.0%	7.5%	15.0%	15.0%
5 - 10	5.0%	4.0%	7.5%	15.0%	15.0%
12 & Above	5.0%	4.0%	7.5%	12.5%	12.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## KEI INDUSTRIES LIMITED ( MUMBAI )

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093.  
Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : manoj.kakkar@kei-ind.com



### PRICE LIST MAY 2021

W.E.F : 01.05.2021

**"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE ( 0.3KA FOR 1 SEC), EXTRUDED PVC INNER SHEATHED , AL FLAT STRIP ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.**

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEFaY					
	3.3 KV E	6.6 KV ( E ) / 3.3 KV ( UE )	6.6 KV (UE) 11 KV( E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		799.00	878.00	994.00	1018.00	1309.00
300		915.00	1008.00	1133.00	1159.00	1547.00
400		1113.00	1208.00	1345.00	1375.00	1776.00
500		1420.00	1473.00	1690.00	1690.00	2092.00
630		1715.00	1762.00	1997.00	1997.00	2432.00
800		2133.00	2162.00	2391.00	2391.00	2879.00
1000		2523.00	2771.00	2964.00	2964.00	3522.00

#### EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Page 03 of 05

KEI WIRES & CABLES



# KEI INDUSTRIES LIMITED ( MUMBAI )

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093.  
Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : manoj.kakkar@kei-ind.com



## PRICE LIST MAY 2021

W.E.F : 01.05.2021

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE ( 0.3KA FOR 1 SEC ) , EXTRUDED PVC INNER SHEATHED, **AL ROUND WIRE ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEWαY					
	3.3 KV E	6.6 KV ( E ) / 3.3 KV ( UE )	6.6 KV (UE) 11 KV( E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		838.00	922.00	1047.00	1072.00	1379.00
300		966.00	1063.00	1192.00	1220.00	1631.00
400		1173.00	1271.00	1415.00	1446.00	1865.00
500		1496.00	1547.00	1777.00	1777.00	2204.00
630		1808.00	1854.00	2099.00	2099.00	2560.00
800		2243.00	2274.00	2518.00	2518.00	3030.00
1000		2656.00	2919.00	3117.00	3117.00	3694.00

### EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED ( MUMBAI )

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093.  
Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : manoj.kakkar@kei-ind.com



## PRICE LIST MAY 2021

W.E.F : 01.05.2021

**"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE ( 0.3ka FOR 1 SEC ), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.**

(Rate in Rs. Per Metre)

Cable Size in sq.mm	3 CORE HT XLPE					
	A2XCEFV					
	3.3 KV E	6.6 KV ( E ) / 3.3 KV ( UE )	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
35			794.00			
50			911.00			
70		1017.00	1083.00			
95		1186.00	1296.00	1713.00	1796.00	2374.00
120		1398.00	1496.00	1969.00	2032.00	2606.00
150		1591.00	1677.00	2169.00	2271.00	2878.00
185		1846.00	1959.00	2462.00	2560.00	3188.00
240		2246.00	2358.00	2900.00	3005.00	3634.00
300		2688.00	2796.00	3352.00	3455.00	4104.00
400		3339.00	3415.00	3971.00	4144.00	4775.00

### EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7<sup>th</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277

uday.sawant@kei-ind.com / swapnil.kanekar@kei-ind.com



PRICE LIST : 22<sup>nd</sup> JUNE 2021

LP NO. KEI/W&F/LP/21-22/03 DT.22.06.2021

INDUSTRIAL MULTI STRAND CABLES

HSN CODE : 85.44.60.20

**KEI HOMECAB** - FR PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES - FLAME RETARDANT (FR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	RATE PER 90M COIL	STANDARD PACKING FOR 90MTR.	RATE PER 180M COIL	STANDARD PACKING FOR 180MTR.	RATE PER MTR
0.50	16/0.20	4	930	28	1860	12	10.33
0.75	24/0.20	7	1260	28	2520	12	14.00
1.00	32/0.20	11	1650	24	3300	12	18.33
1.50	30/0.25	14	2420	16	4840	8	26.89
2.50	50/0.25	19	3865	12	7730	6	42.94
4.00	56/0.30	26	5715	8	11430	4	63.50
6.00	84/0.30	31	8660	6	17320	3	96.22
10.00	80/0.40	42	15380	1			170.89
16.00	126/0.40	57	23970	1			266.33

**KEI CONFLAME** - FRLSH PVC INSULATED INDUSTRIAL SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES WITH FLAME RETARDANT LOW SMOKE (FRLSH) PROPERTIES, WITH FLEXIBLE BRIGHT ANNEALED BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	RATE PER 90M COIL	STANDARD PACKING FOR 90MTR.	RATE PER 180M COIL	STANDARD PACKING FOR 180MTR.	RATE PER MTR
0.50	16/0.20	4	1020	28	2040	12	11.33
0.75	24/0.20	7	1290	28	2580	12	14.33
1.00	32/0.20	11	1720	24	3440	12	19.11
1.50	30/0.25	14	2520	16	5040	8	28.00
2.50	50/0.25	19	4060	12	8120	6	45.11
4.00	56/0.30	26	5985	8	11970	4	66.50
6.00	84/0.30	31	9010	6	18020	3	100.11
10.00	80/0.40	42	16180	1			179.78
16.00	126/0.40	57	25270	1			280.78

**KEI BANFIRE** - SINGLE CORE, UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - ZERO HALOGEN FLAME RETARDANT (ZHFR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	RATE PER 90M COIL	STANDARD PACKING FOR 90MTR.	RATE PER 180M COIL	STANDARD PACKING FOR 180MTR.	RATE PER MTR
0.75	24/0.20	7	1370	28	2740	12	15.22
1.00	32/0.20	11	1840	24	3680	12	20.44
1.50	30/0.25	14	2645	16	5290	8	29.39
2.50	50/0.25	19	4190	12	8380	6	46.56
4.00	56/0.30	26	6080	8	12160	4	67.56
6.00	84/0.30	31	9200	6	18400	3	102.22
10.00	80/0.40	42	16560	1			184.00
16.00	126/0.40	57	25720	1			285.78

**Notes:**

- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.
- Standard colours in Building wires are RED / BLACK / BLUE / YELLOW / GREEN.
- FR / FRLSH & ZHFR wires are supplied in standard lengths of 90M Coils & 180M Coils packed in Master Cartons.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- For other Colours or Lengths please contact our Marketing Department.
- This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7<sup>th</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277  
uday.sawant@kei-ind.com / swapnil.kanekar@kei-ind.com



PRICE LIST : 22<sup>nd</sup> JUNE 2021

LP NO. KEI/W&F/LP/21-22/03 DT.22.06.2021

PVC INSULATED INDUSTRIAL FLEXIBLE SINGLE & MULTI CORE CABLES

HSN CODE : 85.44.60.20

**KEI FLEXIBLE FR PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES FLAME RETARDANT (FR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.**

(Rate in Rs. Per 100 Mtrs)

SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	STD. PACK OF 100 MTR COIL	SINGLE CORE FR	SINGLE CORE HRFR 105 Deg	SINGLE CORE FRLSH	SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	SINGLE CORE FR	SINGLE CORE HRFR 105 Deg	SINGLE CORE FRLSH
0.5	16/0.20	4	24	1040	1095	1120	35	276/0.4	110	58850	60820	61710
0.75	24/0.20	7	24	1400	1430	1435	50	396/0.4	145	85620	86870	87610
1.0	32/0.20	12	20	1835	1910	1910	70	354/0.5	200	119980	121720	122630
1.5	30/0.25	16	16	2690	2790	2800	95	484/0.5	235	158030	161240	162440
2.5	50/0.25	22	12	4295	4490	4510	120	608/0.5	270	202090	205670	208360
4.0	56/0.30	29	8	6350	6590	6650	150	750/0.5	310	253250	257800	259740
6	84/0.30	37	4	9620	10035	10010	185	925/0.5	360	306940	313010	315620
10	80/0.40	51	1	17090	17720	17980	240	1210/0.5	425	405170	412790	416870
16	126/0.40	68	1	26630	27925	28080	300	1527/0.5	490	504970	514100	519570
25	196/0.40	86	1	42130	43560	44190	400	2036/0.5	590	668490	670540	676650

**KEI FLEXIBLE PVC INSULATED MULTICORE FR PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.**

SQ.MM	COND. CONST. (NO./DIA.MM)	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.5	16/0.20	3130	4130	5130	6970	8070	8810	13670	15790	18010	20550	23730	30350
0.75	24/0.20	4240	5410	6970	9610	10970	12110	18410	21390	24700	28150	32690	41750
1.0	32/0.20	4670	6390	8390	11200	13300	14930	22610	26150	30210	34470	39940	50930
1.5	30/0.25	6390	8910	11520	15640	18310	20530	30530	35920	41600	47500	55190	70630
2.5	50/0.25	10360	14350	18800	24790	29310	32730	48340	57240	66930	76010	88980	113610
4.0	56/0.3	16140	23340	30040	40690	46610	54000	79450	94210	109270	124320	146010	187640

6	84/0.3	23780	33810	45090	58590	
10	80/0.4	39770	57080	75320	99200	
16	126/0.4	61240	87740	115820		
25	196/0.4		141900	186260		
35	276/0.4		197310	257310		
50	396/0.4		282560	369370		
70	354/0.5		389910	513050		
95	484/0.5		0	678830		
120	608/0.5					

**Note :**

**KEI 3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS**

(Rate in Rs. Per 100 Mtrs)

SQ. MM	COND. CONST. (NO./DIA.MM)	RATE
1.5	30/0.25	9350
2.5	50/0.25	14460
4	56/0.3	21800
6	84/0.3	32610
10	80/0.4	53870
16	126/0.4	85130
25	196/0.4	128570

- FRLS Loading - 3% Extra for Multi Core Flexible Cables.**
- KEI 3 Core Flat Submersible Cables PVC Insulated & Sheathed with XLPE can be supplied at the same rates as PVC insulated cables.
- Packing for 3 Core Flat Submersible Cables :**
  - Cables upto 4sqmm are supplied in 500Mtr/1000Mtr drums.
  - Cables from 6sqmm to 25sqmm are supplied in 500Mtr drums.
  - Cables of 1.5sqmm, 2.5sqmm & 4sqmm are also supplied in 300Mtr coil.
- Packing for Single & Multi Core Round Wire Flexible cables :**
  - Single Core Flexible cables upto 6sqmm are supplied in Master Carton as shown above.
  - Single Core 10sqmm and above will be supplied in single coil packing.
  - Single Core 120sqmm and above & Multicore 6sqmm & above available in coil packing.

- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED ( MUMBAI )

Nirvan Corporate, 7<sup>TH</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : manoj.kakkar@kei-ind.com



## PRICE LIST : JUNE-2021

PV SOLAR CABLES - PV1-F / H1Z2Z2-K / 2XY

W.E.F : 24.06.2021

### RATE (Rs.) PER MTR

SIZE (AREA SQ.MM)	STANDARD PACKING MTRS.	"KEI" Make, 1500 V DC. Flexible (Class 5) Circular Tinned Copper Conductor, Extruded XLPO Insulated, and Overall Extruded XLPO Outersheathed Cables Conforming to TUV Standard 2 Pfg 1169/08.2007 & BS EN 50618.			"KEI" Make 1500V DC. Plain Flexible Copper Conductor XLPE Insulated and UV Stabilized PVC Sheathed Single Core PV Cables.	
		Current Carrying (Amps) Capacity @ Amb. 60 Deg.C. single cable in air	TUV 2 Pfg 1169/08.2007 PV1-F	EN/BSEN 50618 H1Z2Z2-K	Current Carrying (Amps) Capacity @ Amb. 40 Deg.C. single cable in air	XLPE/PVC 2XY
1.50	1000	30	37.22	42.57	25	34.96
2.50	1000	41	56.45	62.51	35	53.26
4	1000	55	77.73	84.11	45	74.03
6	1000	70	115.16	122.46	58	110.02
10	1000	98	188.06	196.18	80	179.83
16	1000	132	294.78	307.43	106	283.06
25	1000	176	----	503.41	135	467.93
35	1000	218	----	695.47	173	650.23
50	1000	276	----	986.56	226	925.48
70	1000	347	----	1358.25	336	1286.69
95	1000	416	----	1826.08	406	1740.74
120	1000	488	----	2296.28	476	2195.62
150	500	566	----	2868.16	555	2741.90
185	500	644	----	3543.38	649	3381.96
240	500	775	----	4577.65	781	4380.23

#### Notes:

- Discount on above rates is applicable as per Policy.
- GST and any other tax/levy will be charged extra, at actuals. **HSN - 85446090**
- Technical data sheets are available on request.
- Minimum Order Qty shall be - up to 35 sq.mm 2kms & all above 1km against each size & colour.
- Packing Lengths - 100 Mtrs / 250 Mtrs in Coils & 1000 Mtrs in spool.
- Freight as per W&F policy and for North East Freight will be extra at actual.
- This Price List is subject to change without prior notice.

KEI WIRES & CABLES



## INSTRUMENTATION CABLES PRICE LIST MAY-2021

Stranded/Solid Plain Copper, PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al Mylar/Drain Wire, PVC Inner Sheathed GI Round/Strip Armoured & Outer Sheathed Instrumentation Cable.

### OVERALL SHIELED - ARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
CORE	2	0.5	105	0.75	121	1	136	1.5	163	2.5	223
CORE	3	0.5	125	0.75	151	1	171	1.5	212	2.5	294
CORE	4	0.5	141	0.75	169	1	199	1.5	249	2.5	355
CORE	5	0.5	157	0.75	194	1	229	1.5	291	2.5	424
CORE	6	0.5	177	0.75	223	1	268	1.5	336	2.5	502
CORE	7	0.5	191	0.75	245	1	294	1.5	384	2.5	574
CORE	8	0.5	215	0.75	275	1	332	1.5	438	2.5	651
CORE	10	0.5	249	0.75	325	1	397	1.5	527	2.5	800
CORE	12	0.5	281	0.75	369	1	452	1.5	611	2.5	907
CORE	14	0.5	320	0.75	413	1	516	1.5	712	2.5	1069
CORE	16	0.5	350	0.75	461	1	575	1.5	788	2.5	1195
CORE	19	0.5	396	0.75	526	1	667	1.5	901	2.5	1413
CORE	24	0.5	479	0.75	634	1	804	1.5	1116	2.5	1761
PAIR	1	0.5	105	0.75	121	1	136	1.5	163	2.5	223
PAIR	2	0.5	153	0.75	185	1	213	1.5	263	2.5	375
PAIR	3	0.5	185	0.75	230	1	275	1.5	345	2.5	510
PAIR	4	0.5	220	0.75	280	1	338	1.5	443	2.5	663
PAIR	5	0.5	255	0.75	330	1	400	1.5	535	2.5	812
PAIR	6	0.5	293	0.75	380	1	465	1.5	625	2.5	943
PAIR	7	0.5	323	0.75	420	1	525	1.5	720	2.5	1080
PAIR	8	0.5	360	0.75	475	1	590	1.5	798	2.5	1215
PAIR	10	0.5	433	0.75	570	1	715	1.5	973	2.5	1495
PAIR	12	0.5	490	0.75	640	1	833	1.5	1140	2.5	1760
PAIR	14	0.5	540	0.75	748	1	945	1.5	1318	2.5	2028
PAIR	16	0.5	615	0.75	825	1	1068	1.5	1470	2.5	2305
PAIR	19	0.5	700	0.75	975	1	1243	1.5	1720	2.5	2700
PAIR	24	0.5	875	0.75	1223	1	1548	1.5	2163	2.5	3393
TRIAD	1	0.5	127	0.75	153	1	173	1.5	214	2.5	296
TRIAD	2	0.5	212	0.75	262	1	291	1.5	377	2.5	545
TRIAD	3	0.5	262	0.75	331	1	379	1.5	497	2.5	736
TRIAD	4	0.5	315	0.75	406	1	473	1.5	625	2.5	927
TRIAD	5	0.5	363	0.75	482	1	561	1.5	756	2.5	1127
TRIAD	6	0.5	418	0.75	558	1	657	1.5	874	2.5	1324
TRIAD	7	0.5	462	0.75	618	1	735	1.5	985	2.5	1507
TRIAD	8	0.5	520	0.75	680	1	823	1.5	1117	2.5	1720
TRIAD	10	0.5	617	0.75	842	1	999	1.5	1375	2.5	2120
TRIAD	12	0.5	702	0.75	969	1	1170	1.5	1606	2.5	2510
TRIAD	14	0.5	798	0.75	1107	1	1339	1.5	1845	2.5	2890
TRIAD	16	0.5	885	0.75	1233	1	1504	1.5	2090	2.5	3277
TRIAD	19	0.5	1022	0.75	1432	1	1751	1.5	2442	2.5	3843
TRIAD	24	0.5	1265	0.75	1792	1	2191	1.5	3075	2.5	4836

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7<sup>TH</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277  
manoj.kakkar@kei-ind.com



## INSTRUMENTATION CABLES PRICE LIST MAY-2021

Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad/Quad laid up together with Al Mylar/Drain Wire Unrmoured PVC Outer Sheathed Instrumentation Cable.

### OVERALL SHIELDED - UNARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	1	0.5	66	0.75	80	1	95	1.5	113	2.5	156
PAIR	2	0.5	105	0.75	130	1	156	1.5	220	2.5	299
PAIR	3	0.5	137	0.75	174	1	220	1.5	285	2.5	427
PAIR	4	0.5	156	0.75	220	1	285	1.5	363	2.5	553
PAIR	5	0.5	206	0.75	270	1	397	1.5	441	2.5	682
PAIR	6	0.5	235	0.75	299	1	427	1.5	538	2.5	804
PAIR	7	0.5	254	0.75	345	1	441	1.5	599	2.5	931
PAIR	8	0.5	285	0.75	381	1	521	1.5	682	2.5	1060
PAIR	10	0.5	345	0.75	491	1	631	1.5	854	2.5	1324
PAIR	12	0.5	414	0.75	565	1	744	1.5	1011	2.5	1560
PAIR	14	0.5	457	0.75	650	1	854	1.5	1152	2.5	1797
PAIR	16	0.5	538	0.75	725	1	979	1.5	1324	2.5	2051
PAIR	19	0.5	616	0.75	866	1	1136	1.5	1546	2.5	2412
PAIR	24	0.5	759	0.75	1073	1	1417	1.5	1943	2.5	3059
TRIAID	1	0.5	88	0.75	99	1	126	1.5	154	2.5	226
TRIAID	2	0.5	145	0.75	178	1	221	1.5	286	2.5	424
TRIAID	3	0.5	194	0.75	237	1	301	1.5	397	2.5	600
TRIAID	4	0.5	239	0.75	298	1	386	1.5	508	2.5	784
TRIAID	5	0.5	288	0.75	361	1	472	1.5	625	2.5	973
TRIAID	6	0.5	336	0.75	427	1	555	1.5	744	2.5	1153
TRIAID	7	0.5	381	0.75	482	1	632	1.5	850	2.5	1327
TRIAID	8	0.5	431	0.75	551	1	721	1.5	979	2.5	1513
TRIAID	10	0.5	528	0.75	679	1	902	1.5	1212	2.5	1881
TRIAID	12	0.5	616	0.75	804	1	1061	1.5	1431	2.5	2231
TRIAID	14	0.5	704	0.75	925	1	1222	1.5	1652	2.5	2583
TRIAID	16	0.5	806	0.75	1047	1	1388	1.5	1881	2.5	2951
TRIAID	19	0.5	940	0.75	1224	1	1628	1.5	2208	2.5	3480
TRIAID	24	0.5	1175	0.75	1537	1	2043	1.5	2797	2.5	4383

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7<sup>TH</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
 Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277  
 manoj.kakkar@kei-ind.com



## INSTRUMENTATION CABLES PRICE LIST MAY-2021

Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire PVC Inner sheathed, GI Steel Wire Round/Strip Armoured PVC Outer Sheathed Instrumentation Cables

### INDIVIDUAL & OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr
PAIR	2	0.5	211	0.75	235	1	268	1.5	327	2.5	451
PAIR	3	0.5	271	0.75	302	1	353	1.5	435	2.5	613
PAIR	4	0.5	324	0.75	369	1	431	1.5	545	2.5	758
PAIR	5	0.5	378	0.75	434	1	515	1.5	632	2.5	915
PAIR	6	0.5	418	0.75	505	1	582	1.5	746	2.5	1066
PAIR	7	0.5	476	0.75	558	1	665	1.5	841	2.5	1212
PAIR	8	0.5	542	0.75	616	1	744	1.5	952	2.5	1382
PAIR	10	0.5	640	0.75	753	1	907	1.5	1165	2.5	1696
PAIR	12	0.5	715	0.75	875	1	1038	1.5	1360	2.5	1940
PAIR	14	0.5	828	0.75	985	1	1201	1.5	1552	2.5	2295
PAIR	16	0.5	930	0.75	1109	1	1349	1.5	1750	2.5	2597
PAIR	19	0.5	1063	0.75	1274	1	1558	1.5	2044	2.5	3035
PAIR	24	0.5	1324	0.75	1601	1	1958	1.5	2578	2.5	3818
TRIAD	2	0.5	259	0.75	299	1	338	1.5	421	2.5	581
TRIAD	3	0.5	324	0.75	383	1	442	1.5	560	2.5	794
TRIAD	4	0.5	395	0.75	474	1	549	1.5	688	2.5	1009
TRIAD	5	0.5	463	0.75	561	1	658	1.5	840	2.5	1238
TRIAD	6	0.5	536	0.75	640	1	756	1.5	984	2.5	1453
TRIAD	7	0.5	592	0.75	714	1	848	1.5	1113	2.5	1651
TRIAD	8	0.5	662	0.75	820	1	963	1.5	1271	2.5	1884
TRIAD	10	0.5	796	0.75	991	1	1179	1.5	1559	2.5	2341
TRIAD	12	0.5	921	0.75	1152	1	1378	1.5	1821	2.5	2744
TRIAD	14	0.5	1038	0.75	1309	1	1582	1.5	2102	2.5	3161
TRIAD	16	0.5	1167	0.75	1476	1	1775	1.5	2378	2.5	3587
TRIAD	19	0.5	1352	0.75	1715	1	2082	1.5	2796	2.5	4203
TRIAD	24	0.5	1696	0.75	2158	1	2627	1.5	3493	2.5	5319

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7<sup>TH</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
 Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277  
 manoj.kakkar@kei-ind.com



## INSTRUMENTATION CABLES PRICE LIST MAY-2021

Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire Unarmoured PVC Outer Sheathed Instrumentation Cable.

### INDIVIDUAL & OVERALL SHIELDED - UNARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr
PAIR	2	0.5	137	0.75	156	1	192	1.5	235	2.5	332
PAIR	3	0.5	174	0.75	220	1	270	1.5	332	2.5	475
PAIR	4	0.5	220	0.75	270	1	332	1.5	427	2.5	616
PAIR	5	0.5	270	0.75	332	1	414	1.5	521	2.5	759
PAIR	6	0.5	317	0.75	397	1	491	1.5	616	2.5	902
PAIR	7	0.5	363	0.75	441	1	553	1.5	694	2.5	1027
PAIR	8	0.5	414	0.75	505	1	631	1.5	804	2.5	1184
PAIR	10	0.5	505	0.75	631	1	789	1.5	995	2.5	1450
PAIR	12	0.5	587	0.75	744	1	916	1.5	1164	2.5	1735
PAIR	14	0.5	694	0.75	854	1	1073	1.5	1356	2.5	2003
PAIR	16	0.5	775	0.75	964	1	1202	1.5	1546	2.5	2287
PAIR	19	0.5	902	0.75	1136	1	1417	1.5	1814	2.5	2699
PAIR	24	0.5	1136	0.75	1417	1	1783	1.5	2287	2.5	3393
TRIAID	2	0.5	187	0.75	211	1	257	1.5	324	2.5	467
TRIAID	3	0.5	249	0.75	288	1	355	1.5	449	2.5	660
TRIAID	4	0.5	315	0.75	369	1	457	1.5	585	2.5	866
TRIAID	5	0.5	381	0.75	446	1	555	1.5	712	2.5	1065
TRIAID	6	0.5	442	0.75	526	1	658	1.5	856	2.5	1265
TRIAID	7	0.5	502	0.75	599	1	753	1.5	979	2.5	1453
TRIAID	8	0.5	570	0.75	692	1	866	1.5	1116	2.5	1660
TRIAID	10	0.5	712	0.75	852	1	1069	1.5	1382	2.5	2074
TRIAID	12	0.5	836	0.75	1000	1	1260	1.5	1631	2.5	2462
TRIAID	14	0.5	959	0.75	1152	1	1453	1.5	1887	2.5	2850
TRIAID	16	0.5	1080	0.75	1306	1	1650	1.5	2144	2.5	3239
TRIAID	19	0.5	1265	0.75	1530	1	1939	1.5	2538	2.5	3792
TRIAID	24	0.5	1585	0.75	1935	1	2452	1.5	3191	2.5	4803

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7<sup>TH</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 022 2825 8277

E-mail : uday.sawant@kei-ind.com / swapnil.kanekar@kei-ind.com



### CO-AXIAL & COMMUNICATION CABLES

PRICE LIST : 24th JUNE 2021

LP NO. KEI/COMM/LP/21-22/04 DT. 24.06.2021

#### KEI INDUSTRIAL JELLY FILLED CO AXIAL CABLES

KEI, Solid high conductivity copper, Polyethylene Foam insulation with laminated aluminum tape and Aluminium wire braid, Jelly filled Black PVC oversheathed Co Axial Cables.

SIZE	100 Mtr. Packing	305 Mtr. Packing
RG-59	2250	6860
RG-6 CU	2890	8810
RG-6 CCS	1985	6050
RG-11 CU	6570	20040
RG-11 CCS	3870	11800

#### KEI LAN (COMPUTER) & CCTV (4+1) CABLES

KEI 4 pair Unshielded Twisted Pair (UTP) LAN Cables

SIZE	100 Mtr. Packing	305 Mtr. Packing
CAT 6	-	12795
CCTV (4+1)	5130	-

#### KEI TELEPHONE CABLES

KEI Solid high conductivity copper telephone (switchboard) cables with high density polyethylene insulation, paired, polyster and sheathed with Grey coloured PVC compound telephone cables generally conforming to ITD specification.

No. of Pairs	Size - mm	100 Mtr. Packing	Size - mm	100 Mtr. Packing
1 Pair	0.40	740	0.50	1033
2 Pair	0.40	1285	0.50	1828
3 Pair	0.40	1900	0.50	2690
4 Pair	0.40	2435	0.50	3530
5 Pair	0.40	2990	0.50	4400
10 Pair	0.40	5990	0.50	8510

#### Notes:

- GST and any other tax/levy will be charged extra, at actuals. Freight as per W&F Policy.
- Please refer to our Marketing Department for Communication Cables, not covered above.
- For other Colours or Lengths please contact our Marketing Department.
- This Price List is subject to change without prior notice.