



Myrius™
More is on.

 **legrand®**
— ■ IDEAS THAT CLICK





Be it a couple of extra zeroes to
a pay cheque or one more holiday to the list.
Be it one more pair of shoes
to the collection or just requesting for
one more song at a party. It's natural
for humans to always expect something more.

At Legrand, we always stand true to our
philosophy of 'Listen, Design, Make and
Support'. It is this thinking that helps us
believe that the more one gets the better it is.
Which is why, Legrand's Myrius range of
wiring devices has a lot more to offer.





More Aesthetics

Flat, sleek and smooth, Myrius is the preferred choice to give every wall an artistic touch. It was conceived with curved edges that give it a distinct and appealing look. Moreover, its minimalistic design makes it look absolutely stunning and desirable. But what makes Myrius truly beautiful is a classic black and white shade that offers an aura of comfort and timelessness.





Black Beauty

A mystic black shade with a grainy matte finish truly complements any decor.



Snowy White

Its gleaming white shade and a perfect glossy finish adds to a soothing decor.

NEW RANGE OF PLATES



This gleaming, pristine, white piece of beauty with curved edges adds a touch of class to any decor that it's a part of.



This black beauty with a matte finish has curvy edges with a flat sleek body. The perfect finishing touch to any decor.



More Simple

Myrius was crafted with one thing in mind, to make your life much easier. That is why, we've incorporated the world's best technology and the finest engineering into it. Now just because it consists of complex technology doesn't mean that it is complicated to operate. We've carefully designed a simple user-interface on the outer side to make it convenient and easy to use.





Myrius™



More Durable

Myrius doesn't just look beautiful and attractive.

We have taken proper care to ensure it is of the highest quality. It consists of the finest materials that have been thoroughly tested for durability and endurance.

Moreover, the ISI marking on it guarantees a long-lasting performance.

More Value



Myrius's flawless designs and superior technology are well-suited for every home. It thus sets new standards of convenience and comfort, and that too in the most affordable way. With many more functions and attractive features, Myrius gives you more value for your money.






Myrius™



More Delight

Myrius is more than mere wiring devices. It brings along aesthetics in design, simplicity and durability in all its products. What's more? It also suits every pocket, making it the most preferred choice.

More delight



Remote control switch for light and fan

- Can control 4 lights & 1 fan
- 10 different speed options for fan
- Night lamp on product panel with manual operation option for all functions




TV/SAT/FM socket

- 3 in 1 socket for TV, SAT and FM
- 2 module unit with 3 inputs




VSP – Voltage Surge protectors

- Protects electrical devices like laptops, computers, printers and other office equipments from voltage surge
- Blends very well with the modular range of wiring devices
- Convenient to fit only where it is required, close to the primary sockets



Motor Starter

- For AC's / Geysers etc
- Complete protection against overload
- Aesthetically appealing Motor Starters



Dimmer

- Creates the perfect ambience
- For the first time dims CFLs too
- Dims halogen lamps




Fan regulator

- In-built safety capacitor that prevents from catching fire
- ISI marked fan regulator



Skirting light

- Fitted into the walls at skirting level
- Provides a dim lighting
- Creates a path light during night
- Uses LEDs that saves energy



Motion sensor

- Infrared detectors that detect human movements
- Programmed to automatically switch the device on and switch off when not in use, thus, saves energy

more
delight




More acceptance, always and everywhere.

Myrius range of wiring accessories is a classic creation to increase the customer's comfort and improve the work environment. This wide range of innovative products offers solutions for residential, commercial and hospitality projects, thus, making it a range that caters to everyone's needs.

Telephone Socket




Bell Push with Indicator



Light Switch




Infra-red Sensor



Skirting Light



Remote Control Unit



AV Connector




RJ 45 Data Socket




Projector Connector



Key Fob Switch



Do not disturb Switch




Shaver Socket



more
acceptance

General features



All indicators are fitted with LED Power Savers that are cost effective and save energy.




Child Safe Sockets. Sockets are shuttered for child's safety against electric shocks.




Light, Fan, Bell etc are marked on the switches for easy identification.




All products with ISI mark. Lasts for more than 1 lac operations.



Magic of Modularity. Myrius is a modular range, that offers ease of installation.

Anti-bacterial 



More Wellness

Myrius anti-bacterial products offer anti-bacterial protection. The composition of the product contains Ag+ ions which eliminates the proliferation of bacteria on contact with the surface of the product. It has a smooth and straight product design that facilitates in reducing the dust accumulation. It is self disinfecting throughout its lifespan.

Myrius™

switches and accessories - white



Pack	Cat.Nos	Switches	Number of modules	Pack	Cat.Nos	Switches	Number of modules
20/200	6730 00	6 A - 230 V~ 6 A Switch 1 W	1	20/200	6730 15	25 A - 230 V~ 25 A SP 1 W Switch with indicator	1
20/200	6730 01	6 A Switch 2 W	1	10/100	6730 16	32 A - 230 V~ 32 A DP Switch with indicator	2
20/200	6730 02	6 A Switch 1 W with indicator	1				
20/200	6730 03	6 A Switch 1 W with "Light" marking	1	20/200	6730 18	Push buttons 6 A Push button SP	1
20/200	6730 04	6 A Switch 1 W with "Fan" marking	1				
10/100	6730 05	10 A - 230 V~ 10 A Switch 1 W	2	20/200	6730 19	6 A Push button SP with indicator	1
10/100	6730 06	10 A Switch 2 W	2	20/200	6730 20	6 A Bell push	1
10/100	6730 17	10 A Intermediate switch	2	20/200	6730 21	6 A Bell push with indicator	1
10/100	6730 07	10 A Switch 1 W with indicator	2	10/100	6730 22	6 A Bell push	2
20/200	6730 08	16 A - 230 V~ 16 A Switch 1 W	1	10/100	6730 23	6 A Bell push with indicator	2
20/200	6730 09	16 A Switch 2 W	1	5/50	6732 44	Accessories for switches with indicator Lamp for switches / push buttons	
20/200	6730 10	16 A Switch 1 W with indicator	1				
20/200	6730 11	20 A - 230 V~ 20 A 1 W Switch	1				
10/100	6730 12	20 A DP 1 W Switch	2				
10/100	6730 13	20 A DP 1 W Switch with indicator	2				
10/100	6730 14	20 A 2 W Switch	2				

Bold catalogue numbers are products normally available with Legrand (India) stockists.

Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.

Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) stockists in multiples of the same.

Myrius™ energy sockets & power units - white



6730 41

6730 42

6730 44

6730 75

Pack	Cat.Nos	Socket	Number of modules
20/200	6730 41	6/16 A 2 Pin Euro US socket	1
5/50	6730 42	16 A 3 Pin switched socket	3
10/100	6730 43	Multistandard socket 6/10/13 A - 2/3 pin for 250 V AC 15 A for 127 V type - 2 pin	2
20/200	6730 44	6 A 5 Pin universal socket	2
5/50	6730 83	6/16 A socket	3
10/100	6730 45	6/16 A socket	2
10/100	6730 46	6/16 A - Euro socket	2
10/100	6730 47	25 A socket	2
Power unit			
1/10	6730 74	Power strip 6 A (2 nos.) + 16 A socket (1 no.) + 16 A switch with indicator (1 no.)	8
1/10	6730 75	Power strip 5 pin 6 A (3 nos.) + 16 A switch with indicator (1 no.)	8
1/10	6730 76	Power strip multistd socket (3 nos.) + 16 A switch (1 no.)	8

Myrius™ dimmer & regulators - white



6730 26

6730 29

0785 12

0785 71

Pack	Cat.Nos	Dimmer & regulator	Number of modules
1/5/50	6730 24	Rotary dimmer 400 W	1
1/10	6730 25	Rotary dimmer 650 W	3
1/10	6730 26	Compact fluorescent lamp dimmer	2
1/5/50	6730 27	Fan step regulator 100 W	1
1/10/100	6730 29	Fan step regulator 100 W	2
1/10/100	6730 28	Fan step regulator 120 W	2
1/10/100	6730 77	Fan step regulator for energy saving fans	2
Emergency light			
1/1	0785 12	Emergency light unit	2
Indicators			
1/1	0785 73	Triangular bulkhead - Blue	2
1/1	0785 71	Triangular bulkhead - Colourless	2
1/1	0785 72	Triangular bulkhead - Green	2
1/1	0785 70	Triangular bulkhead - Red	2

Myrius™

indicators, buzzer and detector - white



6730 36



6730 33



6730 34

Pack	Cat.Nos	Skirting light
1/5/25	6730 36	Skirting light with white LED

Pack	Cat.Nos	Bell indicator
20/200	6730 33	Bell indicator - 240 V~

Pack	Cat.Nos	Buzzer
20/200	6730 34	Buzzer - 230 V~

Pack	Cat.Nos	Sensor
1/10	6730 32	Infra red sensor - 300 W

Pack	Cat.Nos	Remote unit
1/5/20	6730 73	Remote control switch

Number of modules

3

1

1

2

4

Myrius™

access control (hospitality functions), sockets and connectors - white



6730 40



6730 50



6730 51



6730 52



6730 53



6730 56

Pack	Cat.Nos	Keyfob switch
1/10	6730 37	15 A key fob switch
1/10	6732 37	15 A key card switch - white
1/10/100	6730 38	Only key fob for switch Cat.No 6730 37 & 6732 37

Pack	Cat.Nos	"Do not disturb" and MMR control unit
10/100	6730 39	External unit
10/100	6730 40	Internal unit

Pack	Cat.Nos	Shaver socket
1/5/20	6730 49	Shaver Socket - 230 V / 120 - 230 V
1/5	6730 79	Shaver Socket - white 230 V / 120 - 230 V

Pack	Cat.Nos	TV socket
20/200	6730 50	TV Socket
10/100	6730 51	TV / Sat / FM - 6 shielded socket

Pack	Cat.Nos	Data & voice
20/200	6730 52	RJ-11 Telephone socket with transparent shutter
20/200	6730 53	RJ-11 Double telephone Socket with shutter
20/200	6730 54	UTP Cat 5e information outlets toolless system
20/200	6730 55	UTP Cat 6
10/100	6730 56	UTP Cat 6

Number of modules

Monobloc
with plate - 2 M

Monobloc
with plate - 2 M

1+1
1+1

Monobloc
with plate - 4 M

Monobloc
with plate - 4 M

1
2

1

1


1

1

2

Myrius™

connectors, controllers, protectors and accessories - white



6730 57 6730 58 6730 63 6730 31 6730 70 6730 60 6730 84 6730 86 6730 81 0787 00 6730 95

Pack	Cat.Nos	Audio & video connector	Number of modules
1/10	6730 57	3 x female RCA	1
10/100	6730 58	3 pole XLR sockets	2
1/10	6730 59	Female HD 15	2
Sound (Volume controller)			
1/10/100	6730 63	Suitable for 8 Ohms, 3 Watts (RNS) speaker	2
Motor starter			
1/10/100	6730 30	16 A Motor starter	2
1/10/100	6730 31	25 A Motor starter	2
RCBO			
1/1	6730 78	Single pole + Neutral - 30 mA, 16 A - 230 VA	2
VSP			
20/200	6730 70	Surge Filter (VSP) - 230 V~	1
Accessories			
20/200	6730 60	Cable outlet - 8 mm	1
20/200	6730 61	Blanking plate	1
10/100	6730 62	Blanking plate	2
10/200	0802 90	Panel mounting support	1
10/200	0802 91	Panel mounting support	2
10/100	0802 99	Din rail mounting support	2

Myrius™

anti-bacterial switches & accessories - white



6730 84 6730 86 6730 81 0787 00 6730 95

Pack	Cat.Nos	Myrius antibacterial switches & accessories - white	Number of modules
20/200	6730 84	6 A switch 1 W	1
20/200	6730 85	6 A switch 2 W	1
20/200	6730 86	6 A bell push	1
20/200	6730 89	16 A switch 1 way	1
20/200	6730 90	16 A switch 2 way	1
1/10/100	6730 92	Fan regulator 120 W	2
10/100	6730 93	Multistandard socket	2
20/200	6730 94	6 A 5 pin universal socket	2
5/50	6730 95	6/16 A socket	3
1/10	0787 00	Equipotential socket - antibacterial	1
20/200	6730 98	TV socket	1
20/200	6730 99	RJ 11 telephone socket	1
20/200	6730 81	RJ-45 cat 6 UTP	1
20/200	6730 82	Blanking plate	1
20/200	6732 45	1 Module plate + frame	1
20/200	6732 46	2 Module plate + frame	2
10/100	6732 47	3 Module plate + frame	3
10/100	6732 48	4 Module plate + frame	4
5/50	6732 49	8 Module plate + frame (horizontal)	8
5/25	6732 50	8 Module plate + frame (4 x 2)	8
1/10	6732 52	16 Module plate + frame	16



BTS Certificate available on request.

Myrius™

switches, energy sockets and accessories - black & red




Pack	Cat.Nos	Switches
		6 A - 230 V~
20/200	6731 00	6 A Switch 1 W
20/200	6731 01	6 A Switch 2 W
20/200	6731 02	6 A Switch 1 W with indicator
20/200	6731 03	6 A Switch 1 W with "Light" marking
20/200	6731 04	6 A Switch 1 W with "Fan" marking
		10 A - 230 V~
10/100	6731 05	10 A Switch 1 W
10/100	6731 06	10 A Switch 2 W
10/100	6731 17	10 A Intermediate switch
10/100	6731 07	10 A Switch 1 W with indicator
		16 A - 230 V~
20/200	6731 08	16 A Switch 1 way
20/200	6731 09	16 A Switch 2 way
20/200	6731 10	16 A Switch 1 way with indicator
		20 A - 230 V~
20/200	6731 11	20 A 1 W switch
10/100	6731 12	20 A 1 W DP switch
10/100	6731 13	20 A 1 W DP switch with indicator
10/100	6731 14	20 A 2 W switch
		25 A - 230 V~
20/200	6731 15	25 A SP 1 W switch with indicator
		32 A - 230 V~
10/100	6731 16	32 A DP switch with indicator

Number of modules	Pack	Cat.Nos	Push buttons	Number of modules
1	20/200	6731 18	6 A push button SP	1
1	20/200	6731 19	6 A push button SP with indicator	1
1	20/200	6731 20	6 A Bell push	1
1	20/200	6731 21	6 A Bell push with indicator	1
1	10/100	6731 22	6 A Bell push	2
1	10/100	6731 23	6 A Bell Push with indicator	2
			Accessories for switches with indicator	
2	5/50	6732 44	Lamp for switches / push buttons	
			Socket	
2	20/200	6731 41	6/16 A 2 Pin Euro US socket	1
2	5/50	6731 42	16 A 3 Pin switched socket	3
2	10/100	6731 43	Multistandard socket	2
2	20/200	6731 44	6 A 5 Pin with universal socket	2
2	5/50	6731 83	6/16 A socket	3
2	10/100	6731 45	6/16 A socket	2
2	10/100	6731 46	6/16 A - Euro socket	2
2	10/100	6731 47	25 A socket	2
			Red socket	
1	5/50	6730 48	16 A Switched socket	3

Myrius™

dimmer, regulators, switches and accessories - black



6731 27 6731 36 6731 33 6731 34 6731 32

Pack	Cat.Nos	Dimmers & regulators	Number of modules
1/5/50	6731 24	Rotary dimmer 400 W	1
1/10	6731 25	Rotary dimmer 650 W	3
1/10	6731 26	Compact fluorescent lamp dimmer (Universal load)	2
1/5/50	6731 27	Fan step regulator 100 W	1
1/10/100	6731 29	Fan step regulator 100 W	2
1/10/100	6731 28	Fan step regulator 120 W	2
1/10/100	6731 77	Fan step regulator for energy saving fans	2
Skirting light			
1/5/25	6731 36	Skirting light with white LED	3
Bell indicator			
20/200	6731 33	Bell indicator- 240 V~	1
Buzzer			
20/200	6731 34	Buzzer - 230 V~ sound level 72dB at 1 meter distance	1
Sensor			
1/10	6731 32	Infra red sensor - 300 W	2
Remote unit			
1/5/20	6731 73	Remote control switch	4

Myrius™

access control (hospitality functions), sockets and connectors - black



6731 40 6731 50 6731 51 6731 52 6731 53

Pack	Cat.Nos	Key fobe switch	Number of modules
1/10	6731 37	15 A key fob switch with timedelay 30 sec.	Monobloc with plate - 2 M 2
1/10	6732 67	15 A key fob switch - black	
1/10/100	6730 38	Only key fob for switch Cat.No 6731 37 & 6732 67	
"Do not disturb" and MMR control unit			
10/100	6731 39	External unit	1+1
10/100	6731 40	Internal unit	1+1
Shaver socket			
1/5/20	6731 49	Shaver socket - 220/240 V - 50/60 Hz	Monobloc with plate - 4 m Monobloc with plate - 4 m
1/5	6731 79	Shaver socket - black 230 V /120 - 230 V	
TV socket			
20/200	6731 50	TV Socket	1 2
10/100	6731 51	TV / Sat / FM - shielded socket 0 - 2400 MHz	
Data & voice			
20/200	6731 52	RJ-11 Telephone socket with transparent shutter	1
20/200	6731 53	RJ-11 Double telephone socket with shutter	1
20/200	6731 54	UTP Cat 5e - RJ 45 information outlets	1
20/200	6731 55	UTP Cat 6	1
10/100	6731 56	UTP Cat 6	2

Bold catalogue numbers are products normally available with Legrand (India) stockists. **Cat.Nos that are not bold** - delivery within 4 - 8 weeks from the date of order. **Bold packing quantity** is our mandatory packing. Orders to be placed by Legrand (India) stockists in multiples of the same.

Red catalogue numbers : new products

Myrius™

connectors, controllers, protectors and accessories - black



6731 59



6731 63



6731 70

Pack Cat.Nos Audio & video connector

1/10	6731 57	3 x female RCA
10/100	6731 58	3 pole XLR sockets
1/10	6731 59	Female HD 15

Sound

1/10/100	6731 63	Suitable for 8 Ohms, 3 Watts (RNS) speaker
----------	---------	--

Motor starter

1/10/100	6731 30	16 A Motor starter
1/10/100	6731 31	25 A Motor starter

VSP

20/200	6731 70	Surge filter (VSP) - 230 V~
--------	---------	-----------------------------

Accessories

20/200	6731 60	Cable outlet - 8 mm
20/200	6731 61	Blanking plate

Number of modules

1
2
2

2


2
2

1


1
1

Myrius™


plastic plates - white



6732 01



6732 02



6732 03



6732 11



6732 42

Pack Cat.Nos White plates with frame

20/200	6732 01	White plate - 1 module
20/200	6732 02	White plate - 2 modules
10/100	6732 03	White plate - 3 modules
10/100	6732 04	White plate - 4 modules
5/50	6732 06	White plate - 6 modules
5/50	6732 08	White plate - 8 modules (Horizontal)
5/25	6732 09	White plate - 8 modules (4 x 2)
1/10	6732 12	White plate - 12 modules
1/10	6732 16	White plate - 16 modules
1/10	6732 18	White plate - 18 modules

Dimensions (mm) H x W

86 x 86
86 x 86
86 x 121
86 x 146
86 x 224
86 x 245
172 x 146
172 x 224
172 x 227
240 x 224

New white plates with frame*

20/200	6732 11	1 module plate + Frame
20/200	6732 42	2 module plate + Frame
10/100	6732 13	3 module plate + Frame
10/100	6732 14	4 module plate + Frame
5/50	6732 66	6 module plate + Frame
5/50	6732 68	8 module plate + Frame (Horizontal)
5/25	6732 69	8 module plate + Frame (4 x 2)
1/10	6732 62	12 module plate + Frame
1/10	6732 56	16 module plate + Frame
1/10	6732 58	18 module plate + Frame

86 x 86
86 x 86
86 x 121
86 x 146
86 x 224
86 x 245
172 x 146
172 x 224
172 x 227
240 x 224

* The new plate range will be introduced shortly.

Bold catalogue numbers are products normally available with Legrand (India) stockists. **Cat.Nos that are not bold** - delivery within 4 - 8 weeks from the date of order. **Bold packing quantity** is our mandatory packing. Orders to be placed by Legrand (India) stockists in multiples of the same.

Red catalogue numbers : new products

Myrius™ plastic plates - black



6732 21



6732 22



6732 23



6732 24

Pack	Cat.Nos	Black plates with frame	Dimensions (mm) H x W
20/200	6732 21	Black plate - 1 module	86 x 86
20/200	6732 22	Black plate - 2 modules	86 x 86
10/100	6732 23	Black plate - 3 modules	86 x 121
10/100	6732 24	Black plate - 4 modules	86 x 146
5/50	6732 26	Black plate - 6 modules	86 x 224
5/50	6732 28	Black plate - 8 modules (Horizontal)	86 x 245
5/25	6732 29	Black plate - 8 modules (4 x 2)	172 x 146
1/10	6732 32	Black plate - 12 modules	172 x 224
1/10	6732 36	Black plate - 16 modules	172 x 227
1/10	6732 38	Black plate - 18 modules	240 x 224

Pack	Cat.Nos	New black plates with frame#	Dimensions (mm) H x W
20/200	6732 31	1 module plate + Frame	86 x 86
20/200	6732 82	2 modules plate + Frame	86 x 86
10/100	6732 33	3 modules plate + Frame	86 x 121
10/100	6732 34	4 modules plate + Frame	86 x 146
5/50	6732 86	6 modules plate + Frame	86 x 224
5/50	6732 88	8 modules plate + Frame (Horizontal)	86 x 245
5/25	6732 89	8 modules plate + Frame (4 x 2)	172 x 146
1/10	6732 92	12 modules plate + Frame	172 x 224
1/10	6732 96	16 modules plate + Frame	172 x 227
1/10	6732 98	18 modules plate + Frame	240 x 224

The new plate range will be introduced shortly.

Bold catalogue numbers are products normally available with Legrand (India) stockists. **Cat.Nos that are not bold** - delivery within 4 - 8 weeks from the date of order. **Bold packing quantity** is our mandatory packing. Orders to be placed by Legrand (India) stockists in multiples of the same.

Red catalogue numbers : new products

Myrius™ flush mounting boxes and surface mounting boxes



6890 07



6890 09



6733 02




6733 04

Pack	Cat.Nos	Flush mounting boxes	Dimensions (mm) H x W x D
40	6890 07	1/2 modules	76.5 x 76.5 x 51.0
40	6890 08	3 modules	76.5 x 99.7 x 51.0
40	6890 09	4 modules	76.5 x 136.8 x 51.0
40	6890 10	6 modules	76.5 x 214.2 x 51.0
40	6890 42	8 modules (specific)	76.5 x 214.2 x 51.0
20	6890 31	8 modules (2 row x 4)	136.8 x 136.6 x 61
10	6890 11	12 (2 row x 6) modules	145.3 x 215 x 61.2
		16 (2 row x 8) modules	
		Metal box	
10	6890 12	18 modules (3 row x 6)	213.3 x 215 x 61.2
		Metal box	

Pack	Cat.Nos	Surface mounting boxes	Dimensions (mm) H x W x D
10/50	6733 02	1 module	86 x 86 x 45
5/35	6733 03	1+2 modules	86 x 121 x 45
5/25	6733 04	1+1+2 modules	86 x 146 x 45
1/10	6733 06	6 x 1 modules	86 x 224 x 45
1/5	6733 08	8 x 1 modules	86 x 245.2 x 45
1/5	6733 05	8 (2 row x 4) modules	172 x 146 x 45
1/6	6890 21	12 (2 row x 6) modules	172 x 224 x 50
		16 (2 row x 8) modules	
1/4	6890 22	18 (3 row x 6) modules	240 x 224 x 50

Guarantee

- The Company at its discretion, will replace products if they have any manufacturing defect within 10 years for switches (without neon lamp) and power sockets. For all other Myrius™ wiring accessories the guarantee will be 2 years.
- The above guarantee is applicable when the devices are used in Legrand metal flush boxes. Other wise the guarantee period will be reduced by 50%.
- The guarantee is only applicable when the products are installed as per the Company's instructions and not tampered in any manner.
- The guarantee states the Company's entire liability. It does not extend to cover consequential loss or damage or installation costs arising from defective products.



Head office

- 61 & 62, 6th Floor,
Kalpataru Square, Kondivita Road,
Off Andheri-Kurla Road, Andheri (E),
MUMBAI - 400 059.
Tel : (022) 3041 6200
Fax : (022) 3041 6201
Website : www.legrand.co.in

Regional sales offices

- A-25,
Mohan Co-operative Industrial Estate,
Mathura Road,
NEW DELHI - 110 044.
Tel : (011) 2699 0028 / 29 / 30, 3990 2200
Fax : (011) 2699 0047
- Bhakta Towers,
2nd & 3rd Floor, Plot No. KB 22,
Salt Lake, Sector - 3,
KOLKATA - 700 098.
Tel : (033) 4021 3535 / 36
Fax : (033) 4021 3537
- 34, 3rd Floor,
Kalpataru Square, Kondivita Road,
Off Andheri-Kurla Road, Andheri (East),
MUMBAI - 400 059.
Tel : (022) 3385 6200
Fax : (022) 3385 6201
- Gee Gee Universal,
8th Floor, Door No. 2, 18/1 & 18/2,
McNichols Road, Chetput,
CHENNAI - 600 031.
Tel : (044) 3024 7200, 2836 4165 / 67 / 68
Fax: (044) 2836 4169
- 205-208, 2nd Floor,
Block - II, White House,
Kundan Bagh, Begumpet,
HYDERABAD - 500 016.
Tel : (040) 2341 4398 / 67, 4567 1717
Fax : (040) 6636 6974

Branch offices

- SCO 1-2-3, Second Floor, Sector 17B,
CHANDIGARH - 160 017.
Tel : (0172) 305 8631 / 32 / 33 / 34 / 35
Fax : (0172) 501 9008
- 507-510, Vth Floor, Soni Paris Point,
Jai Singh Highway, Banipark,
JAIPUR - 302 016.
Telefax : (0141) 511 3129
- 504, Sakar IV,
Opp. M. J. Library, Ellis Bridge,
AHMEDABAD - 380 006. Gujarat
Tel : (079) 2658 6561 / 2
Fax : (079) 2658 6563
- 402, Swastik Chambers,
Near Ashwamegh Marriage Hall,
Behind HP Petrol Pump,
Off Karve Road, Erandwane,
PUNE - 411 004.
Tel : (020) 6729 5600 / 601
Fax : (020) 6729 5604
- 11nd Floor, Al-Latheef Building,
2/1, Union Street, Off. Infantry Road,
BANGALORE - 560 001.
Tel : (080) 2286 1081, 4113 3293 / 4
Fax : (080) 2286 1078
- No. 36/2178,
Syda Building, 2nd Floor,
Kaloor - Kadavanthra Road, Kaloor,
KOCHI - 682 017.
Tel : (0484) 234 2921, 658 0921
Fax : (0484) 233 3921
- B-15, Thirumalai Towers,
IV-D, Fourth Floor,
723, Avanashi Road,
COIMBATORE - 641 018.
Tel : (0422) 650 2728, 222 3634 / 0283
Fax : (0422) 222 3164
- Plot No.95, II Floor,
Shreyash Heights,
Ramdas Peth, VIP Road,
NAGPUR - 440 010.
Tel : (0712) 662 7857 / 58
Fax : (0712) 662 7859
- 204-205, Megapolis Square,
579, M G Road,
INDORE - 452 001.
Tel : (0731) 393 1650 / 51 / 52
Fax : (0731) 393 1653
- MF-2, Datta's Lords House,
Jammi Chettu Street,
VIJAYAWADA - 520 010.
Tel : (0866) 661 1393, 664 6393
Fax : (0866) 669 9393

Area offices

- ABC Business Club 16,
Tagore Villa, Chakrata Road,
DEHRADUN - 248 001. Uttaranchal.
Tel : (0135) 271 5189 / 248 001
- Cabin No.104/105, Trade Point,
Ground Floor, Saran Chamber 1,
5, Park Road, Hazratgani,
LUCKNOW - 226 001.
Tel : (0522) 223 9044 / 7285
Fax : (0522) 223 9124
- Cabin No. 9, Second Floor,
Madhok Trade Centre,
Madhok Complex, Ferozpur Road,
LUDHIANA - 141 001.
Tel/Fax No.:(0161) 277 0301 / 304
- House No. 97, Ground Floor,
Rajgarh Main Road,
Opp. City Heart Nursing Home,
GUWAHATI - 781 007.
Tel : (0361) 245 8498
- 94, Udhm Singh Sarani,
Ground Floor, Ashrampara,
SILIGURI - 734 001.
Tel : 94341 91635 / 98009 77780
- Aparna Towers, 1st Floor,
2/3, Bypass Road,
MADURAI - 625 010.
Telefax : (0452) 230 8414
- 404, Eshwar Plaza,
Dwaraka Nagar, Main Road,
VISHAKHAPATNAM - 530 020.
Tel : (0891) 663 5652
Fax : (0891) 663 9363
- Plot No. 359, Saheed Nagar, 2nd Floor,
BHUBANESWAR - 751 007.
Tel : (0674) 254 0623

Technical assistance from Legrand

Telephonic technical assistance for selection of products, technical information, guidance, wiring diagrams and estimation is now made available to you at each Regional Office. Contact the Technical Officer of Legrand at the following telephone numbers

- New Delhi** :Tel.: (011) 2699 0028, 3990 2200
Kolkata :Tel.: (033) 4021 3535 / 36
Mumbai :Tel.: (022) 3385 6200
Chennai :Tel.: (044) 3024 7200, 2836 4165/67/68
Hyderabad :Tel.: (040) 2341 4398 / 67, 4567 1717

For other places, contact the nearest Regional / Branch / Area offices.

customer.care@legrand.co.in