



POLYCAB

Connection Zindagi Ka



PRICE LIST

uPVC CONDUITS & FITTINGS

w.e.f. 01 oct. 2019

Durable and High Impact Resistant | Corrosion Free | Flame Retardant
Resistance to Fungal Attacks | Thermal Resistant from - 5°C to + 60°C
Fittings Having Brass Insertions | Smooth Finish from Inside,
Makes the Pulling of Wire Easier.










POLYCAB CONDUITS SPECIFICATION

Polycab is an ISO 9001:2015 certified organization. POLYCAB CONDUITS & FITTINGS are manufactured in accordance with the Indian Standards viz IS : 9537 P3 and IS : 3419 respectively.

COLOR

Polycab conduits and fittings are available in three different colors.

- Black
- Ivory
- Grey

| Conduit Color | LMS (color code) | MMS (color code) | HMS (color code) |
|---------------|---|---|---|
| Black |  |  |  |
| Ivory |  |  |  |
| Grey |  |  |  |




DIMENSIONS OF uPVC CONDUIT IS : 9537 PART 3


| Nominal Size mm | Outside Diameter mm | Tolerance on Outside Diameter mm | Inside Diameter (Min) mm | | |
|--------------------|------------------------|--|--------------------------|--------|-------|
| | | | Light | Medium | Heavy |
| 20 | 20 | - 0.3 | 17.4 | 16.9 | 15.8 |
| 25 | 25 | - 0.4 | 22.1 | 21.4 | 20.6 |
| 32 | 32 | - 0.4 | 28.6 | 27.8 | 26.6 |
| 40 | 40 | - 0.4 | 35.8 | 35.4 | 34.4 |
| 50 | 50 | - 0.5 | 45.1 | 44.3 | 43.2 |

uPVC CONDUITS

COLOR : BLACK / IVORY / GREY | HSN CODE FOR CONDUITS : 39172310

| PRODUCT CODE | SIZE OD (mm) | STANDARD PACK | MRP. Per Mtr. (₹) | |
|---|--------------|---------------|-------------------|---|
| LMS (LIGHT MECHANICAL STRESS) FRLS | | | | |
| CPI0120001 | 20 | 75 X 3m | 21.5 |  |
| CPI0125001 | 25 | 50 X 3m | 30 | |
| CPI0132001 | 32 | 25 X 3m | 45 | |
| CPI0140001 | 40 | 25 X 3m | 75 | |
| CPI0150001 | 50 | 15 X 3m | 109 | |

| MMS (MEDIUM MECHANICAL STRESS) FRLS | | | | |
|--|----|---------|-------|---|
| CPI0220001 | 20 | 75 X 3m | 24 |  |
| CPI0225001 | 25 | 50 X 3m | 34.50 | |
| CPI0232001 | 32 | 25 X 3m | 58 | |
| CPI0240001 | 40 | 25 X 3m | 84 | |
| CPI0250001 | 50 | 15 X 3m | 128 | |

| HMS (HEAVY MECHANICAL STRESS) FRLS | | | | |
|---|----|---------|------|---|
| CPI0320001 | 20 | 75 X 3m | 34.5 |  |
| CPI0325001 | 25 | 50 X 3m | 42 | |
| CPI0332001 | 32 | 25 X 3m | 76.5 | |
| CPI0340001 | 40 | 25 X 3m | 102 | |
| CPI0350001 | 50 | 15 X 3m | 152 | |

| PRODUCT CODE | SIZE OD (mm) | STANDARD PACK | MRP. Per Mtr. (₹) | |
|------------------------------|--------------|---------------|-------------------|---|
| NON ISI FRLS CONDUITS | | | | |
| CPI0119002 | 19 (LMS) | 100 X 3m | 19 |  |
| CPI0219002 | 19 (MMS) | 100 X 3m | 23 | |
| CPI0319002 | 19 (HMS) | 100 X 3m | 29 | |
| CPI0825002 | 25 (CLASSIC) | 50 X 3m | 26 | |
| CPI0925002 | 25 (SUPER) | 50 X 3m | 29 | |

| PRODUCT CODE | SIZE OD (mm) | STANDARD PACK | TRANSPORTATION PACK | MRP. Per Mtr. (₹) | |
|--|--------------|---------------|---------------------|-------------------|---|
| PP CORRUGATED FLEXIBLE CONDUIT - HSN : 39172200 | | | | | |
| PPC0160001 | 16 | 50 | 24 | 7.50 |  |
| PPC0200001 | 20 | 50 | 18 | 9.50 | |
| PPC0250001 | 25 | 25 | 20 | 14 | |
| PPC0320001 | 32 | 25 | 15 | 24.5 | |
| PPC0400001 | 40 | 20 | 12 | 33 | |
| PPC0500001 | 50 | 15 | 12 | 50 | |

* All conduits are also available with one end socket.

* All black Conduits will be available in 300 mtr jute packaging for 20mm & 25mm.

* North region will get packing of 120 mtr & 75 mtr per bundle for 20mm & 25mm. respectively.

uPVC CONDUIT FITTINGS

COLOR : BLACK / IVORY / GREY | HSN CODE FOR CONDUIT FITINGS : 39174000




| PRODUCT CODE | SIZE OD (mm) | STANDARD PACK | TRANSPORTATION PACK | MRP. Per Pc. (₹) | |
|---|--------------|---------------|---------------------|------------------|--|
| CIRCULAR BOX - TREMINAL (1 WAY) | | | | | |
| CFT0120001 | 20 | 50 | 700 | 16 | |
| CFT0125001 | 25 | 40 | 560 | 21 | |
| CIRCULAR BOX - ANGLE (2 WAY) | | | | | |
| CFT0220001 | 20 | 40 | 640 | 17 | |
| CFT0225001 | 25 | 32 | 448 | 22 | |
| CIRCULAR BOX - THROUGH (2 WAY) | | | | | |
| CFT0320001 | 20 | 40 | 640 | 17 | |
| CFT0325001 | 25 | 32 | 448 | 22 | |
| CIRCULAR BOX - TEE (3 WAY) | | | | | |
| CFT0420001 | 20 | 36 | 432 | 19 | |
| CFT0425001 | 25 | 28 | 336 | 24 | |
| CIRCULAR BOX - INTERSECTION (4 WAY) | | | | | |
| CFT0520001 | 20 | 36 | 432 | 20 | |
| CFT0525001 | 25 | 21 | 336 | 28 | |
| CIRCULAR BOX - 'U' TYPE (2 WAY) | | | | | |
| CFT2420001 | 20 | 20 | 500 | 29 | |
| CFT2425001 | 25 | 20 | 500 | 38 | |
| CIRCULAR BOX - 'Y' TYPE (3 WAY) | | | | | |
| CFT2520001 | 20 | 20 | 360 | 31 | |
| CFT2525001 | 25 | 20 | 360 | 41 | |
| CIRCULAR BOX - 'H' TYPE (4 WAY) | | | | | |
| CFT2620001 | 20 | 20 | 360 | 33 | |
| CFT2625001 | 25 | 20 | 360 | 44.5 | |
| DEEP CIRCULAR BOX - TREMINAL (1 WAY) | | | | | |
| CFT0620001 | 20 | 20 | 280 | 27 | |
| CFT0625001 | 25 | 20 | 280 | 32.5 | |
| CFT3432001 | 32 | 12 | 300 | 38 | |
| DEEP CIRCULAR BOX - ANGLE (2 WAY) | | | | | |
| CFT0720001 | 20 | 20 | 280 | 29 | |
| CFT0725001 | 25 | 20 | 280 | 33.5 | |
| CFT3132001 | 32 | 12 | 216 | 41.5 | |
| DEEP CIRCULAR BOX - THROUGH (2 WAY) | | | | | |
| CFT0820001 | 20 | 20 | 280 | 29 | |
| CFT0825001 | 25 | 20 | 280 | 33.5 | |
| CFT3232001 | 32 | 12 | 252 | 41.5 | |
| DEEP CIRCULAR BOX - TEE (3 WAY) | | | | | |
| CFT0920001 | 20 | 16 | 224 | 31 | |
| CFT0925001 | 25 | 16 | 224 | 39 | |
| CFT3532001 | 32 | 12 | 168 | 44 | |
| DEEP CIRCULAR BOX - INTERSECTION (4 WAY) | | | | | |
| CFT1020001 | 20 | 16 | 224 | 32.5 | |
| CFT1025001 | 25 | 15 | 210 | 42 | |
| CFT3632001 | 32 | 12 | 168 | 45 | |
| CIRCULAR LID 65 WITH SCREWS | | | | | |
| CFT2265001 | STANDARD | 150 | 1950 | 4.7 | |
| FAN BOX (STANDARD) | | | | | |
| CFT1120001 | 20 | 12 | 168 | 44.5 | |
| CFT1125001 | 25 | 12 | 168 | 44.5 | |
| FAN BOX (LARGE) | | | | | |
| CFT1220004 | 20 | 8 | 120 | 61 | |
| CFT1225004 | 25 | 8 | 120 | 61 | |
| FAN BOX WITH ROD | | | | | |
| CFT3020001 | 20/25 | 30 | 30 | 184 | |
| SPACE BAR SADDLE | | | | | |
| CFT1520001 | 20 | 150 | 2550 | 7 | |
| CFT1525001 | 25 | 150 | 2550 | 9.5 | |
| FEMALE BUSH ADAPTOR | | | | | |
| CFT4120001 | 20 | 50 | 800 | 7 | |
| CFT4125001 | 25 | 50 | 600 | 11 | |
| CFT4132001 | 32 | 25 | 300 | 17 | |






| PRODUCT CODE | SIZE OD (mm) | STANDARD PACK | TRANSPORTATION PACK | MRP. Per Pc. (₹) | |
|--|--------------|---------------|---------------------|------------------|--|
| SADDLE STRAP | | | | | |
| CFT2320001 | 20 | 300 | 5400 | 5 | |
| CFT2325001 | 25 | 250 | 4500 | 6.5 | |
| COUPLER | | | | | |
| CFT1319001 | 19 | 48 | 480 | 4.5 | |
| CFT1320001 | 20 | 50 | 2500 | 5 | |
| CFT1325001 | 25 | 50 | 1600 | 7 | |
| CFT1332001 | 32 | 24 | 240 | 12.5 | |
| CFT1340001 | 40 | 14 | 252 | 20 | |
| CFT1350001 | 50 | 9 | 180 | 34 | |
| REDUCERS COUPLER (Pipe To Pipe) | | | | | |
| CFT31202501 | 25>20 | 70 | 1400 | 7.5 | |
| CFT31203201 | 32>20 | 70 | 840 | 10 | |
| CFT31253201 | 32>25 | 70 | 840 | 12.5 | |
| SLIP TYPE BEND LONG | | | | | |
| CFT2719001 | 19 | 48 | 864 | 12.5 | |
| CFT2720001 | 20 | 48 | 864 | 13.5 | |
| CFT2725001 | 25 | 24 | 432 | 19 | |
| CFT1432001 | 32 | 18 | 288 | 45 | |
| CFT1440001 | 40 | 8 | 160 | 99 | |
| CFT1450001 | 50 | 5 | 75 | 150 | |
| SLIP TYPE BEND NORMAL | | | | | |
| CFT1419001 | 19 | 48 | 864 | 7.5 | |
| CFT1420001 | 20 | 48 | 864 | 9 | |
| CFT1425001 | 25 | 30 | 600 | 14 | |
| INSPECTION BEND | | | | | |
| CFT2120001 | 20 | 35 | 630 | 28 | |
| CFT2125001 | 25 | 25 | 375 | 40 | |
| ROUND TEE | | | | | |
| CFT1820001 | 20 | 100 | 1300 | 10.5 | |
| CFT1825001 | 25 | 60 | 780 | 13.5 | |
| INSPECTION TEE | | | | | |
| CFT2020001 | 20 | 35 | 700 | 28 | |
| CFT2025001 | 25 | 24 | 432 | 40 | |
| ROUND ELBOW | | | | | |
| CFT1720001 | 20 | 150 | 1800 | 7 | |
| CFT1725001 | 25 | 100 | 1300 | 9.5 | |
| INSPECTION ELBOW | | | | | |
| CFT1920001 | 20 | 60 | 1080 | 27 | |
| CFT1925001 | 25 | 36 | 540 | 35 | |

| PRODUCT CODE | PRODUCT DESCRIPTION | SIZE OD (mm) | STANDARD PACK | MRP. Per Pc. (₹) | |
|---------------------------------------|-----------------------|--------------|---------------|------------------|--|
| BENDING SPRING - HSN: 73201019 | | | | | |
| CFT2820001 | BENDING SPRING HEAVY | 20 | 10 | 260 | |
| CFT2825001 | BENDING SPRING HEAVY | 25 | 10 | 310 | |
| CFT2920001 | BENDING SPRING MEDIUM | 20 | 10 | 260 | |
| CFT2925001 | BENDING SPRING MEDIUM | 25 | 10 | 310 | |

| PRODUCT CODE | SIZE OD (mm) | STANDARD PACK | TRANSPORTATION PACK | MRP. Per Pc. (₹) | | |
|---|--------------|---------------|---------------------|------------------|--------------|--|
| NON ISI PP CIRCULAR BOX - TERMINAL (1 WAY) | | | | | | |
| | | | | BLACK | WHITE & GREY | |
| CFT3220001 | 20 | 50 | 700 | 10.5 | 11.5 | |
| CFT3225001 | 25 | 40 | 560 | 11.5 | 12.5 | |
| NON ISI PP CIRCULAR BOX - ANGLE (2 WAY) | | | | | | |
| | | | | BLACK | WHITE & GREY | |
| CFT3320001 | 20 | 40 | 640 | 11.5 | 12.5 | |
| CFT3325001 | 25 | 32 | 448 | 13 | 14 | |
| NON ISI PP CIRCULAR BOX - THROUGH (2 WAY) | | | | | | |
| | | | | BLACK | WHITE & GREY | |
| CFT3420001 | 20 | 40 | 640 | 11.5 | 12.5 | |
| CFT3425001 | 25 | 32 | 448 | 13 | 14 | |

* PP Junction Boxes requirement with attached LID, 1Rs. Extra charge will be applicable on PP LID.

| PRODUCT CODE | SIZE OD (mm) | STANDARD PACK | TRANSPORTATION PACK | MRP. Per Pc. (₹) | | |
|---|--------------|---------------|---------------------|------------------|--------------|---|
| NON ISI PP CIRCULAR BOX - TEE (3 WAY) | | | | | | |
| | | | | BLACK | WHITE & GREY |  |
| CFT3520001 | 20 | 36 | 432 | 12.5 | 13.5 | |
| CFT3525001 | 25 | 28 | 336 | 14 | 15 | |
| NON ISI PP CIRCULAR BOX - INTERSECTION (4 WAY) | | | | | | |
| | | | | BLACK | WHITE & GREY |  |
| CFT3620001 | 20 | 36 | 432 | 13.5 | 15 | |
| CFT3625001 | 25 | 21 | 336 | 16 | 17 | |
| NON ISI PP CIRCULAR LID WITH SCREWS | | | | | | |
| | | | | BLACK | WHITE & GREY |  |
| CFT3865001 | 20/25 | 150 | 1950 | 3.5 | 4 | |

| PRODUCT CODE | SIZE OD (mm) | STANDARD PACK | TRANSPORTATION PACK | MRP. Per Pc. (₹) | | |
|--|--------------|---------------|---------------------|------------------|--|---|
| NON ISI PP DEEP CIRCULAR BOX - TREMINAL (1 WAY) | | | | | | |
| CFT4220001 | 20 | 20 | 280 | 18 | |  |
| CFT4225001 | 25 | 20 | 280 | 19 | | |
| NON ISI PP DEEP CIRCULAR BOX - ANGLE (2 WAY) | | | | | | |
| CFT4320001 | 20 | 20 | 280 | 19 | |  |
| CFT4325001 | 25 | 20 | 280 | 20 | | |
| NON ISI PP DEEP CIRCULAR BOX - THROUGH (2 WAY) | | | | | | |
| CFT4420001 | 20 | 20 | 280 | 19 | |  |
| CFT4425001 | 25 | 20 | 280 | 20 | | |
| NON ISI PP DEEP CIRCULAR BOX - TEE (3 WAY) | | | | | | |
| CFT4520001 | 20 | 16 | 224 | 20 | |  |
| CFT4525001 | 25 | 16 | 224 | 22 | | |
| NON ISI PP DEEP CIRCULAR BOX - INTERSECTION (4 WAY) | | | | | | |
| CFT4620001 | 20 | 16 | 224 | 21 | |  |
| CFT4625001 | 25 | 15 | 210 | 23 | | |



Polycab Conduits & Fittings

High Impact Resistant,
Corrosion Free,
Flame Retardant



POLY CAB

Connection Zindagi Ka

Terms and Conditions :

The price are inclusive of government levies. Goods are dispatched by us on purchaser's risk. All claims for loss, damage or shortage will be filed by the purchaser directly. Disputes if any are subject to Mumbai jurisdiction only. Price are subject to change without notice. MRP mentioned is for per meter in case of conduits & per piece in case of accessories in Indian rupees. Due to continuous technology upgrades the design & specification may vary without notice.

Corporate Office:

POLY CAB INDIA LIMITED. (Formerly known as 'Polycab Wires Limited')

Polycab House, 771, Mogul Lane, Mahim (W), Mumbai - 400 016, Maharashtra (India) Ph.: +91-22-2432 7070/4, 6735 1400,

Toll Free No.: 1800 267 0008 | Email: enquiry@polycab.com | www.polycab.com