





Essential Lighting



YEELIGHT

Yeelight Smart LED Bulb W3 (Multicolor)



YEELIGHT

Essential Lighting




16 Million Colors



Tunable



Dimmable



Features

- 16 Million Colors
- Dimmable and Adjustable Color Temperature
- Major IoT Platforms Compatible
- Game Sync with Razer Chroma™ RGB
- Shine with Rhyme with Music Sync
- 0.3W Ultra-Low Standby Power
- Light up Entire Room with Group Control
- Explore More with Yeelight App

Specifications

Model No.:	YLDP005
Luminous Flux:	900 lm
Color Temperature:	1700K-6500K
Rated Power:	8W
Rated Input:	100-240V-50/60Hz 0.07A

 YEELIGHT


Yeelight Smart LED Bulb W3 (Dimmable)



 YEELIGHT

Extended Lighting

Dimmable



Features

- ▶ Dimmable to Create a Homely Atmosphere
- ✿ Major IoT Platforms Compatible
- ✿ 0.3W Ultra-Low Standby Power
- ✿ Light up Entire Room with Group & Remote Control
- ✿ Explore More with Yeelight App

Specifications

Model No.:	YLDP007
Luminous Flux:	900 lm
Color Temperature:	2700K
Rated Power:	8W
Rated Input:	100-240 V ~ 50/60 Hz 0.07 A



YEELIGHT

Yeelight GU10 Smart Bulb W1 (Multicolor)



YEELIGHT

Essential Lighting




16 Million Colors



Tunable



Dimmable



Features

- 16 Million Colors
- Dimmable and Adjustable Color Temperature
- Major AIoT Platforms Compatible
- Game Sync with Razer Chroma™ RGB
- Shine with Rhyme with Music Sync
- 0.4W Ultra-Low Standby Power
- Light up Entire Room with Group Control
- Explore More with Yeelight App

Specifications

Model No.:	YLDP004-A
Luminous Flux:	350 lm
Color Temperature:	2700K-6500K
Rated Power:	4.5W
Rated Input:	220-240 V ~ 50/60 Hz 50mA

 YEELIGHT


Yeelight GU10 Smart Bulb W1 (Dimmable)



 YEELIGHT

Extended Lighting

Dimmable



Features

- ▶ Set the Tone of Your Home with Dimmable Light
- 🌟 Major IoT Platforms Compatible
- 🌟 0.3W Ultra-Low Standby Power
- 🌟 Light up Entire Room with Group & Remote Control
- 🌟 Explore More with Yeelight App

Specifications

Model No.:	YLDP004
Luminous Flux:	350 lm
Color Temperature:	2700K
Rated Power:	4.8W
Rated Input:	220-240 V ~ 50/60 Hz 50mA


Yeelight BLE Mesh Light Kit (Yeelight Gateway)



Essential Lighting



Tunable



Dimmable



Features


- Dimmable and Adjustable Color Temperature
- Remote Control with BLE Mesh Technology
- Stable Group Control and Quick Response
- Voice Control with Major IoT Platforms Compatible
- Simple Operation
- With the latest BLE Gateway included in the Kit

Specifications

Product Name : Yeelight Smart Downlight M2
 Product No : YLTS02YL
 Luminous Flux: 350lm
 Color Temperature: 2700K-6500K
 Wattage: 5W(12X1W/LED Module)

Product Name: Yeelight Mesh Spotlight M2
 Product No : YLTS04YL
 Luminous Flux: 350lm
 Color Temperature: 2700K-6500K

Product Name: Yeelight Mesh Downlight M2 Pro
 Product No : YLTS03YL
 Luminous Flux: 500lm
 Color Temperature: 2700K-6500K





Ceiling
Light



Yeelight Arwen Ceiling Light S Series



Excellent Lighting




16 Million Colors



Tunable



Dimmable



Yeelight Arwen Ceiling Light S Series



Features

- 16 Million Colors Backlight
- Dimmable and Adjustable Color Temperature
- Major AIoT Platforms Compatible
- Come with Yeelight Remote Control
- Easy Setup with Patented Quick Change Fixture
- 0.4W Ultra-Low Standby Power
- Moonlight Mode with an Ultra-Low Brightness
- Bug-proof and Dust-proof
- Other Remote Control Enabled by App, Remote & Smart Dimmer

Specifications

Model No.:	YLXD013
Light Dimensions:	Φ455mm x 94mm
Luminous Flux:	3000 lm
Color Temperature:	2700K-6500K
Room Size:	10-20m ²
Color Rendering Index:	Ra ≥ 95
Rated Power:	50 W (81x1W/LED module+60x0.2W/LED module)
Rated Input:	220V-240V-50/60Hz Max. 0.23A

 YEELIGHT

Yeelight Arwen Ceiling Light S Series



 YEELIGHT

Essential Lighting



16 Million Colors



Tunable



Dimmable



Yeelight Arwen Ceiling Light S Series




Features

- 16 Million Colors Backlight
- Dimmable and Adjustable Color Temperature
- Major IoT Platforms Compatible
- Come with Yeelight Remote Control
- Easy Setup with Patented Quick Change Fixture
- 0.4W Ultra-Low Standby Power
- Moonlight Mode with an Ultra-Low Brightness
- Bug-proof and Dust-proof
- Other Remote Control Enabled by App, Remote & Smart Dimmer

Specifications

Model No.:	YLXD013-A
Light Dimensions:	Φ555mm x 94mm
Luminous Flux:	3500 lm
Color Temperature:	2700K-6500K
Room Size:	15-25m ²
Color Rendering Index:	Ra ≥ 95
Rated Power:	50 W (84x1W/LED module+60x0.2W/LED module)
Rated Input:	220V-240V-50/60Hz Max. 0.23A




 YEELIGHT

Yeelight Arwen Ceiling Light C Series



 YEELIGHT


Custom Lighting



16 Million Colors



Tunable











Dimmable



Yeelight Arwen Ceiling Light C Series




Features

-  16 Million Colors Backlight
-  Dimmable and Adjustable Color Temperature
-  Major IoT Platforms Compatible
-  Enjoy an Easy Setup with a Quick Change Fixture
-  Ultra-Thin Shape with 2 Available Sizes
-  Moonlight Mode with an Ultra-Low Brightness
-  Ra95 to Accurately Showcase the Colors You Want
-  Dust and Insect-Proof

Specifications

Model No.:	YLXD013-B
Light Dimensions:	Φ495mm x 92mm
Luminous Flux:	4000 lm
Color Temperature:	2700K-6500K
Room Size:	10-20m ²
Color Rendering Index:	Ra≥95
Rated Power:	50 W (81x1W/LED module+60x0.2W/LED module)
Rated Input:	220V-240V-50/60Hz Max. 0.23A



 YEELIGHT

Yeelight Arwen Ceiling Light C Series



 YEELIGHT

Essential Lighting



16 Million Colors



Tunable











Dimmable



Light & Power Color Temperature



Features:

-  16 Million Colors Backlight
-  Dimmable and Adjustable Color Temperature
-  Major IoT Platforms Compatible
-  Enjoy an Easy Setup with a Quick Change Fixture
-  Ultra-Thin Shape with 2 Available Sizes
-  Moonlight Mode with an Ultra-Low Brightness
-  Ra95 to Accurately Showcase the Colors You Want
-  Dust and Insect-Proof


Specifications

Model No.:	YLXD013-C
Light Dimensions:	Φ595mm x 92mm
Luminous Flux:	4500 lm
Color Temperature:	2700K-6500K
Room Size:	15-25m ²
Color Rendering Index:	Ra≥95
Rated Power:	50 W (84x1W/LED module+60x0.2W/LED module)
Rated Input:	220V-240V-50/60Hz Max. 0.23A




 YEELIGHT

Yeelight LED Ceiling light A2001 Series



 YEELIGHT

Essential Lighting



Tunable



Dimmable



0-4.94 (200) x 640 x 122mm (400)



Features

- Dimmable and Tunable
- Major AIoT Platforms Compatible
- Dust and Insect-Proof
- Moonlight Mode with an Ultra-Low Brightness
- Light up Every Corner with Larger Beam Angle and Size
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Control

Specifications

Model:	YLXD033
Dimensions:	940 x 640 x 122mm
Luminous Flux:	7000 lm
Color temperature:	2700K-6500K
Room size:	25-35m ²
Color rendering index:	Ra 95@4000K
Rated power:	95W

 YEELIGHT

Yeelight LED Ceiling light A2001 Series



Model: YLXD031 | Dimensions: 598 x 103mm | Luminous Flux: 4800lm | Color temperature: 2700K-6500K | Room size: 15-25m² | Color rendering index: Ra 95@4000K | Rated power: 50W

 YEELIGHT

Essential Features

 Tunable








 Dimmable



Yeelight LED Ceiling Light A2001CS01




Features

-  Dimmable and Tunable
-  Major IoT Platforms Compatible
-  Dust and Insect-Proof
-  Moonlight Mode with an Ultra-Low Brightness
-  Light up Every Corner with Larger Beam Angle and Size
-  Ra95 to Accurately Showcase the Colors You Want
-  Come with Yeelight Remote Control

Specifications

Model:	YLXD031
Dimensions:	598 x 103mm
Luminous Flux:	4800lm
Color temperature:	2700K-6500K
Room size:	15-25m ²
Color rendering index:	Ra 95@4000K
Rated power:	50W



 YEELIGHT

Yeelight LED Ceiling light A2001 Series



 YEELIGHT

Essential Lighting


Tunable









Dimmable



Yeelight LED Ceiling Light A2001 Series



Features

-  Dimmable and Tunable
-  Major IoT Platforms Compatible
-  Dust and Insect-Proof
-  Moonlight Mode with an Ultra-Low Brightness
-  Light up Every Corner with Larger Beam Angle and Size
-  Ra95 to Accurately Showcase the Colors You Want
-  Come with Yeelight Remote Control

Specifications


Model:	YLXD032
Dimensions:	495 x 93mm
Luminous Flux:	4500 lm
Color temperature:	2700K-6500K
Room size:	10-20m ²
Color rendering index:	Ra 95@4000K
Rated power:	50W



Mi Home App Google Assistant Alexa HomeKit Tuya

 YEELIGHT

Yeelight LED Ceiling light C2001 Series



 YEELIGHT


Ceiling Light



Tunable



Dimmable



Yeelight LED Ceiling Light C2001 Series



Features


- Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- Finely Finished Metal Frame
- Major AIoT Platforms Compatible
- Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Control

Specifications

Model No.:	YLXD039
Dimensions:	905 x 605 x 122mm
Luminous Flux:	6000 lm
Color temperature:	2700K-6500K
Room size:	25-35m ²
Color rendering index:	Ra 95@4000K
Rated power:	95W

 YEELIGHT

Yeelight LED Ceiling light C2001 Series





 YEELIGHT


Ceiling Light

Tunable

Dimmable



Yeelight LED Ceiling Light C2001 Series



Features

- Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- Finely Finished Metal Frame
- Major IoT Platforms Compatible
- Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Control

Specifications

Model No.:	YLXD038
Dimensions:	505 x 505 x 103mm
Luminous Flux:	4000 lm
Color temperature:	2700K-6500K
Room size:	15-25m ²
Color rendering index:	Ra 95@4000K
Rated power:	50W

 YEELIGHT

Yeelight LED Ceiling light C2001 Series




 YEELIGHT


Ceiling Light



Tunable



Dimmable



Yeelight LED ceiling light C2001 Series



Features

- Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- Finely Finished Metal Frame
- Major IoT Platforms Compatible
- Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Control


Specifications

Model No.:	YLXD037
Dimensions:	555 x 555 x 99mm
Luminous Flux:	4000 lm
Color temperature:	2700K-6500K
Room size:	15-25m ²
Color rendering index:	Ra 95@4000K
Rated power:	50W


Yeelight LED Ceiling light C2001 Series





Ceiling Light



Tunable



Dimmable



Yeelight LED Ceiling Light C2001 Series



Features

- Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- Finely Finished Metal Frame
- Major IoT Platforms Compatible
- Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Control

Specifications

Model No.:	YLXD036
Dimensions:	455 x 455 x 94mm
Luminous Flux:	3500 lm
Color temperature:	2700K-6500K
Room size:	10-20m ²
Color rendering index:	Ra 95@4000K
Rated power:	50W


Yeelight Smart LED Ceiling Light



Ceiling Light











Tunable



Dimmable




Features:

-  Dimmable and adjustable color temperature
-  Red Dot Award Winner
-  Voice Control with Major IoT Platforms Compatible
-  Easy Setup with Patented Quick Change Fixture
-  Bug-proof and Dust-proof
-  Moonlight Mode with an Ultra-Low Brightness
-  Come with Yeelight Remote Control
-  Other Remote Control Enabled by App, Remote & Smart Dimmer

Specifications

Product Name :	Yeelight LED Ceiling Light
Model No. :	YLXD01YL
Color:	White
Dimensions:	320×320×73mm
Luminous Flux:	1500lm
Color Temperature:	2700K-6500K
Power:	23W
Adapter Voltage:	200V ~ 50/60 Hz 0.12 A



Yeelight Smart Ceiling Fan



Energy Efficient



Smart Control



Quiet Power




Retractable Blades

Ceiling Light

Dimmable

Tunable



Features

- ▶ Dimmable and Tunable White
- ⚙ Major IoT Platforms Compatible
- ⚙ Adjustable Fan Direction Brings Pleasant Breeze in All Seasons
- ⚙ 3 Wind Speeds for Different Levels of Refreshment
- ⚙ Stepless Dimming Caters to All Atmospheres
- ⚙ Superb Quality to Meet the Highest Industry Standard
- ⚙ Modern Minimalist Design for a Tasteful Home
- ⚙ Retractable Blade Design Frees Up Your Space
- ⚙ Little Noise and Energy-Saving with Strong DC Inverter Motor
- ⚙ Safety is Always Here for You with Reinforced Protection
- ⚙ Easier Installation with 15° Tilt Feature



Specifications

Product Name:	Yeelight Smart Ceiling Fan
	C2101C1060
Model No.:	YLFD003
Rated Input:	220-240V~50/60Hz
Total power:	74W
Fan Power:	30W
Lamp Power:	44W(81×1W/LED module)
Color Temperature:	2700K-6500K
Compatible with:	Android 4.4 & iOS 9.0 or above
Wireless Connectivity:	Wi-Fi IEEE 802.11 b/g/n 2.4 GHz, Bluetooth 4.2

Yeelight Crystal Sensor Ceiling Light Mini



Ceiling Light



Features

- ❁ Auto Light-on with Infrared Sensor and Light Sensor
- ❁ Ra90 to Accurately Showcase the Colors You Want
- ❁ Bug-proof and Dust-proof

Specifications

Product Name :	Yeelight Crystal Sensory Ceiling Light Mini
Product No :	YLXD09YL
Color :	White
Product Shape :	Round
Product Material :	SPCC Background board, PMMA lamp cover
Brightness :	670lm
Color Rendering :	Ra90
Sensor Module :	Infrared sensor and light sensor



Ambiance Lighting



Yeelight LED Lightstrip Pro





Ambiance Lighting



Multicolor Backlight



Tunable White



Features

- 16 Million Colors
- Addressable Color LED Strip to Rock Your Mood
- Trimable & Extendable up to 10m
- 16 Million Colors for Customized Light Effects
- Immersive Gaming Experience
- A Seamless Integration with Apple HomeKit
- More Ways to Control

Specifications

Standard Pack (2m)	
Product Model:	YLDD005
Power Input:	100-240V-50/60Hz
Rated Power:	5.1W (2m) 21W (10m)
Power Factor:	0.5
Wireless Connectivity:	Wi-Fi IEEE 802.11b/g/n 2.4GHz
Compatible with:	Android 4.4 & iOS 10.0 or above
Extension Pack (1m)	
Product Model:	YLDD007
Rated Input:	24V

Yeelight LED Light Strip 1S




Ambiance Lighting



16 Million Colors



Dimmable



Features

- 16 Million Colors
- Voice Control with Major AIoT Platforms Compatible
- Game Sync with Razer Chroma™ RGB
- Trimable According to Needs
- Shine with Rhyme with Music Sync
- Turn On/Off the Strip at Scheduled Time Available
- Smart App Control Anytime Anywhere
- Simple Setup with Built-in Wifi and No Hub Required


Specifications

Product Name :	Yeelight LED Lightstrip 1S
Product No :	YLD005YL
Rated Input :	100-240V~50/60Hz 0.17A(2m) 100-240V~50/60Hz 0.6A(10m)
Rated Power :	24W(10m)
Wi-Fi Connection :	Wi-Fi IEEE 802.11 b/g/n 2.4GHz
Supported Operating Systems :	Android 4.4 or iOS 9.0 and above



 YEELIGHT

Yeelight LED Screen Light Bar Pro



 YEELIGHT

Ambiance Lighting





16 Million Colors



Tunable



Dimmable




Features

- 16 Million Color RGB Backlights
- Dimmable and Adjustable Color Temperature
- Major IoT Platforms Compatible
- Game Sync with Razer Chroma™ RGB
- Interactive Lighting with Chroma Enabled Devices
- Change Angle Easily with Magnetic Mount
- Wireless Rotary Switch Knob
- Work from Home with Office Lighting
- Explore More with Yeelight App

Specifications

Model No.:	YLTD003
Rated Input:	DC 5V/2A
Rated Power:	10W (80×0.2W/ LED module+40×0.2W/LED module)
Light Dimensions:	Φ23.0×485.5mm
Switch Knob Dimensions:	Φ66.5×34.0mm



Yeelight LED Screen Light Bar Pro (Flagship Version)



Ambiance Lighting



16 Million Colors



Tunable



Dimmable



Features

- 16 Million Colors
- Dimmable and Adjustable Color Temperature
- Major IoT Platforms Compatible
- Game Sync with Razer Chroma™ RGB
- Interactive Lighting with Chroma Enabled Devices
- Change Angle Easily with Magnetic Mount
- Flexible Rotary Switch Knob
- Work from Home with Office Lighting
- Explore More with Yeelight App
- Improved Neat Design with A Dark Blue Coating
- Applicable to Both Flat and Curve Screens

Specifications

Model No.:	YLYTD-0003
Rated Input:	DC 5V/2A
Rated Power:	10W (80×0.2W/ LED module+40×0.2W/LED module)
Light Dimensions:	Φ23.0×485.5mm
Switch Knob Dimensions:	Φ66.5×34.0mm

Yeelight Rechargeable LED Monitor Light Bar





Essential Lighting



Tunable White



Dimmable



Features

- ✦ Rechargeable & USB powered monitor light bar
- ✦ Easy setup & portable
- ✦ Proper lighting to eliminate glares and flickers from your monitor
- ✦ High CRI (RA>95) to provide prime user experience
- ✦ 3 color temperature modes to suit your needs
- ✦ Stepless dimming to get any brightness you want
- ✦ Back-lit touch panel for precise control

Specifications

Product Model:	YLODJ-0027
Color:	silver gray
Rated Power:	5W (64 × 0. 2W/LED module)
Rated Input:	DC 5V= 1A
Dimensions:	450 × 75 × 110mm
Color Rendering Index:	95
Service Life:	25,000 hours
Battery:	1800mAh, Type-C USB charging

 YEELIGHT

Yeelight Smart LED Light Panels




 YEELIGHT

Ambiance Lighting





Multicolor Backlight



Tunable White



OVERWOLF



Features

- 16 million color RGB panels for customized lighting effects
- Triangular LED panels to design the layout according to needs
- Music sync available to change colors according to music rhythm
- Game sync with Razer Chroma™ RGB
- 3 lighting modes & 20+ preset lighting effects
- Voice control with Google Assistant and Amazon Alexa
- Prime quality with a service life of 25,000 hours

Specifications

Product Model:	YLFWD-012
Working Temperature:	-10 - 40°C
Working Humidity:	0% - 85% RH
Operating Frequency:	2412-2472MHz (Wi-Fi) 2402-2480MHz (BT)
Compatible with:	Android 4.4 or iOS 9.0 and above
Recommended Environment:	Indoor only
Weight Per Panel:	224g
Color Composition:	RGB
Color Range:	16 million colors
Smart Interaction:	Scene sync/ app control/ controller/ voice control
Package Size:	290x240x100mm
Maximum Power of a Single Panel:	2W
Maximum Output Power of Power Supply:	24W
Service Life:	approx. 25000 hours



Yeelight Candela Lamp



Ambiance Lighting



Dimmable



Features

- Dimmable by Simply Rotating the Lamp Base
- A Candle-shape Table Lamp Designed to Wow
- A Perfect Add-on to Your House and Atmosphere
- Built-in 2100mAh Battery to Allow up to 8-hour Continuous Use on A Single Charge
- Portable Enough for Both Indoor and Outdoor Use
- BLE-mesh Technology to Enable Group Control of max.30,000 Lamps
- Yeelight App to Adjust Brightness or Change Light Modes

Specifications

Product Name:	Yeelight Candela Lamp
Product No:	YLFW01YL
Product Color:	Gold
Dimensions:	72×195mm
Weight:	430g
Luminous Flux:	0.3-13lm
Color Temperature:	1600K
Battery:	2100mAh+Micro USB(1.2m)

Yeelight LED Smart Lamp D2



Ambiance Lighting




16 Million Colors



Tunable



Dimmable



Features

- 16 Million Colors
- Dimmable and Adjustable Color Temperature
- On/Off with Double Tap
- Voice Control with Major IoT Platforms Compatible
- Flowing Color Mode
- Explore More with Yeelight App
- Game Sync with Razer Chroma™ RGB
- Shine with Rhyme with Music Sync
- Interactive Control with Touch Board

Specifications

Product Name:	Yeelight LED Smart Lamp D2
Product No.:	YLCT01YL
Dimensions:	140mm(diameter)×100mm(height)
Rated Input:	100-240V-50/60Hz 0.1A
Rated Power:	5W (6×1W/LED module(W) + 6×0.5W/LED module (RGB)
Service Life:	25000hrs
Wireless Connection:	Wi-Fi 802.11b/g/n 2.4 GHz and Bluetooth 4.2 BLE

YEELIGHT

YEELIGHT × RAZER LED Smart Lamp D2



YEELIGHT

Ambiance Lighting



16 Million Colors



Tunable



Dimmable




Features

- 16 Million Colors
- Dimmable and Adjustable Color Temperature
- Game Experience with Razer Chroma™ RGB
- Various Preset Lighting Modes
- Chroma enabled Devices
- Double Tap to Wake it Up
- Interactive Control with Touch Board
- Explore More with Yeelight App

Specifications

Product Name: YEELIGHT × RAZER LED Smart Lamp D2
Product No: YLCT01YL
Dimensions: 140mm × 100mm
Rated Input: 100-240V-50/60Hz 0.1A
Rated Power: 5W (6 × 1W/LED module(W) + 6 × 0.5W/LED module (RGB))
Service Life: 25000hrs
Wireless Connection: Wi-Fi 802.11b/g/n 2.4 GHz and Bluetooth 4.2 BLE





Yeelight Crystal LED Pendant Light



Ambiance Lighting





Multicolor Backlight



Tunable White



Dimmable



Features

- 16 Million Colors
- Dimmable and Adjustable Color Temperature
- Long & Sleek Design
- Voice Control with Major IoT Platforms
- 280 Quality LED Lighting Beads
- Adjustable to Lengths Ranging from 0.5m to 1.5m
- Ra95 to Accurately Showcase the Colors You Want
- Bug and Dust-proof

Specifications

Product Name	Yeelight Crystal Pendant Light
Product No.	YLDL01YL
Product Color :	White
Product Material Lamp Body:	PC
Lamp Cover:	PMMA
Rated Power:	33W
Color Temperature :	2700K-6000K
Brightness :	450lm-1700lm
Color Rendering:	Ra95 @4000K for the Entire Lamp

Yeelight Motion Sensor Closet Light



0.9cm Ultra-Slim



3 Available Lengths to Meet Your Need



Hands-Free Lighting Control with Smart Motion Sensor






Built-in Photosensitive Sensor

Ambiance Lighting



Dimmable



Features

- ✦ 0.9cm Ultra-Slim with Exquisite Metal Exterior
- ✦ 3 Available Lengths to Meet Your Need
- ✦ Hands-Free Lighting Control with Smart Motion Sensor
- ✦ Built-in Photosensitive Sensor Ensures The Light Remains on Only In the Dark
- ✦ Place it Anywhere to Brighten the Dark Corner of Your Home
- ✦ Light up Every Corner with Larger Beam Angle & Size
- ✦ 2700K Warm Lighting with a Soft Glow
- ✦ Enjoy Longer Lighting Duration with Larger Battery Capacity




Specifications

Name	Yeelight Motion Sensor Closet Light A20	Yeelight Motion Sensor Closet Light A40	Yeelight Motion Sensor Closet Light A60
Model	YLCG002	YLCG004	YLCG006
Dimensions	20cm*3.9cm*0.9cm	40cm*3.9cm*0.9cm	60cm*3.9cm*0.9cm
Rated Power	1.2W	2.3W	2.4W
Battery Capacity	1100mAh	1500mAh	2200mAh
Color Temperature	2700K		
Rated Input	DC 5V/0.5A		
Charging Mode	USB-C (charging cable included)		

Yeelight Sunset Projection Lamp



Ambiance Lighting



Features

- ☛ Rechargeable Built-in Battery Affords More Convenience
- ☛ 360° Rotation Understands All Needs
- ☛ Magnetic Base Makes Things Easier
- ☛ Flexible Enough to Cater to Any Scene
- ☛ A Perfect Lamp to Touch up Art Photos, Selfies and Streaming
- ☛ Add a Touch of Dreamy Vibe to Your Home Décor
- ☛ Prime Quality Ensures Prime User Experience

Specifications

Model:	YLFWD-0006
Rated voltage:	5V=1A
Rated power:	3W
Operating temperature:	-10°C~40°C
Dimensions:	82mm*82mm*95mm
Net weight:	About 300g



 YEELIGHT

Yeelight Rechargeable Sensor Nightlight



 YEELIGHT

Ambiance Lighting



Features:

- ✦ 2 Dimming Levels
- ✦ Rechargeable with 120-day Long Standby Time
- ✦ Flare-free & Soft Light Protects Your Eyes
- ✦ Detect Motion up to 5-7m away with An Infrared Sensor
- ✦ Adhesive, Magnetic and Suspended

Specifications

Product Name: Yeelight Rechargeable Sensor Nightlight
Product No: YLYD01YL
Color Temperature: 2700K
Brightness: Sensor Mode 3.5lm, Lighting Mode 7lm
Sensor: Light sensor + PIR motion sensor
Max Power: 0.25W
Mix Power: 0.12W



 YEELIGHT

Yeelight Plug-in Light Sensor Nightlight



 YEELIGHT

Ambiance Lighting



Features:

- ✿ Plug-in Design, Saving the Need of Changing Battery or Recharging
- ✿ Flare-free & Soft Light Protects Your Eyes
- ✿ Detect Motion up to 5-7m Away with An Infrared Sensor
Soft Light of 2500K with No Glare
- ✿ Long-lasting with 0.5W Rated Power
- ✿ Elegant Appearance All-around Home Decor




Specifications

Product Name:	Yeelight Plug-in Light Sensor Nightlight
Product No:	YLYD11YL
Dimension :	φ70×69mm
Weight :	63g±5g
Color Temperature:	2500k
Service Temperature:	-10±40°C
Service Humidity:	0%-85%RH
Rated Power:	0.5W
Input Voltage:	AC 220-240V
Lifespan:	>25,000h

Yeelight LED Sensor Drawer Light



Ambiance Lighting



Features

- Smart Light Shines Whenever Needed to Light up Every Corner
- Ultra-Thin Design with Turn-Off Delay Function
- Longer Standby Time that Lasts up to 6 Months
- 300mAh Large Capacity
- Magnetic Plate Allows an Easy Fix

Specifications

Name:	Yeelight LED Sensor Drawer Light A6
Model No.:	YLCTD001
Product Color:	White
Product Size:	68*26*11
Color Temperature:	2700 K
Luminous Flux:	Approx. 15 lm
Rated Input:	5V DC/0.5 A
Rated Power:	0.15 W
Standby Current:	0.12 mA



Desk Lamp



Light Sensor Desk Lamp Pro



Desk Light




Tunable



Dimmable



SunLike




Features

- ✿ Both Base Version and Clamp Version Provided
- ✿ Auto Brightness Adjustment Enabled by Bionic Dual Sensors
- ✿ Voice Control with Major AIoT Platforms Compatible
- ✿ Smart Indicator to Present the Perfect Lighting
- ✿ Customized Lighting for Both Adults and Children
- ✿ Replicating Natural Sunlight with SunLike Technology
- ✿ Higher Illuminance Wider Spread of Light
- ✿ Strobe-free for the Ease of Eyes
- ✿ Ra90 to Accurately Showcase the Colors You Want

Specifications

Model No.	YLTD08YL/YLTD13YL
Color Temperature:	3000-5000K
Power Factor:	0.5
Color Rendering Index:	Ra90
Wattage:	10.5W
Dimension:	86×86×25mm
Operating Temperature:	-10 - 40°C

Yeelight Staria Bedside Lamp Pro



Desk Light



Tunable



Dimmable




Features

- Red Dot Award-winner Design
- Dimmable and Tunable
- Voice Control with Major AIoT Platforms Compatible
- Night light on the top
- Built-in Wireless Charger
- Simple Control with One Touch

Specifications

Product Name:	Yeelight Staria Bedside Lamp Pro
Product No:	YLCT03YL
Rated Input:	22W
Color Rendering Index:	Ra95
Color Temperature:	2700-6500K
Operating Temperature:	-10°C-35°C
Wireless Connectivity:	Wi-Fi IEEE 802.11b/g/n 2.4GHz
Max Wireless Charging output:	10W



Yeelight Serene Eye-friendly Desk Lamp Pro



Desk Light

Dimmable

SunLike™
Natural Light



Features

- ☛ Natural Light Brought by the SunLike™ technology
- ☛ Voice Control with Major AIoT Platforms Compatible
- ☛ Certified by TUV
- ☛ No Flicker and Glare
- ☛ Smart Eye-use Scheduling
- ☛ Ra ≥ 95 to Accurately Showcase the Colors You Want
- ☛ Patented Multi-axis Design for High Flexibility
- ☛ 88 light beads to provide sufficient light

Specifications

Product Name:	Yeelight Serene Eye-friendly Desk Lamp Pro
Product No:	YLT04YL
Product Color :	Moca Gold
Product Size :	330 × 200mm × 500mm
Net Weight :	2390g
Luminance Flux:	650lm (-10%/+20%)@4000K
Color Temperature :	4000K
Color Rendering Index:	Ra ≥ 95
Brightness Range:	100lm-650lm, dimmable
Rated Power :	15W




Yeelight LED Folding Desk Lamp Z1 Pro









Desk Light



Dimmable



Features

-  5-level Dimming
-  Charge Once Lasting 40 Hours
-  Enhanced Brightness
-  Handy & Rechargeable
-  Type-C Charging Support
-  One-button Touch Control

Specifications

Product Name :	Yeelight LED Folding Desk Lamp Z1 Pro
Product No :	YLT14YL
Reference Input :	5V 1A
Rated Power :	5W (30 × 0.2W/LED)
Color Rendering Index :	Ra90
Color Temperature :	2700-5000K(5levels)
Luminous Flux :	200lumen
Battery Capacity :	2500mAh
Charging Method :	USB Chord and Plug

Yeelight 4-in-1 Rechargeable Desk Lamp




Essential Lighting

Dimmable



Features:

- A multi-functional desk lamp to complement all needs
- Can be used as a desk lamp for your desktop
- Can be used as a clip-on LED lamp for bookshelves and bedside
- Can be used as a magnetic wall lamp/spotlight for corridors
- Can be used as a handheld light for emergencies and outdoor use
- Flexible enough with built-in 1800mAh lithium battery (5V Type-C)
- A large illuminating area with less eye glare
- 180-degree rotation desk lamp head
- Easy installation, no extra nuts or screws required
- Stepless dimming with 4000K color temperature



Specifications

Product Model:	YLYTD-0011
Battery:	1800mAh, Type-C USB charging
Dimensions:	120*120*360mm
Color Temperature:	4000K±500K
Rated Input:	5V DC/ 1A
Color Rendering Index:	>80
Rated Power:	5W




Smart Control






Yeelight BLE Remote



Smart Control



Features


- Superb Mobility Compared with Wall Switches
- More Convenience Than Apps
- Full Control at Your Fingertips
- 5-Button Simple Control
- 12-month Long Standby Time(40 Operations per Day)
- Compatible with Yeelight Ceiling Lights Series

Specifications




Product Name:	Yeelight BLE Remote
Temperature	-10-40°C
Operating Humidity:	0%-85%RH
Battery Model:	CR2032



Yeelight Wireless Smart Dimmer



Smart Control



Features

- Red Dot Award-winner Design
- Connect to Yeelight Smart Ceiling Lights
- Stick on the wall With Built-in Battery
- Bluetooth Remote Control
- No Disconnection from Light Power
- 50,000 Press Tests to Ensure Durability
- Battery Life Up to Two Years
- The All-in-one Switch

Specifications

Product Name	Yeelight Smart Dimmer
Product Model:	YLKG07YL
Dimension:	86×86×25mm
Wireless Connection:	BLE 4.2
Standby Time:	3 years
Operating Temperature:	-10- +40°C
Operating Humidity:	0%-85%RH




Yeelight Smart Dual Control Module



Smart Control

Wi-Fi



Features:

- ✦ Transform Non-smart Appliances to Smart Devices
- ✦ Enable Smart APP and Remote Control
- ✦ Enable Voice Control with Major AIoT Platforms
- ✦ Enable Remote Timer Control Anytime Anywhere
- ✦ Compact Design for Easy Set up without Changing
- ✦ Compatible with Existing Sockets or Switches
- ✦ Quality Materials with Premium Design

Specifications

Product Name :	Yeelight Smart Dual Control Module
Product No.	YLA1002
Size:	49.5×46.2×24.5mm
Rated Input:	220-240V-50/60Hz
Wireless Connection:	Wi-Fi IEEE 802.11b/g/n 2.4 GHz and Bluetooth 4.2
Support Systems:	Android 4.4 or iOS 9.0 and above
Load Range (L1, L2):	Resistive Load-MAX 10A(Total) Capacitive Load-200W/Channel



www.yeelight.com

F10-B4, Bldg.B, International Innovation Park, 169 Songling Rd., Laoshan,
Qingdao City, Shandong Provice, 266101, China

