

# Samari IT Solution Pvt. Ltd.

Jamal Kantipath, Kthmandu Nepal

Tel: 01-5315848, 01-5347725

Cell: 9851125789; Support: 9741663402

Sales Whatsapp/Viber/Wechat: 9741663403

Mail: samariitsolution@gmail.com, info@samariit.com



















Website: www.samariit.com, www.uniview.com











All Products which has "call" on price column may or may not be available on stock currently, Please contact mentioned contacts for more details..





































## Price List For UNV Products
































































Issued: December 2023














































S.N.	Model and Picture	Features	MRP	Resseller	DPP
<b>Analog Cameras</b>					
1	<b>UAC-T112-F28-W</b> 2MP ColourHunter HD Fixed Turret Analog Camera 	<ul style="list-style-type: none"> <li>• 2MP 1/3" sensor for high quality image</li> <li>• TVI/AHD/CVI/CVBS Video output</li> <li>• IR-cut filter with auto switch (ICR) 20mtr IR</li> <li>• 2.8mm@F1.5 lens, Supports 180° horizontal flip, 180° vertical flip</li> <li>• DC 12V(±25%) Power input</li> </ul>  	3,000.00	2,499.00	2,380.00
2	<b>UAC-T112-F28</b> 2MP HD Fixed IR Turret Analog Camera 	<ul style="list-style-type: none"> <li>• 2MP 1/3" sensor for high quality image</li> <li>• TVI/AHD/CVI/CVBS Video Output</li> <li>• IR-cut filter with auto switch (ICR) 20mtr IR</li> <li>• 2.8mm@F2.0 lens, Supports 180° horizontal flip, 180° vertical flip</li> <li>• DC 12V(±25%) Power input</li> </ul>  	2,252.25	1,732.50	1,650.00
3	<b>UAC-B112-F40-W</b> 2MP ColourHunter HD Fixed Mini Bullet Analog Camera 	<ul style="list-style-type: none"> <li>• 2MP 1/3" sensor for high quality image</li> <li>• TVI/AHD/CVI/CVBS Video Output</li> <li>• IR-cut filter with auto switch (ICR) 20mtr IR</li> <li>• 4.0mm@F1.6 lens, Supports 180° horizontal flip, 180° vertical flip</li> <li>• DC 12V(±25%) Power input</li> </ul>  	3,385.20	2,604.00	2,480.00
4	<b>UAC-B112-F40</b> 2MP HD Fixed IR Mini Bullet Analog Camera 	<ul style="list-style-type: none"> <li>• 2MP 1/3" sensor for high quality image</li> <li>• TVI/AHD/CVI/CVBS Video Output</li> <li>• IR-cut filter with auto switch (ICR) 20mtr IR</li> <li>• 4.0mm@F2.0 lens, Supports 180° horizontal flip, 180° vertical flip</li> <li>• DC 12V(±25%) Power input</li> </ul>  	2,497.95	1,921.50	1,830.00
5	<b>UAC-T115-F28-W</b> 5MP ColourHunter HD Fixed Turret Analog Camera 	<ul style="list-style-type: none"> <li>• 5MP 1/2.7" CMOS sensor for high quality image</li> <li>• TVI/AHD/CVI/CVBS Video Output through BNC</li> <li>• Mote than 20M of white light Illumination distance</li> <li>• 2.8mm@F1.6 lens, Supports 180° horizontal flip, 180° vertical flip</li> <li>• Max 5MP@25fps: 2880(H)×1620(V) Video Resolution</li> <li>• DC 12V(±25%) Power input with reverse polarity protection and surge protection</li> </ul>  	4,750.20	3,654.00	3,480.00
6	<b>UAC-B115-F40-W</b> 5MP ColourHunter HD Fixed Mini Bullet Analog Camera 	<ul style="list-style-type: none"> <li>• 5MP 1/2.7" CMOS sensor for high quality image</li> <li>• TVI/AHD/CVI/CVBS Video Output through BNC</li> <li>• Mote than 20M of white light Illumination distance</li> <li>• 4.0mm@F1.6 lens, Supports 180° horizontal flip, 180° vertical flip</li> <li>• Max 5MP@25fps: 2880(H)×1620(V) Video Resolution</li> <li>• DC 12V(±25%) Power input with reverse polarity protection and surge protection</li> </ul>  	4,750.20	3,654.00	3,480.00



















































7	<b>UAC-T115-F28</b> 5MP HD Fixed IR Turret Analog Camera   	<ul style="list-style-type: none"> <li>• 5MP 1/2.7" CMOS sensor for high quality image</li> <li>• TVI/AHD/CVI/CVBS Video Output through BNC</li> <li>• IR-cut filter with auto switch (ICR) 20mtr IR</li> <li>• 2.8mm@F2.0 lens, Supports 180° horizontal flip, 180° vertical flip</li> <li>• Max 5MP@25fps: 2880(H)×1620(V) Video Resolution</li> <li>• DC 12V(±25%) Power input with reverse polarity protection and surge protection</li> </ul> 	3,890.25	2,992.50	2,850.00
8	<b>UAC-B115-F40</b> 5MP HD Fixed IR Mini Bullet Analog Camera   	<ul style="list-style-type: none"> <li>• 5MP 1/2.7" CMOS sensor for high quality image</li> <li>• TVI/AHD/CVI/CVBS Video Output through BNC</li> <li>• IR-cut filter with auto switch (ICR) 20mtr IR</li> <li>• 4.0mm@F2.0 lens, Supports 180° horizontal flip, 180° vertical flip</li> <li>• Max 5MP@25fps: 2880(H)×1620(V) Video Resolution</li> <li>• DC 12V(±25%) Power input with reverse polarity protection and surge protection</li> </ul> 	3,890.25	2,992.50	2,850.00




































**Network/IP Cameras**

















































1	<b>IPC-T122-APF28</b> 2MP Fixed Dome Network Camera      	<ul style="list-style-type: none"> <li>• 1/2.9", 2.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F2.1 lens</li> <li>• Up to 1080P (1920*1080), Max 25fps; Recording</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul> 	6,258.53	4,814.25	4,585.00
1	<b>IPC3234LR3-VSPZ28-D</b> 4MP VF Vandal-resistant IR Dome Network Camera      	<ul style="list-style-type: none"> <li>• 1/2.7" 4.0 MP, Progressive Scan, CMOS Sensor</li> <li>• 2.8 ~ 12mm, <b>motorized zoom lens</b></li> <li>• Up to : 4MP (2592*1520), Max 20fps Recording</li> <li>• Smart IR, up to 30m IR distance</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>	17,745.00	13,650.00	13,000.00
2	<b>IPC2122LB-SF40-A</b> 2MP Mini Fixed Bullet Network Camera     	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 megapixel, progressive scan, CMOS sensor</li> <li>• 4.0mm@F2.0 Lens</li> <li>• Up to 2MP 1080P (1920*1080), Max 30fps; Recording</li> <li>• API Compatible Intigration</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• DC 12V±25%, PoE (IEEE 802.3af) • 3-Axis</li> </ul>	5,937.75	4,567.50	4,350.00
3	<b>IPC3612LB-SF28-A</b> 2MP Fixed Dome Network Camera     	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 MP, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F2.0 Lens</li> <li>• Up to 1080P (1920*1080), Max 30fps; Recording</li> <li>• API Compatible Intigration</li> <li>• IR backlight Up to 30m (98ft)</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>	5,937.75	4,567.50	4,350.00
4	<b>IPC2122LB-AF40K-WL</b> 2MP HD ColorHunter Mini Fixed Bullet Network Camera     	<ul style="list-style-type: none"> <li>• 1/2.9", 2.0 MP, progressive scan, CMOS Sensor</li> <li>• 4.0mm@F1.6 Lens</li> <li>• Up to 1080P (1920*1080), Max 30fps; Recording</li> <li>• API Compatible Intigration</li> <li>• Warm Light Range Up to 30m (98ft)</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>	8,599.50	6,615.00	6,300.00
5	<b>IPC2122LE-ADF40KMC-WL</b> 2MP Fixed Dome Network Camera        	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 MP, progressive scan, CMOS Sensor</li> <li>• 4.0mm@F1.6 Lens</li> <li>• Up to 1080P (1920*1080), Max 30fps; Recording</li> <li>• API Compatible Intigration</li> <li>• IR backlight and whitelight Range Up to 30m (98ft)</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>	10,374.00	7,980.00	7,600.00














6	<b>IPC3612LE-ADF28KC-WL</b> 2MP Fixed Dome Network Camera    	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 MP, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F1.6 Lens</li> <li>• Up to 1080P (1920*1080), Max 30fps; Recording</li> <li>• API Compatible Intigration</li> <li>• IR backlight and whitelight Range Up to 30m (98ft)</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>     	10,374.00	7,980.00	7,600.00
7	<b>IPC3614LB-SF28-A</b> 4MP Fixed Dome Network Camera    	<ul style="list-style-type: none"> <li>• 1/2.8", 4.0 MP, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F2.0 Lens</li> <li>• Up to 1080P (1920*1080), Max 30fps; Recording</li> <li>• API Compatible Intigration</li> <li>• IR backlight and whitelight Range Up to 30m (98ft)</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>  	7,998.90	6,153.00	5,860.00
8	<b>IPC3614LE-ADF28KC-WL</b> 4MP HD ColorHunter IR Fixed Eyeball Network Camera    	<ul style="list-style-type: none"> <li>• 1/3", 4.0 MP, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F1.6 Lens</li> <li>• Up to 1080P (1920*1080), Max 30fps; Recording</li> <li>• API Compatible Intigration</li> <li>• IR backlight Up to 30m (98ft)</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>     	14,878.50	11,445.00	10,900.00
9	<b>IPC2124LE-ADF40KMC-WL</b> 4MP HD ColorHunter Mini IR Fixed Bullet Network Camera    	<ul style="list-style-type: none"> <li>• 1/3", 4.0 MP, progressive scan, CMOS Sensor</li> <li>• 4.0mm@F1.6 Lens</li> <li>• Up to 4MP (2688*1520), Max 25fps; Recording</li> <li>• API Compatible Intigration</li> <li>• IR backlight Up to 30m (98ft)</li> <li>• Up to 30m (98ft) white light range</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>     	14,878.50	11,445.00	10,900.00
10	<b>IPC322LB-SF28-A</b> 2MP Vandal-resistant Network IR Fixed Dome Camera    	<ul style="list-style-type: none"> <li>• 1/2.8", progressive scan, 2.0 megapixel, CMOS Sensor</li> <li>• 2.8mm@F2.0 Lens</li> <li>• 1080P (1920*1080), Max 30fps; Recording</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• API Compatible Intigration</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	6,251.70	4,809.00	4,580.00
11	<b>IPC322LB-SF40-A</b> 2MP Vandal-resistant Network IR Fixed Dome Camera    	<ul style="list-style-type: none"> <li>• 1/2.8", progressive scan, 2.0 megapixel, CMOS Sensor</li> <li>• 4.0mm@F2.0 Lens</li> <li>• 1080P (1920*1080), Max 30fps; Recording</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• API Compatible Intigration</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	6,251.70	4,809.00	4,580.00
12	<b>IPC2124LE-ADF40KM-G</b> 4MP HD Mini IR Fixed Bullet Network Camera    	<ul style="list-style-type: none"> <li>• 1/3", 4.0 MP, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F1.6 Lens</li> <li>• Up to 4MP (2688*1520)@ 25/20fps; Recording</li> <li>• Smart IR, up to 50m (164ft) IR distance</li> <li>• Supports 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>    	11,056.50	8,505.00	8,100.00
13	<b>IPC324LE-DSF28K-G</b> 4MP HD Vandal-resistant IR Fixed Dome Network Camera    	<ul style="list-style-type: none"> <li>• 1/3", 4.0 MP, progressive scan, CMOS sensor</li> <li>• 2.8mm@F1.6 Lens</li> <li>• Up To 4MP (2688*1520)@ 25/20fps Recording</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• Supports Upto 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>    	10,237.50	7,875.00	7,500.00



15	<b>IPC322LB-DSF28K-G</b> 2MP HD IR Fixed Dome Network Camera   	<ul style="list-style-type: none"> <li>• 1/2.7", 2.0 megapixel, progressive scan, CMOS sensor</li> <li>• 2.8mm@F2.0 Lens</li> <li>• Up to 1080P (1920*1080), Max 30fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• Supports Up to 128 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>  	9,964.50	7,665.00	7,300.00
16	<b>IPC2324LB-ADZK-G</b> 4MP HD IR Bullet Network Camera   	<ul style="list-style-type: none"> <li>• 1/3", 4.0 MP, progressive scan, CMOS sensor</li> <li>• 2.8~12mm, <b>AF automatic focusing and motorized zoom lens</b></li> <li>• Up to 4MP (2688*1520), Max 25fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 50m (164ft) IR distance</li> <li>• Supports Up to 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	17,745.00	13,650.00	13,000.00
17	<b>IPC2C22LE-SF40-WL</b> 2MP EasyColor Fixed Bullet Network Camera   	<ul style="list-style-type: none"> <li>• 1/2.7", 2.0 MP, progressive scan, CMOS Sensor</li> <li>• 4.0mm@F1.6 Lens</li> <li>• 2MP (1920*1080), Max 30fps; Recording</li> <li>• Built-in LEDs, Up to 30m (98ft) LED distance</li> <li>• ROI (Region of Interest)</li> <li>• Wide temperature range: -30°C ~ 60°C (-22°F ~ 140°F)</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>  	10,374.00	7,980.00	7,600.00
18	<b>IPC2122LB-ADF40KM-G</b> 2MP HD WDR Fixed IR Bullet Network Camera   	<ul style="list-style-type: none"> <li>• 1/2.7", 2.0 MP, progressive scan, CMOS sensor</li> <li>• 4.0mm@F2.0 Lens</li> <li>• Up to 1080P (1920*1080), Max 30fps; recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• Supports Up to 128 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	8,326.50	6,405.00	6,100.00
19	<b>IPC2322LB-ADZK-G</b> 2MP HD IR VF Bullet Network Camera   	<ul style="list-style-type: none"> <li>• 1/2.7", 2.0 MP, progressive scan, CMOS Sensor</li> <li>• 2.8 ~ 12mm, <b>AF automatic focusing and motorized zoom lens</b></li> <li>• Up to 2MP (1920*1080)@30/25fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 50m (164ft) IR distance</li> <li>• Supports 128 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	15,151.50	11,655.00	11,100.00
20	<b>IPC3534LB-ADZK-G</b> 4MP HD IR VF Dome Network Camera   	<ul style="list-style-type: none"> <li>• 1/3", 4.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.8 ~ 12mm, <b>AF automatic focusing and motorized zoom lens</b></li> <li>• Up to 4MP (2688*1520), Max 25fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 40m (131ft) IR distance</li> <li>• Supports 256GB Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	19,110.00	14,700.00	14,000.00
21	<b>IPC3612LB-ADF28K-G</b> 2MP HD IR Fixed Eyeball Network Camera   	<ul style="list-style-type: none"> <li>• 1/2.7", 2.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F2.0, Fixed-Focal Lens</li> <li>• Up to 2MP (1920*1080)@30fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• Supports Up to 128G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	8,367.45	6,436.50	6,130.00
22	<b>IPC324LB-SF28-A</b> 4MP Fixed IR Dome Network Camera   	<ul style="list-style-type: none"> <li>• 1/3", 4.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F2.0, Fixed-Focal Lens</li> <li>• Up to 4MP (2560*1440)@25fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>  	7,998.90	6,153.00	5,860.00

23	<b>IPC2124LB-SF40-A</b> 4MP Fixed IR Mini Bullet Network Camera 	<ul style="list-style-type: none"> <li>• 1/3", 4.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 4.0mm@F2.0, Fixed-Focal Lens</li> <li>• Up to 4MP (2560*1440)@25fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>    	7,998.90	6,153.00	5,860.00
2	<b>IPC322SB-DF40K-IO</b> 2MP HD Lighthunter IR Fixed Dome Network Camera 	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 MP, progressive scan, CMOS sensor</li> <li>• 2.8 mm@ F1.6 lens</li> <li>• 2MP (1920*1080)@30/25fps; 720P (1280*720)@30/25fps</li> <li>• Up to 30m IR distance</li> <li>• G.711 Audio Compression</li> <li>• Micro SD, up to 256 GB</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>      	15,015.00	11,550.00	11,000.00
3	<b>IPC2322SB-DZK-IO</b> 2MP HD LightHunter IR Fixed Bullet Network Camera 	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.7 ~ 13.5mm, AF automatic focusing and motorized zoom lens</li> <li>• Up to 2MP (1920*1080)@30fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Built-in Mic, G.711 Audio Compression</li> <li>• Smart IR, up to 50m (164ft) IR distance</li> <li>• Supports Up to 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>      	24,570.00	18,900.00	18,000.00
4	<b>IPC312SB-ADF28K-IO</b> 2MP HD Intelligent LightHunter IR Fixed Mini Dome Camera 	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F1.6 Lens</li> <li>• Up to 2MP (1920*1080)@30fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Built-in Mic, G.711 Audio Compression</li> <li>• Smart IR, up to 40m (131ft) IR distance</li> <li>• Supports Up to 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>      	15,015.00	11,550.00	11,000.00
5	<b>IPC2122SB-ADF28KM-IO</b> 2MP HD LightHunter IR Fixed Bullet Network Camera 	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F1.6 Lens</li> <li>• Up to 2MP (1920*1080)@30/25fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Built-in Mic, G.711 Audio Compression</li> <li>• Smart IR, up to 40m (131ft) IR distance</li> <li>• Supports Up to 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>      	15,015.00	11,550.00	11,000.00
6	<b>IPC3614SB-ADF28KMC-IO</b> 4MP Intelligence Double Light Full Color Active Deterrence Eyeball Network Camera 	<ul style="list-style-type: none"> <li>• 1/2.7", 4.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F1.6</li> <li>• Up to 4MP (2688*1520), Max 30fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Built-in Mic and Speaker, G.711 Audio Compression</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• Supports Up to 256G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>        	19,922.18	14,595.00	13,900.00
7	<b>IPC2124SB-ADF28KM-IO</b> 4MP HD LightHunter IR Fixed Bullet Network Camera 	<ul style="list-style-type: none"> <li>• 1/3", 4.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F1.6 Lens</li> <li>• Up to 4MP (2688*1520)@30fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Built-in Mic, G.711 Audio Compression</li> <li>• Smart IR, up to 40m (131ft) IR distance</li> <li>• Supports Up to 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>       	18,488.93	13,545.00	12,900.00









8	<p><b>IPC2325SB-DZK-IO</b> 5MP HD LightHunter IR VF Bullet Network Camera</p>  <p>Ultra H.265 5MP EcoStorage</p>	<ul style="list-style-type: none"> <li>• 1/2.7", 5.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.7 ~ 13.5mm, <b>AF and motorized zoom lens</b></li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 50m (164ft) IR distance</li> <li>• Supports 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	32,964.75	24,150.00	23,000.00
9	<p><b>IPC2225SE-DF40K-WL-IO</b> 5MP HD ColorHunter Fixed Bullet Network Camera</p>  <p>Ultra H.265 5MP EcoStorage</p>	<ul style="list-style-type: none"> <li>• 1/2.7", 5.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 4.0mm@F1.0 lens</li> <li>• Colorhunter technology for 24-hour full-color images</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• G.711 Audio Compression</li> <li>• Supports 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	21,928.73	16,065.00	15,300.00
10	<p><b>IPC2124SB-ADF28KMC-IO</b> 4MP HD Intelligent Light and Audible Warning Fixed Bullet Network Camera</p>  <p>Ultra H.265 4MP EcoStorage</p>	<ul style="list-style-type: none"> <li>• 1/2.7", 4.0 megapixel, progressive scan, CMOS sensor</li> <li>• Up to 4MP (2688*1520), Max 30fps Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• Built-in Mic, G.711 Audio Compression</li> <li>• Built-in Speaker</li> <li>• Supports 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>    	21,498.75	15,750.00	15,000.00
	<p><b>IPC2128SB-ADF40KMC-IO</b> 8MP HD Intelligent Light and Audible Warning Fixed Bullet Network Camera</p>  <p>Ultra H.265 8MP EcoStorage</p>	<ul style="list-style-type: none"> <li>• 1/2.7", 8.0 megapixel, progressive scan, CMOS sensor</li> <li>• 4.0mm@F1.6 Lens</li> <li>• Up to 8MP (3840*2160), Max 20fps Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR/Warm LED, up to 30m (98ft) IR distance</li> <li>• Built-in Mic, G.711 Audio Compression</li> <li>• Built-in Speaker</li> <li>• Supports 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>    	25,798.50	18,900.00	18,000.00
	<p><b>IPC2324SE-ADZK-WL-IO</b> 4MP HD Intelligent Dual Illuminators ColorHunter VF Bullet Network Camera</p>  <p>Ultra H.265 4MP EcoStorage</p>	<ul style="list-style-type: none"> <li>• 1/1.8", 4.0 megapixel, progressive scan, CMOS sensor</li> <li>• 2.8 ~ 12mm, AF and motorized zoom lens</li> <li>• Up to 4MP (3840*2160), Max 20fps Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR/Warm LED, up to 30m (98ft) IR distance</li> <li>• Built-in Mic, G.711 Audio Compression</li> <li>• Supports 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>    	37,321.83	27,342.00	26,040.00
11	<p><b>IPC2228SE-DF60K-WL-IO</b> 4K HD Intelligent ColorHunter Fixed Bullet Network Camera</p>  <p>Ultra H.265 8MP EcoStorage</p>	<ul style="list-style-type: none"> <li>• 1/1.8", 8.0 megapixel, progressive scan, CMOS sensor</li> <li>• Up to 8MP (3840*2160)@30fps Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 30m (98ft) IR distance</li> <li>• Built-in Mic, G.711 Audio Compression</li> <li>• 6.0mm@F1.0 Lens</li> <li>• Supports 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>     	31,352.34	22,968.75	21,875.00
12	<p><b>IPC2K24SE-ADF40KMC-WL-IO</b> 4MP HD ColorHunter Wide Angle Fixed Bullet Network Camera</p>  <p>Ultra H.265 4MP EcoStorage</p>	<ul style="list-style-type: none"> <li>• 1/2.7", 8.0 megapixel, progressive scan, CMOS sensor</li> <li>• Up to 8MP (3840*2160)@20fps Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• 2 LED Light with up to 30m (98ft) distance</li> <li>• Built-in Mic, G.711 Audio Compression</li> <li>• 2 * 4.0mm@F1.0 Lenses</li> <li>• Supports 256 G Micro SD card</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>     	26,870.57	19,685.40	18,748.00











1	<p><b>IPC6612SR-X25-VG</b> 2MP 25x Lighthunter Network PTZ Dome Camera</p>  <p><b>Ultra H.265</b></p>  	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 megapixel, progressive scan, CMOS sensor</li> <li>• 5~125mm, AF and motorized zoom lens</li> <li>• Up to 2MP(1920*1080),Max 30fps; Recording</li> <li>• G.711U, G.711A Audio Compression</li> <li>• DC12V±10% , PoE+ (IEEE802.3 at)</li> <li>• Micro SD, up to 256GB</li> <li>• Smart IR, up to 150m (492 ft) IR distance</li> </ul>   	61,493.25	47,302.50	45,050.00
2	<p><b>IPC6612SR-X33-VG</b> 2MP 33x Lighthunter Network PTZ Dome Camera</p>  <p><b>Ultra H.265</b></p>  	<ul style="list-style-type: none"> <li>• 1/2.8", 2.0 megapixel, progressive scan, CMOS sensor</li> <li>• 4.5~ 148.5mm, F1.5 ~ F4.0 AF and motorized zoom lens</li> <li>• Up to 2MP(1920*1080),Max 30fps; Recording</li> <li>• G.711U, G.711A Audio Compression</li> <li>• DC12V±10% , PoE+ (IEEE802.3 at)</li> <li>• Micro SD, up to 256GB</li> <li>• Smart IR, up to 150m (492 ft) IR distance</li> </ul>   	84,630.00	65,100.00	62,000.00
3	<p><b>IPC6412LR-X5UPW-VG</b> 2MP WDR Starlight IR Network Indoor MiniPTZ Dome Camera</p>  <p><b>Ultra H.265</b></p>  	<ul style="list-style-type: none"> <li>• 1/2.7", 2.0 megapixel, progressive scan, CMOS sensor</li> <li>• 2.7~13.5mm@F1.2, AF and motorized zoom lens</li> <li>• Up to 2MP (1920*1080),Max 30fps; Recording</li> <li>• Smart IR, Up to 30m (98 ft) IR distance</li> <li>• G.711U, G.711A Audio Compression</li> <li>• Micro SD, up to 256GB</li> <li>• DC12V±10% , PoE+ (IEEE802.3 at)</li> </ul>     	21,840.00	16,800.00	16,000.00
4	<p><b>IPC6412LR-X5P</b> 2MP WDR Starlight IR Network Indoor MiniPTZ Dome Camera</p>  <p><b>Ultra H.265</b></p>  	<ul style="list-style-type: none"> <li>• 1/2.9" progressive scan, 2.0 megapixel, CMOS sensor</li> <li>• 2.7~13.5mm@F1.2, AF and motorized zoom lens</li> <li>• Up to 2MP (1920*1080),Max 30fps; Recording</li> <li>• Smart IR, Up to 30m (98 ft) IR distance</li> <li>• Micro SD, up to 256GB</li> <li>• DC12V±10% , PoE+ (IEEE802.3 at)</li> </ul>    	15,151.50	11,655.00	11,100.00
5	<p><b>IPC6312LR-AX4W-VG</b> 2MP LightHunter WIFI IR Network PTZ Camera</p>  <p><b>Ultra H.265</b></p>  	<ul style="list-style-type: none"> <li>• 1/21.7", 2.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 2.8~12mm, AF and motorized zoom lens</li> <li>• Up to 2MP (1920*1080)@30fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Built-in Mic and Speaker, G.711 Audio Compression</li> <li>• Smart IR, up to 50m (164ft) IR distance</li> <li>• Supports Up to 256G Micro SD card</li> <li>• DC 12V±25%</li> </ul>     	22,746.36	17,497.20	16,664.00
6	<p><b>IPC6424SR-X25-VF</b> 4MP 25X Lighthunter Network PTZ Dome Camera</p>  <p><b>Ultra H.265</b></p>  	<ul style="list-style-type: none"> <li>• 1/2.8", 4.0 megapixel, progressive scan, CMOS Sensor</li> <li>• 4.8 ~ 120mm, AF automatic focusing and motorized zoom lens</li> <li>• Up to 4MP (2560*1440)@25fps; Recording</li> <li>• 120dB true WDR technology for strong light scene</li> <li>• Smart IR, up to 100m (328ft) IR distance</li> <li>• DC 12V±25%, PoE (IEEE 802.3af)</li> </ul>   	64,141.35	49,339.50	46,990.00
8	<p><b>IPC94144SR-X25-F40C</b> 4MP+4MP Lighthunter Dual-lens Network PTZ Camera</p>  <p><b>Ultra H.265</b></p>  	<ul style="list-style-type: none"> <li>• 1/2.7", 4MP Panorama, 1/2.7", 4MP Detail progressive scan, CMOS Sensor</li> <li>• Dual, 4mm@F1.6 Panorama and 4.8~120mm@F1.5 AF, Detail lens</li> <li>• Up to 3MP (2304*1296)@20fps; Recording</li> <li>• Smart IR, up to 10m (32.8 ft) of Panorama and up to 10m (32.8 ft) IR distance of detail</li> <li>• DC 12V±25%, PoE (IEEE 802.3at)</li> </ul>    	88,725.00	68,250.00	65,000.00











9	<p><b>IPC6412LR-X16-VG</b> 2MP 16x LightHunter Network PTZ Dome Camera</p>  <p><b>Ultra H.265</b></p>    	<ul style="list-style-type: none"> <li>• 1/2.8", 2MP progressive scan, CMOS Sensor</li> <li>• 5 - 80mm f1.7-f2.8, AF automatic focusing and motorized zoom lens</li> <li>• Up to 2MP (1920*1080)@30fps; Recording</li> <li>• Smart IR, up to 100m (328 ft)</li> <li>• DC 12V±25%,3A, PoE (IEEE 802.3at) with max power consumption of 20Watt</li> </ul>	35,541.87	27,339.90	26,038.00
<b>Hybrid Network Video Recorders</b>					
2	<p><b>XVR301-04G3</b> 1 Hard Disk 4-Channel Hybrid Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support H.265/H.264 video formats</li> <li>• Support audio over coaxial cable, 4-channel BNC input</li> <li>• 2-ch(only IP up to 6ch) IP video input, each channel up to 4MP</li> <li>• 16Mbps (Up to 24Mbps after all analog channel conversion) incoming and 48Mbps Outgoing bandwidth</li> <li>• Support TVI, AHD, CVI, CVBS, IP cameras</li> <li>• 1-ch HDMI output, 1-ch VGA output at up to 1920*1080</li> <li>• Long transmission distance over coaxial cable</li> <li>• 1-SATA interface, Up to 8TB for each HDD</li> <li>• 12V DC Power Supply</li> </ul>	8,258.25	6,352.50	6,050.00
1	<p><b>XVR301-08G3</b> 1 Hard Disk 8-Channel Hybrid Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support H.265/H.264 video formats</li> <li>• Support audio over coaxial cable, 8-channel BNC input</li> <li>• 4-ch(only IP up to 8ch) IP video input, each channel up to 4MP</li> <li>• 32Mbps (Up to 40Mbps after all analog channel conversion) incoming and 64Mbps Outgoing bandwidth</li> <li>• Support TVI, AHD, CVI, CVBS, IP cameras</li> <li>• 1-ch HDMI output, 1-ch VGA output at up to 1920*1080</li> <li>• Long transmission distance over coaxial cable</li> <li>• 1-SATA interface, Up to 8TB for each HDD</li> <li>• 12V DC Power Supply</li> </ul>	10,032.75	7,717.50	7,350.00
3	<p><b>XVR301-16G3</b> 1 Hard Disk 16-Channel Hybrid Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support H.265/H.264 video formats</li> <li>• Support audio over coaxial, 16-channel BNC input</li> <li>• 8-ch(up to 16-ch after analog camera conversion) IP Video Input</li> <li>• 40Mbps (Up to 56Mbps after all analog channel conversion) incoming and 64Mbps Outgoing bandwidth</li> <li>• Support TVI, AHD, CVI, CVBS, IP cameras</li> <li>• 1-ch HDMI output, 1-ch VGA output at up to 1920*1080</li> <li>• Long transmission distance over coaxial cable</li> <li>• 1-SATA interface, Up to 8TB for each HDD</li> <li>• 12V DC Power Supply</li> </ul>	16,188.90	12,453.00	11,860.00
4	<p><b>XVR301-04Q</b> 4-CH 1-SATA Hybrid Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support H.265/H.264 video formats</li> <li>• Support audio over coaxial cable, 4-channel BNC input</li> <li>• 2-ch(only IP up to 6ch) IP video input, each channel up to 4K</li> <li>• 48Mbps incoming and 60Mbps Outgoing bandwidth</li> <li>• Support TVI, AHD, CVI, CVBS, IP cameras</li> <li>• Support 1-ch HDMI output, 1-ch VGA output at up to 1920*1080, Audio Output 1-ch, RCA</li> <li>• 1-SATA interface, Up to 6TB for each HDD</li> <li>• 12V DC Power Supply</li> </ul>	11,875.50	9,135.00	8,700.00









5	<p><b>XVR301-08Q</b> 8-CH 1-SATA hybrid Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support H.265/H.264 video formats</li> <li>• Support audio over coaxial cable, 8-channel BNC input</li> <li>• 4-ch(only IP up to 12ch) IP video input, each channel up to 4K</li> <li>• 56Mbps incoming and 64Mbps Outgoing bandwidth</li> <li>• Support TVI, AHD, CVI, CVBS, IP cameras</li> <li>• Support 1-ch HDMI output, 1-ch VGA output at up to 1920*1080</li> <li>• Long transmission distance over coaxial cable</li> <li>• 1-SATA interface, Up to 6TB for each HDD</li> <li>• 12V DC Power Supply</li> </ul>	17,199.00	13,230.00	12,600.00
---	--	--	-----------	-----------	-----------









### Network Video Recorders

1	<p><b>NVR301-04S3</b> 4-ch 1-SATA Ultra 265/H.265/H.264 NVR</p>  	<ul style="list-style-type: none"> <li>• Support Ultra 265/H.265/H.264 video formats</li> <li>• 4-channel IP Video input</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Support 1-ch HDMI, 1-ch VGA, HDMI at up to 4K(3840x2160) resolution</li> <li>• HDMI and VGA simultaneous output</li> <li>• Up to 4K resolution recording</li> <li>• 1 SATA HDD up to 6TB</li> <li>• 64Mbps incoming and 48Mbps Outgoing bandwidth</li> <li>• 12V DC Power Supply</li> </ul>	8,667.75	6,667.50	6,350.00
2	<p><b>NVR301-08S3</b> 8-ch 1-SATA Ultra 265/H.265/H.264 Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra 265/H.265/H.264 video formats</li> <li>• 8-channel IP video input</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Support 1-ch HDMI, 1-ch VGA, HDMI at up to 4K(3840x2160) resolution</li> <li>• HDMI and VGA simultaneous output</li> <li>• Up to 4K resolution recording</li> <li>• 1 SATA HDD up to 6TB</li> <li>• 64Mbps incoming and 48Mbps Outgoing bandwidth</li> <li>• Support cloud upgrade, 12V DC Power Supply</li> </ul>	10,442.25	8,032.50	7,650.00
3	<p><b>NVR301-16S3</b> 16-ch 1-SATA Ultra 265/H.265/H.264 NVR</p>  	<ul style="list-style-type: none"> <li>• Support Ultra 265/H.265/H.264 video formats</li> <li>• 16-channel IP Video input</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Support 1-ch HDMI, 1-ch VGA, HDMI at up to 4K(3840x2160) resolution</li> <li>• HDMI and VGA simultaneous output</li> <li>• Up to 4K resolution recording, 1 SATA HDD up to 6TB</li> <li>• 64Mbps incoming and 48Mbps Outgoing bandwidth</li> <li>• Support cloud upgrade, 12V DC Power Supply</li> </ul>	12,967.50	9,975.00	9,500.00
5	<p><b>NVR302-09S2/09S3</b> 9-ch 2-SATA Ultra 265/H.265/H.264 NVR</p>  	<ul style="list-style-type: none"> <li>• Support Ultra 265/H.265/H.264 video formats</li> <li>• 9-channel IP Video input</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Support 1-ch HDMI, 1-ch VGA, HDMI at up to 4K(3840x2160) resolution</li> <li>• HDMI and VGA simultaneous output</li> <li>• Up to 8MP resolution recording, 2 SATA HDD up to 8TB</li> <li>• 160Mbps incoming and 64Mbps Outgoing bandwidth</li> <li>• Support cloud upgrade, 12V DC Power Supply</li> </ul>	16,564.28	12,741.75	12,135.00

6	<p><b>NVR302-09E2</b> 2 Hard Disks 9-Channel Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra265/H.265/H.264 video formats</li> <li>• 9-channel IP video input</li> <li>• 2 RJ45 10M/100M/1000M self-adaptive Ethernet Interfaces</li> <li>• 320Mbps incoming and 180Mbps Outgoing bandwidth</li> <li>• Supports cameras of ONVIF conformance(Profile S, Profile G, Profile T ) and RTSP protocols</li> <li>• HDMI and VGA independent outputs provided, 1-ch HDMI, 1-ch VGA. HDMI up to 4K (3840x2160) resolution</li> <li>• Up to 12 Megapixels resolution recording</li> <li>• 2 SATA HDDs, up to 8TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> </ul>	23,887.50	18,375.00	17,500.00
7	<p><b>NVR302-16S2</b> 16-ch 2-SATA Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra265/H.265/H.264 video formats</li> <li>• 16-channel IP video input</li> <li>• 2 10/100/1000 RJ45 Ethernet Port</li> <li>• 160Mbps incoming and 64Mbps Outgoing bandwidth</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• HDMI and VGA simultaneous output</li> <li>• Up to 8 Megapixels resolution recording</li> <li>• 2 SATA HDDs, up to 8TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> </ul>	21,840.00	16,800.00	16,000.00
8	<p><b>NVR302-16E2</b> 2 Hard Disks 16-Channel Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra265/H.265/H.264 video formats</li> <li>• 16-channel IP video input</li> <li>• 2 RJ45 10M/100M/1000M self-adaptive Ethernet Interfaces</li> <li>• 320Mbps incoming and 320Mbps Outgoing bandwidth</li> <li>• Supports cameras of ONVIF conformance(Profile S, Profile G, Profile T ) and RTSP protocols</li> <li>• HDMI and VGA independent outputs provided, 1-ch HDMI, 1-ch VGA. HDMI up to 4K (3840x2160) resolution</li> <li>• Up to 12 Megapixels resolution recording</li> <li>• 2 SATA HDDs, up to 8TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> </ul>	28,685.48	22,065.75	21,015.00
9	<p><b>NVR302-32S</b> 32-CH 2-SATA Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra265/H.265/H.264 video formats</li> <li>• 32-channel IP video input</li> <li>• Third-party IP cameras supported with ONVIF conformance</li> <li>• 160Mbps incoming and 64Mbps Outgoing bandwidth</li> <li>• HDMI and VGA simultaneous output</li> <li>• Up to 8 Megapixels resolution recording</li> <li>• 2 SATA HDDs, up to 6TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> <li>• 12V DC power supply</li> </ul>	28,501.20	21,924.00	20,880.00
10	<p><b>NVR304-16S</b> 16-CH 4-SATA Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra265/H.265/H.264 video formats</li> <li>• 16-channel IP Video input</li> <li>• Third-party IP cameras supported with ONVIF conformance</li> <li>• 160Mbps incoming and 64Mbps Outgoing bandwidth</li> <li>• HDMI and VGA simultaneous output</li> <li>• Up to 8 Megapixels resolution recording</li> <li>• 4 SATA HDDs, up to 6TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> <li>• 12V DC Power Supply</li> </ul>	34,807.50	26,775.00	25,500.00



11	<p><b>NVR304-16E2</b> 4 Hard Disks 16-Channel Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra265/H.265/H.264 video formats</li> <li>• 16-channel IP video input</li> <li>• 2 RJ45 10M/100M/1000M self-adaptive Ethernet</li> <li>• 320Mbps incoming and 320Mbps Outgoing bandwidth</li> <li>• Supports cameras of ONVIF conformance(Profile S, Profile G, Profile T ) and RTSP protocols</li> <li>• HDMI and VGA independent outputs provided, 1-ch HDMI, 1-ch VGA. HDMI up to 4K (3840x2160) resolution</li> <li>• Up to 12 Megapixels resolution recording</li> <li>• 4 SATA HDDs, up to 8TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> <li>• Support cloud upgrade, Support RAID 1, 5</li> </ul>	34,807.50	26,775.00	25,500.00
12	<p><b>NVR304-32S</b> 32-CH 4-SATA NVR</p>  	<ul style="list-style-type: none"> <li>• 32-channel IP Video input</li> <li>• Support Ultra 265/H.265/H.264 video formats</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Up to 8 Megapixels resolution recording</li> <li>• 4 SATA HDDs, up to 8TB for each HDD</li> <li>• 160Mbps incoming and 64Mbps Outgoing bandwidth</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> <li>• Support cloud upgrade</li> <li>• 12V DC Power Supply</li> </ul>	41,905.50	32,235.00	30,700.00
13	<p><b>NVR304-32E2</b> 4 Hard Disks 32-Channel Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra265/H.265/H.264 video formats</li> <li>• 32-channel IP video input</li> <li>• 2 RJ45 10M/100M/1000M self-adaptive Ethernet</li> <li>• 320Mbps incoming and 320Mbps Outgoing bandwidth</li> <li>• Supports cameras of ONVIF conformance(Profile S, Profile G, Profile T ) and RTSP protocols</li> <li>• HDMI and VGA independent outputs provided, 1-ch HDMI, 1-ch VGA. HDMI up to 4K (3840x2160) resolution</li> <li>• Up to 12 Megapixels resolution recording</li> <li>• 4 SATA HDDs, up to 8TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> <li>• Support cloud upgrade, Support RAID 1, 5</li> </ul>	45,591.00	35,070.00	33,400.00
14	<p><b>NVR304-64E2</b> 4 Hard Disks 64-Channel Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra265/H.265/H.264 video formats</li> <li>• 64-channel IP video input</li> <li>• 2 RJ45 10M/100M/1000M self-adaptive Ethernet</li> <li>• Supports cameras of ONVIF conformance(Profile S, Profile G, Profile T ) and RTSP protocols</li> <li>• Incoming 320Mbps and outgoing 320Mbps Bandwidth.</li> <li>• HDMI and VGA independent outputs provided, 1-ch HDMI, 1-ch VGA. HDMI up to 4K (3840x2160) resolution</li> <li>• Up to 12 Megapixels resolution recording</li> <li>• 4 SATA HDDs, up to 8TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> <li>• Support cloud upgrade, Support RAID 1, 5</li> </ul>	52,962.00	40,740.00	38,800.00
15	<p><b>NVR304-32EP-B</b> 32-CH 4-SATA 4K Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• 1 RJ45 10M/100M/1000M self-adaptive Ethernet Port</li> <li>• 320Mbps incoming and 320Mbps Outgoing bandwidth</li> <li>• Up to 12 Megapixels resolution recording</li> <li>• Support Ultra 265/H.265/H.264 video formats</li> <li>• Plug &amp; Play with up to 16 independent PoE network interfaces</li> <li>• 4 SATA HDDs, Up to 8TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> <li>• 100 ~ 240 VAC Power Supply</li> </ul>	55,965.00	43,050.00	41,000.00

16	<p><b>NVR304-32X</b> UNV NVR304-32X Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra265/H.265/H.264 video formats</li> <li>• 32-channel IP video input</li> <li>• 2 RJ45 10M/100M/1000M self-adaptive Ethernet</li> <li>• 384Mbps incoming and 384Mbps outgoing bandwidth</li> <li>• Supports cameras of ONVIF conformance(Profile S, Profile G, Profile T ) and RTSP protocols</li> <li>• HDMI and VGA independent outputs provided, 1-ch HDMI, 1-ch VGA. HDMI up to 4K (3840x2160) resolution</li> <li>• Up to 12 Megapixels resolution recording</li> <li>• 4 SATA HDDs, up to 10TB for each HDD</li> <li>• ANR technology to enhance the storage reliability when the network is disconnected</li> <li>• Support cloud upgrade, Support RAID 1, 5</li> </ul>	81,900.00	63,000.00	60,000.00
17	<p><b>NVR308-32X</b> 32-CH 8-SATA Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra H.265/H.265/H.264 video formats</li> <li>• 64-channel IP video input</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Support 2-ch HDMI, 1-ch VGA. HDMI1 and HDMI2 up to 4K (3840x2160) resolution</li> <li>• Incoming 384Mbps and outgoing 384Mbps Bandwidth.</li> <li>• HDMI1, HDMI2, VGA independent outputs provided</li> <li>• Up to 12 Megapixels resolution recording</li> <li>• Support RAID 0, 1, 5, 6, 10</li> <li>• 8 SATA HDDs, Up to 10TB for each HDD</li> <li>• 2 RJ45 10M/100M/1000M self-adaptive Ethernet Port</li> <li>• Support N+1 Hot spare</li> <li>• Support for 12V Power output</li> </ul>	90,090.00	69,300.00	66,000.00
19	<p><b>NVR308-64X</b> 64-CH 8-SATA Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra H.265/H.265/H.264 video formats</li> <li>• 64-channel IP video input</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Support 2-ch HDMI, 1-ch VGA. HDMI1 and HDMI2 up to 4K (3840x2160) resolution</li> <li>• Incoming 384Mbps and outgoing 384Mbps Bandwidth.</li> <li>• HDMI1, HDMI2, VGA independent outputs provided</li> <li>• Up to 12 Megapixels resolution recording</li> <li>• Support RAID 0, 1, 5, 6, 10</li> <li>• 8 SATA HDDs, Up to 10TB for each HDD</li> <li>• 2 RJ45 10M/100M/1000M self-adaptive Ethernet Port</li> <li>• Support N+1 Hot spare</li> <li>• Support for 12V Power output</li> </ul>	122,781.75	94,447.50	89,950.00
<b>Power Over Ethernet(PoE) NVR</b>					
1	<p><b>NVR301-08LS3-P8</b> 8-ch 1-SATA Ultra 265/H.265/H.264 Network Video Recorder</p>  	<ul style="list-style-type: none"> <li>• Support Ultra 265/H.265/H.264 video formats</li> <li>• 8-channel IP video input</li> <li>• Plug &amp; Play with 8 independent PoE IEEE 802.3at, IEEE 802.3af Port network interfaces</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Support 1-ch HDMI, 1-ch VGA, HDMI at up to 4K(3840x2160) resolution</li> <li>• HDMI and VGA simultaneous output</li> <li>• Up to 8MP resolution recording</li> <li>• 1 SATA HDD up to 6TB</li> <li>• Incoming 64Mbps and outgoing 48Mbps Bandwidth.</li> <li>• 52V DC Power Supply</li> </ul>	17,745.00	13,650.00	13,000.00

1	<b>NVR301-04LB-P4</b> 4-ch 1-SATA Ultra 265/H.265/H.264 Network Video Recorder  	<ul style="list-style-type: none"> <li>• Support Ultra 265/H.265/H.264 video formats</li> <li>• 4-channel IP video input</li> <li>• Plug &amp; Play with 4 independent PoE IEEE 802.3at, IEEE 802.3af Port network interfaces</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Support 1-ch HDMI, 1-ch VGA, HDMI simultaneous output</li> <li>• Up to 2MP resolution recording</li> <li>• 1 SATA HDD up to 8TB</li> <li>• Incoming 40Mbps and outgoing 40Mbps Bandwidth.</li> <li>• 48V DC Power Supply</li> </ul>	14,332.50	11,025.00	10,500.00
1	<b>NVR301-08LB-P8</b> 8-ch 1-SATA Ultra 265/H.265/H.264 Network Video Recorder  	<ul style="list-style-type: none"> <li>• Support Ultra 265/H.265/H.264 video formats</li> <li>• 8-channel IP video input</li> <li>• Plug &amp; Play with 4 independent PoE IEEE 802.3at, IEEE 802.3af Port network interfaces</li> <li>• Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T</li> <li>• Support 1-ch HDMI, 1-ch VGA, HDMI simultaneous output</li> <li>• Up to 2MP resolution recording</li> <li>• 1 SATA HDD up to 10TB</li> <li>• Incoming 40Mbps and outgoing 40Mbps Bandwidth.</li> <li>• 48V DC Power Supply</li> </ul>	17,745.00	13,650.00	13,000.00
<b>Network Switches Power Over Ethernet (PoE)</b>					
1	<b>NSW2010-6T-POE-IN</b> 4PoE+2PORT SWITCH 	<ul style="list-style-type: none"> <li>• Switching capacity : 1.2Gbps</li> <li>• 6×100Mbps network ports (RJ45), including 4 PoE ports</li> <li>• Max Switch PoE Power: 67W, Max capacity for single PoE port: 30W</li> <li>• Up to 250m transmission distance on EXTEND mode</li> <li>• Support buffer optimization</li> <li>• All metal housing, safe and reliable</li> <li>• Multiple working modes to address your business needs:Normal, Secure and Surveillance</li> </ul>	5,442.26	4,186.35	3,987.00
3	<b>NSW2010-10T-PoE-IN</b> 8PoE+2PORT SWITCH 	<ul style="list-style-type: none"> <li>• Switching capacity : 2Gbps</li> <li>• 10×100Mbps network ports (RJ45), including 8 PoE port</li> <li>• Max Switch PoE Power: 122W, Max capacity for single PoE port: 30W</li> <li>• Up to 250m transmission distance on EXTEND mode</li> <li>• Support buffer optimization</li> <li>• All metal housing, safe and reliable</li> <li>• Multiple working modes to address your business needs:Normal, Secure and Surveillance</li> </ul>	8,790.60	6,762.00	6,440.00
4	<b>NSW2010-16T2GC-POE-IN</b> 16PoE+2GC SWITCH 	<ul style="list-style-type: none"> <li>• Switching capacity : 7.2Gbps</li> <li>• 16×100Mbps PoE ports (RJ45)+ 2×1000Mbps Combo ports</li> <li>• Max Switch PoE Power: 250W, Max capacity for single PoE port: 30W</li> <li>• Up to 250m transmission distance on EXTEND mode</li> <li>• Support buffer optimization</li> <li>• All metal housing, safe and reliable</li> <li>• Multiple working modes to address your business needs:Normal, Secure and Surveillance</li> </ul>	27,497.93	21,152.25	20,145.00
5	<b>NSW2010-24T2GC-POE-IN</b> 24PoE+2GC Switch 	<ul style="list-style-type: none"> <li>• Switching capacity : 8.8Gbps</li> <li>• 24×100Mbps PoE ports (RJ45)+ 2×1000Mbps Combo ports</li> <li>• Max Switch PoE Power: 370W, Max capacity for single PoE port: 30W</li> <li>• Up to 250m transmission distance on EXTEND mode</li> <li>• Support buffer optimization</li> <li>• All metal housing, safe and reliable</li> <li>• Multiple working modes to address your business needs:Normal, Secure and Surveillance</li> </ul>	34,589.10	26,607.00	25,340.00




## Hard Storage Medias

1	<b>WD10PURX-64KC9Y0</b> 1TB PURPLE HARD DISK 	<ul style="list-style-type: none"> <li>• Engineered specifically for surveillance security systems</li> <li>• Improve performance with AllFrame for upto 32 HD cameras</li> <li>• 1TB capacity • 3.5" Form Factor</li> <li>• Reduced video frame loss</li> <li>• 6Gb/s SATA interface, 64MB Cache</li> <li>• Prioritized write-operations for maximized surveillance performance</li> <li>• TLER &amp; ATA streaming support.</li> </ul>	8,190.00	6,300.00	6,000.00
2	<b>WD20PURX-64AKYY0</b> 2TB PURPLE HARD DISK 	<ul style="list-style-type: none"> <li>• 2TB capacity • 3.5" Form Factor</li> <li>• Custom-built for surveillance applications with Image Perfect firmware for crisp, clear, 24x7 video workloads</li> <li>• Maximum 180TB/year workload rating—3x the workload rating of desktop drives</li> <li>• 6Gb/s SATA interface, 64MB Cache</li> <li>• IntelPower 5400 rpm SATA III 3.5" Internal Surveillance Hard Drive</li> <li>• store up to 10,000 hours of HD video</li> </ul>	10,920.00	8,400.00	8,000.00
3	<b>WD40PURX-64AKYY0</b> 4TB PURPLE HARD DISK 	<ul style="list-style-type: none"> <li>• Engineered specifically for surveillance security systems</li> <li>• Improve performance with AllFrame for upto 32 HD cameras</li> <li>• Reduced video frame loss</li> <li>• 4TB capacity • 3.5" Form Factor</li> <li>• 6Gb/s SATA interface, 64MB Cache</li> <li>• Prioritized write-operations for maximized surveillance performance</li> <li>• TLER &amp; ATA streaming support.</li> </ul>	17,745.00	13,650.00	13,000.00
4	<b>WD62PURX-64B2MY0</b> 6TB PURPLE HARD DISK 	<ul style="list-style-type: none"> <li>• Engineered specifically for surveillance security systems</li> <li>• Improve performance with AllFrame for upto 32 HD cameras</li> <li>• Reduced video frame loss</li> <li>• 6TB capacity • 3.5" Form Factor</li> <li>• 6Gb/s SATA interface, 64MB Cache</li> <li>• Prioritized write-operations for maximized surveillance performance</li> <li>• TLER &amp; ATA streaming support.</li> </ul>	31,395.00	24,150.00	23,000.00
5	<b>WD82PURX-64GVLY0</b> 8TB PURPLE HARD DISK 	<ul style="list-style-type: none"> <li>• Engineered specifically for surveillance security systems</li> <li>• Improve performance with AllFrame for upto 32 HD cameras</li> <li>• Reduced video frame loss</li> <li>• 8TB capacity • 3.5" Form Factor</li> <li>• 6Gb/s SATA interface</li> <li>• Prioritized write-operations for maximized surveillance performance</li> <li>• TLER &amp; ATA streaming support.</li> </ul>	43,680.00	33,600.00	32,000.00
6	<b>WD101PURA-64B5KY0</b> 10 TB PURPLE HARD DISK 	<ul style="list-style-type: none"> <li>• Engineered specifically for surveillance security systems</li> <li>• Improve performance with AllFrame for upto 32 HD cameras</li> <li>• Reduced video frame loss</li> <li>• 10TB capacity • 3.5" Form Factor</li> <li>• 6Gb/s SATA interface 256MB Cache</li> <li>• 7200 RPM, Prioritized write-operations for maximized surveillance performance</li> <li>• TLER &amp; ATA streaming support.</li> </ul>	53,235.00	40,950.00	39,000.00
7	<b>DT01ABA100V</b> Toshiba 1TB DT01-V Series Surveillance Hard Disk Drives 	<ul style="list-style-type: none"> <li>• 1TB Capacity</li> <li>• SATA 6Gb/s, 32MB Cache</li> <li>• 3.5", Low Profile Form Factor</li> <li>• 5900 RPM, Advanced Format (AF) 512e Sector Length</li> <li>• 5.27ms Average Latency Time</li> <li>• 5.7W Average operating power, 3.0W idle</li> <li>• 1443 Mbit/s Max Data Transfer Rate Sustainable</li> </ul>	7,780.50	5,985.00	5,700.00

7	<b>DT02ABA200V</b> Toshiba 2TB DT02-V Series Surveillance Hard Disk Drives 	•2TB Capacity • SATA 6Gb/s, 128MB Cache • 3.5" Form Factor • 5400 RPM, Advanced Format (AF) 512e Sector Technology • MTTF/AFR : 1,000,000 h / 0.88% • 176.4 MiB/s Maximum Data Transfer Speed(Sustained) (Typ.) • Supports up to 32 cameras high-definition streams	10,510.50	8,085.00	7,700.00
7	<b>DT02ABA400V</b> Toshiba 4TB DT02-V Series Surveillance Hard Disk Drives 	•4TB Capacity • SATA 6Gb/s, 128MB Cache • 3.5" Form Factor • 5400 RPM, Advanced Format (AF) 512e Sector Technology • MTTF/AFR : 1,000,000 h / 0.88% • 176.4 MiB/s Maximum Data Transfer Speed(Sustained) (Typ.) • Supports up to 32 cameras high-definition streams	16,380.00	12,600.00	12,000.00




## Solid State Storage Medias

### SATA SSD

1	<b>SSD-128G-S3-IN</b> 128GByte, SATA III, U300 SSD-Overseas 	•3D TLC NAND Storage Media • SATA III Interface • 550MB/S Max Sequential read • 490MB/S Max Sequential Write • 37K IOPS Random Read (4KB) • 38K IOPS Random Write (4KB) • 0°C to 70°C Operating Temperature • 40°C to 85°C Storage Temperature • ≤90% RH (non-condensing) Operating Humidity • MTBF: ≥1500000 hours	2,730.00	2,100.00	2,000.00
2	<b>SSD-256G-S3-IN</b> 256GByte, SATA III, U300 SSD-Overseas 	•3D TLC NAND Storage Media • SATA III Interface • 560MB/S Max Sequential read • 510MB/S Max Sequential Write • 45K IOPS Random Read (4KB) • 40K IOPS Random Write (4KB) • 0°C to 70°C Operating Temperature • -40°C to 85°C Storage Temperature • ≤90% RH (non-condensing) Operating Humidity • MTBF: ≥1500000 hours	4,504.50	3,465.00	3,300.00
3	<b>SSD-512G-S3-IN</b> 512GByte, SATA III, U300 SSD-Overseas 	•3D TLC NAND Storage Media • SATA III Interface • 560MB/S Max Sequential read • 510MB/S Max Sequential Write • 49K IOPS Random Read (4KB) • 44K IOPS Random Write (4KB) • 0°C to 70°C Operating Temperature • -40°C to 85°C Storage Temperature • ≤90% RH (non-condensing) Operating Humidity • MTBF: ≥1500000 hours	7,507.50	5,775.00	5,500.00




### NVME M.2 SSD

1	<b>SSD-256G-P3-M2-IN</b> 256GByte, PCIe3.0, U300 NVME SSD 	•3D TLC NAND Storage Media • NVME M.2 Interface • 3100MB/S Max Sequential read • 1300MB/S Max Sequential Write • 80K IOPS Random Read (4KB) • 126K IOPS Random Write (4KB) • 0°C to 70°C Operating Temperature • -40°C to 85°C Storage Temperature • ≤90% RH (non-condensing) Operating Humidity • MTBF: ≥1500000 hours	4,777.50	3,675.00	3,500.00
---	---	--	----------	----------	----------


2	<b>SSD-512G-P3-M2-IN</b> 512GByte, PCIe3.0, U300 NVME SSD 	<ul style="list-style-type: none"> <li>• 3D TLC NAND Storage Media</li> <li>• NVME M.2 Interface</li> <li>• 2800MB/S Max Sequential read</li> <li>• 1700MB/S Max Sequential Write</li> <li>• 80K IOPS Random Read (4KB)</li> <li>• 153K IOPS Random Write (4KB)</li> <li>• 0°C to 70°C Operating Temperature</li> <li>• -40°C to 85°C Storage Temperature</li> <li>• ≤90% RH (non-condensing) Operating Humidity</li> <li>• MTBF: ≥1500000 hours</li> </ul>	7,780.50	5,985.00	5,700.00
3	<b>SSD-1024G-P3-M2-IN</b> 1TByte, PCIe3.0, U300 NVME SSD 	<ul style="list-style-type: none"> <li>• 3D TLC NAND Storage Media</li> <li>• NVME M.2 Interface</li> <li>• 3000MB/S Max Sequential read</li> <li>• 2600MB/S Max Sequential Write</li> <li>• 222K IOPS Random Read (4KB)</li> <li>• 164K IOPS Random Write (4KB)</li> <li>• 0°C to 70°C Operating Temperature</li> <li>• -40°C to 85°C Storage Temperature</li> <li>• ≤90% RH (non-condensing) Operating Humidity</li> <li>• MTBF: ≥1500000 hours</li> </ul>	17,745.00	13,650.00	13,000.00
4	<b>SSD-2048G-P3-M2-IN</b> 2TByte, PCIe3.0, U300 NVME SSD 	<ul style="list-style-type: none"> <li>• 3D TLC NAND Storage Media</li> <li>• NVME M.2 Interface</li> <li>• 3000MB/S Max Sequential read</li> <li>• 2600MB/S Max Sequential Write</li> <li>• 222K IOPS Random Read (4KB)</li> <li>• 164K IOPS Random Write (4KB)</li> <li>• 0°C to 70°C Operating Temperature</li> <li>• -40°C to 85°C Storage Temperature</li> <li>• ≤90% RH (non-condensing) Operating Humidity</li> <li>• MTBF: ≥1500000 hours</li> </ul>	28,665.00	22,050.00	21,000.00



## TF (Micro SD)Cards

### Blue Series




1	<b>TF-32G-T-L-IN</b> Storage Medium, TF Card, 32GB, Blue Card-Overseas 	<ul style="list-style-type: none"> <li>• 3D TLC NAND Storage Media</li> <li>• C10/U1/V10/A1 Speed Class</li> <li>• 50MB/S Max read speed</li> <li>• 20MB/S Max Write Speed</li> <li>• FAT32 File System</li> <li>• 0°C to 70°C Operating Temperature</li> <li>• -25°C to 85°C Storage Temperature</li> </ul>	750.75	577.50	550.00
2	<b>TF-64G-T-L-IN</b> Storage Medium, TF Card, 64GB, Blue Card-Overseas 	<ul style="list-style-type: none"> <li>• 3D TLC NAND Storage Media</li> <li>• C10/U1/V10/A1 Speed Class</li> <li>• 80MB/S Max read speed</li> <li>• 20MB/S Max Write Speed</li> <li>• exFAT File System</li> <li>• 0°C to 70°C Operating Temperature</li> <li>• -25°C to 85°C Storage Temperature</li> </ul>	955.50	735.00	700.00
3	<b>TF-128G-T-L-IN</b> Storage Medium, TF Card, 128GB, Blue Card-Overseas 	<ul style="list-style-type: none"> <li>• 3D TLC NAND Storage Media</li> <li>• C10/U1/V10/A1 Speed Class</li> <li>• 80MB/S Max read speed</li> <li>• 20MB/S Max Write Speed</li> <li>• exFAT File System</li> <li>• 0°C to 70°C Operating Temperature</li> <li>• -25°C to 85°C Storage Temperature</li> </ul>	2,730.00	2,100.00	2,000.00

### Purple Series



1	<b>TF-32G-T-IN</b> Storage Medium, TF Card, 32GB, Purple Card-Overseas 	<ul style="list-style-type: none"> <li>• 3D TLC NAND Storage Media</li> <li>• C10/U1/V10/A1 Speed Class</li> <li>• 100MB/S Max read speed</li> <li>• 20MB/S Max Write Speed</li> <li>• FAT32 File System</li> <li>• 0°C to 70°C Operating Temperature</li> <li>• -25°C to 85°C Storage Temperature</li> </ul>	1,160.25	892.50	850.00
---	--	---	----------	--------	--------

3	<b>TF-128G-T-IN</b> Storage Medium, TF Card, 128GB, Purple Card-Overseas 	<ul style="list-style-type: none"> <li>• 3D TLC NAND Storage Media</li> <li>• C10/U3/V30/A2 Speed Class</li> <li>• 100MB/S Max read speed</li> <li>• 80MB/S Max Write Speed</li> <li>• exFAT File System</li> <li>• 0°C to 70°C Operating Temperature</li> <li>• -25°C to 85°C Storage Temperature</li> </ul>	3,412.50	2,625.00	2,500.00
4	<b>TF-256G-T-IN</b> Storage Medium, TF Card, 256GB, Purple Card-Overseas 	<ul style="list-style-type: none"> <li>• 3D TLC NAND Storage Media</li> <li>• C10/U3/V30/A2 Speed Class</li> <li>• 100MB/S Max read speed</li> <li>• 80MB/S Max Write Speed</li> <li>• exFAT File System</li> <li>• 0°C to 70°C Operating Temperature</li> <li>• -25°C to 85°C Storage Temperature</li> </ul>	6,142.50	4,725.00	4,500.00


### Red Series







1	<b>TF-32G-MT-IN</b> Storage Medium, TF Card, 32GB, Red Card-Overseas 	<ul style="list-style-type: none"> <li>• MLC/TLC NAND Storage Media</li> <li>• C10/U1/V10/A1 Speed Class</li> <li>• 60MB/S Max read speed</li> <li>• 20MB/S Max Write Speed</li> <li>• FAT32 File System</li> <li>• -25°C to 85°C Operating Temperature</li> <li>• -40°C to 85°C Storage Temperature</li> </ul>	1,365.00	1,050.00	1,000.00
2	<b>TF-64G-MT-IN</b> Storage Medium, TF Card, 64GB, Red Card-Overseas 	<ul style="list-style-type: none"> <li>• MLC/TLC NAND Storage Media</li> <li>• C10/U1/V30/A1 Speed Class</li> <li>• 80MB/S Max read speed</li> <li>• 30MB/S Max Write Speed</li> <li>• exFAT File System</li> <li>• -25°C to 85°C Operating Temperature</li> <li>• -40°C to 85°C Storage Temperature</li> </ul>	2,047.50	1,575.00	1,500.00
3	<b>TF-128G-MT-IN</b> Storage Medium, TF Card, 128GB, Red Card-Overseas 	<ul style="list-style-type: none"> <li>• MLC/TLC NAND Storage Media</li> <li>• C10/U3/V30/A1 Speed Class</li> <li>• 90MB/S Max read speed</li> <li>• 40MB/S Max Write Speed</li> <li>• exFAT File System</li> <li>• -25°C to 85°C Operating Temperature</li> <li>• -40°C to 85°C Storage Temperature</li> </ul>	4,777.50	3,675.00	3,500.00










### Network Cables

1	<b>CAB-6-CCA</b> Cat6(UTP),100m,CCA,Overseas 	<ul style="list-style-type: none"> <li>• HSYV-6 4x2x0.585</li> <li>• DC resistance: <math>\leq 12 \Omega/\text{km}</math></li> <li>• Offset pitch <math>\leq 20 \text{ mm}</math>, Cable pitch <math>\leq 120 \text{ mm}</math></li> <li>• Material CCA(Copper content:27%)</li> <li>• Tensile strength <math>&gt;13.5 \text{ Mpa}</math></li> <li>• Thickness <math>0.55 \pm 0.05 \text{ mm}</math></li> <li>• Letter height <math>3.0 \pm 0.3 \text{ mm}</math></li> <li>• Packing length <math>100 \pm 1 \text{ m}</math></li> </ul>	4,777.50	3,675.00	3,500.00
2	<b>CAB-LC3100A-E-IN</b> UTP Category 6 Cables(0.52mm) 	<ul style="list-style-type: none"> <li>• HSYV-6 4x2x0.52</li> <li>• DC resistance <math>\leq 95 \Omega/\text{km}</math></li> <li>• Offset pitch <math>\leq 20 \text{ mm}</math>, Cable pitch <math>\leq 120 \text{ mm}</math></li> <li>• Material PVC(complies RoHS/REAC),OFC(Oxygen free copper)</li> <li>• Tensile strength <math>&gt;13.5 \text{ Mpa}</math></li> <li>• Thickness <math>0.6 \pm 0.05 \text{ mm}</math></li> <li>• Letter height <math>3.0 \pm 0.3 \text{ mm}</math></li> <li>• Packing length <math>305 \pm 1 \text{ m}</math></li> <li>• Ambient temperature <math>-20^\circ\text{C} \sim 60^\circ\text{C}</math></li> </ul>	21840.00	16800.00	16000.00

### Display, Monitors and SmartBoards

1	<b>MW3224-V</b> 24 Inch LCD Monitor 	<ul style="list-style-type: none"> <li>• 23.8 inch Screen Size, 1920x1080 Resolution</li> <li>• True color display 250 cd/m2 Brightness</li> <li>• Three sides super slim design, min width can be 2.8mm</li> <li>• Wide viewing angle:178°(H)/ 178°(V)</li> <li>• Support7*24working and lower power consumption</li> <li>• 2 * 1.5W Speakers, VESA stand bracket</li> <li>• DC 12V, 2A Power Input</li> </ul>	24,570.00	18,900.00	18,000.00
---	---	---	-----------	-----------	-----------

2	<b>MW3222-L</b> 22" LED FHD Monitor 	<ul style="list-style-type: none"> <li>• True color display, 250 cd/m2 brightness</li> <li>• Resolution 1920x1080 @ 60Hz Refresh Rate</li> <li>• 100mm x100mm VESA stand bracket</li> <li>• 12V 2A DC Power Supply</li> <li>• Wide view of field:178°(H)/ 178°(V)</li> <li>• 1xVGA and 1xHDMI input.</li> <li>• Support 7*24 working and lower power consumption</li> <li>• Adaptively recognize signal</li> </ul>	15,015.00	11,550.00	11,000.00
5	<b>MW3565-T-C</b> Smart Interactive Display 	<ul style="list-style-type: none"> <li>• 65 inch Screen Size, 3840x2160 Resolution</li> <li>• D-LED Backlight, 350 cd/m2 Brightness</li> <li>• Quad Core Cortex A55 CPU@1.9GHz, Mali-G31*2 GPU</li> <li>• 4GB DDR4 RAM, 32GB ROM with Android 9.0</li> <li>• IR touch technology.</li> <li>• 2x10W Speakers, 4-M8 Screw Hole 600mmx400mm VESA</li> <li>• 180~240V AC Power Input</li> <li>• Built-in Android system and optional with Pluggable PC Module</li> </ul>	263,445.00	202,650.00	193,000.00
6	<b>MW3575-T-C</b> Smart Interactive Display 	<ul style="list-style-type: none"> <li>• 75 inch Screen Size, 3840x2160 Resolution</li> <li>• D-LED Backlight, 350 cd/m2 Brightness</li> <li>• Quad Core Cortex A55 CPU@1.9GHz, Mali-G31*2 GPU</li> <li>• 4GB DDR4 RAM, 32GB ROM with Android 9.0</li> <li>• IR touch technology.</li> <li>• 2x10W Speakers, 4-M8 Screw Hole 600mmx400mm VESA</li> <li>• 180~240V AC Power Input</li> <li>• Built-in Android system and optional with Pluggable PC Module</li> </ul>	300,300.00	231,000.00	220,000.00
7	<b>MW3586-T-C</b> Smart Interactive Display 	<ul style="list-style-type: none"> <li>• 56 inch Screen Size, 3840x2160 Resolution</li> <li>• D-LED Backlight, 350 cd/m2 Brightness</li> <li>• Quad Core Cortex A55 CPU@1.9GHz, Mali-G31*2 GPU</li> <li>• 4GB DDR4 RAM, 32GB ROM with Android 9.0</li> <li>• IR touch technology.</li> <li>• 2x10W Speakers, 4-M8 Screw Hole 600mmx400mm VESA</li> <li>• 180~240V AC Power Input</li> <li>• Built-in Android system and optional with Pluggable PC Module</li> </ul>	431,340.00	331,800.00	316,000.00
<b>OPS For Smart Interactive Display</b>					
1	<b>HB-7099-M1</b> Pluggable PC Module(OPS) 	<ul style="list-style-type: none"> <li>• Slim and compact design takes up less space</li> <li>• Compliant with OPS standards, ideally suited for smart interactive dis</li> <li>• Intel(R) Core(TM) i5-9400 CPU @2.9GHz</li> <li>• 8GB DDR4 Memory with support for expansion up to 16GB</li> <li>• Intel HD Graphics 630</li> <li>• 256GB SSD, 1 * M.2-2280 SATAIII (up to 6Gb/s) SSD</li> <li>• 4K UHD display with HDMI and DP.</li> <li>• DC 12V to 19V, supplies power via OPS interface</li> </ul>	88,725.00	68,250.00	65,000.00
<b>Webcam Video Conferencing and Access Control</b>					
1	<b>IoT-Unear A30T</b> All-In-One Video Conference Camera 	<ul style="list-style-type: none"> <li>• Omnidirectional 4 microphones array algorithm, 5-meter far-field clear voice pickup</li> <li>• Exclusive AI noise-suppression technology, significantly increase concentration of conference participants</li> <li>• Real full-duplex, HQ uninterrupted communication</li> <li>• 100° full HD wide-angle camera, in-person conference experience</li> <li>• Plug &amp; play, general compatibility with leading online conference platforms</li> <li>• Audio &amp; video all-in-one, intuitive control experience</li> </ul>	30,439.50	23,415.00	22,300.00

2	<b>Unear V20@50Hz</b> 2K full HD USB Webcam 	<ul style="list-style-type: none"> <li>• 4MP, 1440P@30FPS image quality with max 1080P@60FPS.</li> <li>• AI noise-suppression technology, Makes Sound More Clear</li> <li>• 90° wide-angle lens, Built-in Lens Cover</li> <li>• Plug &amp; play, general compatibility with leading online conference platforms</li> </ul>	6,279.00	4,830.00	4,600.00
4	<b>OET-213H</b> Face Recognition Access Control Terminal 	<ul style="list-style-type: none"> <li>• Dual Lens, 2MP, 1080P Camera</li> <li>• 10/100Mbps adaptive network port</li> <li>• Operation System Linux</li> <li>• Face Recognition Accuracy Rate &gt;99%</li> <li>• Face Recognition Time 200ms</li> <li>• Face Capacity 10,000, Card Capacity 100,000</li> <li>• Built-in 4G EMMC front end storage</li> <li>• Event Capacity 8,000 (with images)</li> <li>• Support video capture, support ONVIF protocol</li> </ul>	58,695.00	45,150.00	43,000.00
5	<b>OET-231H</b> Face Recognition Access Control Terminal 	<ul style="list-style-type: none"> <li>• Dual Lens, 2MP, 1080P Camera</li> <li>• 10/100Mbps adaptive network port</li> <li>• Operation System Linux</li> <li>• Face Recognition Accuracy Rate &gt;99%</li> <li>• Face Recognition Time 200ms</li> <li>• Face Capacity 3000, Card Capacity 10,000</li> <li>• Built-in 4G EMMC front end storage</li> <li>• Event Capacity 30,000 (with images)</li> <li>• Support video capture, support ONVIF protocol</li> </ul>	34,125.00	26,250.00	25,000.00
<b>Mini Wifi Cameras and Mounting Accessories</b>					
1	<b>C1L-2WN-G</b> Smart Wireless Cube Camera 	<ul style="list-style-type: none"> <li>• 1/2.9", 2.0 MP, progressive scan, CMOS Sensor</li> <li>• 2.8mm@F2.0 Lens</li> <li>• Ultra 265, H.265, H.264, MJPEG Video Compression</li> <li>• 1080P (1920*1080), Max 30fps Frame Rate</li> <li>• DC 5V±10% Power Input</li> <li>• Smart IR , up to 10 m (32 ft) IR distance</li> <li>• Built-in Mic/Speaker</li> <li>• Wi-Fi at 2.4GHz~2.4835GHz IEEE 802.11b/g/n</li> <li>• Micro SD, up to 128GB</li> </ul>	6,825.00	5,250.00	5,000.00
3	<b>Uho-S2</b> Smart PT Camera  	<ul style="list-style-type: none"> <li>• 1/3", 2.0 MP, CMOS Sensor</li> <li>• 4.0mm@F2.0 Lens</li> <li>• H.264, H.265 Video Compression</li> <li>• ONVIF (Profile S, Profile G, Profile T), API</li> <li>• 1080P (1920*1080), Max 25fps (IR Mode)</li> <li>• micro USB DC 5V1A Power Input</li> <li>• Up to 10 m IR distance</li> <li>• Built-in Mic/Speaker</li> <li>• 2.4G Wi-Fi (IEEE802.11b/g/n), built-in antenna</li> <li>• Micro SD, up to 256GB</li> <li>• Pan0°~340°, tilt-5°~55° Range</li> </ul>	4,975.43	3,827.25	3,645.00
4	<b>Uho-S2E</b> Smart Pan & Tilt Camera  	<ul style="list-style-type: none"> <li>• 1/3", 2.0 MP, CMOS Sensor</li> <li>• 4.0mm@F2.0 Lens</li> <li>• H.264, H.265 Video Compression</li> <li>• ONVIF (Profile S, Profile G, Profile T), API</li> <li>• 1080P (1920*1080), Max 25fps (IR Mode)</li> <li>• DC 5V1A Power Input</li> <li>• Up to 10 m IR distance</li> <li>• Built-in Mic/Speaker</li> <li>• 2.4G Wi-Fi (IEEE802.11b/g/n), built-in antenna</li> <li>• Built in RJ45 Ethernet Port</li> <li>• Micro SD, up to 256GB</li> <li>• Pan0°~340°, tilt-5°~55° Range</li> </ul>	5,262.08	4,047.75	3,855.00
5	<b>TR-WE45-IN</b> PTZ Dome Wall Mount 	<ul style="list-style-type: none"> <li>• Gross Weight 0.79kg(1.74lb)</li> <li>• Aluminum alloy Material</li> <li>• Used For PTZ Dome Cameras</li> </ul>	2,047.50	1,575.00	1,500.00